



Power Tools
Catalogue

BOXER
PROFESSIONAL TOOLS



Introduction

We have been doing business since more than 20 years in Poland and in tools and Sundry products business we have been in for 10 years . Our main goal is to provide good service and quality products The company is mainly engaged in domestic and foreign trade of Household tools for nearly 20 years.

Boxer Tools focus on whole solution providing instead of only manufacturing which combines development, design, production, sales and one-stop service. Our company has introduced a series of advanced tools, We also welcome OEM and ODM orders. No matter whether selecting from more than existing 2000 models or developing the new designs with us, We always adhering to the concept of quality first, service first, reasonable price and on time delivery.

BOXER

PROFESSIONAL TOOLS

Index

Cordless Drills	01
Hand Tools	11
Pump	22
Welding Machine	25
Power Tools	27
Wheel	--
Garden Tools	35
Generators	40
Compressors	41
Angle Grinders	42
Circular Saw	45
Drill	46
LED Panel Lamps	51

BOXER
PROFESSIONAL TOOLS



Cordless Drills



BX-140



- Compact housing
- Right / left rotation
- Non-slip handle
- Light and ergonomic design
- 18 stage clutch
- 2 gears
- Short charging time – 1h
- 2x battery made in Lithium-Ion (Li-Ion) 2.2Ah technology
- LED backlight
- Magnet
- Drill chuck size: 10mm
- Idle engine speed: 1st gear: 0-400 rpm, 2nd gear: 0-1450 rpm

Strong and ergonomic screwdriver – cordless drill for household, construction and gardening. The advantage of a cordless screwdriver is that they are not dependent on electrical sockets. The screwdriver is equipped with torque control, 2 gears, a rotation switch – left, right, a quick-clamping drill chuck, a lamp that illuminates the work and a mechanical brake. High efficiency and a two-speed gearbox in the cordless drill offered by us provides a torque of 30Nm during drilling and screwdriving. 10mm drill chuck with a quick clamping system, 2.2Ah battery in Li-Ion technology and LED backlight significantly increase the comfort of work.

BX-148



- Two mechanical variable speed & reverse for control during drilling & driving
- Quick and easy bit changes with the keyless chuck
- Soft grip handle and all new ergonomic design
- 19-stage adjustable torque
- Dia od chuck: 10mm
- Charge time: 3-5 hour



A cordless drill is a device necessary in every home, with its help we can perform many works, such as drilling in wood, metal, furniture assembly, plasterboard assembly and many others. All this work will be much easier and faster when we have such a complete set of tools. The drill has an ergonomic shape, a comfortable handle, covered with a soft rubber that prevents the tool from slipping in the hand. Additionally, to increase the work efficiency, it has 2 18V batteries.

SR-151



- Keyless drill chuck ergonomic handle
- Mechanical change of speed and gear
- Torque with 15 levels of adjustment
- Drill chuck diameter 13mm
- Charging time: 1.5-2h

A cordless drill is a device necessary in every home, with its help we can perform many works such as drilling in wood, metal, furniture assembly, plasterboard assembly, and many others. All this work will be much easier and faster when we have such a complete set of tools. The drill has an ergonomic shape, a comfortable handle, covered with a soft rubber that prevents the tool from slipping in the hand. Additionally, to increase the work efficiency, it has 2 24V batteries.



- Power: Battery
- Battery type: Li-Ion
- Battery voltage: 20.4V
- Battery capacity A / h: 1500
- Battery charging time: 1 h
- Torque: 30/42 Nm
- Rotation speed, rpm: 0-400 / 0-1450
- Number of speeds: 2
- Chuck: Keyless
- Chuck diameter: 10mm
- Weight: 1.3KG

Impact driver drill Boxer SR-003 Reliable quality with 20.4v lithium battery. Battery capacity: 15A / h

SR035



- Power supply: 18V
- 230V / 50Hz charger power supply
- Clutch: 18-stage + drilling
- Drilling function: YES
- Drill chuck size: 10mm
- RIGHT / LEFT rotation
- Weight approx: 1000g
- **Rotation speed :**
1-speed - 0-350 rpm
2-speed - 0-1350 rpm

- **Torque:**
20Nm
- **Included:**
1x BOXER TOOLS 18V drill driver
2x 18V Li-Ion battery - 2.2Ah
1x battery charger
1x park suitcase
1x set of accessories



Boxer combination set that everyone will like. Reliable screw / drill + impact wrench + 17-piece accessories, battery: 3 Ah with charger that has the function of fast battery charging. The complete set for everyday use

SR016



- -----
-
-
-
-
-
-
-
-
-

BATTERY POWER TOOL SET BOXER SR-036 GRINDER + IMPACT DRIVER BOXER PROFESSIONAL TOOLS rechargeable set. Reliable drill driver + grinder. The set includes 2 x battery: 5Ah

**SR-152**

- Two mechanical variable speed & reverse for control during drilling & driving
- Quick and easy bit changes with the keyless chuck
- Soft grip handle and all new ergonomic design
- Dia od chuck: 10mm

A cordless drill is a device necessary in every home, with its help we can perform many works such as drilling in wood, metal, furniture assembly, plasterboard assembly, and many others. All this work will be much easier and faster when we have such a complete set of tools in our possession. The drill has an ergonomic shape, a comfortable handle, covered with a soft rubber that prevents the tool from slipping in the hand. Additionally, to increase the work efficiency, it has 2 24V batteries.

SR-150

- Battery voltage 24v
- 5.0 Ah battery capacity
- Battery charging time: 1.5-2 hours
- Idle speed 1st gear: 0-900min-1
- Impact frequency 1st gear: 0-5000 min - 1
- Impact energy J: 1
- Max drilling diameter in wood: 16mm
- Max drilling diameter in steel: 8mm
- Max drilling diameter in masonry: 10mm



Cordless SDS DRILL 24V X 2

SR-147

- Battery voltage 20,4V
- 5.0 Ah battery capacity
- Battery charging time: 1.5-2 hours
- Idle speed 1st gear: 0-900min-1
- Impact frequency 1st gear: 0-5000 min - 1
- Impact energy J: 1
- Max drilling diameter in wood: 16mm
- Max drilling diameter in steel: 8mm
- Max drilling diameter in masonry: 10mm

Cordless SDS DRILL 20,4V X 2



- Power supply: 24V Max li-ion
- Two mechanical variable speeds and a reverse gear allow you to control the device while drilling and its steerability
- Quick and easy bit change with the keyless drill chuck
- Soft handle and completely new ergonomic design
- Equipped with a LED lamp
- Charging time 1 hour

Set of cordless hammer drill + cordless screwdriver 24V max 2x battery.

SR-043



- Power supply: 24V Max li-ion
- Two mechanical variable speed and speed limitation of the device during testing and its controllability
- Quick and easy repair of bits fixed with a keyless drill chuck
- Soft handle and completely new ergonomic design
- Refills in the LED lamp
- Payback time 1 hour



Zestaw wiertarka udarowa akumulatorowa + śrubokręt akumulatorowy 24V max 2x bateria.

BX-144



- Power supply: 18V
- 230V / 50Hz charger power supply
- Battery type: Lithium-Ion (Li-Ion)
- Battery capacity: 2000mAh
- Clutch: 18-stage + drilling
- Drilling function: YES
- Drill chuck size: 10mm
- RIGHT / LEFT rotation
- Charging time about 1 hour
- Weight approx: 1045g
- Idle speed: 1st gear: 0-350rpm 2nd gear: 0-1350rpm

Strong and ergonomic screwdriver – cordless drill for household, construction and gardening. The advantage of a cordless screwdriver is that they are not dependent on electrical sockets. High performance and a two-speed gearbox in our cordless drill provide a 1Nm melman torque during drilling and screwdriving. 10mm drill chuck with a quick clamping system, 2.0Ah battery in Li-Ion technology and LED backlight significantly increase the comfort of work. No self-discharge effect and no memory effect ensure long-term operation.

**BX-172**

- **Set contains:**
 - BOXER 24V drill / driver
 - 2x 24V Li-Ion battery – 2.2Ah
 - Charging station for batteries
 - Case
 - User manual
 - Double-sided screwdriver bit
- **Parameters:**
 - Power supply: 24V
 - 230V / 50Hz charger power supply
 - Battery type: Lithium-Ion (Li-Ion)
 - Battery capacity: 2200mAh
 - Clutch: 18-stage + drilling
 - Drilling function: YES
 - Size of the drill chuck: 10mm
 - RIGHT / LEFT rotation
 - Weight approx: 1050g

A cordless screwdriver is a device necessary in every home, with its help we can do a lot of work: • Drilling in wood, metal • Furniture assembly • Installation of plasterboard All these jobs will be much easier and faster The screwdriver has an ergonomic shape, a comfortable handle covered with soft rubber that prevents the tool from slipping in the hand. The screwdriver is equipped with an LED lamp that illuminates the working area To increase the work efficiency, it has 2 24V batteries.

BX-178

- Power: battery
- Battery type: Lithium-ion
- Two 1500mAh batteries included
- Battery voltage: 18 V
- Maximum speed: 0-350; 0-1350 rpm
- Chuck size: 10 mm
- 230V battery charger
- Charging time: about 1.5 hours



The screwdriver – drill is designed for easy drilling and screwdriving with the possibility of adjusting the tightening force in 19 degrees. LED lighting enhances comfort in low light conditions. • Pivots left and right • Quick and easy bit change using the keyless chuck • 94 items included: drills, bits, brushes, caps, stones etc. • Case • Charger Included: • 1x BOXER TOOLS 18V drill / driver • 2x 18V Li-Ion battery – 1.5Ah • 1x battery charger • 1x park suitcase • 10 metal drill bits • 10 wood drill bits • 10 concrete drill bits • 3 wood paddle drill bits • 9 sockets • 3 round wire brushes • 5 grinding stones • 31 bits

SR-057

- Motor power: 1170 W
- Power supply: 230 V / 50 Hz
- Revolutions: 0 – 2800 rpm
- Maximum drill bit diameter:
 - Concrete 10mm – Wood 25mm – Steel 13mm

SET CONTAINS Hammer drill, Depth gauge, Handle, Spare brushes, Key to the handle



- ---
-
-
-
-
-

CP1517



- Battery voltage: 18 V
- Battery capacity: 1500 mAh
- Max. revolutions per minute: 1350 rpm
- Coupling positions: 18 + 1
- Bit holder size: 10 mm
- Speeds: 2
- Battery charging time: 1 hour



Champion 18V LI-Ion Drill Set - 2 Drills + 2 Batteries - 51 pcs

FT1501



- Ergonomic design with a soft handle
- Torque with 16 levels of regulation
- Drill chuck diameter: 10 mm
- Charging time 3-5 hours
- Cordless Drill
- Two 18V hydride-nitrile batteries
- Charger
- Case

Cordless drill FT-1501 18V

**SRO21**

- Model: Sr-O21
- Device type: impact wrench
- Power: 20.4V
- Rotation speed: 2400 rpm
- Number of strokes: 0-3000 / min
- Shank Size: 1.2" (HEX)
- Max. torque: 250 Nm
- Rotation speed: 2400 rpm
- Blows per minute: 0-3000
- Dimensions: 22 x 16 x 9 (height x width x thickness)
- Weight: 1.75 kg
- SET COMPOSITION
- Boxer impact wrench
- 2x 20.4Volt battery
- 1 hour charger

The X-Series line of Boxer products is powered by batteries made in lithium-ion (Li-Ion) technology. This technology has allowed for the storage of twice as much energy as in conventional NiMH batteries. There is also no memory effect (loss of battery capacity). Additional LED backlight allows you to work in low light, and the battery discharge indicator informs you about the status of the device on an ongoing basis.

SRO22

- Model: Sr-O22
- Device type: impact wrench
- Power: 20.4V
- Rotation speed: 2400 rpm
- Number of strokes: 0-3000 / min
- Shank Size: 1.2" (HEX)
- 2Max. torque: 250 Nm
- Rotation speed: 2400 rpm
- Blows per minute: 0-3000
- Dimensions: 22 x 16 x 9 (height x width x thickness)
- Weight: 1.75 kg
- SET COMPOSITION
- Boxer impact wrench
- 2x 20.4Volt battery
- 1 hour charger



The X-Series line of Boxer products is powered by batteries made in lithium-ion (Li-Ion) technology. This technology has allowed for the storage of twice as much energy as in conventional NiMH batteries. There is also no memory effect (loss of battery capacity). Additional LED backlight allows you to work in low light, and the battery discharge indicator informs you about the status of the device on an ongoing basis.

SRO24

- Impact wrench with a brushless motor with a torque of 250 Nm!
- The key provides up to 3000 strokes per minute
- 2 batteries 2.0 Ah 20.4 V
- Speed 0-2400 rpm
- LED lighting
- 3 LEDs showing the battery status
- Suitcase
- 4 keys

NEW BOXER IMPACT WRENCH SR-O24 2X BATTERY 24.4V



- Charger
- Battery x 2 (MAX 24V 3Ah and MAX 24V 4Ah)
- Drill driver x1
- Angle grinder x1
- Impact wrench x1
- Tool case with strong metal clasps
- Key to unscrew the dial
- Grinder holder
- 6 x bit
- 6 x metal drill bits
- 1 x metal disc
- instruction
- Fast charger
- The LED indicators on the charger show the condition of the battery while charging
- The intelligent monitoring system analyzes the voltage and temperature of the battery while charging, it will ensure

Boxer Power Tool Set SR-029

BX174



- Power supply: 18V
- 230V / 50Hz charger power supply
- Clutch: 18-stage + drilling
- Drilling function: YES
- Drill chuck size: 10mm
- RIGHT / LEFT rotation
- Weight approx: 1000g
- **Rotation speed:**
 - 1-speed - 0-350 rpm
 - 2-speed - 0-1350 rpm
- **Rotation speed:**
 - 1-speed - 0-350 rpm
 - 2-speed - 0-1350 rpm
- **Torque:**
 - 20Nm
- **Included:**
 - 1x BOXER TOOLS 18V drill driver
 - 2x 18V Li-Ion battery - 2.2Ah
 - 1x battery charger
 - 1x park suitcase
 - 1x set of accessories



BIG SCREWDRIVER SET 2AKU18V DRILL

OX1537



- Quick and easy change of the drill bit using the keyless drill chuck
- Ergonomic design with a soft handle
- Torque with 19-step adjustment
- Drill chuck diameter: 10 mm
- Loading time 1 hour
- **The set includes:**
 - Drill and screwdriver
 - Two batteries
 - Charger
 - Suitcase

ONEX ox-1537 18V cordless drill driver, 2 x battery, 2-speed gearbox



OX1540



- Supply voltage: 18V
- Battery type: Lithium-ion (Li-ion)
- Battery capacity: 2000 mAh
- Charging time: about 1h
- Torque with 19-step adjustment
- Maximum drill diameter: 10mm
- Rotation direction: right / left
- Clutch: 15 degrees + drilling
- Drill chuck: keyless
- LED backlight

Drill Cordless Screwdriver 18V ONEX OX-1540 2 x Batteries

OX1545



- The handy 18V cordless drill has a mechanically variable speed and reverse gear, which allows you to control the operation of the device.
- Quick and easy replacement of the tip of the drill bit using the keyless chuck
- Ergonomic handle
- Torque of 19 gradual adjustment of
- The diameter of chuck 10 mm
- Charging time 1h
- Set includes 2 batteries and a rich set of additional keys and flashlight



ONEX OX-1545 18V CORDLESS DRILLS

SR001



- Power: Battery
- Battery type: Li-Ion
- Battery voltage: 20.4V
- Battery capacity A / h: 1500
- Battery charging time: 1 h
- Torque: 30/42 Nm
- Rotation speed, rpm: 0-400 / 0-1450
- Number of speeds: 2
- Chuck: Keyless
- Chuck diameter: 10mm
- Weight: 1.3KG

Impact driver drill Boxer SR-001 Reliable quality with 20.4v lithium battery. Battery capacity: 1.5A / h



- Power supply: ~ 24V DC
- Rotation: ~ 0-2400rpm
- Charging time: ~ 1h
- Torque: ~ 500Nm
- Spindle Size: ~ 1/2 "square
- Rotation switch: ~ left / right
- Battery capacity: ~ 5000mA

- **BATTERY IMPACT WRENCH NEW 2020!**
- 2 LI-Ion batteries,
- fast charging,
- LED backlight,
- soft non-slip grip,
- rotation direction switch,
- hardened pin 1/2",
- sockets with increased impact strength
- solid workmanship,
- durable materials.

IMPACT BATTERY WRENCH 24V 5.0AH 500Nm SET OF 2 X BATTERIES

SR040



- 1x BOXER TOOLS drill driver
- 2x MAX 24V Li-Ion battery ~ 2.6Ah
- 1x quick charger for the battery
- 1x practical suitcase
- 10 metal drill bits
- 10 wood drill bits
- 10 concrete drill bits
- 3 paddle drill bits for wood
- 9 socket wrenches
- 3 round wire brushes
- 5 grinding stones
- 31 bits



Cordless screwdriver Boxer SR-040 24 V 2.6 Ah

SR041



- 1x BOXER TOOLS drill driver
- 2x MAX 24V Li-Ion battery ~ 2.6Ah
- 1x quick charger for the battery
- 1x practical suitcase
- 10 metal drill bits
- 10 wood drill bits
- 10 concrete drill bits
- 3 paddle drill bits for wood
- 9 socket wrenches
- 3 round wire brushes
- 5 grinding stones
- 31 bits

Cordless screwdriver Boxer SR-040 24 V 2.6 Ah

BOXER
PROFESSIONAL TOOLS





**Hand
Tools**



CP-1026



- Nozzle diameter: 1.5 mm
- Tank capacity: 600 ml
- Air pressure required: 3.0–4.0 bar
- Average connection: 1.4 "

High-quality spray gun with three adjustments: air, paint and jet. The gun is equipped with an independent air and paint actuation mechanism. Thanks to this solution, after lightly pressing the trigger, the compressed air escapes from the nozzle, and then, after increasing the pressure on the trigger, the paint. This has a big impact on the quality of painting.

CP-1028



- Nozzle diameter: 1.4 mm
- Tank capacity: 600 ml
- Working pressure: 50–70 psi
- Minimum air consumption: 228l
- Air inlet: 1.4 "
- Type without venting



A cordless drill is a device necessary in every home, with its help we can perform many works, such as drilling in wood, metal, furniture assembly, plasterboard assembly and many others. All this work will be much easier and faster when we have such a complete set of tools. The drill has an ergonomic shape, a comfortable handle, covered with a soft rubber that prevents the tool from slipping in the hand. Additionally, to increase the work efficiency, it has 2 18V batteries.

CP-1029



- Average Air Consumption (100%) SCFM: 65scfm
- Tank capacity: 200ml
- Nozzle size: 0.5mm
- Fluid flow: 50 ml / min
- Air pressure: 70 psi

A cordless drill is a device necessary in every home, with its help we can perform many works such as drilling in wood, metal, furniture assembly, plasterboard assembly, and many others. All this work will be much easier and faster when we have such a complete set of tools. The drill has an ergonomic shape, a comfortable handle, covered with a soft rubber that prevents the tool from slipping in the hand. Additionally, to increase the work efficiency, it has 2 24V batteries.

CP-1032



- Tank capacity: 680 ml
- Nozzle size: 1.3 mm
- Painting liquid: 70-110 ml / min
- Air pressure: 30-43 PSI
- Weight: 0.7 kg
- Connection diameter: 1.4 "

The gun is designed for painting surfaces using: • water-based varnishes. • aryl metallized and pearl varnishes, pearl, acrylic and metallized varnishes. • base acrylics and spray putties (according to the product manufacturer's recommendations). The gun is equipped with three basic adjustments: • Air: setting the amount of material in relation to air, • Paints: amount of material thrown, • Spray: round or flat spray pattern.

OX-1021

- Set contains:
- Gun with pressure gauge
- Gun with bottom reservoir
- Paint sprayer
- Top tank with lid
- Air blow gun
- 5 m long spiral hose



Properties: • Intended for mechanical and car services • Regulation of the amount and stream of varnish • Air pressure adjustment • Fastening with a traditional quick coupler • Air drain valve

HK-2192



- Supply voltage: 100V-240V
- Power: 50 - 60 Hz

Universal hot glue gun. - Perfect for any DIY enthusiast at home / workshop / garage. - Perfect for scrapbooking, handicrafts, artwork, modeling work. - The gun is perfect for gluing various types of materials: wood, plastic, cardboard, paper, leather, fabrics and much more.

OX-1026

- Nozzle diameter: 1.5mm
- Tank capacity: 600ml
- Air pressure required: 3.0-4.0 bar
- Connection diameter: 1/4"

The paint spray gun is a device made of high-quality materials that ensure trouble-free operation and a long service life. The equipment is intended for both professionals and DIY enthusiasts.

OX-1027

- Nozzle diameter: 1.0mm
- Tank capacity 150ml
- Connection diameter 1/4"



The paint spray gun is a device made of high-quality materials that ensure trouble-free operation and a long service life. The equipment is intended for both professionals and DIY enthusiasts.

OX-1033

- Average Air Consumption (100%) SCFM: 65cfm
- Tank container: 200 ml
- Nozzle size: 0.5mm
- Fluid flow: 50ml / min
- Air pressure: 70 psi

The paint spray gun is a device made of high-quality materials that ensure trouble-free operation and a long service life. The equipment is intended for both professionals and DIY enthusiasts.



• **Contents of the package:**

- 1/4 " hexagonal sockets: 4mm, 4.5mm, 5mm, 5.5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm
- 3/8 " hexagonal sockets: 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm

• **Screwdriver bits:**

- PH: 3, 4
- VP: 3, 4

• **Bits:**

- SPLINE: M5, M6, M8
- TORX: T5, T6, T7

It includes a set of sockets and screwdriver bits as well as 1/2 " and 1/4 " ratchets with 24 teeth. The set includes bits for sockets and a dedicated screwdriver. All elements of this set are made of high-quality CrV chrome-vanadium steel. The whole thing is placed in a handy case made of durable plastic. • all elements of the set are made of high-quality CrV chrome-vanadium steel • everything is packed in a solid case made of durable plastic • a perfect set for professionals and more

BX-456



- Lifting capacity: 25T
- Lifting range: 80 - 365mm
- Unique overload protection mechanism
- Low profile
- Equipped with two durable wheels
- Length: 540mm
- Weight: approx. 15 kg



The BOXER low-profile lift with a lifting capacity of 25 tons, thanks to its construction, allows you to work in the range of 80–365 mm. The lift can be used to service motor vehicles with lowered suspension (sports cars, passenger cars with modifications to the lowering of the suspension). The lift is equipped with steel wheels with a reinforced front axle and swivel wheels on the rear axle, as well as a drain valve connected to a safety valve. The device is equipped with a long jack for easy work. The lifting handle is located in the center of gravity of the lift, which enables comfortable and effortless lifting.

BX-449



- Lifting capacity: 25T
- Lifting range: 80 - 365mm
- Unique overload protection mechanism
- Low profile
- Equipped with two durable wheels
- Weight: about 11.5 kg

The BOXER low-profile lift with a lifting capacity of 25 tons, thanks to its construction, allows you to work in the range of 80–365 mm. The lift can be used to service motor vehicles with lowered suspension (sports cars, passenger cars with modifications to the lowering of the suspension). The lift is equipped with steel wheels with a reinforced front axle and swivel wheels on the rear axle, as well as a drain valve connected to a safety valve. The device is equipped with a long jack for easy work. The lifting handle is located in the center of gravity of the lift, which enables comfortable and effortless lifting.

**OX-3223**

- Numbering:
- 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30, 32

Set of combination wrenches 6-32 17 pcs. Combination wrenches made of chrome vanadium steel. Intended to work in conditions under heavy loads. Dedicated to professional mechanical and car services and a home garage.

OX-3227

- Numbering: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32, 32
- Weight in the package [g]: 7000



Combination wrench set 6-32 25 pieces. Good quality combination wrenches made of chrome-vanadium steel. Designed to work in the toughest conditions under heavy loads. Dedicated to professional mechanical and car services. The wrenches have unique anti-slip rubber pads that fit perfectly with the tool. Their advantage is a good tool grip, even in difficult conditions.

BX-019S

- ½ "ratchet handle - 17 tabs 10mm - 32mm
- Automatic measuring cup - 5 meters
- Pliers
- Pliers elongated
- ½ "ratchet handle - 12 tabs 4mm-13mm
- 5 pcs of screwdrivers - cross - 75mm, 100mm, 150mm, Flat - 100mm, 75mm
- Combination wrenches - 10pcs - 6,8,9,10,11,12,13,15,17,19mm
- Locking pliers 10 "
- Allen keys - 9 pcs 15 2 2.5 3 4 5 6 8 10
- Bit screwdriver - 20 bits
- Universal Joint Socket Set ½ "
- Extension 1 / 2x 10 ", 1 / 34x 2", 1 / 2x 5 "

A three-tier foldable toolbox made of the highest quality materials. Perfect for any professional workshop as well as a home garage. The tools are placed in specially designed embossing, so you can easily find what you need.

BX-443

- Capacity: 12 tons
- The height of the jack is from 215 cm to 40 cm
- Simple and solid construction increases the reliability of the device
- The weight of the set is 6.5 kg.

Boxer post lift is an ideal solution used in car workshops as well as in home garages. Simple, solid construction increases the reliability of the device. Small sizes guarantee ease of use and high mobility.

CP481

- Intended for mechanical and car services,
- Capacity 2 Tonnes,
- The height of the jack from 135 cm to 33 cm,
- Simple and solid construction increases the reliability of the device,
- Stable and easy to maneuver,



Stable hydraulic jack, made of high-quality strong steel. Manual frog jack with a lifting force of 2.5 tons. It will work in every car repair shop. Buy and see for yourself.

CP480

- Intended for mechanical and car services,
- Capacity 2 Tonnes,
- The height of the jack from 135 cm to 33 cm,
- Simple and solid construction increases the reliability of the device,
- Stable and easy to maneuver,

Stable hydraulic jack, made of high-quality strong steel. Manual frog jack with a lifting force of 2.5 tons. It will work in every car repair shop. Buy and see for yourself.



BX483



- Brand: BOXER
- Model: BX-483
- Capacity: 3000 kg
- Maximum height: 460 mm
- Minimum height: 140 mm
- Built-in safety valve to prevent overload
- Equipped with road wheels and swivel wheels
- Made of thick profiles
- Long stroke of the linkage arm
- 95 cm extension
- The end of the handle is covered with non-slip rubber
- Very strong piston
- Set weight: 23.3 kg
- Certificates: CE

HYDRAL CAR JACK TYPE FROG 3T

BX599



- Wrenches-drawn 6; 8; 10; 11; 12; 13; 14; 15; 17 mm
- Pliers
- Frog
- Adjustable wrench Swedish
- Pliers
- Cutter
- 1/4 extension (2SZ 50 and 100mm)
- Joint Cardona 1/4 and 1/2
- Flexible extension 150mm
- T 1/4 and 1/2



MEGA TOOL CASE 599 ELEMENTS BOXER BX - 599

BX771



- The device enables the application of paints of different densities
- The paint stream can be adjusted by appropriately setting the switch on the front of the outlet
- The gun is very convenient, you do not need a compressor, just plug it in, pour the paint and you can paint right away
- The advantage is the ability to paint any surface
- Thanks to the spray application of the paint, you can get anywhere
- Air flow regulation
- The parking stand allows you to put the device away during breaks in work
- Moc: 1650W / 230V
- Maximum capacity: 280 g / min
- Bunker capacity 700 ml

SPRAY GUN BOXER BX-771 WITH ACCESSORIES



- High quality
- Large pressure gauge
- Hose length 30cm
- Aluminum body
- 1/4" quick coupler
- Rubber clock case
- Scale up to 16bar

INFLATION GUN FOR COMPRESSOR

BX490



- Ø 30mm x 75mm
- Ø 40mm x 75mm
- Ø 65mm x 75mm
- Ø 80mm x 75mm
- Ø 100mm x 75mm
- Adapter 300 mm SDS PLUS
- Adapter 300 mm SDS MAX
- 2 x pilot drill bit



CUTTERS FOR WALL HOLES WITH A VIEW FOR CONCRETE 9-PIECE KIT HOLES 30-100 mm ADAPTERY SDS PLUS, SDS MAX

BX491



- CONTENTS BUNDLE
- 65MM * 75MM
- 80MM * 75MM
- 110MM SDS ADAPTER
- GUIDE DRILL

3 PIECE HOLE KIT FOR CONCRETE FORK



BX492



- PACKAGE CONTENTS
- 40MM * 75MM
- 65MM * 75MM
- 80MM * 75MM
- 100MM * 75MM
- 120MM * 75MM
- 110MM SDS ADAPTER + GUIDE DRILL

6 PIECE HOLE KIT FOR CONCRETE FORK

BX493



- **Kit contents:**

100 x 75mm

120 x 75mm

160 x 75mm

350 mm SDS PLUS

Adapter-350mm SDS MAX

Adapter -X guide drill bit 2



Professional set of holesaws Boxer with widia for concrete – 7 pcs.

BX494



- ---
-
-
-
-
-
-
-



BX496



• **Specifications:**

- Drilling depth approx. 38mm
- Holesaws with sizes: 19,20,22,25,29,32,35,38,44,51,57,68,76mm bi-metal
- Holesaws with combined HSS and HSC steel
- Holesaws contain high-speed teeth.

• **The set consists of:**

- Holesaws – 13 pcs,
- Pins 3/8" HEX, 7/16 HEX" Adapter 2 pcs, case.



Boxer bx-496 set of 19 metal holesaws

OX249



- Hexagonal (HEX): 3, 4, 5, 6 mm;
- with an external star (TORX): T8, T10, T15, T20, T25, T30;
- slotted (SLOTTED): 4, 5.5, 6, 5 mm;
- (PHILLIPS): PH1, PH2;
- (POZI): PZ1, PZ2;
- 13 6-gr. short heads with UPK 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm;
- 8 6-gr. long (length 50 mm) heads with CPC 6, 7, 8, 9, 10, 11, 12, 13 mm;
- 18 bit heads (length 32 mm);
- ratchet reversible;

94-piece socket set HAND TOOLS



CP250



- 1/4 "sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 1/2 "sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
- 1/2 "long sockets: 14, 15, 17, 19, 22 mm
- 18 bits 1/4 "
- 17 bits (30 L)
- 2 spark plug sockets
- 1/4 "ratchet
- ratchet 1/2 "
- 1/2 "sliding handle
- 1/4 "sliding handle
- 1/2 "cardan joint
- cardan joint 1/4 "
- screwdr

Keys in case Champion CP250M 108el Set of keys





Pumps



OX-5010



- Voltage / frequency: 230 – 50Hz
- Input power: 1500W
- Outlet: 1
- Max. Pump capacity: 30l / min
- Max. Head: 60m

Release of a metal pump, reinforced, with enhanced depth, 1500W, technical work advancement. Pump Water for working and pumping water out of water reservoirs, pools, wells, for work in hydrophore screws. The pump shows that the image alignment, alignment of the alignment, medium abrasion alignment and low sensitivity to dirt. Additional advantages of the pump are low pulsation level, long path and very quiet operation in relation to other types of pumps.

OX-5011



- Voltage / frequency: 230 – 50Hz
- Input power: 1500W
- Outlet: 1
- Max. Pump capacity: 30l / min
- Max. Head: 60m



Release of a metal pump, reinforced, with enhanced depth, 1500W, technical work advancement. Pump Water for working and pumping water out of water reservoirs, pools, wells, for work in hydrophore screws. The pump shows that the image alignment, alignment of the alignment, medium abrasion alignment and low sensitivity to dirt. Additional advantages of the pump are low pulsation level, long path and very quiet operation in relation to other types of pumps.

CP-5506



- Power: 3550W
- Maximum capacity: 10 m³ / h
- Maximum height: 10 m
- Maximum water temperature: 40 ° C
- Hose connection: 2 "
- Allowable size of impurities in water: Ø35
- Power supply: 230V, 50Hz

The float grinder pump is mainly used for basement use. The pump, placed in a depression in the basement, prevents flooding of the room. The pump can also be used wherever it is necessary to pump water from one place to another: in households and agriculture, in plumbing, gardening and many other areas.



- Voltage: 230V
- Power: 3950W
- Housing: cast iron – metal
- Capacity: 20 m³ / h
- Water lifting height: 28m
- Weight: 15kg

The pump has a solid cast iron – metal housing. Perfect for pumping out clean, dirty water and, thanks to the grinder, it is also possible to pump out septic tanks. Quiet operation is another of the advantages of the pump. Pumps of this type are widely used: residential houses, agriculture, gardening, recreational plots, municipal enterprises, construction companies. The device has a hermetic casing, which means that the pump is completely submersible. The power cord is covered with rubber of increased strength and resistance to damage. The built-in thermal switch prevents the pump motor from overheating. Additionally, the engine is housed in an oil-filled chamber for additional thermal protection.

OX-7777



- Voltage: 230V ~ 50Hz
- Power: 3750W
- Housing: cast iron – metal
- Capacity: 20 m³ / h
- Water lifting height: 28m



The pump has a solid cast iron – metal housing. Perfect for pumping out clean, dirty water and, thanks to the grinder, it is also possible to pump out septic tanks. Quiet operation is another of the advantages of the pump. Pumps of this type are widely used: residential houses, agriculture, gardening, recreational plots, municipal enterprises, construction companies. The device has a hermetic casing, which means that the pump is completely submersible. The power cord is covered with rubber of increased strength and resistance to damage. The built-in thermal switch prevents the pump motor from overheating. Additionally, the engine is housed in an oil-filled chamber for additional thermal protection.

CP-5003



- Power supply: 230V ~ 50Hz
- Maximum power: 3150W
- Maximum capacity: 1.5 m³ / h
- Maximum lifting height: 10m
- Outlet Diameter: 25mm (1 inch)
- Weight with packaging: 5.15 kg

The device has a solid metal housing. Perfect for pumping clean and dirty water. A strainer at the base of the pump prevents larger contaminants from entering the pump interior. Quiet operation is another of the advantages of the pump. Pumps of this type are widely used: residential houses, agriculture, gardening, recreational plots, municipal enterprises, construction companies. The device has a hermetic casing, which means that the pump is completely submersible. The power cord is covered with rubber of increased strength and resistance to damage. The built-in thermal switch prevents the pump motor from overheating. Additionally, the engine is housed in an oil-filled chamber for additional thermal protection.



CP-5009



- Power supply: 23V - 50Hz
- Max power: 3150W
- Max capacity 7500 l / h
- Max delivery height: 10m
- Max immersion depth: 8 m
- The pump has a float
- Thermal switch to prevent overheating

The set includes: - water pump - swimmer



OX-7005

- ---
-
-



CP-7021



- ---
-
-
-
-



Welding Machines



SR-2004



- Voltage / frequency: 230 – 50Hz
- Input power: 1500W
- Outlet: 1
- Max. Pump capacity: 30l / min
- Max. Head: 60m

Release of a metal pump, reinforced, with enhanced depth, 1500W, technical work advancement. Pump Water for working and pumping water out of water reservoirs, pools, wells, for work in hydrophore screws. The pump shows that the image alignment, alignment of the alignment, medium abrasion alignment and low sensitivity to dirt. Additional advantages of the pump are low pulsation level, long path and very quiet operation in relation to other types of pumps.

SR-2000



- Welding current range: 20–400A
- Welding with electrodes in the range: 1.6 – 4.0mm
- Power consumption: 11.5kVA
- Rated welding current: 400A
- Rated Duty Cycle: 60%
- Welding current at 100% duty cycle: 309A
- Working voltage: 230V
- Protection class: F.
- Insulation class: IP21S
- Power cord: 180 cm
- Welder weight: 6.5 kg



The 400A inverter welder is versatile and can be used for welding stainless steel, alloy steel, carbon steel, copper and other metals. Equipped with a fan, LCD display, potentiometer for smooth adjustment and quick connectors. The welder uses advanced PWM welding technology. PWM technology allows you to generate powerful electricity used for welding and cutting.

OX-3010



- Supply Voltage – 230V
- Mains frequency – 50Hz
- Supply Voltage idle – 60V
- Current Welding (adjustable) MMA – 2 – 250A
- Rated Duty Cycle 60%
- Electrode 16 – 4.0mm

The inverter welder with a power of 250A is versatile, used for welding stainless steel, alloy steel, carbon steel, copper and other metals. Equipped with a fan, LCD display, potentiometer for smooth adjustment and quick connectors. The welder uses advanced PWM welding technology. PWM technology allows you to generate powerful electricity used for welding and cutting. The set includes a welding cable, an earth cable, a protective mask with a glass, a brush.



- Power supply: 230V / 50Hz
- Display: LCD
- Fan: TURBO FUN
- "Thermic" overload protection: YES
- Power consumption: 6.5kVA
- Welding methods: MIG / MAG / MMA (electrode)
- MMA welding current range: 5 – 350A
- MIG welding current range: 30 – 350A
- Idle voltage: 63V
- Wire feed speed: 2.7 – 14.4 m / min
- Wire diameter: 0.6 – 1mm
- Protection delayed min: 20A
- Welding voltage range: 16–25V
- Welding current 100% duty cycle: 190A
- Welding current 60% duty cycle: 350A
- Input current: 40.6A
- Rated duty cycle: 60%
- Wire feeder type: 2 – roll (internal) PROFESSIONAL
- Supported wire diameters: 0.6mm / 0.8mm / 1mm
- Supported electrode diameters: 2mm – 4.0mm
- Supported wire spool size: up to 5 kg
- Insulation class: F
- Degree of protection: IP23S
- Weight of the device: 15 kg
- Dimensions: 550x270x370mm

The migomat welder, thanks to its design, will be used both in home workshops and households as well as in more professional applications, such as field work and all kinds of repair work inside buildings. The BOXER Migomat is a device with a wide range of applications, designed as an inverter power source enabling welding with fusible wire in a gas shield (MIG / MAG) and welding with a coated electrode (MMA). The high efficiency of the welder allows for welding with 350A current in 60% of the work cycle. The thermal switch will turn off the device in the event of exceeding the permissible duty cycle for a given welding current, thus preventing overheating of the welding machine. The current parameters of the device during welding are displayed on two, very readable displays that facilitate the selection of optimal operating parameters. Comfortable and very legible manipulators allow you to change welding parameters even with gloves on.



BOXER
PROFESSIONAL TOOLS



BOXER



**Power
Tools**



OX-4012



- Power supply: 220 / 50Hz
- Motor power: 1850W
- Disc diameter: 200mm
- Idle speed: 2950 rpm

Powerful bench grinder for home use. Vibration-free operation, precision of grinding, quality of workmanship are ensured by the equipment of the device. The grinder is equipped with a metal housing, adjustable attachments, operating instructions against sparks. The bench grinder is an instrument that will be useful in every home and home workshop. This model is designed for making tool repair tools, tool repair tools, bit tools, virtual tools, tools and tools.

OX-1091



- Power: 3560W
- Rated voltage: 220V / 50 Hz
- High rotation speed: 3800 rpm
- Dial diameter – 355mm
- Metal, solid housing



The saw is designed for cutting metal, steel structures, profiles, and especially all kinds of pipes. Its high power, high rotational speed and cutting angle adjustment allow you to perform all metal cuts very precisely and quickly. Equipped with a very comfortable and ergonomic handle and a blade guard, it ensures high comfort and safety of work. The miter saw is equipped with a spindle lock, which enables easy and quick replacement of cutting discs. The comfortable handle is used for carrying and transport.

OX-1085



- dial diameter: 125 mm
- type: angular
- type of power supply: mains
- maximum speed: 10,000 min
- weight (with packaging): 2 kg
- maximum power: 950W
- supply voltage: 220V ~ 50Hz

High-class ONEX angle grinder with a 950 W motor, designed for cutting, grinding and polishing materials of various structure and hardness. Grinding disc with a diameter of 125 mm. The device, thanks to its ergonomic shape and precise balance, ensures high comfort of work.



- Power: 1950W
- Power supply: 230V / 50Hz
- Handle type: "T"
- Rotation speed: 800 – 3000 r / min
- Wood cutting capacity: 65mm
- Cutting angle adjustment: 0 to 45 degrees

The device is used for cutting wood, metal and plastics. It enables cutting round, rectangular and irregular holes. The jigsaw allows for precise cutting of wood, metal and plastic. Using jigsaws, we can easily cut the strips, cut openings for the sink in the countertop and cut holes with a slight curvature. The device, as one of the few currently available, has a maximum cutting depth of up to 65 mm. The device has a three-stage speed adjustment. Replacing the blades is very simple and intuitive. work. The non-slip rubber covering the handle ensures comfortable and safe use.

CP-1085



- Dial diameter: 125 mm
- Type: angular
- Type of power supply: mains
- Maximum speed: 0-11000 min
- Maximum power: 950W
- Supply voltage: 220V ~ 50Hz



High-class angle grinder with a 950 W motor, designed for cutting, grinding and polishing materials of various structure and hardness. Grinding disc with a diameter of 125 mm. The device, thanks to its ergonomic shape and precise balance, ensures high comfort of work.

CP-5003



- 2450 Watt power
- Speed control from 1500 – 3800 rpm
- Dial size: 180mm
- Fixing: fl14
- New in original packaging
- Gross weight: 3.2 kg
- Spindle lock for easy disc changes
- Automatic carbon brush stop helps prevent engine damage

The polisher is characterized by a very ergonomic shape and durable construction. Ideally suited for polishing painted surfaces and sanding wood, metal or plastic. Simple operation – quick replacement of the polishing wheel thanks to the spindle lock and the possibility of adjusting the rotational speed depending on the needs. Set contains: • A polisher • Velcro pad • Two polishing sponges • Handle / handle • Spare brushes • Key amp

**SR-036**

- 2-speed,
- An ultra-light drill / driver for work in hard-to-reach places
- Increased engine power provides greater work efficiency and maximum torque
- Smooth regulation of rotational speed with the trigger of the switch
- LED illumination of the work area with a delayed blanking function 18-stage torque adjustment Option for screwing, drilling and hammer drilling
- Mechanical 2-speed planetary gear with high drilling power
- Keyless chuck

KIT EQUIPMENT: • Cordless angle grinder • Cordless Drill • 24V mains charger • 2x 5.0 Ah battery • belt clip • 6 screwdriver bits • 6 drill bits • Disc for metal • Handle • square key • Instruction Lithium-ion batteries (Li-Ion) • Lithium-ion batteries do not need to be fully discharged before recharging. With other types of batteries it is not possible, because then their lifetime is shortened due to the so-called memory effect • Li-Ion battery holds more than 80% of its charge for over 90 days when not in use. These types of batteries are 40% lighter and smaller than traditional ones. Two Li-Ion 24V batteries with a capacity of 5.0Ah ensure continuous operation without the need to interrupt it. The whole set is packed in a durable suitcase, which makes it easy to transport and keep the set in order. Boxer Power Tools Set will be used in every garage and workshop.

OX-1080

- 1950W power
- Speed control 1500-3800 / min
- Blade size: 180mm
- Mounting fi 14
- Weight 2.6 kg
- Spindle lock for easy disc changes
- Automatic carbon brush stop helps prevent engine damage
- Ergonomic shape
- Speed control



The polisher is characterized by a very ergonomic shape and durable construction. Perfect for polishing painted surfaces. Simple operation – quick replacement of the polishing wheel thanks to the spindle lock and the possibility of adjusting the rotational speed depending on the needs.

BX-188

- Max power: 1150W
- Revolutions / min: 10,000 r / min
- 125mm blade
- Adheres very well to the hand
- New in original packaging
- Set includes handle, key, spare brushes
- Spindle lock

The BOXER angle grinder features efficient operation, an extremely robust angle gear and a sealed ball bearing for long durability. The device is equipped with an additional protection against accidental switching on and a low head facilitating maneuvering, excellent dust protection, ergonomic casing, high-quality well-insulated motor.



- Motor power: 2350 W
- Torque: 340 Nm
- Speed: 2200 rpm
- Machine net weight: 2900 kg
- Voltage: 230 V ~ 50 Hz
- Wire thickness: 6 mm
- Tool clamp square: 1/2 "
- Model: BX-197

Electric impact wrench for wheels, fasteners, bolts and nuts, industrial, automotive and home use. Heavy-duty impact wrench designed to work with heavy loads. The wrench is equipped with a pole switch that allows you to easily change the direction of right / left rotation, which allows easy loosening of tightened screws. The versatility of use allows the wrench to be used to repair bumpers, replace tires, work on exhaust systems, repair small engines and mowers. The set includes sockets for the impact wrench in four sizes: 23mm, 21mm, 19mm, 17mm.

BX991



- -----
-
-
-
-
-



BX992



- -----
-
-
-
-
-
-
-



BX3005



- -----
-
-
-
-
-
-

BX3006



- -----
-
-
-
-
-
-
-



BX3302



- -----
-
-
-
-
-
-



- **GRINDER:**
- 900W
- 230V
- 11,000 rpm
- Disc diameter 125mm

- **DRILL:**
- 900W
- 230V
- 1900/2800 rpm

The perfect kit for simple housework.

OX1086



- -----
-
-
-
-
-



SR078



- ---
-
-
-
-



SR079



- -----
-
-
-
-
-
-

Boxer S-Series Jigsaw – 2000 W – 1100-3000 rpm – Including Parallel Guide + 2 Saw Blades

SR148



- -----
-
-
-
-
-
-
-
-



Cordless impact hammer sds 24.4v x 2 boxer sr – 148

SR149



- -----
-
-
-
-
-
-
-
-

Cordless impact hammer sds 24.4v x 2 boxer sr – 149



BOXER BX-161 demolition hammer 3750 watt

SR146



- Voltage: 20.4
- Beats Per Minute: 5000 beats per minute
- Striking force: 1 joule
- Drilling capacity in wood: 16 mm
- Drilling capacity in metal: 8 mm
- Drilling capacity in concrete: 10 mm
- Battery type: Li-Ion
- Weight: 15kg
- 1x hammer drill
- 2x battery
- 1x charger
- 1x drill chuck
- 11x drill bits and drill bits



Boxer SR-Line Rotary Hammer Professional SDS + - Softgrip - With two 20.4 V batteries - Including 11 pieces of accessories



BOXER
PROFESSIONAL TOOLS





**Garden
Tools**



FT-688



- Capacity: 16L
- Dimensions: 38 * 21 * 53.5cm
- Weight: 6 kg

Sprayer with a metal telescopic lance with replaceable nozzles and an efficient diaphragm pump powered by a built-in accumulator, thanks to which the device itself generates the appropriate working pressure. The battery of the device can be successfully charged using the quick charger included in the set.

FT-682



- Capacity: 16L
- Dimensions: 35 * 18.5 * 51cm



Designed for easy spraying of liquids. It has a long hard carbon fiber lance with an adjustable nozzle and trigger lock. Equipped with comfortable, adjustable back straps. The sprayer has a reinforced tank with a safety valve. Set of gaskets and nozzles included. The wide funnel opening makes it easy to fill the cylinder.

FT-675



- Adjustable spray nozzle.
- With a scale on the reservoir.
- Made of the best type of plastics.
- The valve in the handle opens or closes the outflow of the liquid.

The 3L pressure sprayer is ideal for home use, garden or orchard, among others. for sprinkling, foliar fertilization – for professional work with the use of chemicals. Very easy to use – the ergonomic shape of the handle will ensure a natural hand position and increase the comfort of work.



- Adjustable spray nozzle.
- With a scale on the reservoir.
- Made of the best type of plastics.
- The liquid is poured into the plastic (pressurized) tank from the top through the hole, after turning the pump on, pressure is created in the tank by means of vertical movements of the piston – the liquid flows out through the nozzle.
- The valve in the handle opens or closes the outflow of the liquid.

The 3L pressure sprayer is ideal for home use, garden or orchard, among others. for sprinkling, foliar fertilization – for professional work with the use of chemicals. Very easy to use – the ergonomic shape of the handle will ensure a natural hand position and increase the comfort of work.

FT-673



- Adjustable spray nozzle.
- With a scale on the reservoir.
- Made of the best type of plastics.
- The liquid is poured into the plastic (pressurized) tank from the top through the hole, after turning the pump on, pressure is created in the tank by means of vertical movements of the piston – the liquid flows out through the nozzle.
- The valve in the handle opens or closes the outflow of the liquid.



The 2L pressure sprayer is ideal for home use, garden or orchard, among others. for sprinkling, foliar fertilization – for professional work with the use of chemicals. Very easy to use – the ergonomic shape of the handle will ensure a natural hand position and increase the comfort of work.

FT-672



- Adjustable spray nozzle.
- With a scale on the reservoir.
- Made of the best type of plastics.
- The liquid is poured into the plastic (pressurized) tank from the top through the hole, after turning the pump on, pressure is created in the tank by means of vertical movements of the piston – the liquid flows out through the nozzle.
- The valve in the handle opens or closes the outflow of the liquid.

The 2L pressure sprayer is ideal for home use, garden or orchard, among others. for sprinkling, foliar fertilization – for professional work with the use of chemicals. Very easy to use – the ergonomic shape of the handle will ensure a natural hand position and increase the comfort of work.

**FT-671**

- Adjustable spray nozzle.
- With a scale on the reservoir.
- Made of the best type of plastics.
- The liquid is poured into the plastic (pressurized) tank from the top through the hole, after turning the pump on, pressure is created in the tank by means of vertical movements of the piston – the liquid flows out through the nozzle.
- The valve in the handle opens or closes the outflow of the liquid.

The 1L pressure sprayer is ideal for home use, garden or orchard, among others. for sprinkling, foliar fertilization – for professional work with the use of chemicals. Very easy to use – the ergonomic shape of the handle will ensure a natural hand position and increase the comfort of work.

FT-670

- Adjustable spray nozzle.
- With a scale on the reservoir.
- Made of the best type of plastics.
- The liquid is poured into the plastic (pressurized) tank from the top through the hole, after turning the pump on, pressure is created in the tank by means of vertical movements of the piston – the liquid flows out through the nozzle.
- The valve in the handle opens or closes the outflow of the liquid.



The 1L pressure sprayer is ideal for home use, garden or orchard, among others. for sprinkling, foliar fertilization – for professional work with the use of chemicals. Very easy to use – the ergonomic shape of the handle will ensure a natural hand position and increase the comfort of work.

MJ-104

- Modern and economical engine with high power 2.9kW / 3.9HP
- A solid housing made of high-quality plastic,
- A 45 cm long guide,
- Durable chain,
- Maximum rotation speed 10000r / m ..
- Automatic oil pump,
- Large hand guard,
- Equipped with a cover for the guide,
- Weight: 6.8 kg,
- Fuel tank capacity 500 ml,
- The saw is supplied with a mixture tank (fuel, oil) and a set of wrenches.

A solid and very durable chainsaw made of the highest quality materials. The chainsaw presented in our offer is a guarantee of safe and efficient work. The saw has a lot of power, so it is great at work, and at the same time it is very efficient. It is great at cutting any type of wood. It will become an indispensable tool in gardening.



- Capacity: 16L
- Dimensions: 39.5 * 21.5 * 48.5cm
- Weight: 6 kg

Sprayer with a metal telescopic lance with replaceable nozzles and an efficient diaphragm pump powered by a built-in accumulator, thanks to which the device itself generates the appropriate working pressure. The battery of the device can be successfully charged using the quick charger included in the set.

MJ-688



- ---
-
-
-
-
-



MJ-190



- **Engine parameters:**
 - Air cooled 2 stroke,
 - Cylinder: chrome,
 - Engine power: 3.8 KW – 5.2 HP,
 - Engine revolutions: 8000 rpm,
 - Drive: centrifugal clutch,
 - Weight: approx. 9 kg,
 - Boom length: 150 cm,
- **The set includes:**
 - A set of keys,
 - Line and blade guard,
 - 2x trimmer head,
 - Cutting disc – trident,
 - Widia blade circular trimmer,
 - Suspenders,
 - A container for making a mixture,

The brushcutter is a tool that will meet your expectations. A very durable 52 HP engine and a cutting range of 42 cm will work well even in high density. The petrol brushcutter is an invaluable device wherever you cannot reach it easily with a lawn mower or a traditional tractor. It is equipment powered by an internal combustion engine. It is very well suited for cutting long grass, weeds, thickets as well as small trees. It is worth noting that it is also perfect for mowing grass around trees. Trimmers are recommended primarily for gardens with a very large area, with many unevenness and obstacles. The head is made of high-quality materials, which increases its durability. The anti-vibration system increases the user's comfort during work. The drive of this scythe is made of a steel rod finished with a multi-wedge, which is important for higher loads. Thanks to this, we are sure of a long and trouble-free operation.

**BX-3303**

- Max. power 2150 W
- 230V / 50Hz power supply
- The length of the guide 35 cm / 14"
- Automatic chain lubrication system
- Power 2150W
- 9,000 rpm

The electric chain saw is made of high-quality materials, it is durable and solid. The saw presented in our offer will turn out to be an indispensable tool for you in gardening more than once. The saw has a chain that does not require the use of an oil pump (no oil pump installed).





Power Generators



BX7008



- Power generator bx-7008 1250w

Power generator Power supply: internal combustion engine (2-stroke) Engine power: 2.5KM Generated voltage parameters: 230V / ~ 50Hz (AC) / 12V DC
 Maximum value of direct current (DC): 8.3A Maximum AC power: 1250W Package dimensions: 380x320x320 mm Weight with packaging: 17.5 kg

BX7001



- Device model: BX-7001
- Producer BOXER
- Power supply: 230 V + 12 V DC socket
- The maximum power of the generator: 3000 W
- Motor power: 6.5 HP – 6.5 HP – 3000 W
- Output sockets: 2 x 230 V, 1 x 12 V
- Continuous operation time: approx. 12 hours
- Charging current: 12V / 8A
- Fuel consumption: approx. 1.10 L / h



Designed for easy spraying of liquids. It has a long hard carbon fiber lance with an adjustable nozzle and trigger lock. Equipped with comfortable, adjustable back straps. The sprayer has a reinforced tank with a safety valve. Set of gaskets and nozzles included. The wide funnel opening makes it easy to fill the cylinder.

BX7007



- 12 volt output: Yes
- Voltage: 220V
- Motor power: (2.5hp) 1250 watts
- The maximum power of the generator: 1250 W
- Average fuel consumption: 0.4l / h
- Fuel tank capacity: 4l
- Starting: Manual
- Dimensions (L x W x H): 380 x 320 x 320 mm
- Weight: 17kg
- Materials: stainless steel, aluminum, plastic

The BOXER BX7007 generator generates electricity with a voltage of 230V / 50Hz . The perfect solution in the event of a power failure in the field. Equipped with a voltmeter and fuses . It is powered by a single-cylinder two-stroke engine. The unit is started up using a solidly made manual starter, The unit is used in crafts, construction on plots and gardens to work with power tools, pumps, lighting. It is also suitable for charging batteries with 12V DC.



Compressor



BX7008



- **Angle grinder Boxer BX-3302**

Power - 1650W
Turnover - 10000r / min
Blade diameter 115 mm

- **Chainsaw attachment - attachment for a disc grinder**

guide bar length - 34CM.
total length - 41CM.
guide width - 6CM.
total length of the chain wheel - 82 cm
chain thickness - 4.7mm
handle height about - 14 cm

- **Set :**

Angle grinder BOXER BX-3302
Chainsaw attachment
Key
Additives
package

The BOXER angle grinder is a device designed for cutting, cleaning and grinding various types of surfaces.



Angle Grinder



CP1900



- Power: 2350W
- Supply voltage: 230V / 50Hz
- Rotation speed: up to 6000 rpm
- Dial diameter: 230 mm
- Maximum cutting diameter: 20mm
- Spindle thread: M14
- Protection fund: II
- Net weight: 4.6 kg

CHAMPION angle grinder designed for cutting, grinding, cleaning materials such as: metal, wood, concrete, plastics, and many others. It is widely used in the workshop, during renovation and construction works. Equipped with a very powerful and efficient 2350W motor that easily reaches a speed of 6000 rpm,

SR072



- Marka: boxer
- Model: SR-072
- Moc: 2800W
- Max obroty: 6000
- Zasilanie: 230V
- Max średnica tarczy: 125mm
- Gwint wrzeciona: M14
- Klasa ochrony: II



Angle Grinder Diaksa 2800W 125mm BOXER SR072

SR011



- **Technical data:**
- Supply voltage: 20.4 V
- Power supply: 1 x 2.6 Ah lithium-ion battery
- Rotation speed: 7000 rpm.
- Charging: 230V 50Hz mains charger
- **Included:**
- Cordless angle grinder
- 1 x 2.6 Ah lithium-ion battery
- Mains charger for the battery
- Operating manual

Cordless angle grinder BOXER 125mm 20,4



- **Technical data:**
- Supply voltage: 24.4 V
- Power supply: 1 x 5.0 Ah lithium-ion battery
- Rotation speed: 7000 rpm.
- Charging: 230V 50Hz mains charger

- **Included:**
- Cordless angle grinder
- 1 x 5 Ah lithium-ion battery
- Mains charger for the battery
- Operating manual

Cordless angle grinder BOXER 125mm 24,4*2 BAT

SR012



- **Technical data:**
- Supply voltage: 20.4 V
- Power supply: 1 x 2.6 Ah lithium-ion battery
- Rotation speed: 7000 rpm.
- Charging: 230V 50Hz mains charger

- **Included:**
- Cordless angle grinder
- 1 x 2.6 Ah lithium-ion battery
- Mains charger for the battery
- Operating manual



Cordless angle grinder BOXER 125mm 20,4

SR014



- **Technical data:**
- Supply voltage: 24.4 V
- Power supply: 1 x 5.0 Ah lithium-ion battery
- Rotation speed: 7000 rpm.
- Charging: 230V 50Hz mains charger

- **Included:**
- Cordless angle grinder
- 1 x 5Ah lithium-ion battery
- Mains charger for the battery
- Operating manual

Cordless angle grinder BOXER 125mm 24,4*2 BAT



SR015



- **ANGEL GRINDER**
 - Voltage: 20.4Vmax
 - AKU capacity: 3Ah
 - Battery type: Li-ion
 - Dial Diameter: 125mm
 - Rotation speed: 7000 (rpm)
 - Disc hole diameter: 22.23mm
 - Spindle thread: M14
 - Overall length: 37mm
 - Weight: 15 – 1.95 kg
- **CORDLESS DRILL**
 - Voltage: 24Vmax
 - Battery type: Li-ion
 - Mounting type: cylindrical – self-locking
 - Tool holder: 0.8 – 10 mm
 - Maximum Torque: Soft: 14; Hard: 40
 - Number of clutch slave cylinder settings: 18 + 1
 - Idling speed: gear 1: 0 – 350 rpm; Gear 2: 0 – 1350 rpm
 - Maximum drilling capacity: in steel: 10 mm; in wood: 21 mm
 - Maximum screwing capacity: Wood screw: 5.1 mm x 63 mm; Screw for steel elements: M6
 - Weight: 0.95 kg – 1.5 kg

BOXER PROFESSIONAL TOOLS a cordless set that will please everyone. Reliable drill driver + grinder + 2 x battery: 3Ah with a charger that has the function of quick battery charging, additionally everything is packed in a handy case

SR039



- Grinder
- 2 LI-ION 20.4V batteries
- Charger
- Shield guard
- Perpendicular handle
- The key to change the shield
- User manual



The device uses powerful 20.4V lithium-ion (Li-Ion) batteries with a capacity of 4.0Ah, which are extremely durable and effectively power the grinder. Li-Ion batteries also have no memory effect, so they can be recharged at any time. The batteries are recharged in a short time using the charger with a quick charging function included in the set. The device with all the accessories is delivered in a convenient plastic case, which makes it much easier to store and transport.





Circular Saw


CP1065


- Model: CP-1065
- Voltage: 220V
- Frequency: 50Hz
- Power: 2400W
- No-load speed: 0-6000 rpm
- Dial Diameter: 185mm
- Laser cutting line pointer
- Weight: approx. 5 kg

The hand-held saw is used for longitudinal and transverse cutting in a straight line or at an angle of wood and wood-like products. The device is ideal for both workshops and home work. It is equipped with a disc with a diameter of 185mm. The disc can be tilted up to 45°. The saw is equipped with a battery-powered laser, which makes work much easier. The high-power 2400W motor used, with a high torque of 6000 rpm, which ensures fast and precise cutting.





Drill



SR-085



- Power supply 230V – 50Hz
- Power 3150W
- Rotation 0–1100rpm
- Drilling [Concrete / Wood] 26mm / 30mm
- Right-left rotation control
- SDS + mounting
- Set: 3 drill bits + 2 chisels

Hammer drill obtained engine power with a power of 3150W. The offered device is suitable for both renovation and heavy construction works. The device has 3 modes of operation: the first mode for drilling with a hammer, useful when opening the tool in concrete, the second mode, the so-called Impact for screwing in or locking and the third mode, the so-called rotation lock for forging drums. The change of the operating modes is done by means of 3-step points with a lock, which makes it easy and intuitive. Special design of the transferring device to the serving structure.

SR-063



- Power supply: 230V – 50Hz
- Power: 3150W
- Rotation: 0–1100rpm
- Right-left rotation control
- SDS + mounting



Hammer drill obtained engine power with a power of 3150W. The offered device is suitable for both renovation and heavy construction works. The device has 3 modes of operation: the first mode for drilling with a hammer, useful when opening the tool in concrete, the second mode, the so-called Impact for screwing in or locking and the third mode, the so-called rotation lock for forging drums. The change of the operating modes is done by means of 3-step points with a lock, which makes it easy and intuitive. Special design of the transferring device to the serving structure.

FT-003



- Power supply: 230V – 50Hz
- Power: 2950W
- Rotation: 0–900rpm
- Right-left rotation control
- SDS + mounting

Hammer drill obtained engine power with a power of 2950W. The offered device is suitable for both renovation and heavy construction works. Special design of the transferring device to the serving structure.



- Maximum power: 1750 W
- No-load speed: 0 – 2800 [rpm]
- Impact frequency: 44800 [/ min]
- Handle type: toothed
- Maximum drilling diameter in concrete: 13 mm
- Maximum drilling diameter in wood: 25 mm
- Maximum drilling diameter in steel: 10 mm
- Machine weight: 15 kg
- Power cord length: 185 cm
- Protection class: II

The main handle is made of a special non-slip material that makes it easier to hold the device in your hand and provides a firm grip. The drill head is solid and will effectively cope with any task. The device will be perfect for any workshop, garage or studio where it will facilitate the work of every amateur and professional. The perfect design and power of the BOXER drill will make every task easier and more enjoyable. Electric hammer drill with a power of 1500W, designed for hammer drilling in masonry, concrete and stone and for drilling in metal, ceramics, wood and plastic.

SR-064



- Motor power: Max 3150 W
- Power supply: 230 V / 50 Hz
- Revolutions: 0 – 1100 rpm
- Hammer: 0–4000 / min
- Concrete drill diameter: 26 mm



The BOXER SR-064 hammer drill with a maximum power of 3150W has a SDS + chuck and 4 functions: first hammer drilling, second hammer drill stop for regular drilling and screwdriving operations, third rotation lock for light work requiring chiselling, fourth forging with free rotation for maximum freedom work. The hammer drill socket allows you to attach 2 types of holders: (SDS +) and a holder for ordinary drills (fur). The safety clutch provides protection in the event of the drill bit jamming. Ergonomic shape and soft grip ensure comfortable work. The device is adapted to SDS + accessories. The hammer drill with accessories is packed in a plastic case, which greatly facilitates transport and storage. Smooth speed control allows you to adjust the rotational speed to the adequately performed work. Relative to the increased or decreased pressure on the trigger, the hammer drill will rotate more or less.

SR-090



- Motor power: 3150 W
- Power supply: 230 V / 50 Hz
- Revolutions: 0 – 1100 rpm
- Concrete drill diameter: 24 mm

The 3150 W hammer drill has a SDS + chuck and 4 functions: 1st hammer drilling, 2nd hammer stop for normal drilling and screwdriving operations, 3rd rotation stop for light chiselling work, 4th forging with free rotation for maximum freedom of work. The hammer drill socket allows the use of drills (SDS +). The safety clutch provides protection in the event of the drill bit jamming. Smooth regulation of the speed of rotation in the trigger. Additionally, a button enabling continuous operation. Ergonomic shape and soft grip ensure comfortable work. The device is adapted to SDS + accessories.

**CP-118**

- **GRINDER:**
- 900W
- 230V
- 11,000 rpm
- disc diameter 125mm
- **DRILL:**
- 900W
- 230V
- 1900/2800 rpm

The perfect kit for simple housework. Included: - angle grinder 900 W - 900 W hammer drill - box


Bx160

- -----
-
-
-
-
-
-



BX198

- -----
-
-
-



SR056



SR057





SR061



- Boxer hammer drill with a power of 1050W
- stroke
- right / left rotation
- revolutions max 2300rpm
- 230V power supply
- drilling width 13mm
- handle included

IMPACT DRILL BOXER SR061 1050W

BX155



- Engine power: 2800W
- Power supply: 230V / 50Hz
- Turnover: 0 – 900 rpm
- Concrete drill: 26 mm
- Impact: 4900u./min
- Impact energy: 2.2 J
- Weight: 2.5 kg
- 1 x BX-155 hammer drill
- 1 x chisel
- 1 x zpicak
- 3 x SDS + drill (8/10/12)
- 1 x suitcase
- 1 x fat
- 1 x SDS + (replaceable)
- 1 x handle for normal drill (leather)
- 1 x depth gauge



BOXER drilling hammer, BX-155, SDS + normal head, 2800W, case + accessories





LED Panel Lamp



SR-085



- Power: 80W, 3,600 lumens
- Voltage: AC185-265V
- Number of working hours: 40,000h
- Dimensions: 1215mm x 76mm x 27mm
- Color rendering index: Ra> 80
- Resistance class: IP20
- There are 2 led strips in the lamp
- Mounting plates included
- Energy class: A ++
- Certificates: CE, RoHS

LED panel lamp surface mounted luminaire fluorescent lamp 120cm

TB001



- NICE ALUMINUM BASE
- Light source: SMD LED
- HAS A BUILT-IN 18W LIGHT SOURCE
- Supply voltage: 170-265V AC NON-FLASHING
- Power consumption: 18W
- St. 1800 lm
- Light color: ~ 4500K (neutral), ~ 6000K (cold)
- Dimensions: width 7.5 cm, length 60 cm
- Service life: up to 50,000 hours
- CRI: RA> 80
- Diodes: Epistar
- The panel can also be mounted on double-sided adhesive tape of a good manufacturer.
- The set includes mounting plates for quick and easy assembly.



SURFACE LED LUMINAIRE 18W 60cm PANEL fluorescent lamp MOC





BOXER

PROFESSIONAL TOOLS

📍 Ul. Zdrowotna 605-552 Marysin, Warsaw, Poland
✉ boxertools@boxertools.eu
