



PLYWOOD



PLYWOOD



www.durian.in

ABOUT US



With over **50** years of experience in the Plywood industry, Durian is one of the undisputed leaders with a plethora of innovative products designed for clients across public and private industries. Our signature plywood products are used extensively in commercial and domestic settings. Durian plywood is affordable yet durable and offer unmatched strength and style.

We provide ideal solutions for personal and office spaces using indigenous technology, that gives our furniture and plywood products a distinctive edge in terms of craft and endurance. The following are the various types of plywood grades available:

- Moisture Resistant
- Boiling Water Resistant
- Boiling water proof
- Blockboard

While our ply is used across all our products, we also provide wholesale quantities to our dealers and distributors, globally.

Why Buy Durian Plywood?

2

Manufacturing
units

Spread over

15,000

sq. mts.

11

Storage
houses

4

Decades
of Experience


1,086,527

Satisfied Customers
can't be wrong



All

India
Delivery

PROCESS



All our plywoods are created keeping quality at the heart of our processes. We source the most high-quality raw materials, exclusively, to deliver perfection



PRODUCT



SUMO
PLYWOOD

MR Grade Ply | BWR Grade Ply | BWP Grade Ply
MR Grade Block Board | BWR Grade Block Board



PRIME
PLYWOOD

MR Grade Ply | BWR Grade Ply | BWP Grade Ply
MR Grade Block Board | BWR Grade Block Board



CASA
PLYWOOD

BWP Grade Ply

India's only Brand to follow

PICKER RATING CHART GRADE

TOUGH RULE

TAKES WEIGHT UPTO 213 TONNES

ULTRA LOW VOC



MR GRADE PLY

FEATURES:

- ◇ Borer Proof
- ◇ Termite Resistant
- ◇ Takes Weight Upto 213 Tonnes
- ◇ Toughness Of Gurjan
- ◇ Warp/Bend Resistant
- ◇ Ultra Low VOC

SIZE: 8 X 4 | 8 X 3 | 7 X 4 | 7 X 3 | 6 X 4 | 6 X 3.

THICKNESS: 6mm, 8mm, 12mm, 15mm, 18mm.

STANDARDS: IS: 303.

PICKER RATING CHART GRADE SUPREME A*

WARRANTY: 7 YEAR



Borer
Proof



Termite
Resistant



Toughness
Of Gurjan



Warp/
Bend
Resistant



BWR GRADE PLY

FEATURES:

- ◇ Borer Proof
- ◇ Termite Resistant
- ◇ Takes Weight Upto 213 Tonnes
- ◇ Toughness Of Gurjan
- ◇ Warp/Bend Resistant
- ◇ Ultra Low VOC
- ◇ Boiling Water Resistant

SIZE: 8 X 4 | 8 X 3 | 7 X 4 | 7 X 3 | 6 X 4 | 6 X 3.

THICKNESS: 6mm, 8mm, 12mm, 15mm, 18mm.

STANDARDS: IS: 303

PICKER RATING CHART GRADE SUPREME B*

WARRANTY: 11 YEAR



Borer
Proof



Termite
Resistant



Toughness
Of Gurjan



Warp/
Bend
Resistant



Boiling
Water
Resistant





BWP GRADE PLY

FEATURES:

- ◇ Borer Proof
- ◇ Termite Resistant
- ◇ Takes Weight Upto 213 Tonnes
- ◇ Toughness Of Gurjan
- ◇ Warp/Bend Resistant
- ◇ Ultra Low VOC
- ◇ Boiling Waterproof Grade

SIZE: 8 X 4 | 8 X 3 | 7 X 4 | 7 X 3 | 6 X 4 | 6 X 3.

THICKNESS: 6mm, 9mm, 12mm, 16mm, 19mm.

STANDARDS: IS: 710.

PICKER RATING CHART GRADE SUPREME C*

WARRANTY: 13 YEAR



**Borer
Proof**



**Termite
Resistant**



**Toughness
Of Gurjan**




**Warp/
Bend
Resistant**



**Boiling
Waterproof
Grade**





MR GRADE BLOCK BOARD

FEATURES:

- ◇ Borer Proof
- ◇ Termite Resistant
- ◇ Takes Weight Upto 213 Tonnes
- ◇ Toughness Of Gurjan
- ◇ Warp/Bend Resistant
- ◇ Ultra Low VOC

SIZE: 8 X 4 | 8 X 3 | 7 X 4 | 7 X 3.

THICKNESS: 19mm, 25mm.

STANDARDS: IS: 1659

PICKER RATING CHART GRADE SUPREME D*

WARRANTY: 9 YEAR

100% PINE WOOD



Borer
Proof



Termite
Resistant



Toughness
Of Gurjan



Warp/
Bend
Resistant



BWP GRADE BLOCK BOARD

FEATURES:

- ◇ Borer Proof
- ◇ Termite Resistant
- ◇ Takes Weight Upto 213 Tonnes
- ◇ Toughness Of Gurjan
- ◇ Warp/Bend Resistant
- ◇ Ultra Low VOC
- ◇ Boiling Waterproof Grade

SIZE: 8 X 4 | 8 X 3 | 7 X 4 | 7 X 3.

THICKNESS: 19mm, 25mm.

STANDARDS: IS: 1659

PICKER RATING CHART GRADE SUPREME E*

WARRANTY: 11 YEAR

100% PINE WOOD



Borer
Proof



Termite
Resistant



Toughness
Of Gurjan



Warp/
Bend
Resistant



Boiling
Waterproof
Grade





MR GRADE PLY

FEATURES:

- ◇ Borer Proof
- ◇ High Density
- ◇ Toughness Of Gurjan
- ◇ 100% Hardwood Made
- ◇ Termite Resistant
- ◇ Warp/Bend Resistant
- ◇ Takes Weight Upto 213 Tonnes
- ◇ Ultra Low VOC

SIZE: 8 X 4 | 8 X 3 | 7 X 4 | 7 X 3 | 6 X 4 | 6 X 3.

THICKNESS: 6mm, 8mm, 12mm, 15mm, 18mm.

STANDARDS: IS: 303.

PICKER RATING CHART GRADE VERTEX A*

WARRANTY: 9 YEAR



Borer
Proof



100%
Hardwood
Made



High
Density



Termite
Resistant



Warp/
Bend
Resistant



Toughness
Of Gurjan



BWR GRADE PLY

FEATURES:

- ◇ Borer Proof
- ◇ High Density
- ◇ Warp/Bend Resistant
- ◇ 100% Hardwood Made
- ◇ Termite Resistant
- ◇ Boiling Water Resistant
- ◇ Takes Weight Upto 213 Tonnes
- ◇ Ultra Low VOC
- ◇ Toughness of Gurjan

SIZE: 8 X 4 | 8 X 3 | 7 X 4 | 7 X 3 | 6 X 4 | 6 X 3.

THICKNESS: 6mm, 8mm, 12mm, 15mm, 18mm.

STANDARDS: IS: 303

PICKER RATING CHART GRADE VERTEX B*

WARRANTY: 13 YEAR



Borer
Proof



100%
Hardwood
Made



High
Density



Termite
Resistant



Warp/
Bend
Resistant



Boiling
Water
Resistant



Toughness
Of Gurjan





BWP GRADE PLY

FEATURES:

- ◇ Borer Proof
- ◇ High Density
- ◇ Warp/Bend Resistant
- ◇ 100% Hardwood Made
- ◇ Termite Resistant
- ◇ Boiling waterproof Grade
- ◇ Takes Weight Upto 213 Tonnes
- ◇ Ultra Low VOC
- ◇ Toughness Of Gurjan

SIZE: 8 X 4 | 8 X 3 | 7 X 4 | 7 X 3 | 6 X 4 | 6 X 3.

THICKNESS: 6mm, 9mm, 12mm, 16mm, 19mm.

STANDARDS: IS: 710.

PICKER RATING CHART GRADE VERTEX C*

WARRANTY: 15 YEAR



Borer
Proof



100%
Hardwood
Made



High
Density



Termite
Resistant



Warp/
Bend
Resistant



Boiling
waterproof
Grade



Toughness
Of Gurjan




IS : 710
C.M.L. No. 7700152815



25
YEAR
WARRANTY
*Conditions Apply





MR GRADE BLOCK BOARD

FEATURES:

- ◇ Borer Proof
- ◇ High Density
- ◇ Toughness Of Gurjan
- ◇ 100% Imported Pine
- ◇ Termite Resistant
- ◇ Takes Weight Upto 213 Tonnes
- ◇ Ultra Low VOC

SIZE: 8 X 4 | 8 X 3 | 7 X 4 | 7 X 3.

THICKNESS: 19mm, 25mm.

STANDARDS: IS: 1659.

PICKER RATING CHART GRADE VERTEX D*

WARRANTY: 11 YEAR

100% PINE WOOD



Borer Proof



100% IMPORTED PINE



High Density



Termite Resistant



Toughness Of Gurjan



BWP GRADE BLOCK BOARD

FEATURES:

- ◇ Borer Proof
- ◇ High Density
- ◇ Toughness Of Gurjan
- ◇ 100% Imported Pine
- ◇ Termite Resistant
- ◇ Boiling Waterproof Grade
- ◇ Takes Weight Upto 213 Tonnes
- ◇ Ultra Low VOC

SIZE: 8 X 4 | 8 X 3 | 7 X 4 | 7 X 3.

THICKNESS: 19mm, 25mm.

STANDARDS: IS: 1659.

PICKER RATING CHART GRADE VERTEX E*

WARRANTY: 15 YEAR

100% PINE WOOD



Borer Proof



100% IMPORTED PINE



High Density



Termite Resistant



Boiling waterproof Grade



Toughness Of Gurjan





BWP GRADE PLY

FEATURES:

- ◇ Borer Proof
- ◇ High Density
- ◇ Warp/Bend Resistant
- ◇ 100% Hardwood Made
- ◇ Termite Resistant
- ◇ Boiling waterproof Grade
- ◇ Takes Weight Upto 213 Tonnes
- ◇ Ultra Low VOC
- ◇ Toughness Of Gurjan

SIZE: 8 X 4 | 8 X 3 | 7 X 4 | 7 X 3 | 6 X 4 | 6 X 3.

THICKNESS: 6mm, 9mm, 12mm, 16mm, 19mm.

STANDARDS: IS: 710.

PICKER RATING CHART GRADE VIGOUR A*

WARRANTY: 25 YEAR



Borer
Proof



100%
Hardwood
Made



High
Density



Termite
Resistant



Warp/
Bend
Resistant



Boiling
waterproof
Grade



Toughness
Of Gurjan



IS : 710
CML No. 7700152815



25
YEAR
WARRANTY
*Conditions Apply

I Disclaimer:

- The Company will only take responsibility for its own material and products. Kindly note that we shall not be held accountable for any value Addition done by the customer from their end on our products
- This is a Trade Sample and Not for Sale

* The Picker Rating Grades for each Plywood may vary based on the usage and weather conditions. For further information, refer Picker Rating Chart

HUMID ENVIRONMENT

Environment Condition (Humid ENVIRONMENT)	Durian Prime MR Grade Ply	Durian Prime BWR Grade Ply	Durian Prime BWP Grade Ply	Durian Prime MR Grade Block Board	Durian Prime BWP Grade Block Board	Durian Sumo MR Grade Ply	Durian Sumo BWR Grade Ply	Durian Sumo BWP Grade Ply	Durian Sumo MR Grade Block Board	Durian Sumo BWP Grade Block Board	Durian Casa BWP Grade Ply
Suggested Name	VERTEX A1	VERTEX B1	VERTEX C1	VERTEX D1	VERTEX E1	SUPREME A1	SUPREME B1	SUPREME C1	SUPREME D1	SUPREME E1	VIGOUR A1
Opposite Side of the Wall is a wet Area	No	Yes	No	No	No	No	Yes	No	No	No	No
Dry Wall	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Environment Friendly	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC
Warranty Durability	Long Life	Long Life	Long Life	Long Life	Long Life	Normal Life	Normal Life	Normal Life	Normal Life	Normal Life	Extra Long Life
Furniture	Yes	No	No	Yes	No	Yes	No	No	Yes	Yes	No
Wardrobe/ Storage Carcass/	No	Yes	No	Yes	No	No	Yes	No	No	No	No
Wardrobe/ Storage Shutter	Yes	No	No	Yes	No	Yes	No	No	Yes	Yes	No
Shelves	Yes	No	No	Yes	No	Yes	No	No	No	No	No
Bed + Sidetable + Dressing	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Kitchen Cabinets in Wet Area	No	No	Yes	No	No	No	No	No	No	Yes	Yes
Kitchen Cabinet over the counter	No	Yes	No	No	Yes	No	Yes	No	No	Yes	No
Kitchen Cabinet Under the counter	No	No	Yes	No	No	No	No	No	No	Yes	Yes
Kitchen Shelves	No	Yes	No	No	Yes	No	Yes	No	No	Yes	No
Panelling on wall	No	Yes	No	Yes	No	No	Yes	No	No	No	No
Partition	Yes	No	No	Yes	No	Yes	No	No	No	No	No
Shipping Crates	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Garden furniture	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Benches	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Celing	No	Yes	No	Yes	No	No	Yes	No	No	No	No
Staircase	No	Yes	No	Yes	No	No	Yes	No	No	No	No
Door	No	Yes	No	Yes	No	No	Yes	No	No	No	No
Door Frame	Yes	No	No	No	No	Yes	NO	No	No	No	No

DRY ENVIRONMENT

Environment Condition <small>(Dry ENVIRONMENT)</small>	Durian Prime MR Grade Ply	Durian Prime BWR Grade Ply	Durian Prime BWP Grade Ply	Durian Prime MR Grade Block Board	Durian Prime BWP Grade Block Board	Durian Sumo MR Grade Ply	Durian Sumo BWR Grade Ply	Durian Sumo BWP Grade Ply	Durian Sumo MR Grade Block Board	Durian Sumo BWP Grade Block Board	Durian Casa BWP Grade Ply
Suggested Name	VERTEX A2	VERTEX B2	VERTEX C2	VERTEX D2	VERTEX E2	SUPREME A2	SUPREME B2	SUPREME C2	SUPREME D2	SUPREME E2	VIGOUR A2
Opposite Side of the Wall is a wet Area	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Dry Wall	Yes	No	No	Yes	No	No	No	No	Yes	No	No
Environment Friendly	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC	Cares for Environment ISI, FSC
Warranty Durability	Long Life	Long Life	Long Life	Long Life	Long Life	Normal Life	Normal Life	Normal Life	Normal Life	Normal Life	Extra Long Life
Furniture	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Wardrobe/ Storage Carcass/	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Wardrobe/ Storage Shutter	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Shelves	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Bed + Sidetable + Dressing	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Kitchen Cabinets in Wet Area	No	No	Yes	No	No	No	No	No	No	Yes	Yes
Kitchen Cabinet over the counter	No	Yes	No	No	Yes	No	Yes	No	No	Yes	No
Kitchen Cabinet Under the counter	No	No	Yes	No	No	No	No	No	No	Yes	Yes
Kitchen Shelves	No	Yes	No	No	Yes	No	Yes	No	No	Yes	No
Panelling on wall	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Partition	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Shipping Crates	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Garden furniture	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Benches	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Celing	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Staircase	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Door	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No
Door Frame	Yes	No	No	Yes	No	Yes	No	No	Yes	No	No

CERTIFICATION



The IGBC rating systems are voluntary, consensus based, market-driven programmes. The rating systems are based on the five elements of the nature.



ISO 14001: 2015-ISO is an independent, non-governmental international organization with a membership of 162 national standards bodies.



FSC forest management certification confirms that the forest is being managed in a way that preserves biological diversity and benefits the lives of local people and workers, while ensuring it sustains economic viability.



For companies at the end of the supply chain, such as brand owners and retailers, PEFC certification offers many benefits: from highlighting sustainable procurement choices to meeting demanding legislative and market requirements.



The ISI mark is a standards-compliance mark for industrial products in India since 1955. The mark certifies that a product conforms to an Indian standard developed by the Bureau of Indian Standards, the national standards body of India.



Sedex is one of the world's leading ethical trade service providers, working to improve working conditions in global supply chains. We provide practical tools, services and a community network to help companies improve their responsible and sustainable business practices, and source responsibly.



GREENGUARD Certification Program. The GREENGUARD Certification Program gives assurance that products designed for use in indoor spaces meet strict chemical emissions limits, which contribute to the creation of healthier interiors.

PLYWOOD RANGE:

- Prime Plywood
- Prime Block Board
- Sumo Plywood
- Sumo Block Board
- Casa Plywood

OTHER PRODUCT RANGE:

DOORS | **VENEER** | **PLYWOOD**

AWARDS & RECOGNITION:



Promising Brands

Acknowledged by The Economic Times as India's Most Promising Brand for 2019



Power of trust

Awarded the Power of Trust by the TRA in 2018 for our dedicated efforts in building long term customer relationships



Power Brand of the Year


Chosen by the Indian Consumer as the Power Brand of India in 2011



CEO Insights

Recognised as one of the 25 most promising companies in 2018

OUR NETWORK





PLYWOOD

DURIAN INDUSTRIES LIMITED

Corporate Office: 401, The Summit, Hanuman Road,
W.E. Highway, Vile Parle (E), Mumbai - 400 057, India

Email: customersupport@durian.in

www.durian.in

☎ 1800 22 3242
