



CX Mini Hand Chain Hoist

Model CX1A

Specifications and Dimensions

Purpose:

To provide the dimension and specification information for the CX Mini Hand Chain Hoist.

Model CX1A – Dimensions & Specifications:


Cap. (Tons)	Product Code	Headroom C (in)	Std. Lift (ft)	Pull to Lift Load (lbs)	Over- haul Ratio	a (in)	b (in)	d (ft)	e (in)	f (in)	g (in)	Load Chain Diameter (mm) x Chain Fall Lines	Net Weight (lbs)	Shipping Weight Approx. (lbs)	Weight for Additional One Foot of Lift (lbs)
1/4	CX003	8.5	10	33	34	3.5	3.3	6.8	1.5	2.1	0.8	3.2 x 1	7	7	0.3
1/4	CX003	8.5	20	33	34	3.5	3.3	16.6	1.5	2.1	0.8	3.2 x 1	9	9	0.3
1/2	CX005	10.2	10	42	43	4.0	4.0	6.8	1.7	2.6	1.0	4.3 x 1	10	10.6	0.6
1/2	CX005	10.2	20	42	43	4.0	4.0	16.6	1.7	2.6	1.0	4.3 x 1	16	16.4	0.6
1	CX010	14.1	10	44	86	4.1	4.8	6.8	1.7	3.4	1.1	4.3 x 2	17	17.4	3.1
1	CX010	14.1	20	44	86	4.1	4.8	16.6	1.7	3.4	1.1	4.3 x 2	26	26.7	3.1


Model CX1A – Metric Dimensions & Specifications:


Cap. (Tons)	Product Code	Headroom C (mm)	Std. Lift (m)	Pull to Lift Load (kg)	Over- haul Ratio	a (mm)	b (mm)	d (m)	e (mm)	f (mm)	g (mm)	Load Chain Diameter (mm) x Chain Fall Lines	Net Weight (kg)	Shipping Weight Approx. (kg)	Weight for Additional One meter of Lift (kg)
1/4	CX003	217	3	15	34	88	84	2.1	37	53	21	3.2 x 1	3	3	0.4
1/4	CX003	217	6	15	34	88	84	5.1	37	53	21	3.2 x 1	4	4	0.4
1/2	CX005	260	3	19	43	103	102	2.1	44	66	25	4.3 x 1	4.5	4.8	0.9
1/2	CX005	260	6	19	43	103	102	5.1	44	66	25	4.3 x 1	7.1	7.4	0.9
1	CX010	360	3	20	86	103	122	2.1	44	87	29	4.3 x 2	7.6	7.9	1.4
1	CX010	360	6	20	86	103	122	5.1	44	87	29	4.3 x 2	11.8	12.1	1.4

Model CX1A – KITO Americas Dimensions & Specifications:

Cap. (t)	Product Code	Headroom C (mm)	Std. Lift (m)	Pull to Lift Load (kg)	Over- haul Ratio	a (mm)	b (mm)	d (m)	e (mm)	f (mm)	g (mm)	Load Chain Diameter (mm) x Chain Fall Lines	Net Weight (kg)	Shipping Weight Approx. (kg)	Weight for Additional One meter of Lift (kg)
0.25	CX003	217	3	15	34	88	84	2.1	37	53	21	3.2 x 1	3	3	0.4
0.25	CX003	217	6	15	34	88	84	5.1	37	53	21	3.2 x 1	4	4	0.4
0.50	CX005	260	3	19	43	103	102	2.1	44	66	25	4.3 x 1	4.5	4.8	0.9
0.50	CX005	260	6	19	43	103	102	5.1	44	66	25	4.3 x 1	7.1	7.4	0.9
1	CX010	360	3	20	86	103	122	2.1	44	87	29	4.3 x 2	7.6	7.9	1.4
1	CX010	360	6	20	86	103	122	5.1	44	87	29	4.3 x 2	11.8	12.1	1.4







END