



|                        |               |                               |              |
|------------------------|---------------|-------------------------------|--------------|
| <b>EAN:</b>            | 4013288108173 | <b>Size:</b>                  | 405x37x37 mm |
| <b>Part number:</b>    | 05009319001   | <b>Weight:</b>                | 129 g        |
| <b>Article number:</b> | 355 PZ        | <b>Country of origin:</b>     | CZ           |
|                        |               | <b>Customs tariff number:</b> | 82054000     |

- Screwdriver, for cross-recess screws, Pozidriv
- Multi-component Kraftform handle for fast and ergonomic screwdriving
- Take it easy tool finder: colour coding according to profile and size
- Hexagonal anti-roll feature against rolling away
- Chrome-plated

High quality Kraftform Plus screwdriver by Wera. Hard gripping zones for high working speeds whereas soft zones ensure high torque transfer for fast and low-fatigue working. Take it easy tool finder with colour coding according to profiles and size stamp - for simple and rapid accessing of the required tool. The hexagonal non-roll feature prevents any rolling away at the workplace.



**Web link**  
<https://www.wera.de/en/05009319001>


Wera - 355 PZ  
05009319001 - 4013288108173

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## Lasertip prevents slipping out



Kraftform Plus screwdrivers - ergonomics you can grasp. They relieve the entire hand-arm system even when used intensively. Along with other technical and product advantages such as the Lasertip for a secure fit in the screw head, Kraftform screwdrivers are the ideal choice whenever manual screwdriving jobs are concerned.



A precisely-focused laser creates a sharp-edged surface structure. Wera Lasertip "bites" itself into the screw head and prevents any slips out of the recess. It is available for screwdrivers for slotted, Phillips and Pozidriv screws.

## Lasertip



A precisely-focused laser creates a sharp-edged surface structure. Wera Lasertip "bites" itself into the screw head and prevents any slips out of the recess. It is available for screwdrivers for slotted, Phillips and Pozidriv screws.

## Reduced contact pressure



Wera Lasertip reduces the contact pressure required and enhances force transfer - meaning less screwdriving effort is required. Screwdriving becomes safer and easier.

## Kraftform




The basic idea for the prototype of the Kraftform handle - that the hand should dictate the design - has, right through to today, proved to be correct. In cooperation with the internationally recognised Fraunhofer IAO Institute, Wera developed a screwdriver handle designed to match the shape of the human hand as long ago as the 1960s. After a long development phase, the Wera Kraftform handle was launched to the market in 1968. It has been optimised through the years with new technologies, but has kept its proven shape. After all, the human hand has not changed either.

## Rapid hand repositioning




The hard materials used for the handle ensure rapid hand repositioning without any danger of the skin "sticking" to the handle. The surrounding hard zones with large diameters glide like wheels through the hand.

## Non-roll feature



The hexagonal non-roll feature prevents any rolling away at the workplace.

## Take it easy Tool Finder



Screwdrivers with Take it easy tool finder: colour coding according to profile and size stamp.

## Web link

<https://www.wera.de/en/05009319001>

Wera - 355 PZ

05009319001 - 4013288108173

Wera Werkzeuge GmbH

Korzerter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: [info@wera.de](mailto:info@wera.de)

Further versions in this product family:

|                                 |  | <br>mm | <br>mm | <br>mm | <br>inch |
|---------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| 05009305001 <sup>1)</sup>       | PZ 0                                                                              | 60                                                                                      | 81                                                                                      | 3.0                                                                                       | 2 3/8"                                                                                      |
| 05009310001                     | PZ 1                                                                              | 80                                                                                      | 98                                                                                      | 4.5                                                                                       | 3 1/8"                                                                                      |
| 05009312001                     | PZ 1                                                                              | 200                                                                                     | 98                                                                                      | 4.5                                                                                       | 8"                                                                                          |
| 05009313001 <sup>1)</sup>       | PZ 1                                                                              | 300                                                                                     | 98                                                                                      | 4.5                                                                                       | 12"                                                                                         |
| 05009315001                     | PZ 2                                                                              | 100                                                                                     | 105                                                                                     | 6.0                                                                                       | 4"                                                                                          |
| 05009317001                     | PZ 2                                                                              | 200                                                                                     | 105                                                                                     | 6.0                                                                                       | 8"                                                                                          |
| 05347743001                     | PZ 2                                                                              | 250                                                                                     | 105                                                                                     | 6.0                                                                                       | 10"                                                                                         |
| <b>05009319001<sup>1)</sup></b> | <b>PZ 2</b>                                                                       | <b>300</b>                                                                              | <b>105</b>                                                                              | <b>6.0</b>                                                                                | <b>12"</b>                                                                                  |
| 05009320001                     | PZ 3                                                                              | 150                                                                                     | 112                                                                                     | 8.0                                                                                       | 6"                                                                                          |
| 05009325001 <sup>1)</sup>       | PZ 4                                                                              | 200                                                                                     | 112                                                                                     | 10.0                                                                                      | 8"                                                                                          |

1) Without Lasertip

## Web link

<https://www.wera.de/en/05009319001>

Wera - 355 PZ

05009319001 - 4013288108173

Wera Werkzeuge GmbH

Korzerter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: [info@wera.de](mailto:info@wera.de)