

THE BOLD NEW AGE



ALL-NEW ISUZU

D-MAX

SINGLE CAB SPECIFICATIONS

Introducing the All-New ISUZU D-MAX, our Boldest Bakkie yet.

MODEL SHOWN: D-MAX 1.9 Single Cab 4X4 L

www.isuzu.co.za f t i n

ISUZU

With you, for the long run

ISUZU'S legendary commitment to excellence, combined with the latest in cutting-edge technology, has produced a truly exceptional addition to its range – the all-new ISUZU D-MAX.

Rugged, reliable and always ready to get the job done, ISUZU's new D-MAX Single Cab bakkies are the ultimate workhorses. The perfect partners for your business.



MODEL SHOWN: D-MAX 1.9 Single Cab 4X4 L

ISUZU D-MAX SINGLE CAB SPECIFICATIONS

MODELS	D-MAX 1.9 Ddi	D-MAX 1.9 Ddi L	D-MAX 1.9 Ddi L A/T	D-MAX 1.9 Ddi 4X4 L	D-MAX 1.9 Ddi 4X4 L A/T
ENGINE					
Engine Code	RZ4E-MID	RZ4E-MID	RZ4E-MID	RZ4E-MID	RZ4E-MID
Displacement (cc)	1 898	1 898	1 898	1 898	1 898
No. of Cylinders	4	4	4	4	4
Compression Ratio	16.5:1	16.5:1	16.5:1	16.5:1	16.5:1
Bore X Stroke (mm)	80 X 94.4	80 X 94.4	80 X 94.4	80 X 94.4	80 X 94.4
No. of Valves	16	16	16	16	16
Power (kW) @ r/min	110 @ 3 600	110 @ 3 600	110 @ 3 600	110 @ 3 600	110 @ 3 600
Torque (Nm) @ r/min	350 @ 1 800 – 2 600	350 @ 1 800 – 2 600	350 @ 1 800 – 2 600	350 @ 1 800 – 2 600	350 @ 1 800 – 2 600
Turbocharger	Standard	Standard	Standard	Standard	Standard
800 mm Water Depth Protection	Standard	Standard	Standard	Standard	Standard
Pre-Air Cleaner	Standard	Standard	Standard	Standard	Standard
ACG (90 A)	Standard	Standard	Standard	Standard	Standard
ACG with Intelligent Battery System (IBS)	Standard	Standard	Standard	Standard	Standard
Intercooler	Standard	Standard	Standard	Standard	Standard

FUEL CONSUMPTION¹					
Combined Cycle (Litres/100 km)	7.3	7.1	7.4	7.1	7.4
Combined CO₂ Emissions (g/km)	190	186	193	186	193
Fuel Type	Diesel	Diesel	Diesel	Diesel	Diesel

TRANSMISSION					
Transmission Type	6-Speed Manual	6-Speed Manual	6-Speed Automatic	6-Speed Manual	6-Speed Automatic
Gear Ratio: 1st	4.942	4.942	3.600	4.942	3.6
Gear Ratio: 2nd	2.686	2.686	2.090	2.686	2.09
Gear Ratio: 3rd	1.527	1.527	1.488	1.527	1.488
Gear Ratio: 4th	1.000	1.000	1.000	1.000	1.000
Gear Ratio: 5th	0.749	0.749	0.687	0.749	0.687
Gear Ratio: 6th	0.634	0.634	0.580	0.634	0.58
Gear Ratio: Reverse	4.597	4.597	3.732	4.597	3.732
4WD Selector	-	-	-	Standard	Standard
Low Range Ratio	-	-	-	2.482	2.482

FRONT DIFFERENTIAL					
Shift on the Fly up to 100 km / hour	-	-	-	Standard	Standard
Axle Ratio: Final Drive	-	-	-	4.1	4.1

REAR DIFFERENTIAL					
Differential Lock	Standard	-	-	Standard	Standard
Axle Ratio: Final Drive	3.909	4.1	4.1	4.1	4.1

CHASSIS DESIGN					
Front Wheel Suspension	Coil Over Shock	Coil Over Shock	Coil Over Shock	Coil Over Shock	Coil Over Shock
Rear Wheel Suspension	Leaf Spring Overslung	Leaf Spring Overslung	Leaf Spring Overslung	Leaf Spring Overslung	Leaf Spring Overslung
Shock Absorbers	Twintube Gas Pressurised	Twintube Gas Pressurised	Twintube Gas Pressurised	Twintube Gas Pressurised	Twintube Gas Pressurised
Suspension	High-Ride	High-Ride	High-Ride	High-Ride	High-Ride
Skid Plate Guard Front	Standard	Standard	Standard	Standard	Standard
Skid Plate Guard Rear	Standard	Standard	Standard	Standard	Standard
Transfer Case Guard	-	-	-	Standard	Standard
Oil Pan Guard	Standard	Standard	Standard	Standard	Standard

MODELS	D-MAX 1.9 Ddi	D-MAX 1.9 Ddi L	D-MAX 1.9 Ddi L A/T	D-MAX 1.9 Ddi 4X4 L	D-MAX 1.9 Ddi 4X4 L A/T
WHEELS & TYRES					
Tyre Size	205 R 16 C	255 / 65 R 17	255 / 65 R 17	255 / 65 R 17	255 / 65 R 17
Wheels Size / Type	Steel 16" X 6.5J-41	Steel 17" X 7.0J-33	Steel 17" X 7.0J-33	Steel 17" X 7.0J-33	Steel 17" X 7.0J-33
Spare Wheel Size / Type	Steel 16" X 6.5J-41	Steel 17" X 7.0J-33	Steel 17" X 7.0J-33	Steel 17" X 7.0J-33	Steel 17" X 7.0J-33
Turning Circle (m)	12.5	12.5	12.5	12.5	12.5
Tyre-Pressure Monitoring Sensor	-	-	-	-	-

DIMENSIONS					
Length (mm)	5 230	5 325	5 325	5 325	5 325
Width (mm)	1 870	1 870	1 870	1 870	1 870
Height (mm)	1765	1 780	1 780	1 780	1 780
Wheelbase (mm)	3 125	3 125	3 125	3 125	3 125
Front / Rear Track (mm)	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570
Rear Overhang (mm)	1 215	1 310	1 310	1 310	1 310
Ground Clearance (mm)	212	227	227	227	227
Loadbox Length (mm)	2 330	2 330	2 330	2 330	2 330
Loadbox Width (mm)	1 590	1 590	1 590	1 590	1 590
Loadbox Depth (mm)	465	465	465	465	465
Approach Angle (°)	30	30	30	30	30
Departure Angle (°)	24	23	23	23	23
Breakover Angle (°)	21.4	21.4	21.4	21.4	21.4
Wading Depth (mm)	800	800	800	800	800

MASS / CAPACITY					
Gross Axle Mass – Front (GA1) (kg)	1 450	1 450	1 450	1 450	1 450
Gross Axle Mass – Rear (GA2) (kg)	1 910	1 910	1 910	1 910	1 910
Gross Vehicle Mass (GVM) (kg)	3 000	3 000	3 000	3 100	3 100
Gross Combined Mass (GCM) (kg)	5 000	5 000	5 000	5 000	5 000
Tare Mass (kg)	1 675	1 715	1 735	1 795	1 825
Payload (kg)	1 265	1 225	1 205	1 245	1 215
Towing Capacity (kg): Unbraked Trailer ²	750	750	750	750	750
Towing Capacity / Rating (kg): Braked Trailer ²	2 100	2 100	2 100	2 100	2 100
Fuel Tank Capacity (Litres)	76	76	76	76	76

LOADBOX FEATURES					
Tiedown Brackets in Loadbox for Load Restraint	4	4	4	4	4
Rope Hooks on Loadbox Side	Standard	Standard	Standard	Standard	Standard

SAFETY FEATURES					
Anti-lock Braking-System (ABS)	Standard	Standard	Standard	Standard	Standard
Electronic Brake-Force Distribution (EBD)	Standard	Standard	Standard	Standard	Standard
Brake-Assist System (BAS)	Standard	Standard	Standard	Standard	Standard
Electronic Stability Control (ESC) with Traction Control	Standard	Standard	Standard	Standard	Standard
Hill-Start Assist (HSA)	Standard	Standard	Standard	Standard	Standard
Hill-Descent Control (HDC)	Standard	Standard	Standard	Standard	Standard
Trailer Sway Control	Standard	Standard	Standard	Standard	Standard
Brake-Override Accelerator (BOA)	Standard	Standard	Standard	Standard	Standard
Cruise Control	-	-	-	-	-
Height-Adjustable 3-Point Front Seatbelts	Standard	Standard	Standard	Standard	Standard
Front Seat Centre Lap Belt (2-Point)	Standard	-	-	-	-
Seatbelt Pre-Tensioners	Standard	Standard	Standard	Standard	Standard
Fixed 3-Point Rear Seatbelts	-	-	-	-	-
Seatbelt Reminder	Driver and Passenger	Driver and Passenger	Driver and Passenger	Driver and Passenger	Driver and Passenger
Occupant Detection Sensor	Passenger	Passenger	Passenger	Passenger	Passenger
Driver and Passenger Airbags	Standard	Standard	Standard	Standard	Standard

MODELS	D-MAX 1.9 Ddi	D-MAX 1.9 Ddi L	D-MAX 1.9 Ddi L A/T	D-MAX 1.9 Ddi 4X4 L	D-MAX 1.9 Ddi 4X4 L A/T
SAFETY FEATURES					
Front Seat Side Airbags	-	-	-	-	-
Curtain Airbags	-	-	-	-	-
Knee Airbag	-	-	-	-	-
Far Side Airbag	-	-	-	-	-
Side-Impact Protection Bars	Standard	Standard	Standard	Standard	Standard
Collapsible Steering Column	Standard	Standard	Standard	Standard	Standard
Speed-Sensitive Door Lock	-	Standard	Standard	Standard	Standard
ISOFIX Child-Seat Attachment	-	-	-	-	-
Parking Distance Sensors	-	-	-	-	-
Rear-View Camera	-	-	-	-	-
Warning Triangle Kit	Standard	Standard	Standard	Standard	Standard
Emergency Stop Signal	Standard	Standard	Standard	Standard	Standard

SECURITY FEATURES					
Manual Door Locks	Standard	-	-	-	-
Remote Controlled Central Locking	-	Standard	Standard	Standard	Standard
Remote Keyless Entry	-	Standard	Standard	Standard	Standard
Passive Entry Start System (PESS)	-	-	-	-	-
Child-Proof Rear Door Locks	-	-	-	-	-
Anti-Theft Alarm System	Accessory	Standard	Standard	Standard	Standard
Ultrasonic Alarm	-	-	-	-	-
Transponder Immobiliser System	Standard	Standard	Standard	Standard	Standard
Selectable Door Unlock	-	Standard	Standard	Standard	Standard
Walk-Away Auto Door Lock	-	-	-	-	-

INTERIOR / EXTERIOR LIGHTING					
Front Reading Lamps	-	-	-	-	-
Interior Courtesy Lamps	Standard	Standard	Standard	Standard	Standard
Illuminated Entry	-	Standard	Standard	Standard	Standard
Front Fog Lamps	-	-	-	-	-
Daytime Running Lights (DRL)	-	-	-	-	-
Headlamps	Halogen	Halogen	Halogen	Halogen	Halogen
Headlamp Levelling	-	-	-	-	-
Headlamps "ON" Warning Buzzer	Standard	Standard	Standard	Standard	Standard
Turn Indicator Lamp on Door	Standard	Standard	Standard	Standard	Standard
Rear Taillights, Combination	Bulb	Bulb	Bulb	Bulb	Bulb
High-Mounted Centre Stop Lamp	Standard	Standard	Standard	Standard	Standard
Follow-Me-Home Headlamps	Standard	Standard	Standard	Standard	Standard

EXTERIOR FEATURES					
Front Wiper	Variable Intermittent	Variable Intermittent	Variable Intermittent	Variable Intermittent	Variable Intermittent
Radiator Grille	Grey	Grey	Grey	Grey	Grey
Front Bumper	Painted Black	Painted Black	Painted Black	Painted Black	Painted Black
Rear Bumper	-	Painted Black	Painted Black	Painted Black	Painted Black
Towbar	-	Optional (2.1T)	Optional (2.1T)	Optional (2.1T)	Optional (2.1T)
Exterior Door Handle	Black	Black	Black	Black	Black
Exterior Mirror	Black, Manual Adjustment, Driver Side Aspherical	Black, Power Adjustment, Driver Side Aspherical	Black, Power Adjustment, Driver Side Aspherical	Black, Power Adjustment, Driver Side Aspherical	Black, Power Adjustment, Manual Fold
B-Pillar Blackout	-	-	-	-	-
Roof Rails	-	-	-	-	-
Sports Bar	-	-	-	-	-
Side-Steps	-	-	-	-	-
Mudflaps	Front and Rear	Front and Rear	Front and Rear	Front and Rear	Front and Rear
Tailgate Handle	Body Colour	Body Colour	Body Colour	Body Colour	Body Colour
Cab Protector	-	-	-	-	-

MODELS	D-MAX 1.9 Ddi	D-MAX 1.9 Ddi L	D-MAX 1.9 Ddi L A/T	D-MAX 1.9 Ddi 4X4 L	D-MAX 1.9 Ddi 4X4 L A/T
INTERIOR FEATURES					
Power-Assisted Steering (PAS)	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Air Conditioning	Manual	Manual	Manual	Manual	Manual
Pollen Filter	Standard	Standard	Standard	Standard	Standard
Inside Rear-View Mirror	Day / Night	Day / Night	Day / Night	Day / Night	Day / Night
Sunvisor	Driver and Passenger	Driver with Ticket Holder, Passenger with Vanity Mirror	Driver with Ticket Holder, Passenger with Vanity Mirror	Driver with Ticket Holder, Passenger with Vanity Mirror	Driver with Ticket Holder, Passenger with Vanity Mirror
Overhead Console with Map Lamps (X2) and Sunglasses Holder	-	-	-	-	-
Digital Clock	Standard	Standard	Standard	Standard	Standard
Cruise Control	-	-	-	-	-
Multi-Information Display (MID)	-	-	-	-	-
Dashboard Illumination Control	Standard	Standard	Standard	Standard	Standard
Power Socket, Auxiliary 12V IP Mounted	1	1	1	1	1
Cigarette Lighter	Standard	Standard	Standard	Standard	Standard
Lockable Glove Box	Standard	Standard	Standard	Standard	Standard
Utility Box on Glove Box	Standard	Standard	Standard	Standard	Standard
Steering Column Adjustment	Tilt and Telescopic	Tilt and Telescopic	Tilt and Telescopic	Tilt and Telescopic	Tilt and Telescopic
Steering Wheel Trim	Urethane	Urethane	Urethane	Urethane	Urethane
Steering Wheel Multi-Functional Controls	-	Audio Controls	Audio Controls	Audio Controls	Audio Controls
Gear Shift Trim	Urethane	Urethane	Urethane	Urethane	Urethane
Front Seat Configuration	Bench, Split Cushion 60:40	Bucket Seats (x2)	Bucket Seats (x2)	Bucket Seats (x2)	Bucket Seats (x2)
Rear Seat Configuration	-	-	-	-	-
Seat Trim	Canvas	Cloth	Cloth	Cloth	Cloth
Seat Adjustment	4-Way Manual Driver	6-Way Manual Driver	6-Way Manual Driver	6-Way Manual Driver	6-Way Manual Driver
Storage Pockets behind Front Seats	-	-	-	-	-
Door Trim with Storage Pockets and Integrated Cupholders	Standard	Standard	Standard	Standard	Standard
Interior Door Release Handle	Black	Black	Black	Black	Black
Interior Trim Colours	Pale Grey Upper / Black Lower	Pale Grey Upper / Black Lower	Pale Grey Upper / Black Lower	Pale Grey Upper / Black Lower	Pale Grey Upper / Black Lower
A-Pillar Assist Grip, Driver and Passenger	Standard	Standard	Standard	Standard	Standard
Roof-Mounted Assist Grips	Passenger	Passenger	Passenger	Passenger	Passenger
Floor Trim	Vinyl with Tibia Pad	Carpet with Heel Pad and Tibia Pad	Carpet with Heel Pad and Tibia Pad	Carpet with Heel Pad and Tibia Pad	Carpet with Heel Pad and Tibia Pad
Floor Tunnel Console with Integrated Cupholder	-	Standard	Standard	Standard	Standard
Centre Console Storage Box with Lid	-	Standard	Standard	Standard	Standard
Driver Footrest	Standard	Standard	Standard	Standard	Standard
Rear Heater Duct	-	-	-	-	-
Storage Box	-	-	-	-	-
Window Operation	Manual Front	Power Front with Driver One-Touch, Jam Protection and timer	Power Front with Driver One-Touch, Jam Protection and Timer	Power Front with Driver One-Touch, Jam Protection and Timer	Power Front with Driver One-Touch, Jam Protection and timer
Rear Window	Fixed without Defogger	Fixed without Defogger	Fixed without Defogger	Fixed without Defogger	Fixed without Defogger
Fuel Flap Remote Opener	Standard	Standard	Standard	Standard	Standard
Ventilator Grille with Shutter (fin shut)	Standard	Standard	Standard	Standard	Standard

INFOTAINMENT					
Audio System	AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming and Hands-Free Phone	AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming and Hands-Free Phone	AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming and Hands-Free Phone	AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming and Hands-Free Phone	AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming and Hands-Free Phone
USB Port (Music Playback and Device link)	Standard	Standard	Standard	Standard	Standard
Speakers	2	2	2	2	2
Antenna	Standard	Standard	Standard	Standard	Standard

1 Fuel Economy and CO2 data as per ECE R101 / SANS 20101 regulation. Note that the actual fuel consumption will depend on many factors including the driver's driving habits, prevailing conditions and the vehicle's equipment, condition and use.

2 Towing capacity subject to South African Road Traffic Act. The weight of the towing vehicle including trailer towball load must not exceed the Gross Vehicle Mass (GVM). The combined weight of the fully loaded vehicle and trailer must not exceed the Gross Combination Mass (GCM). Maximum individual axle loads (GA1 and GA2) must not be exceeded. (e.g.: if a 3.0L Diesel is towing 3,500kg its maximum Vehicle mass is 2,500kg in order to be within GCM).

MODELS	D-MAX 1.9 Ddi	D-MAX 1.9 Ddi L	D-MAX 1.9 Ddi L A/T	D-MAX 1.9 Ddi 4X4 L	D-MAX 1.9 Ddi 4X4 L A/T
OPTIONS					
17" Alloy Wheel	-	Available	Available	Available	Available
18" Alloy wheel & 265/60R18 tyre (All Terrain)	-	-	-	-	-
18" Alloy wheel & 265/60R18 tyre (H/T Terrain)	-	-	-	-	-
Differential lock	-	Available	Available	-	-
Hub cap steel wheel	-	-	-	-	-
Hub cap alloy wheel	-	Available	Available	Available	Available
Spare tire steel	-	-	-	-	-
Spare tire alloy	-	-	-	-	-
Sports bar, black	-	-	-	-	-
Sports bar, chrome	-	-	-	-	-
Rear sliding window	-	-	-	-	-
Partial Leather seat with manual adjustment	-	-	-	-	-
Safari beige	Available	Available	Available	Available	Available
Cab Protector	-	-	-	-	Available

WARRANTY / SERVICE INTERVALS					
Warranty and Roadside Assistance	5 Years / 120 000 km	5 Years / 120 000 km	5 Years / 120 000 km	5 Years / 120 000 km	5 Years / 120 000 km
Anti-Corrosion Warranty	5 Years / Unlimited km	5 Years / Unlimited km	5 Years / Unlimited km	5 Years / Unlimited km	5 Years / Unlimited km
Service Plan	5 Years / 90 000 km	5 Years / 90 000 km	5 Years / 90 000 km	5 Years / 90 000 km	5 Years / 90 000 km
Service Intervals	12 Months / 15 000 km	12 Months / 15 000 km	12 Months / 15 000 km	12 Months / 15 000 km	12 Months / 15 000 km



MODEL SHOWN: D-MAX 1.9 Single Cab 4X4 L



D-MAX STANDARD

The D-MAX Standard trim level comes with generous levels of spec. Herewith a summary of the noteworthy specifications

INTERIOR

Manual 4-Way Adjustable Canvas Bench Seat with Standard Occupant Cushion Pad & Integrated Headrest, Tilt & Telescopic Steering, Urethane Steering Wheel & Gear Shift Lever, Day/Night Inside Rear View Mirror, Driver & Passenger Sun Visor, Manual Aircon, Vinyl Floor Trim, Manual Door Locks, 12V Power Outlet.

EXTERIOR

16" Steel Wheels, Dark Grey Radiator Grille, Variable Intermittent Front Wiper, Black Exterior Door Handles.

Black Outside Rear-View Mirror with Manual Adjust, Bulb Rear Combination Lamps, Black Front Bumper, Fixed Rear Window without Defogger, Front & Rear Mud flaps.

TECH

AM/FM Radio (2DIN) with CD Player, Bluetooth®, USB with 2 Speakers, Halogen Headlamps with Follow Me Home.

SAFETY

Anti-Lock Braking System

with Electronic Brake Force Distribution & Brake Assist, Brake Override Accelerator, Electronic Stability Control with Hill Start Assist, Hill-Descent Control, Trailer Sway Control, Driver & Passenger Airbags, Centre High Mounted Stop Lamp with Emergency Stop Signal, Immobiliser, Lockable Glovebox.

PERFORMANCE

Available with a 1.9 Litre Turbo Diesel Engine mated with 6-Speed Manual Transmission and a 4X2 Drive Configuration. Hydraulic Power Steering and Differential Lock.

BOLD COLOURS FINISHES

ISUZU D-MAX available in these following stunning colours

ISUZU D-MAX Standard, and L available in following colours Splash White, Mercury Silver, Red Spinel, Blue Me Away, Onyx Black.

Value offering Safari Beige available on ISUZU D-MAX Standard and L models

Specifications in black have been added to the new D-MAX.

D-MAX L

The D-MAX L trim level comes with the same features as the Standard level, but also includes the following additional specifications.

INTERIOR

Manual 6-Way Adjustable Cloth Seat with Integrated Headrest, Carpet Floor Trim with Heel Pad & Tibia Pad, Driver & Passenger Sun Visor with Passenger Vanity Mirror, Urethane Steering Wheel with Audio Controls, Power Windows with Driver Auto Up/Down, Jam Protection and Timer.

EXTERIOR

17" Steel Wheels, Black Outside Rear-View Mirror with Power Adjust, Full Centre Floor Console with Lid.

SAFETY

Anti-theft Alarm, ISOFIX Child-Seat Anchorage with Top Tether, Power Door Lock with Remote Keyless Entry & Speed Sensing Door lock.

PERFORMANCE

Available with a 1.9 Litre Turbo Diesel Engine mated with 6-Speed Manual or 6-Speed Automatic Transmissions and 4X2 or 4X4 Drive Configurations.



Specifications in black have been added to the new D-MAX.



BOLD IS PEACE OF MIND

WARRANTY & ROADSIDE ASSISTANCE: 5 Years / 120 000 km

ANTI-CORROSION WARRANTY: 5 Years / Unlimited km

SERVICE PLAN: 5 Years / 90 000 km with Service Intervals of
12 months / 15 000 km

ISUZU

**COMPLETE
CARE**

24/7 CALL CENTRE: Toll free within South Africa and also available in neighbouring countries. **TOWING SERVICE OR TECHNICAL ASSISTANCE:** In the event of a vehicle breakdown, Isuzu will arrange for towing to the closest dealership for diagnosis and repairs. Where possible, roadside repair will be carried out, with the assistance of an Isuzu dealership or Roadside Assistance technician. **ACCOMMODATION OR RENTAL CAR:** Should you be stranded further than 100 km from your home or destination due to the breakdown or resulting repair work, a FREE rental car or FREE overnight accommodation will be provided. A fuel deposit (fully refundable on return of the vehicle with a full tank) is payable for rental cars supplied, while fuel and toll costs incurred during the rental are for your own account. **SAFETY AT ROADSIDE:** Should you feel unsafe, a security vehicle (depending on availability) will be dispatched for your protection. **OVERNIGHT STORAGE:** Will be provided for your vehicle if required. **REPATRIATION OF YOUR VEHICLE:** Upon completion of repairs, to your home or closest dealer, if further than 100 km from home. **FLAT TYRE ASSISTANCE:** In the event of a flat tyre, we offer assistance with the tyre change. **KEYS LOCKED IN:** Assistance provided here too. **FUEL ASSISTANCE:** You pay only for the fuel supplied. **COMMUNICATION OF URGENT MESSAGES:** Including assistance with directions, to family members. **INFORMATION SERVICES:** Explanation of vehicle warning systems, as well as location of closest dealer, filling station or where to get a new tyre.

ISUZU | *Driving Academy*






South Africa is a beautiful and unique country, and exploring it takes more than just a vehicle and driver's licence. If you are considering purchasing a lifestyle vehicle, come and experience a day at our ISUZU DRIVING ACADEMY to assist in your selection.



We will teach you to conquer the extraordinary, the exciting and the hazardous.

- One-day 4X4 Off-Road
- Two-day Advanced 4X4 Off-Road
- Defensive Advanced On-Road
- Truck Training
- Corporate, Team Building and Year-end Events

ALL-NEW ISUZU
D-MAX

www.isuzu.co.za    

ISUZU

With you, for the long run

Disclaimer: The information contained in this document was accurate at the time of going to print December 2023. Specifications and equipment are subject to change without prior notice. Some illustrations in this document feature special equipment that is not included in standard delivery, and can be purchased at an additional cost. Vehicles may differ from images shown. Printed colours may vary from actual. Errors and omissions excepted. Terms and conditions apply. Please contact your ISUZU retailer for exact information.