

BUILT FROM 45 YEARS OF BAKKIE

Equipped with everything you need for every kind of adventure
THE NEW LIMITED-EDITION D-MAX 45



ALL-NEW ISUZU
IT'S A **D-MAX** THING
Take it to its limits

DOUBLE CAB SPECIFICATION

Introducing the All-New ISUZU D-MAX 45

MODEL SHOWN: ISUZU D-MAX Ddi 45 4x4 AT



www.isuzu.co.za f X @ in

ISUZU

With you, for the long run

INTRODUCING THE LIMITED-EDITION ISUZU D-MAX 45

With 45 years of experience building bakkies in South Africa, the ISUZU D-MAX 45 comes with the knowledge and engineering of an ultimately South African bakkie.

To remind our customers of our long history manufacturing durable, versatile and capable ISUZU bakkies, we have developed a special value LSE double cab, the D-MAX 45, limited to just 105 vehicles for that extra exclusivity.



ISUZU D-MAX 45 DOUBLE CAB SPECIFICATIONS

MODEL 3.0 Ddi 45 4x4 AT

D-MAX 45 PACKAGE

Black canopy –Rhinoman - ISUZU D-MAX Double Cab - Xpedition – Black Frame with Black Doors
Rear tailgate assist
Wireless charger
D-MAX 45 decal for rear
Spray on bedliner - 3mm
Silver ring centre cap
Lower fascia fangs
Bundu Basher Rubber Mats

ENGINE

Engine code	4JJ3
Displacement (cc)	2999
No. of cylinders	4
Compression ratio	16.3:1
Bore x stroke (mm)	95.4 x 104.9
No. of valves	16
Power (kW) @ r/min	140 @ 3600
Torque (Nm) @ r/min	450 @ 1600-2600
Turbocharger	Standard
865 mm water depth protection	Standard
Pre-air cleaner	Standard
ACG (90A)	Standard
ACG with IBS (Intelligent Battery System)	Standard
Intercooler	Standard

FUEL CONSUMPTION¹

Combined cycle (l/100km)	8.1
Combined CO ₂ emissions (g/km)	212
Fuel Type	Diesel

TRANSMISSION

Transmission type	6 Speed Automatic
Gear ratio: 1st	3.600
Gear ratio: 2nd	2.090
Gear ratio: 3rd	1.488
Gear ratio: 4th	1.000
Gear ratio: 5th	0.687
Gear ratio: 6th	0.580
Gear ratio: Reverse	3.732
4WD Selector	Standard
Low range ratio	2.482

FRONT DIFFERENTIAL

Shift on the fly up to 100 km/h	Standard
Axle ratio: final drive	3.727

REAR DIFFERENTIAL

Differential lock	Standard
Axle ratio: final drive	3.727

CHASSIS DESIGN

Wheel suspension front	High Mounting
Wheel suspension rear	Leaf Spring Overslung
Shock absorbers	Twintube Gas Pressurised
Suspension	High Ride
Skid plate guard front	Standard
Skid plate guard rear	Standard
Engine sump guard	Standard
Transfer case guard	Standard
Oil pan guard	Standard

WHEELS AND TYRES

Tyre size	265/60R18
Wheel type & size	"Alloy 18" x 7.5J-33 Gloss Black "
Spare wheel	"Alloy 18" x 7.5J-33 Gloss Black "
Turning circle: (m)	12,5
Tire pressure monitoring sensor	Standard

DIMENSIONS

Length (mm)	5333
Width (mm)	1880
Height (mm)	1805
Wheelbase (mm)	3125
Track front / rear (mm)	1570 / 1570
Rear overhang (mm)	1318
Ground clearance (mm)	232
Loadbox length (mm)	1495
Loadbox width (mm)	1530
Loadbox depth (mm)	490
Approach angle (o)	30.0
Departure angle (o)	18.0
Breakover angle (o)	22.5
Wading depth (mm)	800



MASS / CAPACITY	
Gross Axle Mass - Front (GA1) (kg)	1450
Gross Axle Mass - Rear (GA2) (kg)	1910
Gross Vehicle Mass (GVM) (kg)	3100
Gross Combined Mass (GCM) (kg)	6000
Tare mass (kg)	2145
Payload (kg)	895
Towing capacity (kg): unbraked ⁽²⁾	750
Towing capacity (kg): braked ⁽²⁾	3500
Fuel tank capacity ⁽¹⁾	76

LOADBOX FEATURES	
Tiedown brackets in loadbox for load restraint	4
Rope hooks on load box side	-

SAFETY FEATURES	
Anti-lock Braking System (ABS)	Standard
Electronic Brake Force Distribution (EBFD)	Standard
Brake Assist System (BAS)	Standard
Electronic Stability Control (ESC) with Traction Control	Standard
Hill Start Assist (HSA)	Standard
Hill Descent Control (HDC)	Standard
Trailer sway control	Standard
Brake Override Accelerator (BOA)	Standard
Cruise control	Standard
Multi collision brake	-
Height adjustable 3-point front seat belts	Standard
Front seat centre lap belt (2 point)	-
Seat belt pretensioners	Standard
Fixed 3-point rear seat belts	Standard
Seat belt reminder	Driver & Passenger
Occupant detection sensor	Passenger
Driver & Passenger airbags	Standard
Front seat side airbags	Standard
Curtain airbags	Standard
Knee airbag	Driver
Far side airbag	Standard
Side impact protection bars	Standard
Improve side pole impact	-
Collapsible steering column	Standard
Speed sensitive door lock	Standard
ISOFIX child seat attachment	Standard with Top Tether
Parking distance sensors	Front & Rear
Rear view camera	Standard
Front camera	-
Warning triangle kit	Standard
Emergency stop signal	Standard
Blind spot monitor	Standard
Rear cross traffic alert	Standard
Rear radar	Standard

SAFETY FEATURES (CONTINUED)	
Autonomous emergency brake	-
Forward collision warning	-
Pedal misapplication mitigation	-
Manual speed limiter	-
Lane departure warning	-
Lane keep assist	-
Lane departure prevention	-
Driver monitoring	-

SECURITY FEATURES	
Manual door locks	-
Remote controlled central locking	-
Remote keyless entry	-
Remote Engine Start	Standard
Passive Entry Start System (PESS)	Standard
Child proof rear door locks	Standard
Anti-theft alarm system	Standard
Ultrasonic alarm	Standard
Transponder immobiliser system	Standard
Selectable door unlock	Standard
Walk away auto door lock	Standard

INTERIOR / EXTERIOR	
Front reading lamps	Standard
Interior courtesy lamp	Standard
Illuminated entry	Standard
Front fog lamps	Standard, LED
Daytime Running Lights (DRL)	LED
Headlamps	LED
Headlamp levelling	Automatic
Headlamps "on" warning buzzer	Standard
Automatic on/off headlamp	Standard
Automatic high beam	-
Turn indicator lamp on door	-
Rear tail lamps, combination	LED
High mounted centre stop lamp	Standard
Rear fog lamps	Standard
Follow-me-home Headlamps	Standard

EXTERIOR FEATURES	
Front wiper	Auto, Rain sensing
Radiator grille	Gloss Black
Front bumper	Body Colour
Rear bumper	Body Colour
Front bumper cladding	-
Towbar	Standard (3.5T)
Exterior door handle	Chrome
Exterior mirror	Chrome, Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical

EXTERIOR FEATURES (CONTINUED)	
B-Pillar blackout	Standard
Over fender (fender flares)	-
Roof rails	Standard
Sports bar	-
Sports Hoop	-
Side steps	Standard, Black
Mudflaps	Front & Rear
Tailgate handle	Chrome
Cab Protector	-
Rear sliding window	Standard

INTERIOR FEATURES	
Power Assisted Steering (PAS)	Hydraulic
Air conditioner	Automatic, Dual Zone
Pollen filter	Standard
Rear view mirror, inside	Day / Night
Sun visor	Driver & Passenger with Vanity Mirror Light
Overhead console with map lamps (x2) and sunglasses holder	Standard
Digital clock	Standard
Cruise control	Standard
Multi Information Display (MID)	Standard
Dashboard illumination control	Standard
Power socket, auxiliary 12V IP mounted	1
Cigarette lighter	Standard
Glove box, lockable	Standard
Utility box on glove box	Std, High Type
Steering column adjustment	Tilt & Telescopic
Steering wheel trim	Leather
Steering wheel multifunctional controls	Audio & Auto Cruise
Gear shift trim	Leather with Decorate
Front seat configuration	2 x Bucket
Rear seat configuration	Bench, Split Cushion 60:40
Seat trim	Partial Leather
Seat adjustment	8 Way Power Driver, Power Lumbar Support Driver
Storage pockets behind front seats	Standard
Door trim with storage pockets and integrated cupholders	Standard
Interior door release handle	Chrome
Interior trim colours	Pale Grey Upper / Black Lower
A-pillar assist grip, driver & passenger	Standard
Roof mounted assist grips	Driver & Passengers
Floor trim	Carpet with heel pad & tibia pad
Floor tunnel console with integrated cupholder	Standard
Centre console storage box with lid	Standard with Soft pad with stitch
Driver footrest	Standard
Rear heater duct	-
Rear ventilation duct	Standard
Storage box	-
Window operation	Power Front & Rear with Driver One Touch, Jam Protection

INTERIOR FEATURES	
Rear window	Fixed with defogger
Fuel flap remote opener	Standard
Ventilator grille with shutter (fin shut)	Standard

INFOTAINMENT	
Audio system	AM/FM Radio, 9" Touch Screen, Bluetooth - Audio Streaming, Apple CarPlay & Android Auto, Wi-Fi & Handsfree Phone
USB Port (Music Playback & Device Link)	Std
USB charge port	Rear
Speakers	8
Antenna	Std

OPTIONS	
17" Alloy Wheel	-
18" Alloy wheel & 265/60R18 tyre (All Terrain)	-
18" Alloy wheel & 265/60R18 tyre (H/T Terrain)	Available
Differential lock	-
Hub cap steel wheel	-
Hub cap alloy wheel	-
Spare tire steel	-
Spare tire alloy	-
Sports bar, black	-
Sports bar, chrome	-
Partial Leather seat with manual adjustment	-
Body Colour Front Bumper	-
Body Colour Rear Bumper	-

WARRANTY / SERVICE INTERVALS	
Warranty & roadside assistance	5 years / 120 000 km
Anti-corrosion warranty	5 years / unlimited km
Service plan	5 years / 90 000 km
Service intervals	12 months / 15 000 km

Notes:

- 1 Fuel Economy and CO₂ data as per ECE R101 / SANS 20101 regulation.
- 2 Towing capacity subject to South African Road Traffic Act. The weight of the towing vehicle including trailer towball load must not exceed the Gross Vehicle Mass (GVM). The combined weight of the fully loaded vehicle and trailer must not exceed the Gross Combination Mass (GCM). Maximum individual axle loads (GA1 and GA2) must not be exceeded. (e.g.: if a 3.0L Diesel is towing 3.500kg its maximum Vehicle mass is 2.500kg in order to be within GCM).

Disclaimer: Specifications correct as at time of publication and may subsequently change. Please contact your nearest Dealer to confirm any specification changes. Date of publication July 2024. Vehicle shown may differ. E&OE





Consult your local Dealer for country-specific requirements.

THE ISUZU D-MAX 45 assertive exterior styling is complemented by a wide choice of colours.

COLOURS AND FINISHES

ISUZU D-MAX 45 is available in the following colours:

SPLASH WHITE

MERCURY SILVER

ISLAY GREY

DESERT ORANGE

BIARRITZ BLUE

Make your new ISUZU D-MAX 45 even more you, by speaking to your ISUZU Dealer Partner for ISUZU-approved accessories.



READY TO EXPLORE?

The new ISUZU limited-edition D-MAX 45, is fitted with everything you need, for every kind of adventure.





ISUZU

COMPLETE CARE

- **24/7 CALL CENTRE:**
Toll-free within South Africa and also available in neighbouring countries.
- **TOWING SERVICE OR TECHNICAL ASSISTANCE:**
In the event of a vehicle breakdown, ISUZU will arrange for towing to the closest Dealership for diagnosis and repairs. Where possible, roadside repair will be carried out, with the assistance of an ISUZU Dealership or Roadside Assistance technician.
- **ACCOMMODATION OR RENTAL CAR:**
Should you be stranded further than 100 km from your home or destination due to the breakdown or resulting repair work, a FREE rental car or FREE overnight accommodation will be provided.

A fuel deposit (fully refundable on return of the vehicle with a full tank) is payable for rental cars supplied, while fuel and toll costs incurred during the rental are for your own account.
- **SAFETY AT ROADSIDE:**
Should you feel unsafe, a security vehicle (depending on availability) will be dispatched for your protection.
- **OVERNIGHT STORAGE:**
Will be provided for your vehicle if required.
- **REPATRIATION OF YOUR VEHICLE:**
Upon completion of repairs, to your home or closest Dealer, if further than 100 km from home.
- **FLAT-TYRE ASSISTANCE:**
In the event of a flat tyre, we offer assistance with the tyre change.
- **KEYS LOCKED IN:**
Assistance provided here too.
- **FUEL ASSISTANCE:**
You pay only for the fuel supplied.
- **COMMUNICATION OF URGENT MESSAGES:**
Including assistance with directions to family members.
- **INFORMATION SERVICES:**
Explanation of vehicle warning systems, as well as location of closest Dealer, filling station or where to get a new tyre.

PEACE OF MIND

WARRANTY & ROADSIDE ASSISTANCE: 5 Years / 120 000 km

ANTI-CORROSION WARRANTY: 5 Years / Unlimited km

SERVICE PLAN: 5 Years / 90 000 km with Service Intervals of 12 months / 15 000 km

www.isuzu.co.za f X @ in

ISUZU

Disclaimer: The information contained in this document was accurate at the time of going to print in July 2024. Specifications and equipment are subject to change without prior notice. Some illustrations in this document feature special equipment that is not included in standard delivery, and can be purchased at an additional cost. Vehicles may differ from images shown. Printed colours may vary from actual. Errors and omissions excepted. Terms and conditions apply. Please contact your ISUZU Dealer for exact information.