

5,000 km or 6 Months Service Schedule UC Series (RF) - 3.0L(4JJ1) Diesel



NOTE: APPLICABLE FOR 5,000 KM TO 100,000 KM OR **6 MONTHS TO 120 MONTHS SERVICE INTERVALS**

PLEASE NOTE:

1. Refer to the Service Interval Guideline by Country for the correct Interval by kilometers or months, whichever occurs first.

- 2. This Service Schedule will have preference over the Owner's Manual and Warranty & Service Guide (Refer to updated date).
- 3. Refer to the Warranty and Service Guide for Severe Driving Conditions.

I - Inspection A	fter inspection clean and correct or replace as necessary - R = Replace - I = Lubri	rate - A - Adjust
Service Advisor :	Authorisation No:	Technician (Print) :
Customer Name:	VIN:	KM Reading:
Job Card No.:	Date :	Model :
	,	
4. Consult the Owner/Customer prior to any additional work being carried out as an additional co-	st will be charged for items not covered under warranty.	
o. Iteret to the Warranty and Service Salac for Severe Briving Serialisms.		

Service Adviso	or: Authorisation No:									Tech	nnicia	ın (Pı	rint) :					<u></u>	<u></u>			
	I = Inspection. After inspection clean and correct, or rep	lace a	s nec	essar	y - R :	= Rep	lace -	L = L	ubrica	ate - A	= Adj	just										
SERVICE INTER	VAL EVERY KMs (x 1000)	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	OK N
or months, which	never occurs first) Months	6	12	18	24	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	
	Labour hrs.	1,1	1,2	1,1	1,3	1,1	1,2	1,1	1,3	1,1	1,2	1,1	1,3	1,1	1,2	1,1	1,3	1,1	1,2	1,1	1,3	
	1 Engine Oil and Filter	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	
	2 Fuel Filter	-	R	-	R	-	R	-	R	-	R	-	R	-	R	-	R	† -	R	-	R	
	3 Pre-Fuel Filter* (Note: only where fitted)-add 0.1 hours	-	R	-	R	-	R	-	R	-	R	-	R	-	R	-	R	-	R	-	R	
	4 Fuel sedimentor for presence of water	Ι	ı	Ι	ı	I	I	I	I	I	ı	ı	ı	ı	Ι	-	I	ı	I	I	1	
	5 Fuel leakage at tank, cap and pipes	I	ı	Ι	ı	ı	ı	ı	I	Ι	1	1	ı	ı	1	ı	1	1		ı	1	
	6 Air filter element (I & R) and all air cleaner hose fitments for tightness (I)	I	ı	Ι	R	ı	ı	ı	R	Ι	1	1	R	ı	1	ı	R	1		ı	R	
ENGINE	7 Valve Clearances - add 1.5 for adjustment	-	-	-	-	-	-	-	-	-	Α	-	-	-	-	-	T -	-	-	-	Α	
ENGINE	8 All engine drive belts for tension and damage and check pulley condition (replace if needed)	Ι	I	I	I	ı	I	I	I	I	ı	ı	I	I	I	I	I	I	I	I	1	
	9 Run engine through operating range & check for excessive smoke	-	ı	ı	ı	I	ı	ı	I	I	ı	ı	ı	ı	ı	ı	Τ	ı	П	ı	I	
	10 Coolant system for leaks (press. test radiator & cap) & check coolant concentration (50% gly.)	I	ı	- 1	ı	ı	ı	I	- 1	I	ı	ı	ı	ı	Ι	-	Ι	T	I	ı	1	
	11 Coolant concentration (50 % glycol) - Add 0.3 hrs (Record coolant freezing point on the job card)	I	ı	- 1	ı	ı	ı	I	- 1	I	R	ı	ı	ı	Ι	-	Ι	T	I	ı	R	
	12 Radiator core (check for foreign objects) and fan operation	I	ı	- 1	ı	ı	ı	I	- 1	I	ı	ı	ı	ı	Ι	-	Ι	T	I	ı	1	
	13 Exhaust system for leaks and mountings for tightness or damage	I	ı	- 1	ı	ı	ı	I	- 1	I	ı	ı	ı	ı	Ι	-	Ι	T	I	ı	1	
	14 All hoses & pipes in engine compartment for tightness or damage	I	ı	- 1	ı	ı	ı	I	- 1	I	ı	ı	ı	ı	Ι	-	Ι	T	I	ı	1	
	15 Brake pedal function, travel and free play	I	- 1	- 1	ı	ı	I	I	I	I	- 1	ı	ı	-	ı	-	I	I	I	I	ı	
	16 Brake fluid level	I	- 1	- 1	ı	ı	I	I	I	I	- 1	ı	ı	-	ı	-	I	I	I	I	ı	
SERVICE	17 Brake fluid - Add 0.3 hrs	I	- 1	- 1	R	ı	I	I	R	I	- 1	ı	R	-	ı	-	R	I	I	I	R	
BRAKE	18 Front disc brake pads & discs for wear (Record thickness size of pads & discs on the job card)	I	- 1	-	ı	I	1	ı	I	I	ı	ı	ı	I	- 1	-	I	ı	I	I	1	
	19 Rear brake linings & drums for wear (Record thickness size of shoes & drums on the job card)	I	- 1	-	ı	I	1	ı	I	I	ı	ı	ı	I	- 1	-	I	ı	I	I	1	
	20 Brake pipes & hoses for leaks, loose connections or damage	I	- 1	-	ı	I	1	ı	I	I	ı	ı	ı	I	- 1	-	I	ı	I	I	1	
	21 Clutch pedal function, travel and free play & fluid leaks	I	- 1	-	ı	I	1	ı	I	I	ı	ı	ı	I	- 1	-	I	ı	I	I	1	
CLUTCH	22 Clutch fluid level	- 1	ı	I	ı	I	I	I	I	I	ı	ı	ı	ı	I	ı	I	ı	I	I	1	
	23 Clutch fluid - Add 0.1 hrs	I	ı	I	R	ı	I	I	R	I	ı	ı	R	ı	I	-	R	I	I	ı	R	
TRANS. &	24 Manual transmission fluid-add 0.3 hrs for replacement	I	R	I	I	ı	I	I	I	I	R	ı	ı	ı	ı	-	I	I	R	ı	1	
TRANSFER	25 Automatic transmission fluid-add 0.3 hrs for replacement	I	I	I	ı	I	I	I	I	I	ı	ı	ı	I	I	ı	I	I	ı	I	R	
CASE	26 Transfer case fluid-add 0.2 hrs for replacement (4x4 only)	I	R	I	ı	I	I	I	I	I	R	ı	ı	I	I	ı	I	I	R	I	1	
PROPSHAFT	27 Universal joints & sliding sleeve #	I	I	L	ı	I	L	I	I	L	ı	ı	L	I	I	L	I	I	L	I	1	
PROPONALI	28 Prop shaft mounting and universal joints & sliding sleeve for looseness and excessive wear	I	I	I	ı	I	I	I	I	I	ı	ı	ı	I	I	ı	I	I	ı	I	1	
	29 Front axle fluid *- add 0.1 hrs for replacement on 4x4	I	R	I	ı	I	I	I	I	I	ı	ı	ı	I	I	ı	R	I	ı	I	1	
	30 Shift on the fly fluid* - add 0.1 hrs for replacement on 4x4	- 1	R	- 1	I	I	- 1	- 1	- 1	- 1	I	ı	ı	ı	- 1	- 1	R	I	I	I	I	
FRONT/	31 Rear axle fluid - add 0.1hrs for replacement	- 1	R	I	ı	ı	- 1	ı	- 1	I	ı	ı	ı	ı	ı	ı	R	ı	I	I	1	
REAR AXLE	32 Shift on the fly	- 1	- 1	I	ı	ı	- 1	ı	- 1	I	ı	ı	ı	ı	ı	ı	ı	ı	I	I	1	
	33 All axle shafts and housing for distortion or damage	- 1	- 1	I	ı	ı	- 1	ı	- 1	I	ı	ı	ı	ı	ı	ı	ı	ı	I	I	1	
	34 Front drive axle CV joints, condition of rubber dust covers	1	1	-	1	1	I	ı	I	Ι	ı	1	ı	ı	1	ı	I	1	I	ı	1	

CONTINUED....



SERVICE INTERVAL EVERY

5,000 km or 6 Months Service Schedule UC Series (RF) - 3.0L(4JJ1) Diesel



PLEASE NOTE:

- 1. Refer to the Service Interval Guideline by Country for the correct Interval by kilometers or months, whichever occurs first.
- 2. This Service Schedule will have preference over the Owner's Manual and Warranty & Service Guide (Refer to updated date).
- 3. Refer to the Warranty and Service Guide for Severe Driving Conditions.
- 4. Consult the Owner/Customer prior to any additional work being carried out as an additional cost will be charged for items not covered under warranty.

NOTE: APPLICABLE FOR 5,000 KM TO 100,000 KM OR 6 MONTHS TO 120 MONTHS SERVICE INTERVALS

I = Inspection. After inspection clean and correct, or replace as necessary - R = Replace - L = Lubricate - A = Adjust KMs (x 1000) 5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100 Months 6 12 18 24 30 36 42 48 54 60 66 72 78 84 90 96 102 108 114 120

OLIVIOL IIVI LIVVAL EVEIVI		1445 (X 1000)		10	10	20						50	55	00	00	70	70	00	00	50	50	100	OK	NOT
(or months, whichever occurs first)				12	18	24	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	OK	OK
	35	Steering wheel play and function	- 1	1	- 1	1	- 1	- 1	- 1	- 1	ı	- 1	ı	1	ı	I	- 1	1	I	1	I	I		
STEERING	36	Power steering fluid	- 1	1	- 1	1	- 1	- 1	- 1	R	ı	- 1	ı	1	ı	I	- 1	R	I	1	I	I		
OTELIANO	37	Steering rack and ball joint rubber boots	- 1	1	- 1	1	- 1	- 1	- 1	- 1	ı	- 1	ı	1	ı	I	- 1	1	I	1	I	I		
	38 Wheel alignment inspection (to be offered to customer)							Rec	omme	nded	every	servic	e-cost	for cu	ıstom	er's a	ccoun	t						
PARKING	39	Parking brake function - lever travel & ratchet for damage	- 1	I	- 1	- 1	- 1	- 1	- 1	- 1	I	- 1	- 1	- 1	- 1	- 1	- 1	- 1	- 1	- 1	- 1	- 1		
BRAKE	40	Parking brake cables for looseness or damage	Ι	Ι	Ι	-	- 1	-	_	ı	-	-	_	_	ı	Ι	I	Ι	Ι	Ι	I	ı		
	41	Suspension front & rear - strut rubbers, bushes, tie-rod ends & link arms	- 1	ı	I	ı	- 1	-	-	ı	-	- 1	ı	I	I	Ι	I	I	I	I	I	I		
CHASSIS &	42	Shock absorbers for leaks and looseness	- 1	ı	I	ı	- 1	-	-	ı	-	- 1	ı	I	I	Ι	I	I	I	I	I	I		
SUSPENSION	43	Leaf/coil springs for damage	- 1	ı	I	ı	- 1	-	-	ı	-	- 1	ı	I	I	Ι	I	I	I	I	I	I		
	44	Cab mountings for looseness and damage	I	I	I	I	I	ı	ı	ı	ı	I	ı	1	I	I	I	I	I	I	I	I		
	45	Tyre Pressure - Check and correct (incl. spare wheel)	ı	- 1	I	ı	I	ı	ı	ı	ı	- 1	ı	- 1	ı	ı	ı	I	- 1	I	ı	ı		
	46	Inspect tyres & rims for damage (incl. spare wheel)	I	- 1	- 1	ı	- 1	- 1	I	ı	ı	- 1	ı	- 1	ı	- 1	I	I	- 1	I	I	I		
WHEELS		Wheel bearing (front & rear) - Inspect for bearing play	- 1	1	- 1	- 1	- 1	- 1	- 1	I	ı	- 1	- 1	- 1	ı	I	- 1	1	- 1	1	1	- 1		
WIIZZZO	48	Rotate tyres & torque wheel nuts as per specification-Refer Bulletin GEN-2015-09	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	T	Т	Т	Т	Т	Т	Т	Т	Т	Т		
	49	Front wheel bearing grease and seal - Add 1.1 hrs for 4x2	- 1	1	- 1	- 1	- 1	- 1	- 1	I	ı	R	- 1	- 1	ı	I	- 1	1	- 1	1	1	R		
	50	Front wheel and needle bearing grease and seal (Replace snap ring)-Add 2.8 hrs for 4x4	I	ı	ı	ı	- 1	- 1	- 1	ı	ı	R	ı	ı	ı	I	I	I	I	I	I	R	oxdot	
	51	Vehicle systems - Check all ECUs for DTCs & reset service interval*	- 1	1	- 1	1	- 1	- 1	- 1	- 1	ı	- 1	ı	1	ı	I	- 1	1	1	1	I	I		
	52	Extract DRM data and generate HEALTH REPORT*							Attach	repor	t to Jo	b Car	d at ev	ery se	ervice	interv	/al							
ELECTRICAL	53	Starter and alternator function / output	I	- 1	- 1	ı	- 1	- 1	I	ı	ı	- 1	ı	- 1	ı	- 1	I	I	- 1	I	I	I		
EQUIPMENT	54	Battery electrolyte level and specific gravity*	- 1	1	- 1	- 1	- 1	- 1	- 1	I	ı	- 1	- 1	- 1	ı	I	- 1	1	- 1	1	1	- 1		
Equi in Eiti	55	Check operation of all lights, hooter, instruments, a/c, radio, wiper blades & washers	- 1	1	- 1	1	- 1	- 1	- 1	ı	-	- 1	1	- 1	- 1	I	- 1	- 1	- 1	I	I	- 1		
	56	Remote key battery*	- 1	1	- 1	R	- 1	- 1	- 1	R	-	- 1	1	R	- 1	I	- 1	R	- 1	I	I	R		
	57	Airbag system and Airbag warning light, visual inspection	- 1	ı	I	ı	- 1	-	-	ı	-	- 1	ı	I	I	Ι	I	I	I	I	I	I		
	58	Seatbelts function and damage	- 1	ı	I	ı	- 1	-	-	ı	-	- 1	ı	I	I	Ι	I	I	I	I	I	I		
	59	Inspect chassis and body for corrosion - Complete Inspection Sheet						Atta	ch cop	y of S	heet t	to Job	Card a	at eve	ry ser	vice ir	nterva	.l						
BODY	60	Doors, bonnet, tailgate links, locks and door restraints to Check/Adjust/Clean/Lubricate	Ι	Ι	I	L	I	- 1	Ι	L	I	I	1	L	Τ	Ι	I	L	Ι	Ι	I	L		
		Pollen filter*	I	I	I	R	1	Ι	Ι	R	I	I	Ī	R	I	I	I	R	I	I	I	R		
	62	Air conditioner drain pipe for drainage	I	I	I	I	I	I	Ι	I	I	I	ı	1	I	Ι	I	I	I	I	I	I		
SAFETY		Check for open RECALLS or SERVICE CAMPAIGNS						Atta	ach co	py of	VH to	Job C	Card at	t every	y serv	rice int	terval							
TESTING	64	Road Test	I	- 1	I	1	1	- 1	- 1	ı	ı	- 1	ı	1	ı	I	I	L	1	I		1		

^{*} where fitted

where grease nipples are fitted.

Customer Signature

Date

Technician Signature

Updated.
Oct 2022

Document No.
ISUZU

3.0 Diesel

I hereby confirm that all items have been checked and and rectifed where required.



5,000 km or 6 Months Service Schedule UC Series (RF) - 3.0L(4JJ1) Diesel



PLEASE NOTE:

1. Refer to the Service Interval Guideline by Country for the correct Interval by kilometers or months, whichever occurs first.

2. This Service Schedule will have preference over the Owner's Manual and Warranty & Service Guide (Refer to updated date).

- 3. Refer to the Warranty and Service Guide for Severe Driving Conditions.
- 4. Consult the Owner/Customer prior to any additional work being carried out as an additional cost will be charged for items not covered under warranty.

NOTE: APPLICABLE FOR	105,000 KM TO 180),000 KM OR
126 MONTHS TO 216 MONT	HS SERVICE INTE	RVALS

Job Card No.:	Date :	Model:
Customer Name:	VIN:	KM Reading:
Service Advisor :	Authorisation No:	Technician (Print) :

0=5\#0=#\===	I = Inspection. After inspection clean and correct, or replace as r									440	1445	450	455	400	405	470	475	400		
SERVICE INTER		KMs (x 1000)									145						175	180	OK	NO O
or months, which	never occurs first)	Months	126							-	174	+	186	1	198	204	210	216		⊢`
		Labour hrs.	1,1	1,2	1,1	1,3	1,1	1,2	1,1	1,3	1,1	1,2	1,1	1,3	1,1	1,2	1,1	1,3		i
	1 Engine Oil and Filter		R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R		Г
	2 Fuel Filter		-	R		R	-	R	-	R	-	R	-	R	-	R	•	R		
	3 Pre-Fuel Filter* (Note: only where fitted)-add 0.1 hours		-	R		R	-	R	-	R	-	R	-	R	-	R	•	R		
	4 Fuel sedimentor for presence of water		ı	_	- 1	- 1	Ι	- 1	- 1	ı	ı	Ι	I	ı	-	ı	-	-		
	5 Fuel leakage at tank, cap and pipes		ı	_	-	-	Ι	-	-	-	ı	-	Ι	ı	_	_	_	-		
	6 Air filter element (I & R) and all air cleaner hose fitments for tightness (I)		ı	_	-	R	Ι	-	-	R	ı	-	Ι	R	_	_	_	R		
ENGINE	7 Valve Clearances - add 1.5 for adjustment		-		-	-	-	-	-	-	-	Α	-	-		,	1	-		
LIVOINL	8 All engine drive belts for tension and damage and check pulley condition (replace if needed)		- 1	_	-	I	Ι	Ι	Ι	ı	ı	Ι	I	ı	ı	-	_	ı		
	9 Run engine through operating range & check for excessive smoke		-	-	ı	I	I	Ι	Ι	ı	ı	ı	Ι	ı	ı	I	ı	-		ī
	10 Coolant concentration (50 % glycol) - Add 0.3 hrs (Record coolant freezing point on the job card)		-	-	ı	I	I	Ι	Ι	ı	ı	ı	Ι	ı	ı	I	ı	-		ī
	11 Coolant concentration (50 % glycol) - Add 0.3 hrs		-	_	-	ı	Ι	Ι	Ι	ı	ı	R	Ι	ı	ı	I	-	-		Ī
	12 Radiator core (check for foreign objects) and fan operation		- 1	_	_	Ι	- 1	-	-	I	ı	-	I	Ι	_	_	_	- 1		Ĺ
	13 Exhaust system for leaks and mountings for tightness or damage		- 1	_	_	Ι	- 1	-	-	I	ı	-	I	Ι	_	_	_	- 1		ĺ
	14 All hoses & pipes in engine compartment for tightness or damage		ı	_	- 1	- 1	Ι	- 1	- 1	ı	ı	Ι	I	ı	-	ı	-	-		1
SERVICE	15 Brake pedal function, travel and free play		-	ı	- 1	Ι	I	-	-	I	ı	ı	I	ı	I	ı	ı	ı		ī
	16 Brake fluid level		ı	I	ı	ı	I	I	I	I	ı	ı	I	ı	ı	ı	ı	ı		ī
	17 Brake fluid - Add 0.3 hrs		-	-	ı	R	I	Ι	Ι	R	ı	ı	Ι	R	ı	I	ı	R		ī
BRAKE	18 Front disc brake pads & discs for wear (Record thickness size of pads & discs on the job card)		ı	I	ı	I	I	ı	ı	I	ı	I	I	ı	ı	I	I	ı		ī
	19 Rear brake linings & drums for wear (Record thickness size of shoes & drums on the job card)		ı	I	ı	I	I	ı	ı	I	ı	I	I	ı	ı	I	I	ı		Ī
	20 Brake pipes & hoses for leaks, loose connections or damage		ı	I	ı	I	I	ı	ı	I	ı	I	I	ı	ı	I	I	ı		ī
	21 Clutch pedal function, travel and free play & fluid leaks		ı	I	ı	I	I	ı	ı	I	ı	I	I	ı	ı	I	I	ı		Ī
CLUTCH	22 Clutch fluid level		ı	ı	1	I	I	ı	ı	ı	ı	I	I	- 1	ı	ı	ı	ı		ī
	23 Clutch fluid - Add 0.1 hrs		ı	ı	1	R	I	ı	ı	R	ı	I	I	R	ı	ı	ı	R		ī
TRANS. &	24 Manual transmission fluid-add 0.3 hrs for replacement		ı	ı	- 1	I	I	R	ı	ı	ı	I	I	- 1	ı	R	ı	ı		ī
TRANSFER	25 Automatic transmission fluid-add 0.3 hrs for replacement		ı	I	ı	I	I	ı	ı	I	ı	I	I	ı	ı	I	I	ı		Ī
CASE	26 Transfer case fluid-add 0.2 hrs for replacement for 4x4		ı	I	ı	I	I	R	ı	I	ı	I	I	ı	ı	R	I	ı		Ī
PROPSHAFT	27 Universal joints & sliding sleeve #		L	I	ı	L	I	ı	L	I	ı	L	I	ı	L	I	I	L		ī
PROPSHAFI	28 Prop shaft mounting and universal joints & sliding sleeve for looseness and excessive wear		ı	I	- 1	I	I	I	I	ı	ı	ı	I	- 1	ı	ı	ı	ı		ī
	29 Front axle fluid *- add 0.1 hrs for replacement on 4x4		ı	I	- 1	I	I	I	I	ı	ı	R	I	- 1	ı	ı	ı	ı		Ī
	30 Shift on the fly fluid* - add 0.1 hrs for replacement on 4x4		ı	I	- 1	I	I	I	I	ı	ı	R	I	- 1	ı	ı	ı	ı		Ī
	31 Rear axle fluid - add 0.1 hrs for replacement		1	I	- 1	- 1	- 1	- 1	- 1	I	ı	R	- 1	ı	- 1	ı	ı	1		1
REAR AXLE	32 Shift on the fly		-1	I	- 1	- 1	- 1	- 1	- 1	I	ı	- 1	- 1	ı	- 1	ı	ı	1		Ī
	33 All axle shafts and housing for distortion or damage		-1	I	- 1	- 1	- 1	- 1	- 1	I	ı	- 1	- 1	ı	- 1	ı	ı	1		ī
	34 Front drive axle CV joints, condition of rubber dust covers	İ	ı	ı	ı	ı	I	ı	ı	I	ı	I	I	ı	ı	ı	I	1		Π

CONTINUED....



5,000 km or 6 Months Service Schedule UC Series (RF) - 3.0L(4JJ1) Diesel



PLEASE NOTE:

- 1. Refer to the Service Interval Guideline by Country for the correct Interval by kilometers or months, whichever occurs first.
- 2. This Service Schedule will have preference over the Owner's Manual and Warranty & Service Guide (Refer to updated date).
- 3. Refer to the Warranty and Service Guide for Severe Driving Conditions.
- 4. Consult the Owner/Customer prior to any additional work being carried out as an additional cost will be charged for items not covered under warranty.

NOTE: APPLICABLE FOR 105,000 KM TO 180,000 KM OR 126 MONTHS TO 216 MONTHS SERVICE INTERVALS

I = Inspection. After inspection clean and correct, or replace as necessary - R = Replace - L = Lubricate - A = Adjust

SERVICE INTER	VAL	EVERY	KMs (x 1000)	1000) 105 110 115 120 125 130 135 140 145 150 155 160 165 170 175 1				180	ОК	NOT											
(or months, which	ever	occurs first)	Months	Months 126 132 138 144 150 156 162 168 174 180 186 192 198 204 2				210	216	OIC	OK										
	35	Steering wheel play and function		- 1	ı	- 1	Ι	-	ı	-	- 1	-	ı	I	I	ı	ı	ı			
STEERING	36	Power steering fluid		- 1	ı	- 1	R	I	ı	_	_	ı	ı	I	R	ı	ļ	- 1			
STEERING	37	Steering rack and ball joint rubber boots		- 1	ı	- 1	ı	I	ı	_	_	ı	ı	I	ı	ı	ļ	- 1			
	38	Wheel alignment - adjustment cost for customer's account.					Rec	omme	nded	every	servic	e-cos	t for customer's account								
PARKING	39	Parking brake function - lever travel & ratchet for damage		- 1	ı	- 1	ı	I	ı	_	_	ı	ı	I	ı	ı	ļ	- 1			
BRAKE	40	Parking brake		- 1	ı	-	ı	ı	ı	-	_	ı	ı	I	- 1	ı	- 1	- 1			
	41	Suspension front & rear - strut rubbers,bushes,tie-rod ends & link arms		- 1	ı	-	ı	ı	ı	-	_	ı	ı	I	- 1	ı	- 1	- 1			
CHASSIS &	42	Shock absorbers for leaks and looseness		- 1	ı	-	ı	ı	ı	-	_	ı	ı	I	- 1	ı	- 1	- 1			
SUSPENSION	43	Leaf/coil springs for damage		- 1	ı	-	ı	ı	ı	-	_	ı	ı	I	- 1	ı	- 1	- 1			
	44	Cab mountings for looseness and damage		- 1	ı	- 1	ı	I	ı	_	_	ı	ı	I	ı	ı	ļ	- 1			
	45	Tyre Pressure - Check and correct (incl. spare wheel)		ı	ı	I	I	ı	ı	I	- 1	ı	I	I	ı	I	ı	ı	Ι		
	46	Inspect tyres & rims for damage (incl. spare wheel)		ı	ı	I	I	ı	ı	I	- 1	ı	I	I	ı	I	ı	ı	Ι		
WHEELS	47	Wheel bearing (front & rear) - Inspect for bearing play		ı	ı	I	I	ı	ı	ı	- 1	ı	I	I	ı	I	ı	ı	Ι		
WHEELS	48	Rotate tyres & torque wheel nuts as per specification-Refer Bulletin GEN-2015-09		Т	Т	Т	Т	Т	Т	Т	Т	T	Т	Т	Т	Т	Т	Т	Т		
	49	Front wheel bearing grease and seal - Add 1.1 hrs for 4x2		ı	ı	I	I	ı	ı	ı	- 1	ı	R	I	ı	I	ı	ı	Ι		
	50	Front wheel and needle bearing grease and seal (Replace snap ring)-Add 2.8 hrs for 4x4		ı	ı	- 1	ı	ı	ı	-	- 1	ı	R	ı	ı	ı	ı	ı			
	51	Vehicle systems - Check all ECUs for DTCs & reset service interval*		- 1	ı	- 1	ı	- 1	- 1	ı	- 1	ı	ı	I	- 1	ı	ı	ı			
	52	Extract DRM data and generate HEALTH REPORT*						Attach	repor	t to Jo	b Car	d at e	very s	ervice	inter	val					
	53	Starter and alternator function / output		- 1	- 1	- 1	ı	- 1	- 1	ı	- 1	ı	I	- 1	- 1	ı	- 1	ı			
ELECTRICAL	54	Battery electrolyte level and specific gravity*		- 1	ı	- 1	ı	- 1	- 1	ı	- 1	ı	ı	I	- 1	ı	ı	ı			
EQUIPMENT	55	Check operation of all lights, hooter, instruments, a/c, radio, wiper blades & washers		- 1	ı	I	I	I	ı	- 1	- 1	ı	I	I	ı	I	ı	- 1			
	56	Remote key battery*		I	ı	I	R	1	ı	-	R	ı	ı	I	R	ı	ı	ı	R		
	57	Airbag system and Airbag warning light, visual inspection		ı	ı	ı	ı	ı	ı	-	- 1	ı	ı	I	ı	ı	ı	ı			
	58	Seatbelts function and damage		Ι	ı	ı	Ι	ı	ı	- 1	Ι	ı	ı	I	ı	ı	ı	Ι			
	59	Inspect chassis and body for corrosion - Complete Inspection Sheet					Atta	ch cor	y of S	heet t	o Job	Card	at eve	ery sei	rvice i	nterva	i				
BODY	60	Doors, bonnet, tailgate links, locks and door restraints to Check/Adjust/Clean/Lubricate		Ι	ı	- 1	L	T	Ī	- 1	L	ı	I	Ī	L	ı	ı	ı	L		
	_	Pollen filter*		Ι	I	Ι	R	I	I	Ι	R	ı	Ι	I	R	ı	I	Ι	R		
	_	Air conditioner drain pipe		Ι	I	Ι	Ι	I	I	Ι	Ι	ı	Ι	I	I	ı	I	Ι			
SAFETY		Check for open RECALLS or SERVICE CAMPAIGNS		Attach copy of IVH to Job Card at every service interval					\neg												
TESTING		Road Test		Ι	ı	ı	- 1	ı	Ī	Ι	- 1	ı	ı	ı	ı	ı	- 1	ı			

*	wh	ere	fitte
---	----	-----	-------

where grease nipples are fitted.

Customer Signature Date

I was informed of the service cost & additional items that needs attention.

Attach one copy to Customer's Invoice

Attach one copy to Job Card

Technician Signature

I hereby confirm that all items have been checked and and rectifed where required.

Updated.
Oct 2022

Document No.

ISUZU 3.0 Diesel

Corrosion Inspection Sheet UC Series (RF)



PLEASE NOTE: Copy to be attached to Job Card

Job Card No	Date:	Model:	
Customer Name:	Km.:	VIN :	
Service Consultant name:	Technician name:		
Bodywork Inspection			
Vehicle OK	Comments		
Yes No			
Vehicle Repaired			
Yes No		DEALER'S STAMP	
Accident / Bodywork damage		AND	
repaired to factory standard			
Yes No		SIGNATURE	
	MARK TEST RESULTS USING RE		
STONE THROW	O DENT/BUMP	P BODYWORK DAMAGE	
+ SCRATCH	# PAINTWORK THE DIAGRAM IS REPRESENTATIVE OF	•	