

## 5,000 km or 6 Months Service Schedule UC Series (RJ) - 3.0L(4JJ3) Diesel



NOTE: APPLICABLE FOR 5,000 KM TO 100,000 KM OR

**6 MONTHS TO 120 MONTHS SERVICE INTERVALS** 

#### PLEASE NOTE:

1. Refer to the Service Interval Guideline by Country for the correct Interval by kilometers or months, whichever occurs first.

- 2. This Service Schedule will have preference over the Owner's Manual and Warranty & Service Guide (Refer to updated date).
- 3. Refer to the Warranty and Service Guide for Severe Driving Conditions.

4. Consult the Owner	er/Cu	stomer prior to any additional work being carried out as an additional cost will be charged for items not covered under w	arranty	/.																				
Job Card No.: .		Date :									Mode	el :												
Customer Nam	e:	VIN:									KM F	Readi	ng:											
Service Adviso	r :	Authorisation No:									Tech	nicia	n (Pr	int) :										
		I = Inspection. After inspection clean and correct, or repl					= Rep	lace -	L = Lı	ubrica	te - A	= Adj	ust											
SERVICE INTER	/AL	EVERY KMs (x 1000)	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	ОК	NOT
(or months, which	ever	occurs first) Months	6	12	18	24	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	OK	OK
		Labour hrs.	1,1	1,3	1,1	1,4	1,1	1,3	1,1	1,4	1,1	2,7	1,1	1,4	1,1	1,3	1,1	1,4	1,1	1,3	1,1	2,7		
	1	Engine Oil and Filter	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R		
	2	Fuel Filter	-	R	-	R	-	R	-	R	-	R	-	R	-	R	- 1	R	-	R	-	R		
	3	Fuel sedimentor for presence of water	Ι	ı	I	ı	Ι	Ι	Ι	ı	ı	ı	- 1	- 1	Ι		Ι	Ι		П	Ι			
	4	Fuel leakage at tank, cap and pipes	ı	I	ı	ı	I	I	I	I	I	ı	I	- 1	I		I	Π	Ι	I	ı	Ι		
	5	Air filter element (I & R) and all air cleaner hose fitments for tightness (I)	ı	ı	ı	R	ı	ı	I	R	ı	ı	I	R	ı	Ι	Ι	R	Ι	I	I	R		
	6	Valve Clearances	-	-	-	-	-	-	-	-	-	Α	-	-	-	-	-	- 1	-	-	-	Α		
ENGINE 7	7	All engine drive belts for tension and damage and check pulley condition (replace if needed)	- 1	Ţ	I	ı	- 1	-	-	I	ı	-	_	_	_		Ι	Т	Т	I	I	Т		
	8	Run engine through operating range & check for excessive smoke	ı	ı	ı	ı	ı	ı	I	ı	ı	ı	I	- 1	ı	Ι	Ι	I	Ι	I	I	I		
	9	Coolant system for leaks (press. test radiator & cap) & check coolant concentration (50% gly.)	ı	I	ı	ı	I	I	I	I	I	ı	I	- 1	I		I	Π	Ι	I	ı	Ι		
	10	Coolant concentration (50 % glycol) - Add 0.3 hrs (Record coolant freezing point on the job card)	ı	ı	ı	ı	ı	ı	I	ı	ı	R	I	- 1	ı	Ι	Ι	I	Ι	I	I	R		
	11	Radiator core (check for foreign objects) and fan operation	ı	ı	ı	ı	ı	ı	ı	ı	ı	ı	I	- 1	ı	Ι	I	Ι	Π	I	I	I		
	12	Exhaust system for leaks and mountings for tightness or damage	_	ı	_	ı	-	-	_	-	I	-		- 1	- 1	- 1	- 1	Ι	1	I	Ι	I		
	13	All hoses & pipes in engine compartment for tightness or damage	_	ı	_	ı	-	-	_	-	I	-		- 1	- 1	- 1	- 1	Ι	1	I	Ι	I		
	14	Brake pedal function, travel and free play	_	ı	_	ı	-	-	_	-	I	-		- 1	- 1	- 1	- 1	Ι	1	I	Ι	I		
SERVICE	15	Brake fluid	_	ı	_	R	-	-	_	R	I	-		R	- 1	- 1	- 1	R	1	I	Ι	R		
BRAKE	16	Front brake discs and pads for wear	_	ı	_	ı	-	-	_	-	I	-		- 1	- 1	- 1	- 1	Ι	1	I	Ι	I		
DIVARL	17	Rear brake discs and pads for wear	_	ı	_	ı	-	-	_	-	I	-		- 1	- 1	- 1	- 1	Ι	1	I	Ι	I		
	18	Brake pipes & hoses for leaks, loose connections or damage	- 1	1	- [	- 1	- [	- [	- 1	I	1	1	1	- 1	- 1	- 1	- 1	- 1	- 1	I	I			
TRANS. & TRANSFER	19	Automatic transmission fluid-add 0.3 hrs for replacement every 100 000 km	I	1	I	-1	-1	- 1	1	1	1	1	1	1	1	1	- 1	1	1	1	1	R		
CASE	20	Transfer case fluid * - add 0.15 hrs for replacement on 4x4	_	R	-	1	- 1	1	-	1	1	R	1	1	1	1	1	1	1	R	1	1		
PROPSHAFT		Universal joints & sliding sleeve #	- 1	ı	L	- 1	ı	L	- 1	ı	L	- 1	- 1	L	- 1	I	L	- 1	ı	L	ı	I		
T KOT SHALT	22	Prop shaft mounting and universal joints & sliding sleeve for looseness and excessive wear	I	ı	ı	- 1	- 1	- 1	ı	I	I	ı	1	- 1	ı	I	- 1	ı	I	I	I			
	23	Front axle fluid *- add 0.1 hrs for replacement on 4x4	- 1	R	- 1	- 1	- 1	1	- 1	- 1	-1	- 1	-1	1	- 1		1	R	1	- 1	- 1	1		
	24	Shift on the fly fluid*- add 0.1 hrs for replacement on 4x4	- 1	R	1	- 1	-1	1	- 1	1	-1	- 1	- 1	- 1	-1	- 1	- 1	R	1	- 1	-1	1		
FRONT/	_	Rear axle fluid - level and leaks	- 1	R	I	I	I	- 1	I	I	I	I	1	- 1	I		1	R		- 1	I	- 1	I	
REAR AXLE	26	Shift on the fly & rear diff lock operation test *	I	I	I	I	I	I	I	I	I	I	I	Ι	I	Ι	I	I	Ι	I	I	Ι		
	27	All axle shafts and housing for distortion or damage	- 1	I	I	- 1	- 1	- 1	I	I	I	I	- 1	- 1	I			1		- 1	I		I	
	28	Front drive axle CV joints, condition of rubber dust covers	- 1	1	- 1	-	I I		1	1	1	- 1	_	- 1	- 1	ιт	ιт		-1		ιΙТ	ιΙТ	. 1	

CONTINUED....



## 5,000 km or 6 Months Service Schedule UC Series (RJ) - 3.0L(4JJ3) Diesel



#### PLEASE NOTE:

- 1. Refer to the Service Interval Guideline by Country for the correct Interval by kilometers or months, whichever occurs first.
- 2. This Service Schedule will have preference over the Owner's Manual and Warranty & Service Guide (Refer to updated date).
- 3. Refer to the Warranty and Service Guide for Severe Driving Conditions.
- 4. Consult the Owner/Customer prior to any additional work being carried out as an additional cost will be charged for items not covered under warranty.

NOTE: APPLICABLE FOR 5,000 KM TO 100,000 KM OR **6 MONTHS TO 120 MONTHS SERVICE INTERVALS** 

	I = Inspection. After inspection clean and	l correct, or repla	ce as	s nec	essar	y - R :	= Rep	lace -	L = L	ubrica	ıte - A	. = Ad	just											
SERVICE INTER	/AL EVERY	KMs (x 1000)	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100	ОК	NOT
(or months, which	ever occurs first)	Months	6	12	18	24	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	UK	OK
	29 Steering wheel play and function		1	- 1	I	ı	ı	- 1	I	- 1	ı	ı	I	- 1	- 1	I	ı	- 1	I	ı	I	I		
	30 Power steering fluid * - add 0.3 hrs for replacement		_	- 1	- 1	- 1	- 1	_	- 1	R	- 1	- 1	- 1	- 1	- 1	- 1	- 1	R	- 1	1	- 1	1.		
STEERING	31 Power steering pump, hoses, fittings and connections - inspect for cracks and leaks *		_	ı	ı	ı	I	_	- 1	-	ı	ı	ı	ı	ı	I	ı	- 1	ı	ı	ı	Ι		
	32 Steering rack and ball joint rubber boots		-	-	ı	ı	ı	- 1	_	- 1	-	Ι	ı	ı	-	ı	ı	ı	ı	ı	ı	Ι		
	33 Wheel alignment inspection (to be offered to customer)							Reco	omme	nded (	every	servic	e-cos	t for cu	ıstom	er's a	ccoun	ıt						
PARKING BRAKE	34 Parking brake function		I	_	I	I	1	ı	_	1	_	I	I	_	-	I	Ι	1	I	1	I	ı		
	35 Suspension front & rear - strut rubbers, bushes, tie-rod ends & link arms		1	_	ı	ı	I	- 1	_	- 1	_	ı	-	ı	_	Ι	ı	- 1	I	-	I	- 1		
CHASSIS &	36 Shock absorbers for leaks and looseness		1	_	ı	ı	I	- 1	_	- 1	_	ı	-	ı	_	Ι	ı	- 1	I	-	I	- 1		
SUSPENSION	37 Coil springs for damage		1	_	ı	ı	I	- 1	_	- 1	_	ı	-	ı	_	Ι	ı	- 1	I	-	I	- 1		
JOSI ENGION	38 Tightness of bolts and nuts on chassis and body		1	_	ı	ı	I	- 1	_	- 1	_	ı	-	ı	_	Ι	ı	- 1	I	-	I	- 1		
	39 Cab mountings for looseness and damage		1	_	ı	ı	I	- 1	_	- 1	_	ı	-	ı	_	Ι	ı	- 1	I	-	I	- 1		
	40 Tyre Pressure - Check and correct (incl. spare wheel)		1	_	ı	ı	I	- 1	_	- 1	_	ı	-	ı	_	Ι	ı	- 1	I	-	I	- 1		
WHEELS	41 Inspect tyres & rims for damage (incl. spare wheel)		1	1	- 1	- 1	1	-1	- [	- 1	1	- 1	ı	1	- 1	- 1	- 1	- 1	- 1	- 1	1	- 1		
WIILLE	42 Rotate tyres & torque wheel nuts as per specification-Refer Bulletin GEN-2015-09		Т	Т	T	Т	Т	T	T	Т	Т	Т	Т	T	Т	Т	Т	Т	Т	Т	Т	Т		
	43 Wheel bearing (front & rear) - Inspect for bearing play		1	ı	ı	ı	ı	- 1	ı	- 1	ı	- 1	ı	ı	- 1	I	ı	- 1	ı	ı	ı	- 1		
	44 Vehicle systems - Check all ECUs for DTCs & reset service interval*		1	1	1	ı	- 1	-1	-	- 1	ı	I	I	1	-	I	ı	- 1	I	- 1	I	- 1		
	45 Extract DRM data and generate HEALTH REPORT*							ŀ	Attach	repor	t to Jo	ob Cai	d at e	very s	ervice	interv	/al							
ELECTRICAL	46 Alternator output test (charging output voltage with all loads ON = 13.8V - 14.5V)		1	_	ı	ı	I	- 1	_	- 1	_	ı	-	ı	_	Ι	ı	- 1	I	-	I	- 1		
EQUIPMENT	47 Battery electrolyte level and specific gravity		1	I	1	I	- 1	- 1	ı	- 1	ı	1	ı	1	- 1	I	- 1	- 1	I	I	I	- 1		
EGOII MENT	48 Check operation of all lights,hooter,instruments, aircon, radio, wiper blades & washers		1	I	ı	- 1	- 1	- 1	- 1	- 1	ı	I	ı	- 1	- 1	- 1	- 1	- 1	- 1	- 1	- 1	- 1		
	49 Remote key battery		_	ı	-	R	I	_	I	R	I	-	-	R	ı	I	ı	R	I	ı	I	R		
	50 Airbag system self test and warning light function		_	I	-	ı	ı	_	I	_	I	ı	-	ı	ı	ı	ı	- 1	I	- 1	I	Ι		
	51 Seatbelts function and damage		-	-	ı	ı	ı	- 1	-	- 1	-	ı	-	ı	-	Ι	ı	- 1	I	-	ı			
	52 Inspect chassis and body for corrosion - complete inspection sheet							Attac	ch cop	y of S	heet t	o Job	Card	at eve	ry ser	vice ir	nterva	d						
BODY	53 Door, tailgate and hood lock/striker to Check/Adjust/Clean/Lubricate if required		1	_	ı	L	I	- 1	_	L	_	ı	-	L	_	Ι	ı	L	I	-	I	L		
	54 Pollen filter		Ī	I	I	R	I	- 1	I	R	I	Ι	Ι	R	I	I	I	R	I	I	I	R		
	55 Air conditioner drain pipe for drainage		Ī	I	I	I	I	- 1	I	Ι	I	Ι	Ι	I	I	I	I	I	I	I	I	Ι		
SAFETY	56 Check for open RECALLS or SERVICE CAMPAIGNS							Atta	ach co	py of I	IVH to	Job (	Card a	t ever	y serv	rice int	erval							
TESTING	57 Road Test		1	I	I	- 1	I	- 1	Ι	- 1	I	- 1	- 1	I	- 1	I	- 1	- 1	I	I	I	- 1		

	he			

# where grease nipples are fitted.

**Customer Signature** Date

I was informed of the service cost & additional items that needs attention.

Technician Signature

I hereby confirm that all items have been checked and and rectifed where required.

Updated. Oct 2022 Document No. ISUZU 3.0 Diesel



### 5,000 km or 6 Months Service Schedule UC Series (RJ) - 3.0L(4JJ3) Diesel



#### PLEASE NOTE:

1. Refer to the Service Interval Guideline by Country for the correct Interval by kilometers or months, whichever occurs first.

2. This Service Schedule will have preference over the Owner's Manual and Warranty & Service Guide (Refer to updated date).

- 3. Refer to the Warranty and Service Guide for Severe Driving Conditions.
- 4. Consult the Owner/Customer prior to any additional work being carried out as an additional cost will be charged for items not covered under warranty.

NOTE: APPLICABLE FOR	105,000 KM TO 180,000 KM OR
126 MONTHS TO 216 MON	THE SEDVICE INTEDVALS

Job Card No.:	Date :	Model :
Customer Name:	VIN :	KM Reading:
Service Advisor :	Authorisation No:	Technician (Print) :

#### I = Inspection. After inspection clean and correct, or replace as necessary - R = Replace - L = Lubricate - A = Adjust

SERVICE INTER	VALI	EVERY	KMs (x 1000)	105	110	115	120	125	130	135	140	145	150	155	160	165	170	175	180	ОК	NOT
or months, which	ever	occurs first)	Months	126	132	138	144	150	156	162	168	174	180	186	192	198	204	210	216	OK	OK
			Labour hrs.	1,1	1,3	1,1	1,4	1,1	1,3	1,1	1,4	1,1	2,7	1,1	1,4	1,1	1,3	1,1	1,4		
	1	Engine Oil and Filter		R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R		
	2	Fuel Filter		-	R	-	R	-	R	-	R	-	R	-	R	-	R	-	R		
	3	Fuel sedimentor for presence of water		ı	ı	ı	- 1	ı	ı	ı	ı	_	_	ı	ı	ı	ı	ı	Ι		
	4	Fuel leakage at tank, cap and pipes		ı	Ι	ı	- 1	ı	ı	ı	-	-	-	Ι	ı	Ι	ı	ı	Ι		
	5	Air filter element (I & R) and all air cleaner hose fitments for tightness (I)		ı	ı	ı	R	ı	-	- 1	R	-	-	ı	R	I	I	ı	R		
	6	Valve Clearances		-	-	-	-	-	-	-	-	-	Α	-	-	-	-	-	-		
ENGINE	7	All engine drive belts for tension and damage and check pulley condition (replace if needed)		ı	I	ı	I	ı	ı	ı	ı	I	I	-	ı	I	I	ı	I		
	8	Run engine through operating range & check for excessive smoke		ı	ı	ı	-	ı	I	ı	ı	ı	ı	ı	- 1	ı	ı	ı	-		
	9	Coolant system for leaks (press. test radiator & cap) & check coolant concentration (50% gly.)		ı	-	I	- 1	I	ı	ı	ı	_	_	-	ı	-	I	ı	_		
	10	Coolant concentration (50 % glycol) - Add 0.3 hrs (Record coolant freezing point on the job card)		ı	-	I	- 1	I	ı	ı	ı	_	R	-	ı	-	I	ı	_		
	11	Radiator core (check for foreign objects) and fan operation		ı	-	I	- 1	I	ı	ı	ı	_	_	-	ı	-	I	ı	_		
	12	Exhaust system for leaks and mountings for tightness or damage		ı	-	I	- 1	I	ı	ı	ı	_	_	-	ı	-	I	ı	_		
	13	All hoses & pipes in engine compartment for tightness or damage		ı	-	I	- 1	I	ı	ı	ı	_	_	-	ı	-	I	ı	_		
	14	Brake pedal function, travel and free play		ı	-	I	- 1	I	ı	ı	ı	_	_	-	ı	-	I	ı	_		
SERVICE	15	Brake fluid		- 1	_	_	R	ı	_	ı	R	_	_	_	R	Ι	Ι	ı	R		
BRAKE	16	Front brake discs and pads for wear		- 1	_	_	- 1	ı	_	ı	_	_	_	_	Ι	Ι	Ι	ı	R		
BITAIL	17	Rear brake discs and pads for wear		I	_	-	- 1	ı	-	ı	-	Ι	Ι	_	ı	I	I	ı	- 1		
	18	Brake pipes & hoses for leaks, loose connections or damage		ı	_	ı	- 1	I	-	ı	_	-	-	_	ı	-	I	-	- 1		
TRANS. & TRANSFER	19	Automatic transmission fluid-add 0.3 hrs for replacement every 100 000 km		I	1	1	1	1	1	1	1	1	1	1	1	-1	1	1	1		
CASE	20	Transfer case fluid * - add 0.15 hrs for replacement on 4x4		1	-1	-1	1	1	R	-1	1	1	1	1	1	-	R	1	1		
PROPSHAFT	21	Universal joints & sliding sleeve #		L	ı	ı	L	ı	ı	L	ı	Ι	L	ı	ı	L	ı	ı	L		
PROPSHAFI	22	Prop shaft mounting and universal joints & sliding sleeve for looseness and excessive wear		ı	I	ı	1	ı	-	- 1	ı	-	-	ı	ı	I	I	ı	- 1		
	23	Front axle fluid *- add 0.1 hrs for replacement on 4x4		- 1	- 1	- 1		-1	- 1	- 1	- 1	- 1	R	- 1	1		- 1	- 1			
	24	Shift on the fly fluid*- add 0.1 hrs for replacement on 4x4		1	- 1	- 1	- 1	- I	- 1	I	I	I	R	1	I	- 1	I	- 1	1		
FRONT/	25	Rear axle fluid - level and leaks		I	I	I	1	I	I	I	I	I	R	I	I	I	I	I	- 1		
REAR AXLE	26	Shift on the fly & rear diff lock operation test *		ı	I	ı	- 1	ı	ı	ı	ı	I	I	I	ı	- 1	I	ı	- 1		
	27	All axle shafts and housing for distortion or damage		I	I	ı	- 1	ı	ı	ı	ı	Ι	Ι	I	ı	- 1	I	ı	- 1		
	28	Front drive axle CV joints, condition of rubber dust covers		ı	ı	ı	- 1	ı	ı	ı	ı	ı	ı	ı	ı	ı	ı	ı	Ι		



### 5,000 km or 6 Months Service Schedule UC Series (RJ) - 3.0L(4JJ3) Diesel



#### PLEASE NOTE:

- 1. Refer to the Service Interval Guideline by Country for the correct Interval by kilometers or months, whichever occurs first.
- 2. This Service Schedule will have preference over the Owner's Manual and Warranty & Service Guide (Refer to updated date).
- 3. Refer to the Warranty and Service Guide for Severe Driving Conditions.
- 4. Consult the Owner/Customer prior to any additional work being carried out as an additional cost will be charged for items not covered under warranty.

NOTE: APPLICABLE FOR 105,000 KM TO 180,000 KM OR 126 MONTHS TO 216 MONTHS SERVICE INTERVALS

### I = Inspection. After inspection clean and correct, or replace as necessary - R = Replace - L = Lubricate - A = Adjust KMs (x 1000) 105 110 115 120 125 130 135 140 145 150 155 160 165 170 175 180 ... NOT SERVICE INTERVAL EVERY

SERVICE INTER	VALEVERY	NVIS (X 1000)																		NO
or months, which	never occurs first)	Months	126	132	138	144	150	156	162	168	174	180	186	192	198	204	210	216		Ok
	29 Steering wheel play and function		ı	ı	ı	ı	ı	ı	-	- 1	ı	- 1	-	- 1	I	ı	- 1	I		
	30 Power steering fluid * - add 0.3 hrs for replacement		- 1	- 1	- 1	R	- 1	- 1	- 1	- 1	- 1	- 1	1	R	- 1	1				
STEERING	31 Power steering pump, hoses, fittings and connections - inspect for cracks and leaks *		ı	ı	ı	ı	ı	ı	-	- 1	ı	- 1	-	- 1	I	ı	- 1	I		
	32 Steering rack and ball joint rubber boots		ı	ı	ı	ı	ı	ı	-	- 1	ı	- 1	-	- 1	I	ı	- 1	I		
	33 Wheel alignment inspection (to be offered to customer)					Rec	omme	nded	every	servic	e-cos	st for (	custor	ner's a	accoun	ıt				
PARKING BRAKE	34 Parking brake function		ı	ı	ı	-	ı	ı	1	ı	-	ı	1	1	I	1	ı	ı		
	35 Suspension front & rear - strut rubbers,bushes,tie-rod ends & link arms		I	I	ı	ı	ı	ı	ı	ı	I	- 1	- 1	I	I	ı	I	I		
CHASSIS &	36 Shock absorbers for leaks and looseness		I	I	ı	ı	ı	ı	ı	ı	I	- 1	- 1	I	I	ı	I	I		
SUSPENSION	37 Coil springs for damage		ı	ı	ı	ı	ı	ı	-	ı	Ι	I	Т	ı	Ι	ı	I	П		
SUSPENSION	38 Tightness of bolts and nuts on chassis and body		ı	ı	ı	ı	ı	ı	-	ı	Ι	I	Т	ı	Ι	ı	I	П		
	39 Cab mountings for looseness and damage		ı	ı	ı	ı	ı	ı	-	ı	Ι	I	Т	ı	Ι	ı	I	П		
	40 Tyre Pressure - Check and correct (incl. spare wheel)		ı	ı	- 1	ı	ı	ı	-	-	I	- 1	- 1	-	I	I	I	I		
WHEELS	41 Inspect tyres & rims for damage (incl. spare wheel)		ı	ı	- 1	ı	ı	ı	-	-	I	- 1	- 1	-	I	I	I	I		
WHEELS	42 Rotate tyres & torque wheel nuts as per specification-Refer Bulletin GEN-2015-09		Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т		
	43 Wheel bearing (front & rear) - Inspect for bearing play		ı	ı	ı	- 1	ı	ı	-	- 1	ı	- 1	-	- 1	I	ı	- 1	I		
	44 Vehicle systems - Check all ECUs for DTCs & reset service interval*		ı	ı	ı	- 1	1	ı	-	- 1	ı	- 1	-	- 1	I	ı	- 1	I		
	45 Extract DRM data and generate HEALTH REPORT*					- /	Attach	repor	t to Jo	ob Cai	d at e	every	servic	e inter	val					
EL EGEDIOAL	46 Alternator output test (charging output voltage with all loads ON = 13.8V - 14.5V)		ı	ı	ı	- 1	1	ı	-	- 1	ı	- 1	-	- 1	I	ı	- 1	I		
ELECTRICAL EQUIPMENT	47 Battery electrolyte level and specific gravity		ı	ı	ı	ı	1	ı	-	- 1	ı	- 1	-	- 1	I	ı	- 1	I		
EQUIPMENT	48 Check operation of all lights,hooter,instruments, aircon, radio, wiper blades & washers		I	ı	ı	ı	ı	ı	ı	ı	ı	I	I	I	I	ı	I	I		
	49 Remote key battery		I	I	I	R	ı	ı	-	R	I	- 1	- 1	R	I	I	I	R		
	50 Airbag system self test and warning light function		Ţ	I	ı	ı	ı	ı	ı	ı	I	ı	1	ı	I	1	ı	1		
	51 Seatbelts function and damage		ı	ı	ı	ı	ı	ı	-	- 1	Ι	I	Τ	I	I	ı	ı	ı		
	52 Inspect chassis and body for corrosion - complete inspection sheet					Atta	ch cop	y of S	heet	to Job	Card	at ev	ery se	ervice i	interva	ıl		-		
BODY	53 Door, tailgate and hood lock/striker to Check/Adjust/Clean/Lubricate if required		Ţ	I	ı	L	ı	ı	ı	L	I	I	1	L	I	ı	ı	TL		
	54 Pollen filter		1	I	I	R	I	ı	-	R	I	-	- 1	R	I	1	I	R		
	55 Air conditioner drain pipe for drainage		1	I	I	ı	ı	ı	ı	-	I	-	- 1	1	I	1	I	T		
SAFETY	56 Check for open RECALLS or SERVICE CAMPAIGNS					Atta	ach co	py of	IVH to	Job (	Card a	at eve	ery ser	vice in	iterval			-		
TESTING	57 Road Test		ī	ı	П	1	ı		П		ı	1	1		1		1		1	

<sup>\*</sup> where fitted

**Customer Signature** Date

Technician Signature

I hereby confirm that all items have been checked and and rectifed where required.

Updated. Oct 2022 Document No. ISUZU 3.0 Diesel

I was informed of the service cost & additional items that needs attention.

<sup>#</sup> where grease nipples are fitted.

# Corrosion Inspection Sheet <u>mu-X (RJ01)</u>



PLEASE NOTE: Copy to be attached to Job Card

Date: Model:
Km.: VIN :
Technician name:
s
DEALER'S STAMP
AND
AND
SIGNATURE
RESULTS USING RELEVANT SYMBOL
○ DENT / BUMP □ BODYWORK DAMAGE
# PAINTWORK DAMAGE SEAL UNDERBODY  AM IS REPRESENTATIVE OF ALL MODEL SERIES