



15,000 km or 12 Months Service Schedule

TF Series (RT) - 2.5L (4JK1) & 3.0L (4JJ1) - Diesel



PLEASE NOTE:

1. Refer to the Service Interval Guideline by Country for the correct Interval by kilometers or months, whichever occurs first.
2. This Service Schedule will have preference over the Owner's Manual and Warranty & Service Guide (Refer to updated date).
3. Refer to the Warranty and Service Guide for Severe Driving Conditions.
4. Consult the Owner/Customer prior to any additional work being carried out as an additional cost will be charged for items not covered under warranty.

Job Card No.:		Date:		Model:														
Customer Name:		VIN:		KM Reading:														
Service Advisor:		Authorisation No.:		Technician (Print):														
I = Inspection-after inspection clean and correct, or replace as necessary R = Replace A = Adjust T = Torque L = Lubricate C = Clean		SERVICE INTERVAL every KMs (x1000) or MONTHS, whichever occurs first Labour hrs.		15	30	45	60	75	90	105	120	135	150	165	180	OK	NOT OK	
				12	24	36	48	60	72	84	96	108	120	132	144			
				1,2	1,3	1,2	2,8	1,2	1,3	1,2	2,8	1,2	1,3	1,2	2,8			
ENGINE	1	Engine Oil and Filter	R	R	R	R	R	R	R	R	R	R	R	R	R			
	2	Fuel filter	R	R	R	R	R	R	R	R	R	R	R	R	R			
	3	Pre-Fuel Filter* (Note: only where fitted)-add 0.1 hrs for replacement	R	R	R	R	R	R	R	R	R	R	R	R	R			
	4	Fuel sedimentor for presence of water	I	I	I	I	I	I	I	I	I	I	I	I	I			
	5	Fuel leakage at tank, cap and pipes	I	I	I	I	I	I	I	I	I	I	I	I	I			
	6	Air filter element (I & R) and all air cleaner hose fittings for tightness (I)	I	R	I	R	I	R	I	R	I	R	I	R	I	R		
	7	Valve clearances	-	-	-	A	-	-	-	A	-	-	-	A	-	-		
	8	All engine drive belts for tension and damage and check pulley condition	I	I	I	I	I	I	I	I	I	I	I	I	I			
	9	Run engine through operating range & check for excessive smoke	I	I	I	I	I	I	I	I	I	I	I	I	I			
	10	Coolant system for leaks (press. test radiator & cap) & check coolant concentration (50% gly.)	I	I	I	I	I	I	I	I	I	I	I	I	I			
	11	Coolant concentration (50 % glycol) - Add 0.3 hrs (Record coolant freezing point on the job card)	I	I	I	I	R	I	I	I	I	I	R	I	I			
	12	Radiator core (check for foreign objects) and fan operation	I	I	I	I	I	I	I	I	I	I	I	I	I			
	13	Exhaust system for leaks and mountings for tightness or damage	I	I	I	I	I	I	I	I	I	I	I	I	I			
	14	All hoses & pipes in engine compartment for tightness or damage	I	I	I	I	I	I	I	I	I	I	I	I	I			
SERVICE BRAKE	15	Brake pedal function, travel and free play	I	I	I	I	I	I	I	I	I	I	I	I				
	16	Brake fluid level	I	I	I	I	I	I	I	I	I	I	I	I				
	17	Brake fluid - Add 0.3 hrs	I	R	I	R	I	R	I	R	I	R	I	R	I			
	18	Front disc brake pads & discs for wear (Record thickness size of pads & discs on the job card)	I	I	I	I	I	I	I	I	I	I	I	I	I			
	19	Rear brake linings & drums for wear (Record thickness size of shoes & drums on the job card)	I	I	I	I	I	I	I	I	I	I	I	I	I			
CLUTCH	20	Brake pipes & hoses for leaks, loose connections or damage	I	I	I	I	I	I	I	I	I	I	I	I				
	21	Clutch pedal function, travel and free play & fluid leaks	I	I	I	I	I	I	I	I	I	I	I	I				
	22	Clutch fluid level	I	I	I	I	I	I	I	I	I	I	I	I				
TRANS. & TRANSFER CASE	23	Clutch fluid - Add 0.1 hrs	I	R	I	R	I	R	I	R	I	R	I	R				
	24	Manual transmission fluid-add 0.3 hrs for replacement	R	I	I	R	I	I	R	I	I	R	I	I				
	25	Automatic transmission fluid-add 0.3 hrs for replacement	I	I	I	I	I	I	I	I	I	R	I	I				
PROPSHAFT	26	Transfer case fluid-add 0.2 hrs for replacement for 4x4	R	I	I	R	I	I	R	I	I	R	I	I				
	27	Universal joints & sliding sleeve #	I	L	I	L	I	L	I	L	I	L	I	L				
FRONT/ REAR AXLE	28	Prop shaft mounting and universal joints & sliding sleeve for looseness and excessive wear	I	I	I	I	I	I	I	I	I	I	I	I				
	29	Front axle fluid* - add 0.1 hrs for replacement on 4x4	R	I	I	I	I	I	R	I	I	I	I	I				
	30	Shift on the fly fluid* - add 0.1 hrs for replacement on 4x4	R	I	I	I	I	I	R	I	I	I	I	I				
	31	Rear axle fluid (without limited slip) - add 0.3 hrs for replacement	I	I	I	I	I	I	I	R	I	I	I	I				
	32	Rear axle fluid (with limited slip) - add 0.1 hrs for replacement	R	I	I	R	I	I	R	I	I	R	I	I				
	33	Shift on the fly	I	I	I	I	I	I	I	I	I	I	I	I				
	34	All axle shaft and housing for distortion or damage	I	I	I	I	I	I	I	I	I	I	I	I				
STEERING	35	Front drive axle CV joints, condition of rubber dust covers	I	I	I	I	I	I	I	I	I	I	I	I				
	36	Steering wheel play and function	I	I	I	I	I	I	I	I	I	I	I	I				
	37	Power steering fluid	I	I	I	R	I	I	I	R	I	I	I	I	R			
	38	Steering rack and ball joint rubber boots	I	I	I	I	I	I	I	I	I	I	I	I	I			
	39	Wheel alignment inspection (to be offered to customer)	Recommended every service-cost for customer's account															
PARKING BRAKE	40	Parking brake function - lever travel & ratchet for damage	I	I	I	I	I	I	I	I	I	I	I	I	I			
	41	Parking brake cables for looseness or damage	I	I	I	I	I	I	I	I	I	I	I	I	I			
CHASSIS & SUSPENSION	42	Suspension front & rear - strut rubbers,bushes,lie-rod ends & link arms	I	I	I	I	I	I	I	I	I	I	I	I				
	43	Shock absorbers for leaks and looseness	I	I	I	I	I	I	I	I	I	I	I	I				
	44	Leaf/coil springs for damage	I	I	I	I	I	I	I	I	I	I	I	I				
	45	Cab mountings for looseness and damage	I	I	I	I	I	I	I	I	I	I	I	I				
WHEELS	46	Tyre Pressure - Check and correct (incl. spare wheel)	I	I	I	I	I	I	I	I	I	I	I	I				
	47	Inspect tyres & rims for damage (incl. spare wheel)	I	I	I	I	I	I	I	I	I	I	I	I				
	48	Rotate tyres & torque wheel nuts as per specification-Refer Bulletin GEN-2015-09	T	T	T	T	T	T	T	T	T	T	T	T	T			
	49	Wheel bearing (front & rear) - Inspect for bearing play	I	I	I	I	I	I	I	I	I	I	I	I	I			
	50	Front wheel bearing grease and oil seal - Add 1.1 hrs for replacement (4x2)	I	I	I	R	I	I	I	R	I	I	I	I	R			
	51	Front wheel and needle bearing grease and oil seal - Add 2.8 hrs for replacement (4x4)	I	I	I	R	I	I	I	R	I	I	I	I	R			
ELECTRICAL EQUIPMENT	52	Vehicle systems - Check all ECUs for DTCs & reset service interval*	I	I	I	I	I	I	I	I	I	I	I	I				
	53	Extract DRM data and generate HEALTH REPORT	Attach report to Job Card at every service interval															
	54	Starter and alternator function / output	I	I	I	I	I	I	I	I	I	I	I	I	I			
	55	Battery electrolyte level and specific gravity*	I	I	I	I	I	I	I	I	I	I	I	I	I			
	56	Check operation of all lights, hooter, instruments, a/c, radio, wiper blades & washers	I	I	I	I	I	I	I	I	I	I	I	I	I			
	57	Remote key battery*	-	R	-	R	-	R	-	R	-	R	-	R	-	R		
	58	Airbag system and Airbag warning light, visual inspection	I	I	I	I	I	I	I	I	I	I	I	I	I			
BODY	59	Seatbelts function and damage	I	I	I	I	I	I	I	I	I	I	I	I				
	60	Inspect chassis and body for corrosion - Complete Inspection Sheet	Attach copy of Sheet to Job Card at every service interval															
	61	Doors, bonnet, tailgate links, locks and door restraints to Check/Adjust/Clean/Lubricate	I	L	I	L	I	L	I	L	I	L	I	L	I	L		
	62	Pollen filter*	I	R	I	R	I	R	I	R	I	R	I	R	I			
SAFETY	63	Air conditioner drain pipe for drainage	I	I	I	I	I	I	I	I	I	I	I	I				
	64	Check for open RECALLS or SERVICE CAMPAIGNS	Attach copy of IVH to Job Card at every service interval															
TESTING	65	Road Test	I	I	I	I	I	I	I	I	I	I	I	I				

* Where fitted

where grease nipples are fitted.

Customer Signature _____ Date _____

Technician Signature _____

I was informed of the service cost & additional items that needs attention.

I hereby confirm that all items have been checked and and rectified where required.

Attach one copy to Customer's Invoice
Attach one copy to Job Card

Updated, Oct 2022
Document No.
4JK1/4JJ1-2.5/3.0

SERVICE SCHEDULE FOR VEHICLES WITH MILEAGE HIGHER THAN 180 000 KMs or older than 144 months (12 years)

15,000 km or 12 Months Service Schedule
TF Series (RT) - 2.5L (4JK1) & 3.0L (4JJ1) - Diesel



PLEASE NOTE:

1. Refer to the Service Interval Guideline by Country for the correct Interval by kilometers or months, whichever occurs first.
2. This Service Schedule will have preference over the Owner's Manual and Warranty & Service Guide (Refer to updated date).
3. Refer to the Warranty and Service Guide for Severe Driving Conditions.
4. Consult the Owner/Customer prior to any additional work being carried out as an additional cost will be charged for items not covered under warranty.

Job Card No.: **Date:** **Model:**

Customer Name: **VIN:** **KM Reading:**

Service Advisor: **Authorisation No.:** **Technician (Print):**

		I = Inspection-after inspection clean and correct, or replace as necessary R = Replace A = Adjust T = Torque L = Lubricate C = Clean	SERVICE INTERVAL every KMs (x1000) or MONTHS, whichever occurs first Labour hrs.	195	210	225	240	255	270	285	300	315	330	345	360	OK	NOT OK
				156	168	180	192	204	216	228	240	252	264	276	288		
				1,2	1,3	1,2	2,8	1,2	1,3	1,2	2,8	1,2	1,3	1,2	2,8		
ENGINE	1	Engine Oil and Filter		R	R	R	R	R	R	R	R	R	R	R	R		
	2	Fuel filter		R	R	R	R	R	R	R	R	R	R	R	R		
	3	Pre-Fuel Filter* (Note: only where fitted)-add 0.1 hrs for replacement		R	R	R	R	R	R	R	R	R	R	R	R		
	4	Fuel sedimentor for presence of water		I	I	I	I	I	I	I	I	I	I	I	I		
	5	Fuel leakage at tank, cap and pipes		I	I	I	I	I	I	I	I	I	I	I	I		
	6	Air filter element (I & R) and all air cleaner hose fittings for tightness (I)		I	R	I	R	I	R	I	R	I	R	I	R		
	7	Valve clearances		-	-	-	A	-	-	-	A	-	-	-	A		
	8	All engine drive belts for tension and damage and check pulley condition		I	I	I	I	I	I	I	I	I	I	I	I		
	9	Run engine through operating range & check for excessive smoke		I	I	I	I	I	I	I	I	I	I	I	I		
	10	Coolant system for leaks (press.test radiator & cap) & check coolant concentration (50% gly.)		I	I	I	I	I	I	I	I	I	I	I	I		
	11	Coolant concentration (50 % glycol) - Add 0.3 hrs (Record coolant freezing point on the job card)		I	I	R	I	I	I	I	R	I	I	I	I		
	12	Radiator core (check for foreign objects) and fan operation		I	I	I	I	I	I	I	I	I	I	I	I		
	13	Exhaust system for leaks and mountings for tightness or damage		I	I	I	I	I	I	I	I	I	I	I	I		
	14	All hoses & pipes in engine compartment for tightness or damage		I	I	I	I	I	I	I	I	I	I	I	I		
SERVICE BRAKE	15	Brake pedal function, travel and free play		I	I	I	I	I	I	I	I	I	I	I			
	16	Brake fluid level		I	I	I	I	I	I	I	I	I	I	I			
	17	Brake fluid - Add 0.3 hrs		I	R	I	R	I	R	I	R	I	R	I	R		
	18	Front disc brake pads & discs for wear (Record thickness size of pads & discs on the job card)		I	I	I	I	I	I	I	I	I	I	I	I		
CLUTCH	19	Rear brake linings & drums for wear (Record thickness size of shoes & drums on the job card)		I	I	I	I	I	I	I	I	I	I	I			
	20	Brake pipes & hoses for leaks, loose connections or damage		I	I	I	I	I	I	I	I	I	I	I			
	21	Clutch pedal function, travel and free play & fluid leaks		I	I	I	I	I	I	I	I	I	I	I			
TRANS. & TRANSFER CASE	22	Clutch fluid level		I	I	I	I	I	I	I	I	I	I	I			
	23	Clutch fluid - Add 0.1 hrs		I	R	I	R	I	R	I	R	I	R	I	R		
	24	Manual transmission fluid-add 0.3 hrs for replacement		R	I	I	R	I	I	R	I	I	R	I	I		
PROPSHAFT	25	Automatic transmission fluid-add 0.3 hrs for replacement		I	I	I	I	I	R	I	I	I	I	I			
	26	Transfer case fluid-add 0.2 hrs for replacement for 4x4		R	I	I	R	I	I	R	I	I	R	I	I		
	27	Universal joints & sliding sleeve #		I	L	I	L	I	L	I	L	I	L	I	L		
FRONT/ REAR AXLE	28	Prop shaft mounting and universal joints & sliding sleeve for looseness and excessive wear		I	I	I	I	I	I	I	I	I	I	I			
	29	Front axle fluid* - add 0.1 hrs for replacement on 4x4		I	R	I	I	I	I	I	R	I	I	I			
	30	Shift on the fly fluid* - add 0.1 hrs for replacement on 4x4		I	R	I	I	I	I	I	I	R	I	I			
	31	Rear axle fluid (without limited slip) - add 0.3 hrs for replacement		I	R	I	I	I	I	I	I	R	I	I			
	32	Rear axle fluid (with limited slip) - add 0.1 hrs for replacement		R	I	I	R	I	I	R	I	I	R	I			
	33	Shift on the fly		I	I	I	I	I	I	I	I	I	I	I			
	34	All axle shaft and housing for distortion or damage		I	I	I	I	I	I	I	I	I	I	I			
STEERING	35	Front drive axle CV joints, condition of rubber dust covers		I	I	I	I	I	I	I	I	I	I	I			
	36	Steering wheel play and function		I	I	I	I	I	I	I	I	I	I	I			
	37	Power steering fluid		I	I	I	R	I	I	I	R	I	I	I			
PARKING BRAKE	38	Steering rack and ball joint rubber boots		I	I	I	I	I	I	I	I	I	I	I			
	39	Wheel alignment inspection (to be offered to customer)		Recommended every service- cost for customer's account													
CHASSIS & SUSPENSION	40	Parking brake function - lever travel & ratchet for damage		I	I	I	I	I	I	I	I	I	I	I			
	41	Parking brake cables for looseness or damage		I	I	I	I	I	I	I	I	I	I	I			
WHEELS	42	Suspension front & rear - strut rubbers,bushes,tie-rod ends & link arms		I	I	I	I	I	I	I	I	I	I	I			
	43	Shock absorbers for leaks and looseness		I	I	I	I	I	I	I	I	I	I	I			
	44	Leaf/coil springs for damage		I	I	I	I	I	I	I	I	I	I	I			
	45	Cab mountings for looseness and damage		I	I	I	I	I	I	I	I	I	I	I			
	46	Tyre Pressure - Check and correct (incl. spare wheel)		I	I	I	I	I	I	I	I	I	I	I			
ELECTRICAL EQUIPMENT	47	Inspect tyres & rims for damage (incl. spare wheel)		I	I	I	I	I	I	I	I	I	I	I			
	48	Rotate tyres & torque wheel nuts as per specification-Refer Bulletin GEN-2015-09		T	T	T	T	T	T	T	T	T	T	T			
	49	Wheel bearing (front & rear) - Inspect for bearing play		I	I	I	I	I	I	I	I	I	I	I			
	50	Front wheel bearing grease and oil seal - Add 1.1 hrs for replacement (4x2)		I	I	I	R	I	I	I	R	I	I	I			
	51	Front wheel and needle bearing grease and oil seal - Add 2.8 hrs for replacement (4x4)		I	I	I	R	I	I	R	I	I	I	R			
SAFETY	52	Vehicle systems - Check all ECUs for DTCs & reset service interval*		I	I	I	I	I	I	I	I	I	I	I			
	53	Extract DRM data and generate HEALTH REPORT		Attach report to Job Card at every service interval													
	54	Starter and alternator function / output		I	I	I	I	I	I	I	I	I	I	I			
	55	Battery electrolyte level and specific gravity*		I	I	I	I	I	I	I	I	I	I	I			
	56	Check operation of all lights, hooter, instruments, a/c, radio, wiper blades & washers		I	I	I	I	I	I	I	I	I	I	I			
	57	Remote key battery*		-	R	-	R	-	R	-	R	-	R	-	R		
	58	Airbag system and Airbag warning light, visual inspection		I	I	I	I	I	I	I	I	I	I	I			
	59	Seatbelts function and damage		I	I	I	I	I	I	I	I	I	I	I			
TESTING	60	Inspect chassis and body for corrosion - Complete Inspection Sheet		Attach copy of Sheet to Job Card at every service interval													
	61	Doors, bonnet, tailgate links, locks and door restraints to Check/Adjust/Clean/Lubricate		I	L	I	L	I	L	I	L	I	L	I	L		
	62	Pollen filter*		I	R	I	R	I	R	I	R	I	R	I	R		
	63	Air conditioner drain pipe for drainage		I	I	I	I	I	I	I	I	I	I	I			
	64	Check for open RECALLS or SERVICE CAMPAIGNS		Attach copy of IVH to Job Card at every service interval													
	65	Road Test		I	I	I	I	I	I	I	I	I	I	I			

* Where fitted
 # where grease nipples are fitted.

Customer Signature

Date

Technician Signature

I hereby confirm that all items have been checked and rectified where required.

Attach one copy to Customer's Invoice
 Attach one copy to Job Card

Updated. Oct 2022
Document No. 4JK1/4JJ1- 2.5/3.0

Corrosion Inspection Sheet
TF Series (RT) Single Cab



PLEASE NOTE: Copy to be attached to Job Card

Job Card No. Date: Model:

Customer Name: Km.: VIN :

Service Consultant name: Technician name:

Bodywork Inspection

Vehicle OK

Yes No

Vehicle Repaired

Yes No

Accident / Bodywork damage
repaired to factory standard

Yes No

Comments _____

DEALER'S STAMP





AND

SIGNATURE

MARK TEST RESULTS USING RELEVANT SYMBOL

- STONE THROW
- DENT / BUMP
- BODYWORK DAMAGE
- + SCRATCH
- # PAINTWORK DAMAGE
- ▶ SEAL UNDERBODY

THE DIAGRAM IS REPRESENTATIVE OF ALL MODEL SERIES



Corrosion Inspection Sheet
TF Series (RT) Extended Cab



PLEASE NOTE: Copy to be attached to Job Card

Job Card No. Date: Model:

Customer Name: Km.: VIN :

Service Consultant name: Technician name:

Bodywork Inspection

Vehicle OK

Yes No

Vehicle Repaired

Yes No

Accident / Bodywork damage
repaired to factory standard

Yes No

Comments _____

DEALER'S STAMP





AND

SIGNATURE

MARK TEST RESULTS USING RELEVANT SYMBOL

- STONE THROW
- DENT / BUMP
- BODYWORK DAMAGE
- + SCRATCH
- # PAINTWORK DAMAGE
- ▶ SEAL UNDERBODY

THE DIAGRAM IS REPRESENTATIVE OF ALL MODEL SERIES



Corrosion Inspection Sheet
TF Series (RT) Double Cab



PLEASE NOTE: Copy to be attached to Job Card

Job Card No. Date: Model:

Customer Name: Km.: VIN :

Service Consultant name: Technician name:

Bodywork Inspection

Vehicle OK

Yes No

Vehicle Repaired

Yes No

Accident / Bodywork damage repaired to factory standard

Yes No

Comments _____

DEALER'S STAMP

AND

SIGNATURE

MARK TEST RESULTS USING RELEVANT SYMBOL

- STONE THROW
- DENT / BUMP
- BODYWORK DAMAGE
- + SCRATCH
- # PAINTWORK DAMAGE
- ▶ SEAL UNDERBODY

THE DIAGRAM IS REPRESENTATIVE OF ALL MODEL SERIES

