



# 10,000 km or 12 Months Service Schedule

TF Series (RT) - 2.4L (Z24SED) - Petrol



**PLEASE NOTE:**

1. Refer to the Service Interval Guideline by Country for the correct Interval by kilometers or months, whichever occurs first.
2. This Service Schedule will have preference over the Owner's Manual and Warranty & Service Guide (Refer to updated date).
3. Refer to the Warranty and Service Guide for Severe Driving Conditions.
4. Consult the Owner/Customer prior to any additional work being carried out as an additional cost will be charged for items not covered under warranty.

Job Card No. : .....	Date : .....	Model : .....
Customer Name : .....	VIN : .....	KM Reading : .....
Service Advisor : .....	Authorisation No: .....	Technician (Print) : .....

I = Inspection. After inspection clean and correct, or replace as necessary - R = Replace - L = Lubricate - A = Adjust

SERVICE INTERVAL EVERY	KMs (x 1000)	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	OK	NOT OK		
		(or months, whichever occurs first)																					
		Months	12	24	36	48	60	72	84	96	108	120	132	144	156	168	180	192	204			216	
Labour hrs.	1,5	1,5	2,3	1,5	1,5	2,5	1,5	1,5	2,3	1,5	1,5	2,5	1,5	1,3	2,3	1,5	1,5	2,5					
<b>ENGINE</b>	1 Engine Oil and Filter	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R			
	2 Fuel Filter	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R			
	3 Spark plugs	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R			
	4 Fuel leakage at tank, cap and pipes	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
	5 Air filter element (I & R) and all air cleaner hose fittings for tightness (I)	I	I	R	I	I	R	I	I	R	I	I	R	I	I	R	I	I	R	I	I	R	
	6 Timing belt and tensioner	I	I	R	I	I	R	I	I	R	I	I	R	I	I	R	I	I	R	I	I	R	
	7 All engine drive belts for tension and damage and check pulley condition	I	I	I	I	I	R	I	I	I	I	I	R	I	I	I	I	I	I	I	I	R	
	8 Run engine through operating range & check for excessive smoke	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	
	9 Coolant system for leaks (press. test radiator & cap)	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	
	10 Coolant concentration (50 % glycol) - (Record coolant freezing point on the job card)	I	I	I	I	R	I	I	I	I	R	I	I	I	I	R	I	I	I	I	I	I	
	11 Radiator core (check for foreign objects) and fan operation	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	
	12 Exhaust system for leaks and mountings for tightness or damage	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	
	13 All hoses & pipes in engine compartment for tightness or damage	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	
<b>SERVICE BRAKE</b>	14 Brake pedal function, travel and free play	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
	15 Brake fluid level	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
	16 Brake fluid	I	R	I	R	I	R	I	R	I	R	I	R	I	R	I	R	I	R	I	R		
	17 Front disc brake pads & discs for wear (Record thickness size of pads & discs on the job card)	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
	18 Handbrake linings & drums for wear (Record thickness size of shoes & drums on the job card)	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A		
19 Brake pipes & hoses for leaks, loose connections or damage	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
<b>CLUTCH</b>	20 Clutch pedal function, travel and free play & fluid leaks	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
	21 Clutch fluid level	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
	22 Clutch fluid	I	R	I	R	I	R	I	R	I	R	I	R	I	R	I	R	I	R	I	R		
<b>TRANSM. &amp; TRANS. CASE</b>	23 Manual transmission fluid-add 0.3 hrs	I	I	I	R	I	I	I	I	I	I	I	I	R	I	I	I	I	I	I	I		
	24 Transfer case fluid-add 0.2 hrs for replacement (4x4 only)	I	I	I	R	I	I	I	I	I	I	I	I	R	I	I	I	I	I	I	I		
<b>PROPSHAFT</b>	25 Prop shaft mounting and universal joints& sliding sleeve for looseness and excessive wear	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
<b>FRONT/ REAR AXLE</b>	26 Differential (Front* and Rear) oil - levels and leaks-add 0.3 hrs for 4x4	I	I	I	I	I	I	I	I	I	R	I	I	I	I	I	I	I	I	I	I		
	27 Shift on the fly	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
	28 All axle shaft and housing for distortion or damage	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
	29 Front drive axle CV joints, condition of rubber dust covers	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
<b>STEERING</b>	30 Steering wheel play and function	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
	31 Steering wheel turning radius	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
	32 Power steering oil level and leaks	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
	33 Power steering hose	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
	34 Steering rack and ball joint rubber boots	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
	35 Wheel alignment inspection (to be offered to customer)	Recommended every service-cost for customer's account																					

CONTINUED....



# 10,000 km or 12 Months Service Schedule

## TF Series (RT Programs) - 2.4L (Z24SED) - Petrol



### PLEASE NOTE:

1. Refer to the Service Interval Guideline by Country for the correct Interval by kilometers or months, whichever occurs first.
2. This Service Schedule will have preference over the Owner's Manual and Warranty & Service Guide (Refer to updated date).
3. Refer to the Warranty and Service Guide for Severe Driving Conditions.
4. Consult the Owner/Customer prior to any additional work being carried out as an additional cost will be charged for items not covered under warranty.

I = Inspection. After inspection clean and correct, or replace as necessary - R = Replace - L = Lubricate - A = Adjust

SERVICE INTERVAL EVERY			KMs (x 1000)	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160	170	180	OK	NOT OK	
(or months, whichever occurs first)			Months	12	24	36	48	60	72	84	96	108	120	132	144	156	168	180	192	204	216			
PARKING BRAKE	36	Parking brake function - lever travel & ratchet for damage		I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
	37	Parking brake cables for looseness or damage		I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
CHASSIS & SUSPENSION	38	Suspension front & rear - strut rubbers,bushes,tie-rod ends & link arms		I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
	39	Shock absorbers for leaks and looseness		I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
	40	Leaf/coil springs for damage		I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
	41	Cab mountings for looseness and damage		I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
WHEELS	42	Tyre Pressure - Check and correct (incl. spare wheel)		I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
	43	Inspect tyres & rims for damage (incl. spare wheel)		I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
	44	Wheel bearing (front & rear) - Inspect for bearing play		I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
	45	Rotate tyres & torque wheel nuts as per specification-Refer Bulletin GEN-2015-09		T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T		
	46	Front wheel bearing grease and oil seal - Add 1.1 hrs for replacement (4x2)		I	I	I	R	I	I	I	I	R	I	I	I	I	R	I	I	I	I			
47	Front wheel and needle bearing grease and oil seal - Add 2.8 hrs for replacement (4x4)		I	I	I	R	I	I	I	I	R	I	I	I	I	R	I	I	I	I				
ELECTRICAL EQUIPMENT	48	Vehicle systems - Check all ECUs for DTCs & reset service interval*		I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
	49	Extract DRM data & generate VDAS REPORT- Refer Bulletin 2304261630TRA0 – SB2309		Attach report to Job Card at every service interval																				
	50	Starter and alternator function / output		I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
	51	Battery electrolyte level and specific gravity*		I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
	52	Check operation of all lights, hooter, instruments, a/c, radio, wiper blades & washers		I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
	53	Remote key battery*		Replace every 24 months.																				
54	Airbag system and Airbag warning light, visual inspection		I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
BODY	55	Seatbelts function and damage		I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
	56	Inspect chassis and body for corrosion - Complete Inspection Sheet		Attach copy of Sheet to Job Card at every service interval																				
	57	Bolts and nuts on chassis and body		I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
	58	Door, Bonnet, locks and door restraints to Check/Adjust/Clean/Lubricate		I	L	I	L	I	L	I	L	I	L	I	L	I	L	I	L	I	L	I		
	59	Tail gate links		I	L	I	L	I	L	I	L	I	L	I	L	I	L	I	L	I	L	I		
	60	Pollen filter*		I	R	I	R	I	R	I	R	I	R	I	R	I	R	I	R	I	R	I		
61	Air conditioner drain pipe		I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
SAFETY	62	Check for open RECALLS or SERVICE CAMPAIGNS		Attach copy of IVH to Job Card at every service interval																				
TESTING	63	Road Test		I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			

\* where fitted

Customer Signature

Date

I was informed of the service cost & additional items that needs attention.

Attach one copy to Customer's Invoice

Attach one copy to Job Card

Technician Signature

I hereby confirm that all items have been checked and rectified where required.

Updated.

Oct 2023

Document No.

CKD / ISUZU  
2.4 Petrol

**Corrosion Inspection Sheet**  
**TF Series (RT) Single Cab**



**PLEASE NOTE:** Copy to be attached to Job Card

Job Card No. .... Date: ..... Model: .....

Customer Name: ..... Km.: ..... VIN : .....

Service Consultant name: ..... Technician name: .....

**Bodywork Inspection**

Vehicle OK

Yes  No

Vehicle Repaired

Yes  No

Accident / Bodywork damage repaired to factory standard

Yes  No

Comments \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

DEALER'S STAMP




AND

SIGNATURE

**MARK TEST RESULTS USING RELEVANT SYMBOL**

- STONE THROW
- DENT / BUMP
- BODYWORK DAMAGE
- + SCRATCH
- # PAINTWORK DAMAGE
- ▶ SEAL UNDERBODY

THE DIAGRAM IS REPRESENTATIVE OF ALL MODEL SERIES



**Corrosion Inspection Sheet**  
**TF Series (RT) Double Cab**



**PLEASE NOTE:** Copy to be attached to Job Card

Job Card No. .... Date: ..... Model: .....

Customer Name: ..... Km.: ..... VIN : .....

Service Consultant name: ..... Technician name: .....

**Bodywork Inspection**

Vehicle OK

Yes  No

Vehicle Repaired

Yes  No

Accident / Bodywork damage  
repaired to factory standard

Yes  No

Comments \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

DEALER'S STAMP

AND

SIGNATURE

**MARK TEST RESULTS USING RELEVANT SYMBOL**

- STONE THROW
- DENT / BUMP
- BODYWORK DAMAGE
- + SCRATCH
- # PAINTWORK DAMAGE
- ▶ SEAL UNDERBODY

THE DIAGRAM IS REPRESENTATIVE OF ALL MODEL SERIES

