

15,000 km or 12 Months Service Schedule ISUZU D-MAX (RG 06) 1.9L (RZ4E) & 3.0L (4JJ3) - Diesel



- 1. Refer to the Service Interval Guideline by Country for the correct Interval by kilometers or months, whichever occurs first.
- 2. This Service Schedule will have preference over the Owner's Manual and Warranty & Service Guide (Refer to updated date).

٠.	rioror to the rranding	and contico caido i	or covere briting condition	··		
4	Conquit the Owner/Cu	otomor prior to only	dditional work baing carries	l out as an additional cost will be	a abargad for itama not ague	rod under warranty

Job Card No.: Date :						Mod	del :										
Customer Nan	ustomer Name: VIN :								:								
Service Advis	or :	Autho	risation No:			Tec	hnic	ian (Prin	t) :							
I = Inspection-a	after ins	spection clean and correct, or replace as necessary	SERVICE INTERVAL every KMs (x1000)	15	30	45	60	75	90	105	120	135	150	165	180		
R = Replace	A = A	djust T = Torque	or MONTHS, whichever occurs first	12	24	36	48	60	72	84	96	108	120	132	144		
L = Lubricate			Labour hrs.		1,5		1,5			1,8		1,4	1,8	1,4	1,5	ок	NOT OK
	2	Engine Oil and Filter Fuel filter		R R	R R	R R	R R	R R	R R	R R	R R	R R	R R	R R	R R		
	3	Fuel sedimentor for presence of water		I	I	ı			ı	I	ı	ı	ı		ı		
	4	Fuel leakage at tank, cap and pipes		Ī	Ī	İ	İ	ı	İ	İ	İ	i	i	Ì	İ		
	5	Air filter element (I & R) and all air cleaner hose fitme	nts for tightness (I)	ı	R	I	R	ı	R	I	R	-	R	Ι	R		
	6	Valve clearances - add 1.3 hrs for 4JJ3		-	-	-	Α	-	-	-	Α	-	-	-	Α		
ENGINE	7	All engine drive belts for tension and damage and che		!	!	<u> </u>	1	- 1	<u> </u>	Ι.	1				1		
	8	Run engine through operating range & check for exce						-	-		<u> </u>				+		
-	9	Coolant system for leaks (press. test radiator & cap) Coolant concentration (50% glycol) - (Record coolant	, ,		+	<u> </u>		R	-			1	l R	1	+		
	11	Radiator core (check for foreign objects) and fan ope	, ,	İ	İ	÷	÷	1	H	÷	÷	÷	I	÷	÷		
	12	Exhaust system for leaks and mountings for tightness		i	i	İ	İ	ı	i	ı	i	Ť	Ť	Ť	i		
	13	All hoses & pipes in engine compartment for tightness		ı	ı	ı	I	- 1	ı	ı	ı	-	I	I	- 1		
	-	-	-	-	-	-	_	ı	ı	_	- 1	- 1					
SERVICE	15	Brake fluid		I	R	ı	R	ı	R	I	R	-	R	- 1	R		
BRAKE	16	Front disc brake pads & discs for wear - (Record thick		10.0	10.4	10.4	10.4	10.4	10.4	10.4	10.4	10.4	10.4	10.4	10.4		
-	17 18	Rear brake linings & drums for wear - (Record thickney Brake pipes & hoses for leaks, loose connections or or	•	I&A I	I&A I	I&A I	I&A	I&A	I&A	I&A	I&A I	I&A I	I&A	I&A	I&A		
	19	Clutch pedal function, travel and free play & fluid leak	•	÷	-	Ė	-	-	÷	i	÷	÷	÷	÷			
CLUTCH	20	Clutch fluid * - add 0.1 hrs for replacement		- 1	R	- 1	R	1	R	1	R	1	R	1	R		
TRANS. &	21	Manual transmission fluid * - add 0.2 hrs for replace	ment	R	-1	-1	R	1	-1	R	-1	-1	R	1	-1		
TRANSFER	22	Automatic transmission check for leaks * - add 0.31 h		_	_	1	1	1	-	1	- 1	R	-	-	- 1		
CASE	23	Transfer case fluid * - add 0.15 hrs for replacement	on 4x4	R	-	1	R		Ξ.	R	1	1	R	_	1		
PROPSHAFT	24 25	Universal joints & sliding sleeve Prop shaft mounting and universal joints & sliding sle	ave for looseness and excessive wear	L	L	L	L	L	L	L	L	L	L	L	L		
	26	Front axle fluid *- add 0.1 hrs for replacement on 42		R		-	-	-		R			Ė		i		
	27	Shift on the fly fluid*- add 0.1 hrs for replacement o		R	÷	Ť	Ť	Ť	Ť	R	÷	Ť	Ť		i		
FRONT/	28	Rear axle fluid - level & leaks		1	1	Ι	Ι	ı	Ι	R	I	_	_	- 1	Ι		
REAR AXLE	29	Shift on the fly & rear diff lock operation test *		1	1	_	_	- 1	_	_	ı		_	-			
	30	All axle shaft and housing for distortion or damage			<u> </u>	1	 	1	1	1			<u> </u>		1		
	31 32	Front drive axle CV joints, condition of rubber dust covers Steering wheel play and function						-	<u> </u>		<u> </u>	1	_		1		
	33	Power steering fluid * - add 0.3 hrs for replacement		_	-	-	R			-	R			_	R		
STEERING	34	Power steering pump, hoses, fittings and connections		Ī	Ī	Ι	_	ı	ı	Ι	- 1		Ī	Ī	ı		
	35	Steering rack and ball joint rubber boots	·	Ι	Ι	ı	Ι	ı	ı	ı	ı	-	Ι	I	- 1		
	36	Wheel alignment inspection (to be offered to custome	er)	Re	comr	nend	ed ev	ery s	ervice	e-cos	t for o	custo	mer's	acco	unt		
PARK BRAKE	37	Parking brake function	1.011.1			<u> </u>		<u> </u>	<u> </u>	<u> </u>							
	38 39	Suspension front & rear - strut rubbers,bushes,tie-rod Shock absorbers for leaks and looseness	ends & link arms	<u> </u>	<u> </u>	<u> </u>	<u> </u>	-	<u> </u>	!	-	+	+	+	-		
CHASSIS &	40	Leaf/coil springs for damage			<u> </u>	<u> </u>	÷	+	<u> </u>	<u> </u>	i	÷	÷	÷	÷		
SUSPENSION	41	Leaf spring anti-friction (rubbers) - replacement for cu	stomer's account	Ī	Ī	Ī	İ	Ī	i	Ī	ı	i	i	İ	İ		
	42	Tightness of bolts and nuts on chassis and body.		Ι	Ι	ı	ı	- 1	ı	- 1	-	ı	ı	- 1	- 1		
	43	Cab mountings for looseness and damage		Ι	Ι	1	1	- 1	1	1	-	1	1	1	-1		
	44	Tyre Pressure - Check and correct (incl. spare wheel)				-		-	-	-	!		H-		+		
WHEELS	45 46	Inspect tyres & rims for damage (incl. spare wheel) Rotate tyres (if required) & torque wheel nuts as per	specification-Refer Bulletin GEN-2015-09	T	T	T	T	T	T	T	T	Ť	÷	T	T		
	47	Wheel bearing (front & rear) - Inspect for bearing play		÷	÷	H	÷	i	H	Ė	i	Ė	Ė	÷	il		
	48	Vehicle systems - Check all ECUs for DTCs & reset s		ı	ı	ı	Ι	- 1	ı	Ι	ı	Т	Т	Т	Т		
	49	Extract DRM data & generate VDAS REPORT- Refer	Bulletin 2304261630TRA0 - SB2309		Atta	ch re	port to	o Job	Card	d at e	very :	servio	e inte	erval			
ELECTRICAL	50	Alternator output test (charging output voltage with al	loads ON = 13.8V - 14.5V)	1	1	1	1	- 1	1	1	- 1	1	1	- 1	1		
EQUIPMENT	51	Battery electrolyte level and load test	anditional and a minor blodge 0 modern							<u> </u>					-		
	52 53	Check operation of all lights, hooter, instruments, air Remote key battery *	conditioner, radio, wiper blades & washers	-	R	-	R	-	R	-	R	-	R	-	R		
	54	Airbag system and Airbag warning light, visual inspec	tion	-	I.	1	I	<u>-</u>	I	-	I	1	I	-	r\		
	55	Seatbelts function and damage		-	Ī	İ	Ι	İ	İ	Ι	İ	İ	İ	Τ	İ		
	56	Inspect chassis and body for corrosion - complete ins	pection sheet	Att	ach c	ору с	of She	et to	Job (Card	at ev	ery se	ervice	inte	val		
BODY	57	Door, tailgate and hood lock/striker to Check/Adjust/0	Clean/Lubricate if required	Ī	Ī	Ī	Ι	Ī	Ī	ı	I	ı	Ī	Ī	Τ		
	58	Pollen filter	-		R	1	R	1	R		R	1	R		R		
CAEETV	59	Air conditioner drain pipe for drainage	,	I At	tach		of IV	l H to	loh C	ard a	t eve	TV CC	rvice	intor	l In		
SAFETY TESTING	60 61	Check for open RECALLS or SERVICE CAMPAIGNS Road test		I	ıacıı	ι	OI IV	1 10 3	_	ard a	I eve	ry se	VICE	ıııter\	aı I		
		Road test							<u>'</u>						- '		

Customer Signature

Technician Signature

Document No. 4JJ3 - 3.0

Issue date

I hereby confirm that all items have been checked and and rectifed where required.

^{**} where grease nipples are fitted.



15,000 km or 12 Months Service Schedule ISUZU D-MAX (RG 06) 1.9L (RZ4E) & 3.0L (4JJ3) - Diesel



- PLEASE NOTE:
- 1. Refer to the Service Interval Guideline by Country for the correct Interval by kilometers or months, whichever occurs first.
- 2. This Service Schedule will have preference over the Owner's Manual and Warranty & Service Guide (Refer to updated date).
- 3. Refer to the Warranty and Service Guide for Severe Driving Conditions.

4. Consult the Owner/Customer	nrior to on	additional work bain	a corried out on or	additional aget will be	a abargad for itam	a not covered under werrents
4. Consult the Owner/Customer	prior to any	additional work bein	g camed out as ar	i addilionai cost wiii de	e charged for item	is not covered under warranty.

Job Card No.: Date :							del :										
Customer Name:																	
Service Adviso	or :	Autho	risation No:			Tec	hnic	ian (Prin	t) : .							
I = Inspection-a	after ins	spection clean and correct, or replace as necessary	SERVICE INTERVAL every KMs (x1000)	195	210	225	240	255	270	285	300	315	330	345	360		
R = Replace	A = A	djust T = Torque	or MONTHS, whichever occurs first	156	168	180	192	204	216	228	240	252	264	276	288		
L = Lubricate	C = Cl	ean	Labour hrs.	1,4	1,8	1,7	1,5	1,4	1,5	1,4	1,7	1,7	1,5	1,4	1,5	ок	NOT OK
-		Engine Oil and Filter		R	R	R	R		R	R	R	R	R	R	R		
-	2	Fuel filter Fuel sedimentor for presence of water		R	R	R	R	R	R	R	R	R	R	R	R		
-		Fuel leakage at tank, cap and pipes		<u> </u>	H	Ϊ́	<u> </u>	i	i	H	<u> </u>	<u> </u>	H		1		
-		Air filter element (I & R) and all air cleaner hose fitme	ents for tightness (I)	i	R	Ť	R	İ	R	İ	R	i	R	İ	R		
	6	Valve clearances - add 1.3 hrs for 4JJ3	, in the second	-	-	-	Α	-	-	-	Α	-	-	-	Α		
ENGINE		All engine drive belts for tension and damage and ch		_	I	I	1	ı	ı	- 1	I	- 1	- 1	ı	- 1		
-		Run engine through operating range & check for exce			1	1	1	-	-	- 1	I	-	- 1	-	ı		
-	9	Coolant system for leaks (press. test radiator & cap)	, ,		<u> </u>	1	<u> </u>	<u> </u>	<u> </u>	I !	1	<u> </u>	I !	<u> </u>			
-	10 11	Coolant concentration (50% glycol) - (Record coolant		-	1	R				-	R	- 1	-	-			
-	12	Radiator core (check for foreign objects) and fan ope Exhaust system for leaks and mountings for tightness		<u> </u>	+	÷	<u> </u>			<u> </u>	1			+	+		
-		All hoses & pipes in engine compartment for tightness	0	÷	Ė	Ħ	i	i	i	Ė	i	i	Ė	Ė	i		
		Brake pedal function, travel and free play	o or damage	Ť	Ė	Ė	i	İ	İ	i	i	i	i	İ	İ		
SERVICE		Brake fluid		ı	R	T	R	I	R	I	R	I	R	I	R		
BRAKE	16	Front disc brake pads & discs for wear - (Record thic	kness size of pads & discs on the job card)	-	I	I	I	ı	ı	I	I	I	I	ı	ı		
DIVAILE	17	Rear brake linings & drums for wear - (Record thickn	ess size of shoes & drums on the job card)	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A		
18 Brake pipes & hoses for leaks, loose connections or damage								1	1	1	1	-	1	1	Ι.		
CLUTCH		Clutch pedal function, travel and free play & fluid leak	SS .	-		1	1	-1	-	- 1	-	-	-	_	-		
TRANS. &	20 21	Clutch fluid * - add 0.1 hrs for replacement Manual transmission fluid * - add 0.2 hrs for replace	mont	R	R	-	R R	H	R	l R	R	+	R R	H	R		
TRANSFER	22	Automatic transmission check for leaks * - add 0.31 l			÷			H	R	T	÷	÷	Ī	H	÷		
CASE	23	Transfer case fluid * - add 0.15 hrs for replacement		R	Ť	Ť	R	Ť	ï	R	Ť	Ť	R	Ť	$\dot{}$		
PROPSHAFT	24	Universal joints & sliding sleeve		L	L	L	L	L	L	L	L	L	L	L	L		
PROFSHAFT	25	Prop shaft mounting and universal joints& sliding slee		ı	I	ı	ı	ı	ı	I	ı	ı	I	ı	ı		
-	26	Front axle fluid *- add 0.1 hrs for replacement on 4:		R	1	1	1	1	1	R	1	1	1	1	1		
EDON'T!	27	Shift on the fly fluid*- add 0.1 hrs for replacement o	n 4x4	R		1	4			R	ļ.	(ļ.		_		
FRONT/ REAR AXLE	28 29	Rear axle fluid - level & leaks Shift on the fly & rear diff lock operation test *		1	R	<u> </u>	<u> </u>		1	1	I	R	<u> </u>		<u> </u>		
KLAK AXLL	30	All axle shaft and housing for distortion or damage			i i	H	<u> </u>	i	i	i	i	+		<u> </u>			
-	31	Front drive axle CV joints, condition of rubber dust co	vers	Ė	Ė	Ħ	Ė	i	i	i	i	i	i	i	İ		
	32	Steering wheel play and function		ı	I	T	ı	I	I	I	I	I	I	I	I		
	33	Power steering fluid * - add 0.3 hrs for replacement		-	-1	- 1	R	- 1	- 1	- 1	R	-1	- 1	1	R		
STEERING	34	Power steering pump, hoses, fittings and connections	s - inspect for cracks and leaks *	1	1	1		-	-	1	1	- 1	1	- 1	-		
-	35	Steering rack and ball joint rubber boots		_		<u> </u>		<u> </u>		<u> </u>	1 1			<u> </u>			
PARK BRAKE	36 37	Wheel alignment inspection (to be offered to custome Parking brake function	er)	I RE	com	nena	ea ev	ery s	ervic	e-cos	it for e	custo	mers	acco	unt		
FARR BRAKE	38	Suspension front & rear - strut rubbers, bushes, tie-roo	ends & link arms	<u> </u>	ΗĖ	ΗĖ	i	i	i	ΗĖ	Ė	i	Ė	i	÷		
		Shock absorbers for leaks and looseness			Ī	Ť	Ī	Ī	Ī	Ī	Ī	Ī	Ī	ı	ı		
CHASSIS &		Leaf/coil springs for damage		ı	1	I	ı	ı	ı	I	I	- 1	I	ı	ı		
SUSPENSION	41	Leaf spring anti-friction (rubbers) - replacement for cu	istomer's account	_	I	I	1	- 1	- 1	Ι	ı	- [Ι	- 1	ı		
-	42	Tightness of bolts and nuts on chassis and body.		1	1	1	L	1	1	1	1	-1	1	- 1	- 1		
	43	Cab mountings for looseness and damage			<u> </u>	L Ł	<u> </u>	!	!	<u> </u>	!	!	!	<u> </u>			
-	44 45	Tyre Pressure - Check and correct (incl. spare wheel Inspect tyres & rims for damage (incl. spare wheel))	-	<u> </u>	H		!	!	!	!		!	-	<u> </u>		
WHEELS	46	Rotate tyres (if required) & torque wheel nuts as per	specification-Refer Bulletin GEN-2015-09	T	Ť	T	T	T	T	T	T	T	T	T	T		
-	47	Wheel bearing (front & rear) - Inspect for bearing play		Ť	Ė	Ė	i	İ	İ	İ	İ	i	i	Ī	İ		
	48	Vehicle systems - Check all ECUs for DTCs & reset		ı	I	T	ı	I	I	I	I	ı	I	I	I		
	49	Extract DRM data & generate VDAS REPORT- Refe	r Bulletin 2304261630TRA0 - SB2309		Atta	ch re	port t	o Job	Card	d at e	very	servi	ce int	erval			
ELECTRICAL	50	Alternator output test (charging output voltage with al	I loads ON = 13.8V - 14.5V)	1	1	1	L	1	1	1	1	-1	1	- 1	- 1		
EQUIPMENT	51	Battery electrolyte level and load test	anditional malia mineral lada o o o	<u> </u>	<u> </u>	H	1	<u> </u>	<u> </u>	1	<u> </u>	<u> </u>	H.	<u> </u>	1		
-		Check operation of all lights, hooter, instruments, air	conditioner, radio, wiper blades & washers			<u> </u>	1	-	I	ı	ı	ı	ı	- 1	_		
-	53 54	Remote key battery * Airbag system and Airbag warning light, visual inspec	etion	-	R	-	R	-	R	-	R	- I	R	- I	R		
	55	Seatbelts function and damage	, , , , , , , , , , , , , , , , , , ,	_	÷	÷	H	<u>'</u>	<u>'</u>	<u> </u>	<u> </u>	<u>'</u>	<u> </u>	<u> </u>	<u> </u>		
-	56	Inspect chassis and body for corrosion - complete ins	spection sheet	Att	ach c	ору с	of She	et to	Job	Card	at ev	ery s	ervice	e inte	rval		
BODY	57	Door, tailgate and hood lock/striker to Check/Adjust/0		Ι	L I	Ľί	ı	ı	ı	Ι	L	Ĺ	Ι	L	ı		
	58	Pollen filter		I	R	1	R	1	R	- 1	R	1	R	-	R		
	59	Air conditioner drain pipe for drainage		Ī	Ī	Ī	I	Ī	Ī	Ī	Ī	Ī	Ī	Ī	Ī		
SAFETY	60	Check for open RECALLS or SERVICE CAMPAIGNS	5	A.	ttach	copy	of IV	H to	Job C	ard a	at eve	ry se	rvice	inter	/al		
TESTING	61	Road test					<u> </u>					I					

I was informed of the service cost & additional items that needs attention.

Customer Signature Date

Technician Signature

I hereby confirm that all items have been checked and and rectifed where required.

Issue date
Oct 2023

Document No.

RZ4E - 1.9 4JJ3 - 3.0

^{*} Where fitted

^{**} where grease nipples are fitted.



15,000 km or 12 Months Service Schedule ISUZU D-MAX (RG 06) 1.9L (RZ4E) & 3.0L (4JJ3) - Diesel



- 1. Refer to the Service Interval Guideline by Country for the correct Interval by kilometers or months, whichever occurs first.
- 2. This Service Schedule will have preference over the Owner's Manual and Warranty & Service Guide (Refer to updated date).
- 3. Refer to the Warranty and Service Guide for Severe Driving Conditions.

stomer prior to any additional work being carried out as an additional cost will be charged for items not covered un	nder warranty.

Job Card No.: Date :							Model :									
stomer Name:VIN :								KM Reading:								
Service Advisor :																
		, , ,														
C = Cl	ean	Labour hrs.	1,6	1,5	1,4	1,8	1,4	1,8	1,4	1,5	1,4	1,5	2	1,5	ок	NOT OK
1	Engine Oil and Filter		R	R	R	R	R	R	R	R	R	R	R	R		
2	Fuel filter		R	R	R	R		R	R	R	R	R	R	R		
			1	1	+	<u> </u>		+			<u> </u>	1	<u> </u>	<u> </u>		
		nts for tightness (I)	i		i		H		i		Ė	R	Ė	R		
6	Valve clearances - add 1.3 hrs for 4JJ3		-	-	-	Α	-	-	-	Α	-	-	-	Α		
7	Š		1	- 1	1	_			1	1	1	1	1	1		
			-			-		<u> </u>			<u> </u>		<u> </u>			
				H		-		P	-		+	+		+		
			I	-		÷	÷	I	H	H	H	i	ı	÷		
12			Ī	1	i	Ī	Ī	Ť	ı	ı	Ī	Ī	Ī	Ī		
13	All hoses & pipes in engine compartment for tightness	s or damage	ı	ı	ı	-	Ι	-	ı	ı	ı	ı	ı	ı		
14 Brake pedal function, travel and free play							Ι	- 1	ı	ı	Ι	ı	Ι	Ι		
				R	<u> </u>	R	!	R	<u> </u>		<u> </u>	R	<u> </u>	R		
			12 /	18 7	19 /	18 7	19 /	19 /	19.0		19.0	19 /	19.0	18 V		
		•		I	I						I	I	I	I		
19			İ	1	i	Ī	İ	Ť	i	i	İ	Ť	İ	İ		
20	Clutch fluid * - add 0.1 hrs for replacement		-	R	1	R	1	R	- 1	R	- 1	R	- 1	R		
21	<u>.</u>		R	1	1	R	-1	- 1	R	-1	-1	R	-1	1		
				+	R	_	+		1	+		-		R		
	·	on 4x4		_	<u> </u>			-			-			_		
25	-	eve for looseness and excessive wear	Ī	Ī	ī	ī	Ī	Ť	Ī	Ī	ī	Ī	ī	Ī		
26			R	1	-1	- 1	1	- 1	R	- 1	- 1	- 1	- 1	- [
27		n 4x4	R	1	1	-	- 1	- 1	R	-	- 1	- 1	- 1	- 1		
28				1	<u> </u>				<u> </u>	<u> </u>	<u> </u>	!		<u> </u>		
								÷		<u> </u>	<u> </u>	<u> </u>		+		
		vers		-		_					-	-				
32	Steering wheel play and function		Ī	1	Ī	ı	Ī	Ī	Ī	Ī	Ī		Ī	Ī		
33			- [1	- [R	- 1	- 1	- 1	R	- 1	- [- 1	R		
34						-	1	1	1	1	ı	1	ı	1		
		-1		00000			-	l ondo		t for a	l	 	1	l		
	·	11)	I	I	_		<u> </u>	I	3-COS	1	Justoi	IIEI S	ı	ı		
38	· ·	ends & link arms	İ	Ī	i	i	İ	Ť	i	i	Ì	İ	Ì	İ		
39	Shock absorbers for leaks and looseness		ı	- 1	-	-	_	-	ı	ı	ı	-	ı	Ι		
40	Leaf/coil springs for damage		1	I	1	1	1	1			1	1	1	1		
							-	+			<u> </u>	-				
			-	÷	÷		÷	_	_	÷	+	÷	÷			
44	ŭ v		i	1	i	İ	i	Ť	i	i	Ť	i	İ	İ		
45	Inspect tyres & rims for damage (incl. spare wheel)		ı	- 1	-	_	-	ı			_	ı	_	Ι		
46			T	T	T	T	Т	T	T	T	T	T	T	T		
	, , ,		+	1	<u>+</u>	+		÷	<u> </u>	<u> </u>	<u> </u>	+	<u> </u>			
			-	Atta	h re	nort t		Card	l at e	verv	servio	e int	erval	ı		
50			Ι	1	I	I	1	I	1	ı	1	I	1	Ι		
51	Battery electrolyte level and load test	,	ı	- 1	ı	I	Ι	ı	ı	ı	1	ı	1	I		
52		conditioner, radio, wiper blades & washers	ı	- 1	- 1	-	ı	-	ı	ı	ı	١	ı	ı		
53	Remote key battery *	<i>4</i> :	-	R	-	R	-	R	-	R	-	R	-	R		
		tion	1	1	1	<u> </u>		+	_	<u> </u>	+	-	+	<u> </u>		
	ÿ	pection sheet	Att	ach c	ו י עמט	of She		Joh (at ev	erv s	ervice	inte	rval		
57				1	ا	1	1	1	I	1	J. J 3	1	1			
58	Pollen filter	. **	Ī	R		R	Ī	R		R		R		R		
59	Air conditioner drain pipe for drainage		Ι	I	Ī	I	Ι	Ī	I	ı	Ī	Ī	Ι			
60	·		At				_	_			_		inter	/al		
		ı		1		1		<u> </u>	<u> </u>	<u> </u>	1	<u> </u>	I			
	ne: or : after ins A = A C = CI 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 24 25 26 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 55 56 57 58 60 61	or:	after inspection clean and correct, or replace as necessary Authorisation No: Authorisation No: Authorisation No: Authorisation No: SERVICE INTERVAL every KMs (x1000) or MONTHS, whichever occurs first Labour hrs. 1 Engine Oil and Filter 2 Fuel filter 3 Fuel sedimentor for presence of water 4 Fuel leakage at tank, cap and pipes 5 Air filter perferent (il & R) and all air cleaner hose filterness (il) 4 Fuel leakage at tank, cap and pipes 5 Air filter perferent (il & R) and all air cleaner hose filterness (il) 4 Salve declarances- add 1.3 hrs for 4JJ3 7 All engine through operating range & check for excessive smoke 9 Coolant system for leaks press, sets andiator & cap) & check coolant concentration (60% glycol) 10 Coolant concentration (65% glycol) - (Record coolant freezing pions on the job card) 11 Rediator one check for foreign objects) and free pration 12 Exhaust system for leaks and mountings for tightness or damage 13 All hoses & pipes in engine compartment for tightness or damage 14 Brake potal function, travel and free play 15 Brake fluid 16 Front disc brake pads & discs for wear - (Record thickness size of pads & discs on the job card) 17 Rear brake linings & drums for wear - (Record thickness size of shoes & drums on the job card) 18 Brake pipes & hoses for leaks, loose connections or damage 19 Clutch pedal function, travel and free play & fluid leaks 19 Clutch pedal function, travel and free play & fluid leaks 19 Clutch pedal function, travel and free play & fluid leaks 20 Clutch fluid - add 0.1 hrs for replacement 21 Automatic transmission check for leaks - rad 0.31 hrs for replacement 22 Automatic transmission check for leaks - rad 0.31 hrs for replacement 23 Transfer case fluid - add 0.31 hrs for replacement 24 Authoriset sinks - said of 3 hrs for replacement 25 Prop sheft mounting and universal joints & sliding sleeve for looseness and excessive wear 26 Forth add fluid - said 0.4 hrs for replacement 27 Shift on the fly fluid - add 0.1 hrs for replacement 38 Supernsion front & rear - strut rub	Authorisation No:	or :	Authorisation No:	Authorisation No:	Authorisation No:	Authorisation No:	Authorisation No:	Authorisation No:	### Authorisation No: Technician (Print): ### Authorisation No: Tec	Technician (Print): A Adjust T = Torque	The interpretation clean and correct, or replace as necessary at the interpretation clean and correct, or replace as necessary at the interpretation clean and correct, or replace as necessary at the interpretation of the	Authorisation No: Authorisation No: Technician (Print) :	C = Clean Labour hrs. R R R R R R R R R R R R R R R R R R R

I was informed of the service cost & additional items that needs attention.

Customer Signature

Technician Signature

I hereby confirm that all items have been checked and and rectifed where required.

Issue date Document No.

4JJ3 - 3.0

^{**} where grease nipples are fitted.

Corrosion Inspection Sheet D-MAX (RG06) Single Cab



PLEASE NOTE: Copy to be attached to Job Card

Job Card No	Date:			Model:
Customer Name:	Km.:			VIN :
Service Consultant name:	Technician	n name:		
Bodywork Inspection				
Vehicle OK Comments				
Yes No				-
Vehicle Repaired				
Yes No				
			DEALER'S S	TAMP
Accident / Bodywork damage			AND	
repaired to factory standard				
Yes No			SIGNATU	JRE
MARK TEST R	ESULTS	USING RELEVAN	IT SYMBO	OL .
STONE THROW	_	ENT / BUMP		BODYWORK DAMAGE
+ SCRATCH		AINTWORK DAMAGE		SEAL UNDERBODY
THE DIAGRAN	I IS REPRESE	ENTATIVE OF ALL MODE	EL SERIES	
	P			
			, a,, o,	

Corrosion Inspection Sheet D-MAX (RG06) Extended Cab



PLEASE NOTE: Copy to be attached to Job Card

Model:
DEALER'S STAMP
DEALER'S STAMP
AND
SIGNATURE
S USING RELEVANT SYMBOL
DENT / BUMP BODYWORK DAMAGE
PAINTWORK DAMAGE SEAL UNDERBODY SENTATIVE OF ALL MODEL SERIES
All III

Corrosion Inspection Sheet D-MAX (RG06) Double Cab



PLEASE NOTE: Copy to be attached to Job Card

Job Card No	Date:			Model:
Customer Name:	Km.:			VIN :
Service Consultant name:	Technician	name:		
Bodywork Inspection				
Vehicle OK Comments				
Yes No				
Vehicle Repaired				
Yes No			DEALER'S S	TAMP
Accident / Bodywork damage			AND	
repaired to factory standard				
Yes No			SIGNATU	JRE
MARK TEST R	ESULTS U	SING RELEV	ANT SYMB	OL
STONE THROW	O DEN	T/BUMP		BODYWORK DAMAGE
			_	
+ SCRATCH		NTWORK DAMAGE TATIVE OF ALL MO	•	SEAL UNDERBODY