



# 15,000 km or 12 Months Service Schedule

## ISUZU D-MAX (RG 06) 1.9L (RZ4E) & 3.0L (4JJ3) - Diesel

**PLEASE NOTE:**

1. Refer to the Service Interval Guideline by Country for the correct Interval by kilometers or months, whichever occurs first.
2. This Service Schedule will have preference over the Owner's Manual and Warranty & Service Guide (Refer to updated date).
3. Refer to the Warranty and Service Guide for Severe Driving Conditions.
4. Consult the Owner/Customer prior to any additional work being carried out as an additional cost will be charged for items not covered under warranty.

**Job Card No.:** ..... **Date :** ..... **Model :** .....

**Customer Name:** ..... **VIN :** ..... **KM Reading:** .....

**Service Advisor :** ..... **Authorisation No.:** ..... **Technician (Print) :** .....

	I = Inspection-after inspection clean and correct, or replace as necessary R = Replace    A = Adjust    T = Torque L = Lubricate    C = Clean	SERVICE INTERVAL every KMs (x1000) or MONTHS, whichever occurs first Labour hrs.	15	30	45	60	75	90	105	120	135	150	165	180	OK	NOT OK
			12	24	36	48	60	72	84	96	108	120	132	144		
			1,4	1,5	1,4	1,5	1,7	1,5	1,8	1,5	1,4	1,8	1,4	1,5		
<b>ENGINE</b>	1	Engine Oil and Filter	R	R	R	R	R	R	R	R	R	R	R	R		
	2	Fuel filter	R	R	R	R	R	R	R	R	R	R	R	R		
	3	Fuel sedimentor for presence of water	I	I	I	I	I	I	I	I	I	I	I	I		
	4	Fuel leakage at tank, cap and pipes	I	I	I	I	I	I	I	I	I	I	I	I		
	5	Air filter element (I & R) and all air cleaner hose fitments for tightness (I)	I	R	I	R	I	R	I	R	I	R	I	R		
	6	Valve clearances - add 1.3 hrs for 4JJ3	-	-	-	A	-	-	-	A	-	-	-	A		
	7	All engine drive belts for tension and damage and check pulley condition	I	I	I	I	I	I	I	I	I	I	I	I		
	8	Run engine through operating range & check for excessive smoke	I	I	I	I	I	I	I	I	I	I	I	I		
	9	Coolant system for leaks (press. test radiator & cap) & check coolant concentration (50% glycol)	I	I	I	I	I	I	I	I	I	I	I	I		
	10	Coolant concentration (50% glycol) - (Record coolant freezing point on the job card)	I	I	I	I	R	I	I	I	I	R	I	I		
	11	Radiator core (check for foreign objects) and fan operation	I	I	I	I	I	I	I	I	I	I	I	I		
	12	Exhaust system for leaks and mountings for tightness or damage	I	I	I	I	I	I	I	I	I	I	I	I		
	13	All hoses & pipes in engine compartment for tightness or damage	I	I	I	I	I	I	I	I	I	I	I	I		
<b>SERVICE BRAKE</b>	14	Brake pedal function, travel and free play	I	I	I	I	I	I	I	I	I	I	I	I		
	15	Brake fluid	I	R	I	R	I	R	I	R	I	R	I	R		
	16	Front disc brake pads & discs for wear - (Record thickness size of pads & discs on the job card)	I	I	I	I	I	I	I	I	I	I	I	I		
	17	Rear brake linings & drums for wear - (Record thickness size of shoes & drums on the job card)	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A		
<b>CLUTCH</b>	18	Brake pipes & hoses for leaks, loose connections or damage	I	I	I	I	I	I	I	I	I	I	I	I		
	19	Clutch pedal function, travel and free play & fluid leaks	I	I	I	I	I	I	I	I	I	I	I	I		
<b>TRANS. &amp; TRANSFER CASE</b>	20	Clutch fluid * - add 0.1 hrs for replacement	I	R	I	R	I	R	I	R	I	R	I	R		
	21	Manual transmission fluid * - add 0.2 hrs for replacement	R	I	I	R	I	I	R	I	I	R	I	I		
	22	Automatic transmission check for leaks * - add 0.31 hrs for replacement	I	I	I	I	I	I	I	I	I	R	I	I		
<b>PROPSHAFT</b>	23	Transfer case fluid * - add 0.15 hrs for replacement on 4x4	R	I	I	R	I	I	R	I	I	R	I	I		
	24	Universal joints & sliding sleeve	L	L	L	L	L	L	L	L	L	L	L	L		
	25	Prop shaft mounting and universal joints & sliding sleeve for looseness and excessive wear	I	I	I	I	I	I	I	I	I	I	I	I		
<b>FRONT/ REAR AXLE</b>	26	Front axle fluid * - add 0.1 hrs for replacement on 4x4	R	I	I	I	I	I	R	I	I	I	I	I		
	27	Shift on the fly fluid* - add 0.1 hrs for replacement on 4x4	R	I	I	I	I	I	R	I	I	I	I	I		
	28	Rear axle fluid - level & leaks	I	I	I	I	I	I	R	I	I	I	I	I		
	29	Shift on the fly & rear diff lock operation test *	I	I	I	I	I	I	I	I	I	I	I	I		
	30	All axle shaft and housing for distortion or damage	I	I	I	I	I	I	I	I	I	I	I	I		
<b>STEERING</b>	31	Front drive axle CV joints, condition of rubber dust covers	I	I	I	I	I	I	I	I	I	I	I	I		
	32	Steering wheel play and function	I	I	I	I	I	I	I	I	I	I	I	I		
	33	Power steering fluid * - add 0.3 hrs for replacement	I	I	I	R	I	I	I	R	I	I	I	R		
	34	Power steering pump, hoses, fittings and connections - inspect for cracks and leaks *	I	I	I	I	I	I	I	I	I	I	I	I		
	35	Steering rack and ball joint rubber boots	I	I	I	I	I	I	I	I	I	I	I	I		
<b>PARK BRAKE</b>	36	Wheel alignment inspection (to be offered to customer)	Recommended every service-cost for customer's account													
	37	Parking brake function	I	I	I	I	I	I	I	I	I	I	I	I		
<b>CHASSIS &amp; SUSPENSION</b>	38	Suspension front & rear - strut rubbers,bushes,tie-rod ends & link arms	I	I	I	I	I	I	I	I	I	I	I	I		
	39	Shock absorbers for leaks and looseness	I	I	I	I	I	I	I	I	I	I	I	I		
	40	Leaf/coil springs for damage	I	I	I	I	I	I	I	I	I	I	I	I		
	41	Leaf spring anti-friction (rubbers) - replacement for customer's account	I	I	I	I	I	I	I	I	I	I	I	I		
	42	Tightness of bolts and nuts on chassis and body.	I	I	I	I	I	I	I	I	I	I	I	I		
<b>WHEELS</b>	43	Cab mountings for looseness and damage	I	I	I	I	I	I	I	I	I	I	I	I		
	44	Tyre Pressure - Check and correct (incl. spare wheel)	I	I	I	I	I	I	I	I	I	I	I	I		
	45	Inspect tyres & rims for damage (incl. spare wheel)	I	I	I	I	I	I	I	I	I	I	I	I		
	46	Rotate tyres (if required) & torque wheel nuts as per specification-Refer Bulletin GEN-2015-09	T	T	T	T	T	T	T	T	T	T	T	T		
	47	Wheel bearing (front & rear) - Inspect for bearing play	I	I	I	I	I	I	I	I	I	I	I	I		
<b>ELECTRICAL EQUIPMENT</b>	48	Vehicle systems - Check all ECUs for DTCs & reset service interval *	I	I	I	I	I	I	I	I	I	I	I	I		
	49	Extract DRM data & generate VDAS REPORT- Refer Bulletin 2304261630TRA0 – SB2309	Attach report to Job Card at every service interval													
	50	Alternator output test (charging output voltage with all loads ON = 13.8V - 14.5V)	I	I	I	I	I	I	I	I	I	I	I	I		
	51	Battery electrolyte level and load test	I	I	I	I	I	I	I	I	I	I	I	I		
	52	Check operation of all lights, hooter, instruments, air conditioner, radio, wiper blades & washers	I	I	I	I	I	I	I	I	I	I	I	I		
<b>BODY</b>	53	Remote key battery *	-	R	-	R	-	R	-	R	-	R	-	R		
	54	Airbag system and Airbag warning light, visual inspection	I	I	I	I	I	I	I	I	I	I	I	I		
	55	Seatbelts function and damage	I	I	I	I	I	I	I	I	I	I	I	I		
	56	Inspect chassis and body for corrosion - complete inspection sheet	Attach copy of Sheet to Job Card at every service interval													
	57	Door, tailgate and hood lock/striker to Check/Adjust/Clean/Lubricate if required	I	I	I	I	I	I	I	I	I	I	I	I		
<b>SAFETY</b>	58	Pollen filter	I	R	I	R	I	R	I	R	I	R	I	R		
	59	Air conditioner drain pipe for drainage	I	I	I	I	I	I	I	I	I	I	I	I		
	60	Check for open RECALLS or SERVICE CAMPAIGNS	Attach copy of IVH to Job Card at every service interval													
<b>TESTING</b>	61	Road test	I	I	I	I	I	I	I	I	I	I	I			

\* Where fitted  
\*\* where grease nipples are fitted.

Customer Signature \_\_\_\_\_

Date \_\_\_\_\_

Technician Signature \_\_\_\_\_

I was informed of the service cost & additional items that needs attention.

I hereby confirm that all items have been checked and rectified where required.

Attach one copy to Customer's Invoice  
Attach one copy to Job Card

Issue date Oct 2023
Document No. RZ4E - 1.9 4JJ3 - 3.0



# 15,000 km or 12 Months Service Schedule

## ISUZU D-MAX (RG 06) 1.9L (RZ4E) & 3.0L (4JJ3) - Diesel



*With you, for the long run*

**PLEASE NOTE:**

1. Refer to the Service Interval Guideline by Country for the correct Interval by kilometers or months, whichever occurs first.
2. This Service Schedule will have preference over the Owner's Manual and Warranty & Service Guide (Refer to updated date).
3. Refer to the Warranty and Service Guide for Severe Driving Conditions.
4. Consult the Owner/Customer prior to any additional work being carried out as an additional cost will be charged for items not covered under warranty.

**Job Card No.:** ..... **Date :** ..... **Model :** .....

**Customer Name:** ..... **VIN :** ..... **KM Reading:** .....

**Service Advisor :** ..... **Authorisation No.:** ..... **Technician (Print) :** .....

		SERVICE INTERVAL every KMs (x1000) or MONTHS, whichever occurs first	195	210	225	240	255	270	285	300	315	330	345	360	OK	NOT OK
			156	168	180	192	204	216	228	240	252	264	276	288		
			1,4	1,8	1,7	1,5	1,4	1,5	1,4	1,7	1,7	1,5	1,4	1,5		
	I = Inspection-after inspection clean and correct, or replace as necessary R = Replace    A = Adjust    T = Torque L = Lubricate    C = Clean	Labour hrs.														
<b>ENGINE</b>	1	Engine Oil and Filter	R	R	R	R	R	R	R	R	R	R	R	R		
	2	Fuel filter	R	R	R	R	R	R	R	R	R	R	R	R		
	3	Fuel sedimentor for presence of water	I	I	I	I	I	I	I	I	I	I	I	I		
	4	Fuel leakage at tank, cap and pipes	I	I	I	I	I	I	I	I	I	I	I	I		
	5	Air filter element (I & R) and all air cleaner hose fitments for tightness (I)	I	R	I	R	I	R	I	R	I	R	I	R		
	6	Valve clearances - add 1.3 hrs for 4JJ3	-	-	-	A	-	-	-	A	-	-	-	A		
	7	All engine drive belts for tension and damage and check pulley condition	I	I	I	I	I	I	I	I	I	I	I	I		
	8	Run engine through operating range & check for excessive smoke	I	I	I	I	I	I	I	I	I	I	I	I		
	9	Coolant system for leaks (press. test radiator & cap) & check coolant concentration (50% glycol)	I	I	I	I	I	I	I	I	I	I	I	I		
	10	Coolant concentration (50% glycol) - (Record coolant freezing point on the job card)	I	I	R	I	I	I	I	R	I	I	I	I		
	11	Radiator core (check for foreign objects) and fan operation	I	I	I	I	I	I	I	I	I	I	I	I		
	12	Exhaust system for leaks and mountings for tightness or damage	I	I	I	I	I	I	I	I	I	I	I	I		
	13	All hoses & pipes in engine compartment for tightness or damage	I	I	I	I	I	I	I	I	I	I	I	I		
<b>SERVICE BRAKE</b>	14	Brake pedal function, travel and free play	I	I	I	I	I	I	I	I	I	I	I	I		
	15	Brake fluid	I	R	I	R	I	R	I	R	I	R	I	R		
	16	Front disc brake pads & discs for wear - (Record thickness size of pads & discs on the job card)	I	I	I	I	I	I	I	I	I	I	I	I		
	17	Rear brake linings & drums for wear - (Record thickness size of shoes & drums on the job card)	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A		
<b>CLUTCH</b>	18	Brake pipes & hoses for leaks, loose connections or damage	I	I	I	I	I	I	I	I	I	I	I	I		
	19	Clutch pedal function, travel and free play & fluid leaks	I	I	I	I	I	I	I	I	I	I	I	I		
<b>TRANS. &amp; TRANSFER CASE</b>	20	Clutch fluid * - add 0.1 hrs for replacement	I	R	I	R	I	R	I	R	I	R	I	R		
	21	Manual transmission fluid * - add 0.2 hrs for replacement	R	I	I	R	I	I	R	I	I	R	I	I		
	22	Automatic transmission check for leaks * - add 0.31 hrs for replacement	I	I	I	I	I	R	I	I	I	I	I	I		
<b>PROPSHAFT</b>	23	Transfer case fluid * - add 0.15 hrs for replacement on 4x4	R	I	I	R	I	I	R	I	I	R	I	I		
	24	Universal joints & sliding sleeve	L	L	L	L	L	L	L	L	L	L	L	L		
	25	Prop shaft mounting and universal joints & sliding sleeve for looseness and excessive wear	I	I	I	I	I	I	I	I	I	I	I	I		
<b>FRONT/ REAR AXLE</b>	26	Front axle fluid * - add 0.1 hrs for replacement on 4x4	R	I	I	I	I	I	R	I	I	I	I	I		
	27	Shift on the fly fluid* - add 0.1 hrs for replacement on 4x4	R	I	I	I	I	I	R	I	I	I	I	I		
	28	Rear axle fluid - level & leaks	I	R	I	I	I	I	I	I	R	I	I	I		
	29	Shift on the fly & rear diff lock operation test *	I	I	I	I	I	I	I	I	I	I	I	I		
	30	All axle shaft and housing for distortion or damage	I	I	I	I	I	I	I	I	I	I	I	I		
<b>STEERING</b>	31	Front drive axle CV joints, condition of rubber dust covers	I	I	I	I	I	I	I	I	I	I	I	I		
	32	Steering wheel play and function	I	I	I	I	I	I	I	I	I	I	I	I		
	33	Power steering fluid * - add 0.3 hrs for replacement	I	I	I	R	I	I	I	R	I	I	I	I		
	34	Power steering pump, hoses, fittings and connections - inspect for cracks and leaks *	I	I	I	I	I	I	I	I	I	I	I	I		
	35	Steering rack and ball joint rubber boots	I	I	I	I	I	I	I	I	I	I	I	I		
	36	Wheel alignment inspection (to be offered to customer)	Recommended every service-cost for customer's account													
<b>PARK BRAKE</b>	37	Parking brake function	I	I	I	I	I	I	I	I	I	I	I	I		
	38	Suspension front & rear - strut rubbers,bushes,tie-rod ends & link arms	I	I	I	I	I	I	I	I	I	I	I	I		
<b>CHASSIS &amp; SUSPENSION</b>	39	Shock absorbers for leaks and looseness	I	I	I	I	I	I	I	I	I	I	I	I		
	40	Leaf/coil springs for damage	I	I	I	I	I	I	I	I	I	I	I	I		
	41	Leaf spring anti-friction (rubbers) - replacement for customer's account	I	I	I	I	I	I	I	I	I	I	I	I		
	42	Tightness of bolts and nuts on chassis and body.	I	I	I	I	I	I	I	I	I	I	I	I		
	43	Cab mountings for looseness and damage	I	I	I	I	I	I	I	I	I	I	I	I		
<b>WHEELS</b>	44	Tyre Pressure - Check and correct (incl. spare wheel)	I	I	I	I	I	I	I	I	I	I	I	I		
	45	Inspect tyres & rims for damage (incl. spare wheel)	I	I	I	I	I	I	I	I	I	I	I	I		
	46	Rotate tyres (if required) & torque wheel nuts as per specification-Refer Bulletin GEN-2015-09	T	T	T	T	T	T	T	T	T	T	T	T		
	47	Wheel bearing (front & rear) - Inspect for bearing play	I	I	I	I	I	I	I	I	I	I	I	I		
<b>ELECTRICAL EQUIPMENT</b>	48	Vehicle systems - Check all ECUs for DTCs & reset service interval *	I	I	I	I	I	I	I	I	I	I	I	I		
	49	Extract DRM data & generate VDAS REPORT- Refer Bulletin 2304261630TRA0 – SB2309	Attach report to Job Card at every service interval													
	50	Alternator output test (charging output voltage with all loads ON = 13.8V - 14.5V)	I	I	I	I	I	I	I	I	I	I	I	I		
	51	Battery electrolyte level and load test	I	I	I	I	I	I	I	I	I	I	I	I		
	52	Check operation of all lights, hooter, instruments, air conditioner, radio, wiper blades & washers	I	I	I	I	I	I	I	I	I	I	I	I		
	53	Remote key battery *	-	R	-	R	-	R	-	R	-	R	-	R		
<b>BODY</b>	54	Airbag system and Airbag warning light, visual inspection	I	I	I	I	I	I	I	I	I	I	I	I		
	55	Seatbelts function and damage	I	I	I	I	I	I	I	I	I	I	I	I		
	56	Inspect chassis and body for corrosion - complete inspection sheet	Attach copy of Sheet to Job Card at every service interval													
	57	Door, tailgate and hood lock/striker to Check/Adjust/Clean/Lubricate if required	I	I	I	I	I	I	I	I	I	I	I	I		
<b>SAFETY</b>	58	Pollen filter	I	R	I	R	I	R	I	R	I	R	I	R		
	59	Air conditioner drain pipe for drainage	I	I	I	I	I	I	I	I	I	I	I	I		
	60	Check for open RECALLS or SERVICE CAMPAIGNS	Attach copy of IVH to Job Card at every service interval													
<b>TESTING</b>	61	Road test	I	I	I	I	I	I	I	I	I	I	I			

\* Where fitted  
\*\* where grease nipples are fitted.

<b>Customer Signature</b>	<b>Date</b>	<b>Technician Signature</b>				
I was informed of the service cost & additional items that needs attention.		I hereby confirm that all items have been checked and and rectified where required.				
Attach one copy to <u>Customer's Invoice</u> Attach one copy to <u>Job Card</u>		<table style="width: 100%; border-collapse: collapse;"> <tr><td style="text-align: right;">Issue date</td></tr> <tr><td style="text-align: right;">Oct 2023</td></tr> <tr><td style="text-align: right;">Document No.</td></tr> <tr><td style="text-align: right;">RZ4E - 1.9 4JJ3 - 3.0</td></tr> </table>	Issue date	Oct 2023	Document No.	RZ4E - 1.9 4JJ3 - 3.0
Issue date						
Oct 2023						
Document No.						
RZ4E - 1.9 4JJ3 - 3.0						



# 15,000 km or 12 Months Service Schedule

## ISUZU D-MAX (RG 06) 1.9L (RZ4E) & 3.0L (4JJ3) - Diesel

**PLEASE NOTE:**

1. Refer to the Service Interval Guideline by Country for the correct Interval by kilometers or months, whichever occurs first.
2. This Service Schedule will have preference over the Owner's Manual and Warranty & Service Guide (Refer to updated date).
3. Refer to the Warranty and Service Guide for Severe Driving Conditions.
4. Consult the Owner/Customer prior to any additional work being carried out as an additional cost will be charged for items not covered under warranty.

**Job Card No.:** ..... **Date :** ..... **Model :** .....

**Customer Name:** ..... **VIN :** ..... **KM Reading:** .....

**Service Advisor :** ..... **Authorisation No.:** ..... **Technician (Print) :** .....

		I = Inspection-after inspection clean and correct, or replace as necessary R = Replace    A = Adjust    T = Torque L = Lubricate    C = Clean	SERVICE INTERVAL every KMs (x1000) or MONTHS, whichever occurs first Labour hrs.	375	390	405	420	435	450	465	480	495	510	525	540	OK	NOT OK
				300	312	324	336	348	360	372	384	396	408	420	432		
				1,6	1,5	1,4	1,8	1,4	1,8	1,4	1,5	1,4	1,5	1,4	1,5		
<b>ENGINE</b>	1	Engine Oil and Filter	R	R	R	R	R	R	R	R	R	R	R	R	R		
	2	Fuel filter	R	R	R	R	R	R	R	R	R	R	R	R	R		
	3	Fuel sedimentor for presence of water	I	I	I	I	I	I	I	I	I	I	I	I	I		
	4	Fuel leakage at tank, cap and pipes	I	I	I	I	I	I	I	I	I	I	I	I	I		
	5	Air filter element (I & R) and all air cleaner hose fitments for tightness (I)	I	R	I	R	I	R	I	R	I	R	I	R	I		
	6	Valve clearances - add 1.3 hrs for 4JJ3	-	-	-	A	-	-	-	A	-	-	-	A	-		
	7	All engine drive belts for tension and damage and check pulley condition	I	I	I	I	I	I	I	I	I	I	I	I	I		
	8	Run engine through operating range & check for excessive smoke	I	I	I	I	I	I	I	I	I	I	I	I	I		
	9	Coolant system for leaks (press. test radiator & cap) & check coolant concentration (50% glycol)	I	I	I	I	I	I	I	I	I	I	I	I	I		
	10	Coolant concentration (50% glycol) - (Record coolant freezing point on the job card)	R	I	I	I	I	R	I	I	I	I	I	R	I		
	11	Radiator core (check for foreign objects) and fan operation	I	I	I	I	I	I	I	I	I	I	I	I	I		
	12	Exhaust system for leaks and mountings for tightness or damage	I	I	I	I	I	I	I	I	I	I	I	I	I		
	<b>SERVICE BRAKE</b>	13	All hoses & pipes in engine compartment for tightness or damage	I	I	I	I	I	I	I	I	I	I	I	I	I	
14		Brake pedal function, travel and free play	I	I	I	I	I	I	I	I	I	I	I	I	I		
15		Brake fluid	I	R	I	R	I	R	I	R	I	R	I	R	I		
16		Front disc brake pads & discs for wear - (Record thickness size of pads & discs on the job card)	I	I	I	I	I	I	I	I	I	I	I	I	I		
<b>CLUTCH</b>	17	Rear brake linings & drums for wear - (Record thickness size of shoes & drums on the job card)	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A		
	18	Brake pipes & hoses for leaks, loose connections or damage	I	I	I	I	I	I	I	I	I	I	I	I	I		
	19	Clutch pedal function, travel and free play & fluid leaks	I	I	I	I	I	I	I	I	I	I	I	I	I		
<b>TRANS. &amp; TRANSFER CASE</b>	20	Clutch fluid * - add 0.1 hrs for replacement	I	R	I	R	I	R	I	R	I	R	I	R	I		
	21	Manual transmission fluid * - add 0.2 hrs for replacement	R	I	I	R	I	I	R	I	I	R	I	I	R		
	22	Automatic transmission check for leaks * - add 0.31 hrs for replacement	I	I	R	I	I	I	I	I	I	I	I	I	I		
<b>PROPSHAFT</b>	23	Transfer case fluid * - add 0.15 hrs for replacement on 4x4	R	I	I	R	I	I	R	I	I	R	I	I	R		
	24	Universal joints & sliding sleeve	L	L	L	L	L	L	L	L	L	L	L	L	L		
	25	Prop shaft mounting and universal joints & sliding sleeve for looseness and excessive wear	I	I	I	I	I	I	I	I	I	I	I	I	I		
<b>FRONT/ REAR AXLE</b>	26	Front axle fluid * - add 0.1 hrs for replacement on 4x4	R	I	I	I	I	I	R	I	I	I	I	I	R		
	27	Shift on the fly fluid* - add 0.1 hrs for replacement on 4x4	R	I	I	I	I	I	R	I	I	I	I	I	R		
	28	Rear axle fluid - level & leaks	I	I	I	R	I	I	I	I	I	I	I	R	I		
	29	Shift on the fly & rear diff lock operation test *	I	I	I	I	I	I	I	I	I	I	I	I	I		
	30	All axle shaft and housing for distortion or damage	I	I	I	I	I	I	I	I	I	I	I	I	I		
<b>STEERING</b>	31	Front drive axle CV joints, condition of rubber dust covers	I	I	I	I	I	I	I	I	I	I	I	I	I		
	32	Steering wheel play and function	I	I	I	I	I	I	I	I	I	I	I	I	I		
	33	Power steering fluid * - add 0.3 hrs for replacement	I	I	I	R	I	I	I	R	I	I	I	R	I		
	34	Power steering pump, hoses, fittings and connections - inspect for cracks and leaks *	I	I	I	I	I	I	I	I	I	I	I	I	I		
	35	Steering rack and ball joint rubber boots	I	I	I	I	I	I	I	I	I	I	I	I	I		
<b>PARK BRAKE</b>	36	Wheel alignment inspection (to be offered to customer)	Recommended every service-cost for customer's account														
	37	Parking brake function	I	I	I	I	I	I	I	I	I	I	I	I	I		
<b>CHASSIS &amp; SUSPENSION</b>	38	Suspension front & rear - strut rubbers,bushes,tie-rod ends & link arms	I	I	I	I	I	I	I	I	I	I	I	I	I		
	39	Shock absorbers for leaks and looseness	I	I	I	I	I	I	I	I	I	I	I	I	I		
	40	Leaf/coil springs for damage	I	I	I	I	I	I	I	I	I	I	I	I	I		
	41	Leaf spring anti-friction (rubbers) - replacement for customer's account	I	I	I	I	I	I	I	I	I	I	I	I	I		
	42	Tightness of bolts and nuts on chassis and body.	I	I	I	I	I	I	I	I	I	I	I	I	I		
<b>WHEELS</b>	43	Cab mountings for looseness and damage	I	I	I	I	I	I	I	I	I	I	I	I	I		
	44	Tyre Pressure - Check and correct (incl. spare wheel)	I	I	I	I	I	I	I	I	I	I	I	I	I		
	45	Inspect tyres & rims for damage (incl. spare wheel)	I	I	I	I	I	I	I	I	I	I	I	I	I		
	46	Rotate tyres (if required) & torque wheel nuts as per specification-Refer Bulletin GEN-2015-09	T	T	T	T	T	T	T	T	T	T	T	T	T		
	47	Wheel bearing (front & rear) - Inspect for bearing play	I	I	I	I	I	I	I	I	I	I	I	I	I		
<b>ELECTRICAL EQUIPMENT</b>	48	Vehicle systems - Check all ECUs for DTCs & reset service interval *	I	I	I	I	I	I	I	I	I	I	I	I	I		
	49	Extract DRM data & generate VDAS REPORT- Refer Bulletin 2304261630TRA0 – SB2309	Attach report to Job Card at every service interval														
	50	Alternator output test (charging output voltage with all loads ON = 13.8V - 14.5V)	I	I	I	I	I	I	I	I	I	I	I	I	I		
	51	Battery electrolyte level and load test	I	I	I	I	I	I	I	I	I	I	I	I	I		
	52	Check operation of all lights, hooter, instruments, air conditioner, radio, wiper blades & washers	I	I	I	I	I	I	I	I	I	I	I	I	I		
<b>BODY</b>	53	Remote key battery *	-	R	-	R	-	R	-	R	-	R	-	R	-		
	54	Airbag system and Airbag warning light, visual inspection	I	I	I	I	I	I	I	I	I	I	I	I	I		
	55	Seatbelts function and damage	I	I	I	I	I	I	I	I	I	I	I	I	I		
	56	Inspect chassis and body for corrosion - complete inspection sheet	Attach copy of Sheet to Job Card at every service interval														
	57	Door, tailgate and hood lock/striker to Check/Adjust/Clean/Lubricate if required	I	I	I	I	I	I	I	I	I	I	I	I	I		
<b>SAFETY</b>	58	Pollen filter	I	R	I	R	I	R	I	R	I	R	I	R	I		
	59	Air conditioner drain pipe for drainage	I	I	I	I	I	I	I	I	I	I	I	I	I		
	60	Check for open RECALLS or SERVICE CAMPAIGNS	Attach copy of IVH to Job Card at every service interval														
<b>TESTING</b>	61	Road test	I	I	I	I	I	I	I	I	I	I	I	I			

\* Where fitted  
\*\* where grease nipples are fitted.

<b>Customer Signature</b> _____	<b>Date</b> _____	<b>Technician Signature</b> _____	I hereby confirm that all items have been checked and rectified where required.
I was informed of the service cost & additional items that needs attention.			
Attach one copy to <u>Customer's Invoice</u>			and rectified where required.
Attach one copy to <u>Job Card</u>			

Issue date Oct 2023
Document No. RZ4E - 1.9 4JJ3 - 3.0

**Corrosion Inspection Sheet**  
**D-MAX (RG06) Single Cab**



**PLEASE NOTE:** Copy to be attached to Job Card

Job Card No. .... Date: ..... Model: .....  
 Customer Name: ..... Km.: ..... VIN : .....  
 Service Consultant name: ..... Technician name: .....

**Bodywork Inspection**

Vehicle OK

Yes  No

Vehicle Repaired

Yes  No

Accident / Bodywork damage  
 repaired to factory standard

Yes  No

Comments \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

DEALER'S STAMP






AND

SIGNATURE

**MARK TEST RESULTS USING RELEVANT SYMBOL**

- STONE THROW
- DENT / BUMP
- BODYWORK DAMAGE
- + SCRATCH
- # PAINTWORK DAMAGE
- ▶ SEAL UNDERBODY

THE DIAGRAM IS REPRESENTATIVE OF ALL MODEL SERIES



**Corrosion Inspection Sheet**  
**D-MAX (RG06) Extended Cab**



**PLEASE NOTE:** Copy to be attached to Job Card

Job Card No. .... Date: ..... Model: .....

Customer Name: ..... Km.: ..... VIN : .....

Service Consultant name: ..... Technician name: .....

**Bodywork Inspection**

Vehicle OK

Yes  No

Vehicle Repaired

Yes  No

Accident / Bodywork damage  
repaired to factory standard

Yes  No

Comments \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

DEALER'S STAMP


AND

SIGNATURE

**MARK TEST RESULTS USING RELEVANT SYMBOL**

- STONE THROW
- DENT / BUMP
- BODYWORK DAMAGE
- + SCRATCH
- # PAINTWORK DAMAGE
- ▶ SEAL UNDERBODY

THE DIAGRAM IS REPRESENTATIVE OF ALL MODEL SERIES



**Corrosion Inspection Sheet**  
**D-MAX (RG06) Double Cab**



**PLEASE NOTE:** Copy to be attached to Job Card

Job Card No. .... Date: ..... Model: .....

Customer Name: ..... Km.: ..... VIN : .....

Service Consultant name: ..... Technician name: .....

**Bodywork Inspection**

Vehicle OK

Yes  No

Vehicle Repaired

Yes  No

Accident / Bodywork damage repaired to factory standard

Yes  No

Comments \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

DEALER'S STAMP

AND

SIGNATURE

**MARK TEST RESULTS USING RELEVANT SYMBOL**

- STONE THROW
- DENT / BUMP
- BODYWORK DAMAGE
- + SCRATCH
- # PAINTWORK DAMAGE
- ▶ SEAL UNDERBODY

THE DIAGRAM IS REPRESENTATIVE OF ALL MODEL SERIES

