

### 15,000 km or 12 Months Service Schedule TF Series (RT) - 2.5L (4JA1-L) - Diesel



- 1. Refer to the Service Interval Guideline by Country for the correct Interval by kilometers or months, whichever occurs first.
- 2. This Service Schedule will have preference over the Owner's Manual and Warranty & Service Guide (Refer to updated date).
- 3. Refer to the Warranty and Service Guide for Severe Driving Conditions.
- 4. Consult the Owner/Customer prior to any additional work being carried out as an additional cost will be charged for items not covered under warranty.

Job Card No.:		Date :				Mod	lel:.										
Customer Name: KM Reading:																	
Service Advis	or:	Authoris	ation No:			Tecl	nnici	an (F	Print)	:							
I = Inspection-after inspection clean and correct, or replace as necessary SERVICE INTERVAL every KMs (x1000)				15	30	45	60	75	90	105	120	135	150	165	180		
R = Replace A = Adjust T = Torque or MONTH:			or MONTHS, whichever occurs first	12	24	36	48	60	72	84	96	108	120	132	144		
L = Lubricate	C =	Clean	Labour hrs.	1,2	1,7	1,2	1,7	1,2	1,7	1,2	1,7	1,2	1,7	1,2	1,7	ок	NOT OK
		Engine Oil and Filter		R R	R R	R R	R	R	R	R	R	R	R	R	R		
							R	R	R	R	R	R	R	R	R		
							<u> </u>	<u> </u>	-			+			_		
		Air filter element (I & R) and all air cleaner hose fitments	for tightness (I)	<u> </u>	l R	H	R	<u> </u>	R	<u> </u>	R	÷	R	-	R		
	6	Valve clearances	ior ugritiess (i)	-	A	-	A	Ė	A	-	A	-	A	-	A		
ENGINE		All engine drive belts for tension and damage and check	nulley condition		ī	П	1	ī	1	1	ī	-	1	Т	1		
		Run engine through operating range & check for excessi		Ť	i	Ė	÷	i	Ė	i	Ė	Ť	Ė	Ė	i		_
		Coolant system for leaks (press. test radiator & cap) & c		Ť	i	i	i	i	i	i	i	Ť	Ť	Ť	i		
		Coolant concentration (50 % glycol) - Add 0.3 hrs (Reco	. 077	-	Ī	Ī	ı	R	Ī	ı	ı	Ī	R	Ť	Ī		
		Radiator core (check for foreign objects) and fan operation		I	I	ı	ı	ı	ı	ı	ı	-	Ι	-	ı		
	12	Exhaust system for leaks and mountings for tightness or	damage	_	ı	-	ı	-	-	ı	ı		_		_		
	13	All hoses & pipes in engine compartment for tightness or	damage	1	ı	ı	ı	ı	ı	ı	ı		Ι	-	-		
	14	Brake pedal function, travel and free play		_	- 1	- 1	1	1	- 1	1	- 1		Ι	- 1	- 1		
	15	Brake fluid level		-	1	- 1	1	1	- 1	1	- 1	- 1	-	- 1	-1		
SERVICE						ı	R	ı	R	ı	R	- 1	R	-1	R		
BRAKE		Front disc brake pads & discs for wear (Record thickness size of pads & discs on the job card)				ı	ı	ı	ı	1	ı	ı	- 1	ı	- 1		
		Rear brake linings & drums for wear (Record thickness s	•	I&A I	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A		
		Brake pipes & hoses for leaks, loose connections or damage				<u> </u>	<u> </u>	<u> </u>	<u> </u>	!							
CLUTCU		Clutch pedal function, travel and free play & fluid leaks		!	I	<u> </u>	1	I .	<u> </u>	1	ı						
CLUTCH		Clutch fluid level			l R	<u> </u>	l R	<u> </u>	-	<u> </u>	l R		I R		_		
TRANSM. &	22	Clutch fluid - Add 0.1 hrs		_	K	-	K	<u> </u>	R	- 1	ĸ		K	-	R		
TRANS.CASE	23	Manual transmission fluid - add 0.3 hrs for fluid replace	ement.	R	- 1	1	R	ı	1	R	- 1	- 1	R	-1	- 1		
PROPSHAFT	24	Prop shaft mounting and universal joints & sliding sleeve	for looseness and excessive wear		L	П	L	П	L	_	L	1	L	Т	L		
FRONT/		Rear axle fluid (without limited slip diff) - add 0.3 hrs for		Ť	Ī	Ė	Ī	i	Ī	R	Ī	Ť	_	Ť	Ī		_
REAR AXLE		All axle shaft and housing for distortion or damage			İ	ī	ı	Ī	ī	ı	ı	Ī	İ	Ī	-		_
	27	Steering wheel play and function		-	ı	ı	1	ı	ı	1	ı	- 1	Ι	ı	- 1		
STEERING	28	Power steering fluid				ı	R	ı	ı	ı	R		_		R		
STEERING	29	Steering rack and ball joint rubber boots			ı	I	-	ı	I	-	-		_		I		
		Wheel alignment inspection (to be offered to customer)				menc	led ev	ery s	ervice	e- cos	t for c	uston	ner's a	accou	nt		
PARKING		Parking brake function - lever travel & ratchet for damage	е	-	I	ı	ı	ı	ı	I	ı	-	Ι	-	I		
BRAKE		Parking brake cables for looseness or damage		_	ı	ı	-	ı	ı	-	ı	- 1	- 1	- 1	-		
		Suspension front & rear - strut rubbers, bushes, tie-rod en	ds & link arms	-	ı	ı	ı	ı	ı	ı	I	-	Ι	- 1	ı		
CHASSIS &					I	<u> </u>	-		<u> </u>	-	1	-	-		-		
SUSPENSION		Leaf/coil springs for damage			!	<u> </u>	<u> </u>	<u> </u>	<u> </u>	!	<u> </u>	!	<u>!</u>		<u> </u>		
		Cab mountings for looseness and damage		1	I	<u> </u>	1	<u> </u>		<u> </u>		1		<u> </u>			
		,			<u> </u>	<u> </u>	+	<u> </u>	1	-		÷	<u> </u>	1			
WHEELS		Inspect tyres & rims for damage (incl. spare wheel) Rotate tyres & torque wheel nuts as per specification-Re	fer Bulletin GEN-2015-09	T	T	T	T	T	T	T	T	T	T	T	T		
WILLES		Wheel bearing (front & rear) - Inspect for bearing play	Ter Buildin GEN-2013-03	÷	ΙĖ	H	÷	H	H	÷	i	i	÷	i	÷		_
		Front wheel bearing grease and seal - Add 1.1 hrs		Ť	i	Ė	R	Ť	Ė	i	R	Ť	÷	Ť	R		_
		Vehicle systems - Check all ECUs for DTCs & reset serv	rice interval*	Ť	i	i	ī	i	i	i	ì	Ť	Ť	Ť	ï		
EL EGTDIO AL		Starter and alternator function / output			ı	ı	ı	ı	ı	ı	ı		Ι	ı	ı		
ELECTRICAL EQUIPMENT	44	Battery electrolyte level and specific gravity*		-	I	I	ı	I	I	ı	I	I	Ι	ı	I		_
EGOIPWENT	45	Check operation of all lights, hooter, instruments, a/c, rad	dio, wiper blades & washers		I		I	I		-	1		Ι	- 1	- 1		_
		Remote key battery*		Ī	R	Ī	R	I	R	I	R	I	R	I	R		
BODY		Seatbelts function and damage		- 1		I	l I	I		ı	1	- 1	I	- 1	- 1		
		nspect chassis and body for corrosion - Complete Inspection Sheet				сору	of Sh		Job (	Card	at eve	ry se		interv			
			bonnet, locks and door restraints to Check/Adjust/Clean/Lubricate				L	1	L	-	L	1	L	1	L		
		Pollen filter*		<u> </u>	R	<u> </u>	R	Ι.	R	!	R		R		R		
		Air conditioner drain pipe for drainage*			1	<del>                                     </del>	-	<u> </u>	<u> </u>	-	1	<u> </u>					
SAFETY		Tailgate links Check for open RECALLS or SERVICE CAMPAIGNS			L Attac	l l	L ( of I\	I  H to	L Joh C	ard a	t ever	V ser	l L	l tervo	L		
TESTING		Road Test					, or it	1	1	aiu a	l	, Jei	1	I			
LOTING		ere fitted		<u>'</u>	<del>' '</del>	<u> </u>	<u>'</u>	<u>'</u>	<u> </u>	<u>'</u>	<u>'</u>		<u> </u>		•	!	

**Customer Signature** 

Technician Signature

I hereby confirm that all items have been checked and and rectifed where required.

Updated. Oct 2023 Document No.

4JA1-2.5

I was informed of the service cost & additional items that needs attention.

#### SERVICE SCHEDULE FOR VEHICLES WITH MILEAGE HIGHER THAN 180 000 KMs or older than 144 months (12 years)

## 15,000 km or 12 Months Service Schedule TF Series (RT) - 2.5L (4JA1-L) - Diesel



#### PLEASE NOTE:

- 1. Refer to the Service Interval Guideline by Country for the correct Interval by kilometers or months, whichever occurs first.
- 2. This Service Schedule will have preference over the Owner's Manual and Warranty & Service Guide (Refer to updated date).
- 3. Refer to the Warranty and Service Guide for Severe Driving Conditions.

	n additional cost will be charged for items no	

Job Card No.:		Date:	Date :					Model :									
Customer Nan	ne: .	VIN :	VIN :				KM Reading:										
Service Advise	or:.	Authoris	Authorisation No:			Тес	hnic	ian (	Prin	t):.							
I = Inspection-	after	inspection clean and correct, or replace as necessary	SERVICE INTERVAL every KMs (x1000) 19		210	225	240	255	270	285	300	315	330	345	360		
R = Replace A = Adjust T = Torque or MONTHS, whichever occurs first					168	180	192	204	216	228	240	252	264	276			
L = Lubricate C = Clean Labour hrs.					1,7	1,2	1,7	1,2	1,7	1,2	1,7	1,2	1,7	1,2	1,7	ок	NOT OK
-		Engine Oil and Filter		R R	R R	R R	R	R	R	R	R	R	R	R	R		<u> </u>
-		2 Fuel Filter 3 Fuel sedimentor for presence of water					R	R	R	R	R	R	R	R	R		
-	_						·	i	i	İ	i	i	i	i	Ī		
-		Air filter element (I & R) and all air cleaner hose fitments	s for tightness (I)	ı	R	ı	R	ı	R	I	R	- 1	R	ı	R		
	6	Valve clearances		-	Α	-	Α	-	Α	-	Α	-	Α	-	Α		
ENGINE		All engine drive belts for tension and damage and check		ı	I	I	I	I	I	Ι	ı	- 1	I	ı	I		
-		Run engine through operating range & check for excess	sive smoke	1	<u> </u>			1	<u> </u>	<u> </u>	<u> </u>	1		<u> </u>			<u> </u>
-		Coolant system for leaks (press. test radiator & cap)	and applying the print on the intravel		-	l R			<u> </u>		R	-	-	<u> </u>			<b>-</b>
-		Coolant concentration (50 % glycol) - Add 0.3 hrs (Rec Radiator core (check for foreign objects) and fan operat	• • • • • • • • • • • • • • • • • • • •	1		I	÷	<u> </u>	<u> </u>	<u> </u>	I	÷	÷	+	+		
-		Exhaust system for leaks and mountings for tightness of		Ė	Ė	i	Ė	i	Ė	Ė	i	Ė	÷	Ť	i		
-		All hoses & pipes in engine compartment for tightness of	Š	ı	ı	Ι	ı	ı	ı	I	I	- 1	- 1	ı	ı		
	14	Brake pedal function, travel and free play	<del>-</del>	ı	Ι	Ι	ı	ı	ı	-	ı	- 1	-1	ı	_		
	15	Brake fluid level		I	-	_	ı	ı	ı	1	Ι	- 1	- 1	ı	-		
SERVICE		Brake fluid - Add 0.3 hrs		-	R	  -	R	ı	R	1	R	-	R		R		<b></b>
BRAKE		Front disc brake pads & discs for wear (Record thickness size of pads & discs on the job card)						10.4	10.4	10.4	10.4	10.4	10.4	10.4	10.0		<del></del>
-		Rear brake linings & drums for wear (Record thickness size of shoes & drums on the job card)  Brake pipes & hoses for leaks, loose connections or damage				I&A I	I&A I	I&A I	I&A I	I&A I	I&A I	I&A	I&A	I&A I	I&A		_
		Clutch pedal function, travel and free play & fluid leaks	mage	I	÷	<u> </u>		Ė	<u> </u>	÷	÷	÷	÷	÷	÷		
CLUTCH		1 Clutch fluid level				İ	i	i	i	i	Ť	İ	i	Ť	Ī		
-	22	Clutch fluid - Add 0.1 hrs		I	R	Ι	R	I	R	Ι	R	Ι	R	ı	R		
TRANSM. & TRANS.CASE	23	Manual transmission fluid - add 0.3 hrs for fluid replace	cement.	R	I	I	R	1	I	R	I	I	R	I	I		
PROPSHAFT		, , ,	mounting and universal joints & sliding sleeve for looseness and excessive wear		L	Ι	L	ı	L	I	L	-1	L	ı	L		
FRONT/		Rear axle fluid (without limited slip diff) - add 0.3 hrs fo	r replacement	<u> </u>	R	<u> </u>		<u> </u>		1	!	R		<u> </u>			<b>-</b>
REAR AXLE		All axle shaft and housing for distortion or damage Steering wheel play and function			-		1				+	-	-	<u> </u> 	+		<b>-</b>
-		Power steering fluid		1	+	-	R	<u> </u>	<u> </u>	i i	R	+	+	+	R		
STEERING		Steering rack and ball joint rubber boots				i	·\	i	Ė	Ė	ī	Ė	÷	Ť	ì		
-		Wheel alignment inspection (to be offered to customer)					d eve	ery se	ervice	e- cos	st for	custo	mer'	s acc	count		
PARKING	31	Parking brake function - lever travel & ratchet for damage	ge	ı	1	- 1	ı	- 1	ı	- [	- 1	- 1	-1	ı	ı		
BRAKE		Parking brake cables for looseness or damage		ı	-	_	ı	ı	ı	1	Ι	- 1	- 1	ı	-		
		Suspension front & rear - strut rubbers,bushes,tie-rod e	nds & link arms	-	1	ı	-	ı		1	ı	1	- 1		-		<b></b>
CHASSIS &		Shock absorbers for leaks and looseness			<u> </u>	-			<u> </u>			1	<u> </u>	<u> </u>			
SUSPENSION		Leaf/coil springs for damage  Cab mountings for looseness and damage				-	-			+		$\vdash$	-	<u> </u> 	+		
		Tyre Pressure - Check and correct (incl. spare wheel)		İ	-	<u>'</u>	-	<u>'</u>	i i	i i	<del>'</del>		÷	†	-		
		Inspect tyres & rims for damage (incl. spare wheel)		Ī	Ì	Ī	Ī	Ī	Ī	Ī	Ī	Ī	Ī	Ť	Ī		
WHEELS	39	Rotate tyres & torque wheel nuts as per specification-Refer Bulletin GEN-2015-09				Т	Т	Т	Т	Т	Т	Т	Т	Т	Т		
		Wheel bearing (front & rear) - Inspect for bearing play		I	-	_	ı	ı	ı	1	Ι	- 1	- 1	ı	-		
		Front wheel bearing grease and seal - Add 1.1 hrs		1	1	1	R	1	1	1	R	1	1	1	R		Ь—
		Vehicle systems - Check all ECUs for DTCs & reset ser	vice interval*		_	<u> </u>			<u> </u>		<u> </u>	<u> </u>					<b>—</b>
ELECTRICAL		Starter and alternator function / output  Battery electrolyte level and specific gravity*				-			<u> </u>	<u> </u>	+	+	_	$\pm$	_		
EQUIPMENT -		Check operation of all lights, hooter, instruments, a/c, ra	adio, wiper blades & washers	-	-	-	I		<u> </u>	+	+	$\dashv$	$\pm$	+	+		
		Remote key battery*		i	R	İ	R	ı	R	İ	R	İ	R	i	R		
		Seatbelts function and damage		I	Ι	Ι		I		I	I	Ι	I		Ι		
		Inspect chassis and body for corrosion - Complete Insp		Atta	ch cc	py of	She	et to	_	Card	at ev	ery s	ervic	e int	erval		
BODY		Door, bonnet, locks and door restraints to Check/Adjust	/Clean/Lubricate	Ī	Ĺ	Ī	Ĺ	Ī	L	Ī	L	Ī	Ĺ	Ī	Ĺ		
		Pollen filter*		1	R	1	R	1	R	1	R		R	<u> </u>	R		<del></del>
		Air conditioner drain pipe for drainage*		<u>   </u>	<u> </u>		1	1	<u> </u>	1	1	1		<u> </u>			
SAFETY		Tailgate links Check for open RECALLS or SERVICE CAMPAIGNS			L ach c	ODV (	L of IVI	l to .	L lob C	ard a	L	ry se	rvice	inte	rval		
TESTING		Road Test						1	1	J. G (	1	1	1	I	I		
		ere fitted					_	· -			· · ·						

Customer Signature Date

Technician Signature

Updated.
Oct 2023

Document No.

4JA1-2.5

# Corrosion Inspection Sheet TF Series (RT) Single Cab



#### PLEASE NOTE: Copy to be attached to Job Card

Job Card No.	Date:			Model:
Customer Name:	Km.:			VIN :
Service Consultant name:	Technician na	ame:		
Bodywork Inspection				
Vehicle OK Commer	nts			
Yes No				
Vehicle Repaired				
Yes No			DEALER'S ST	ГАМР
Accident / Bodywork damage			AND	
repaired to factory standard				
Yes No			SIGNATU	RE
		<del> = =</del>		
MARK TEST  STONE THROW	RESULTS US			
STONE THROW	O DENI	/BUMP		BODYWORK DAMAGE
+ SCRATCH	# PAIN1	TWORK DAMAGE	•	SEAL UNDERBODY
THE DIAG	RAM IS REPRESENT	ATIVE OF ALL MOI	DEL SERIES	
		-=		