15,000 km or 12 Months Service Schedule UC Series (RF) - 3.0L (4JJ1) - Diesel



PLEASE NOTE:

- 1. Refer to the Service Interval Guideline by Country for the correct Interval by kilometers or months, whichever occurs first.
- 2. This Service Schedule will have preference over the Owner's Manual and Warranty & Service Guide (Refer to updated date).
- 3. Refer to the Warranty and Service Guide for Severe Driving Conditions.

4	Cancult the Owner/Cuctome	r prior to any additional war	k boing carried out ac an	additional cast will be chare	ed for items not covered under warra	antı.

Job Card No.: Date :							Model :										
Customer Name: KM Reading:																	
Service Advise		Tech	nnicia	ın (Pı	rint) :												
I = Inspection-after inspection clean and correct, or replace as necessary SERVICE INTERVAL every KMs (x1000)					30	45	60	75	90	105	120	135	150	165	180		
R = Replace A = Adjust T = Torque			or MONTHS, whichever occurs first	12	24	36	48	60	72	84	96	108	120	132	144		
L = Lubricate	C = CI	ean	Labour hrs.	1,2	1,3	1,2	2,8	1,2	1,3	1,2	2,8	1,2	1,3	1,2	2,8	ок	NOT OK
		Engine Oil and Filter		R	R	R	R	R	R	R	R	R	R	R	R	لــــــا	
		Fuel filter	R	R	R	R	R	R	R	R	R	R	R	R		<u> </u>	
		Pre-Fuel Filter* (Note: only where fitted)-add 0.1 hr Fuel sedimentor for presence of water	s for replacement	R	R	R	R	R	R	R	R	R	R	R	R		-
		Fuel leakage at tank, cap and pipes	i	i	Ť	i	÷	i	i	i	÷	i	i	\dashv	\dashv		
		Air filter element (I & R) and all air cleaner hose fitmer	Ι	R	I	R	I	R	ı	R	I	R	- 1	R			
ENGINE	7	Valve clearances	-	-	-	Α	-	-	-	Α	-	-	-	Α			
LIVOINE		All engine drive belts for tension and damage and che		- 1	ı	ı	I	Ι	I	I	I	Ι	I	- 1	- 1	لــــــا	
		Run engine through operating range & check for exce		<u> </u>	<u> </u>	<u> </u>		<u> </u>	<u> </u>	<u> </u>	<u> </u>		-	H		<u> </u>	
		Coolant system for leaks (press. test radiator & cap) &		R	<u> </u>		÷	<u> </u>	l R					R		-	
		Coolant concentration (50 % glycol) - Add 0.3 hrs (Record coolant freezing point on the job card) Radiator core (check for foreign objects) and fan operation				i	÷	÷	<u> </u>	I	-	÷		-		-	<u> </u>
		Exhaust system for leaks and mountings for tightness			i	i	i	Ť	i	i	i	Ť	İ	İ	\Box		
	14	All hoses & pipes in engine compartment for tightness	or damage	I	ı	ı	ı	_	ı	ı	ı	_	I	ı			
		Brake pedal function, travel and free play		ı	ı	I	ı	I	I	ı	I	I	ı	ı	I		
055/25		Brake fluid level			l R	1	l R	1	1	!	1	1	1	1	I	لـــــــ	
SERVICE BRAKE								<u> </u>	R		R	<u> </u>	R	-	R		<u> </u>
DRAKE		Front disc brake pads & discs for wear (Record thickness size of pads & discs on the job card) Rear brake linings & drums for wear (Record thickness size of shoes & drums on the job card)				I I&A	I&A	I&A	I I&A	I&A	I&A	I&A	I&A	I I&A	I&A		
		Brake pipes & hoses for leaks, loose connections or o	I&A I	I&A I	I	I	I	I	I	I	I	I	I	I	\dashv		
		Clutch pedal function, travel and free play & fluid leak	Ü		Ī	Ī	I	Ī	ı	Ī	Ī	Ī	I	- 1	Ī		
CLUTCH	22	Clutch fluid level		ı	ı	ı	ı	ı	I	ı	ı	ı	ı	- 1	I		
	23						R	Ι	R	I	R	Ι	R	- 1	R	لــــــا	
TRANS. & TRANSFER	24	Automatic transmission fluid-add 0.3 hrs for replacement				I	I	_	I	I	I	R	I	- 1	- 1		
CASE	25	Transfer case fluid-add 0.2 hrs for replacement for	R	1	1	R	-	ı	R	_	-	R	-	- 1			
26 Universal joints & sliding sleeve #			I	L	ı	L	ı	L	ı	L	ı	L	ı	L			
PROPSHAFT	27	Prop shaft mounting and universal joints & sliding sleeve for looseness and excessive wear				-	-	ı	ı	-	_	ı	_	- 1			
FRONT/	28	Front axle fluid *- add 0.1 hrs for replacement on 4x4				1	1	1	1	R	1	1	1	- 1		لــــــا	
REAR AXLE	29 Shift on the fly fluid* - add 0.1 hrs for replacement on 4x4 30 Rear axle fluid - add 0.1hrs for replacement					I	<u> </u>	<u> </u> 		R R		\perp	I	 	I		<u> </u>
		Shift on the fly				<u> </u>	<u> </u>	+	<u> </u>	I	+	+	<u> </u>	<u> </u>	\dashv		-
						Ė	H	Ė	l i	H	H	Ė	Ė	i	\vdash	\dashv	
		Front drive axle CV joints, condition of rubber dust covers				Ī	I	Ī	ı	Ī	Ī	Ī	I	- 1			
	34	Steering wheel play and function		-	ı	- 1	-	-	1	-	Ι	-	-	- 1	- 1		
07555000		Power steering fluid				1	R		L		R		1		R		
STEERING	36 37	Power steering hoses - inspect for cracks and leaks Steering rack and ball joint rubber boots				I	<u> </u>		<u> </u>	<u> </u>	<u> </u>		<u> </u>		H		
		Wheel alignment inspection (to be offered to custome	Recommended every service-cost for customer's account														
PARKING		Parking brake function - lever travel & ratchet for damage				I	1	1	1	1	1	I	1	I	П	-	
BRAKE		Parking brake cables for looseness or damage		Т	ı	ı	ı	I	I	I	I	I	I	Ι	П		
	41	Suspension front & rear - strut rubbers, bushes, tie-rod	ends & link arms	_	ı	-	ı	-	ı	-	_	-	-	- 1	- 1		
CHASSIS &		Shock absorbers for leaks and looseness		1	<u> </u>	1	!	1	1	1	1	1	1		1		<u> </u>
SUSPENSION		Leaf/coil springs for damage Tightness of bolts and nuts on chassis and body				<u> </u>	<u> </u>		<u> </u>		<u> </u>				H		-
		Cab mountings for looseness and damage		H	<u>'</u>	 	÷	H	H	i	÷	H	\pm	\dashv	\dashv		
		Tyre Pressure - Check and correct (incl. spare wheel)			i	i	i	İ	i	i	i	İ	i	i	İ	\neg	
		Inspect tyres & rims for damage (incl. spare wheel)			ı	ı	I	I	I	I	I	I	I	- 1			
WHEELS		Rotate tyres & torque wheel nuts as per specification-	Refer Bulletin GEN-2015-09	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	T	Т		
		Wheel bearing (front & rear) - Inspect for bearing play	1.0		<u> </u>	<u> </u>	-		<u> </u>	<u> </u>	-		I .				
		Front wheel bearing grease and seal - Add 1.1 hrs for Front wheel and needle bearing grease and seal (Re			1	I	R R		-		R R	+		<u> </u>	R R		-
				Ė	i	i	I	÷	i	H	I	÷	H	i	I	-	
		Vehicle systems - Check all ECUs for DTCs & reset service interval* Extract DRM data & generate VDAS REPORT- Refer Bulletin 2304261630TRA0 – SB2309					report	to Jol	b Card	d at ev	ery se	ervice			$\overline{}$	-	
ELECTRICAL	54	Starter and alternator function / output		- [ı	ı	- 1	ı	ı	1	- 1	ı	ı			
EQUIPMENT		Battery electrolyte level and specific gravity*		- 1	ı	ı	1	-1	- 1	1	- 1	-1	- 1	- 1	- 1		
		Check operation of all lights, hooter, instruments, a/c,	radio, wiper blades & washers	Ι	I	I		- 1		I		- 1	1	I			<u> </u>
		Remote key battery*	tion	_	R	-	R	-	R	-	R	-	R	-	R		<u> </u>
		Airbag system and Airbag warning light, visual inspection Seatbelts function and damage					 	+	H	 	+	+		1	\dashv		<u> </u>
		Inspect chassis and body for corrosion - Complete Ins	spection Sheet	ı	I Attac	h cop	y of Sh	neet to	Job	Card a	at eve	ry ser	vice in	terval	\dashv	\neg	
BODY		Door, Bonnet, locks and door restraints to Check/Adju		ı	L	ı	L	- 1	L	- 1	L	- 1	L	I	L		
5051	62	Tail gate links		. –	L		L	I	L	1	L	I	L	1	L	[]	
		Pollen filter*			R	-	R	-	R	<u> </u>	R		R	-	R		<u> </u>
SAFETY		Air conditioner drain pipe for drainage Check for open RECALLS or SERVICE CAMPAIGNS	3	-	Atta	ch cor	y of I	/H to	Job C	l ard at	even	/ servi	ice inte	erval		\dashv	
TESTING		Road Test		ī	I	I	I	I	1	I	I	I	1	I	\neg	-	
		e fitted		•	•		· · ·		•	· · ·	· · ·			•			

Where grease nipples are fitted.

Customer Signature Date Technician Signature

Updated. Oct 2023 Document No.

4JJ - 3.0

SERVICE SCHEDULE FOR VEHICLES WITH MILEAGE HIGHER THAN 180 000 KMs or older than 144 months (12 years)

15,000 km or 12 Months Service Schedule UC Series (RF) - 3.0L (4JJ1) - Diesel



PLEASE NOTE:

- 1. Refer to the Service Interval Guideline by Country for the correct Interval by kilometers or months, whichever occurs first.

 2. This Service Schedule will have preference over the Owner's Manual and Warranty & Service Guide (Refer to updated date).

 3. Refer to the Warranty and Service Guide for Severe Driving Conditions.
- 4. Consult the Owner/Customer prior to any additional work being carried out as an additional cost will be charged for items not covered under warranty.

Job Card No.: Date:						Model:											
Customer Name:VIN:						KM F	Readii	ng:									
Service Advisor :							nicia	n (Dri	at) ·								
I = Inspection-after inspection clean and correct, or replace as necessary SERVICE INTERVAL every KMs (x1000)							240	255	270		300		330	345	360		
R = Replace	A = A		or MONTHS, whichever occurs first	156	210 168	225 180	192	204	216	228	240	252	264	276	288		
				1,2	1,3											011	NOT
L = Lubricate	C = Cl	Clean Labour hrs. Engine Oil and Filter				1,2 R	2,8 R	1,2 R	1,3 R	1,2 R	2,8 R	1,2 R	1,3 R	1,2 R	2,8 R	ок	ок
		Fuel filter		R R	R R	R	R	R	R	R	R	R	R	R	R		
		Pre-Fuel Filter* (Note: only where fitted)-add 0.1 hrs	for replacement	R	R	R	R	R	R	R	R	R	R	R	R -		
		Fuel sedimentor for presence of water Fuel leakage at tank, cap and pipes		1	ı	ı	I	1	ı	ı	 	 	ı	H	1		
		Air filter element (I & R) and all air cleaner hose fitments for tightness (I)					R	<u> </u>	R -	-	R	<u> </u>	R -	-	R		
ENGINE	7 8	Valve clearances All engine drive belts for tension and damage and check pulley condition				- I	A	1	Ī	I	A I	I	- I	<u> </u>	A I		
		Run engine through operating range & check for excess					1	1	1				1				
		Coolant system for leaks (press. test radiator & cap) & Coolant concentration (50 % glycol) - Add 0.3 hrs (Re	, , ,	\pm				l R					l R				
	12	Radiator core (check for foreign objects) and fan opera	ation	I	1	1	1	1	ı	1	ı	ı	1	1	1		
		Exhaust system for leaks and mountings for tightness or damage All hoses & pipes in engine compartment for tightness or damage			-	-	<u> </u>	1	<u> </u>	-	<u> </u>	<u> </u>	<u> </u>				\vdash
	15	Brake pedal function, travel and free play	or damage	İ	i	i	i	i	i	İ	i	i	İ		İ		
SERVICE		Brake fluid level Brake fluid - Add 0.3 hrs		<u> </u>	l R		l R	1	l R		l R		l R		l R		
BRAKE		Front disc brake pads & discs for wear (Record thickness size of pads & discs on the job card)				i	1	i	ì	İ	I	i	I	Ė	Ī		
		Rear brake linings & drums for wear (Record thickness Brake pipes & hoses for leaks, loose connections or de		I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A		\vdash
		Clutch pedal function, travel and free play & fluid leaks	C	i	-	-	i	i	İ	-	. –	. –	. –	<u>.</u>	-		
CLUTCH	22	Clutch fluid level		<u> </u> 	I R		I R	<u> </u>	I R		I R		l R		I R		
TRANS. &	24					<u>'</u>	I	1	R		I	<u> </u> 	ı	<u> </u>	ı		
TRANSFER CASE	25	Transfer case fluid-add 0.2 hrs for replacement for 4		l R	i	i	R	i		R	i	i	R	i	i		
PROPSHAFT	26 Universal joints & sliding sleeve #		T	L	ı	L	ı	L	1	L	ı	L	I	L			
27 Prop shaft mounting and universal joints & sliding sleeve for looseness and excessive wear			I R			-				I R		-	-				
REAR AXLE		Front axle fluid *- add 0.1 hrs for replacement on 4x- Shift on the fly fluid* - add 0.1 hrs for replacement on		÷	R	-	-	i	-	-	-	R	-	1			
		Rear axle fluid - add 0.1hrs for replacement			R							R		-			
		Shift on the fly All axle shaft and housing for distortion or damage		1	- 1	- 1	-	ı	1	1	-	-		-	-		
		Front drive axle CV joints, condition of rubber dust cov	rers			<u> </u>	1	I	I				I	1	1		
		Steering wheel play and function Power steering fluid		<u> </u>	- 1	- 1	R	1	-	-	l R	-		-	R		
STEERING		Power steering hoses - inspect for cracks and leaks						1									
	37 38	Steering rack and ball joint rubber boots Wheel alignment inspection (to be offered to customer															
PARKING	39	Parking brake function - lever travel & ratchet for damage				!	ı.	Ĺ	ı	1	l.	l.	ı	I.	I		
BRAKE		Parking brake cables for looseness or damage Suspension front & rear - strut rubbers,bushes,tie-rod	ends & link arms	<u> </u>			+	1	+	-	+	<u> </u> 	+	H	H		
CHASSIS &	42	Shock absorbers for leaks and looseness		I	!	!	1	1	1	1	1	1	1	1	Ι		
SUSPENSION	43	Leaf/coil springs for damage Tightness of bolts and nuts on chassis and body		<u> </u>	<u> </u>	<u> </u>		1		-	-	-	+	 	H		
	45	Cab mountings for looseness and damage			İ	İ	Ī	İ	Ī	1	Ī	Ī					
		Tyre Pressure - Check and correct (incl. spare wheel) Inspect tyres & rims for damage (incl. spare wheel)		1	<u> </u>	<u> </u>	<u> </u>		<u> </u>	-	<u> </u>	<u> </u>	<u> </u>	+			
WHEELS	48	Rotate tyres & torque wheel nuts as per specification-		T	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т		
		Wheel bearing (front & rear) - Inspect for bearing play Front wheel bearing grease and seal - Add 1.1 hrs fo		<u> </u>			l R	1	-	1	l R	<u> </u>		 	l R		
	51	Front wheel and needle bearing grease and seal (Rep	İ	İ	İ	R	i	İ	İ	R	i	İ	İ	R			
	52 53	Vehicle systems - Check all ECUs for DTCs & reset se			I	Attach	l repo	I rt to Jo	l b Card	l d at ev	erv sei	l vice ir	l				
ELECTRICAL	54 Startor and alternator function / output		ı	ı	I	I	I	I	I	I	I	I		I			
EQUIPMENT	55 56	Battery electrolyte level and specific gravity* Check operation of all lights, hooter, instruments, a/c,	radio wipor blados & washors	<u> </u>	-	<u> </u>	<u> </u>	1	1		<u> </u> 	<u> </u> 	1	1	1		
		Remote key battery*	radio, wiper blades & washers	-	R	- '	R	-	R	-	R		R	-	R		
		Airbag system and Airbag warning light, visual inspect	ion					1									
		Seatbelts function and damage Inspect chassis and body for corrosion - Complete Ins	pection Sheet	<u> </u>	I Atta	I ach co	oy of S	I Sheet t	Job (l Card a	l t every	l / servi	ce inte	rval	ı		
BODY	61	Door, Bonnet, locks and door restraints to Check/Adju		1	L	ı.	L	!	L	ı.	L	ı.	L		L		
		Tail gate links Pollen filter*		<u> </u>	L R	I	L R		L R	1	L R	 	L R	1	L R		
	64	Air conditioner drain pipe for drainage		İ	!	I	1	1	ı	I	ı	ı	ı	Щ.	Ī		
SAFETY		Check for open RECALLS or SERVICE CAMPAIGNS Road Test								ard at							\vdash

* Where fitted

Where grease nipples are fitted.

Customer Signature Date Technician Signature

Updated. Oct 2023 Document No.

4JJ - 3.0

Corrosion Inspection Sheet UC Series (RF)



PLEASE NOTE: Copy to be attached to Job Card

Job Card No.	Date:			Model:
Customer Name:	Km.:			VIN :
Service Consultant name:	Technician	name:		
Bodywork Inspection				
Vehicle OK Commer	nts			
Yes No				
Vehicle Repaired				
Yes No			DEALER'S S	STAMP
Accident / Bodywork damage			AND	
repaired to factory standard				
Yes No			SIGNAT	URE
MARK TEST	RESULTS	USING RELEV	ANT SYMB	OL
STONE THROW	O DE	ENT / BUMP		BODYWORK DAMAGE
+ SCRATCH THE DIAGR	••	INTWORK DAMAG	•	SEAL UNDERBODY
	7			y