



PLEASE NOTE:

1. Refer to the Service Interval Guideline by Country for the correct Interval by kilometers or months, whichever occurs first.

- 2. This Service Schedule will have preference over the Owner's Manual and Warranty & Service Guide (Refer to updated date).
- 3. Refer to the Warranty and Service Guide for Severe Driving Conditions.

4. Consult the Owner/Customer prior to any additional work being carried out as an additional cost will be charged for items not covered under warranty.

NOTE: APPLICABLE FOR 5,000 KM TO 100,000 KM OF
6 MONTHS TO 120 MONTHS SERVICE INTERVALS

Job Card No.:	Date :									Mod	əl :												
Customer Nan	ne:VIN :									KM F	Readi	ng: .											
Service Adviso	or : Authorisation No:									Tech	nicia	n (Pr	rint) :										
	I = Inspection. After inspection clean and correct, or repla						lace -	L = Lu															
SERVICE INTER	RVAL EVERY KMs (x 1000)	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	95	100		NOT
-	hever occurs first) Months	6	12	18	24	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114		OK	OK
(Labour hrs.	1,1	1,2		1,3	1,1	1,2	1,1	1,3	1,1	1,2	1,1	1,3	1,1	1,2	1,1	1,3	1.1	1,2	1,1	1,3		
	1 Engine Oil and Filter	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	$\vdash \vdash$	
	2 Fuel Filter	- K	R	-	R	-	R	- K	R	- K	R	- -	R	- K	R	- K	R	- K	R	_ K	R	$\vdash \vdash$	-
	3 Pre-Fuel Filter* (Note: only where fitted)-add 0.1 hours	-	R	-	R	-	R	-	R	-	R	-	R	-	R	-	R	<u> </u>	R	<u> </u>	R	$\vdash \vdash$	-
	4 Fuel sedimentor for presence of water	-		Ť	I	_	ı	Ť	I	-	ı	-	ı	1	ı	-	I	<u> </u>		-	1	$\vdash \vdash$	
	5 Fuel leakage at tank, cap and pipes		H	+	<u> </u>	<u> </u>		+	<u> </u>	-	<u> </u>	<u> </u>	H	-	-		<u> </u>	r i 	H	<u>'</u>	\vdash	$\vdash \vdash$	
	6 Air filter element (I & R) and all air cleaner hose fitments for tightness (I)		H	÷	R	<u> </u>		+	R	-	<u> </u>	<u> </u>	R	-	-		R	r i 	H	<u>'</u>	R	$\vdash \vdash$	
	7 Valve Clearances - add 1.5 for adjustment	-	-	-	-	<u> </u>	-	-	-	-	A	-	-	-	-	÷	-	-	<u> </u>	-	A	$\vdash \vdash$	
ENGINE	8 All engine drive belts for tension and damage and check pulley condition (replace if needed)	1	H	-	<u> </u>	<u> </u>	1			-	1	1		1	-	-	<u> </u>	$\overline{}$	H		1	$\vdash \vdash$	
	Pun engine through operating range & check for excessive smoke	<u> </u>	H	÷	i i	<u> </u>	i	÷	<u>.</u>	-	- 		i	÷	-	÷	i i	Ė	一	H	\vdash	\vdash	-
	10 Coolant system for leaks (press. test radiator & cap) & check coolant concentration (50% gly.)		H	÷	i	H	i	÷	<u>.</u>				Ė	÷		÷	i	Ė	一	H	\vdash	$\vdash \vdash$	_
	11 Coolant concentration (50 % glycol) - Add 0.3 hrs (Record coolant freezing point on the job card)	i	Ħ	i	i	H	i	i	i	i	R	i	H	i	i	i	i	ΓĖ	ri		R		<u> </u>
	12 Radiator core (check for foreign objects) and fan operation	i	Ħ	i	i	H	i	i	i	i	1	i	H	i	i	i	i	ΓĖ	ri				<u> </u>
	13 Exhaust system for leaks and mountings for tightness or damage	i	Ħ	÷	i	i	i	÷	i	i	i	i	i	i	i	÷	i	Ė	ri	Ė	Ħ		
	14 All hoses & pipes in engine compartment for tightness or damage		Ħ	i	Ė	i	i	i	i		i	_	Ė	Ė		Ė	Ė	Ė	$\overline{}$	i i	$\overline{}$		
	15 Brake pedal function, travel and free play		Ħ	i	Ė	i	i	i	i		i	_	Ė	Ė		Ė	Ė	Ė	$\overline{}$	i i	$\overline{}$		
	16 Brake fluid level	i	Ħ	Ė	Ė	i	i	Ė	i	İ	i		H	Ť	İ	Ė	Ė	Ė	Ė	Ť	$\overline{}$	\Box	
SERVICE	17 Brake fluid - Add 0.3 hrs	i	Ħ	i	R	i	ı	Ī	R	ī	ī	i	R	Ī	ī	i	R		T T		R		
BRAKE	18 Front disc brake pads & discs for wear (Record thickness size of pads & discs on the job card)	-		1	1	ı	ı	ı	ı	1	ı	1		- 1	1	1	1	П					
	19 Rear brake linings & drums for wear (Record thickness size of shoes & drums on the job card)	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A		
	20 Brake pipes & hoses for leaks, loose connections or damage	ı	ı	ı	I	ı	ı	I	Ι	ı	ı	Ι	Ι	Ι	ı	ı	I	П	П	ı	Τ		
	21 Clutch pedal function, travel and free play & fluid leaks	ı	I	I	I	I	ı	ı	I	ı	ı	ı	I	I	ı	I	I	П	П	I	T		
CLUTCH	22 Clutch fluid level	ı	I	I	I	I	ı	ı	I	ı	ı	ı	ı	I	ı	I	I	П	П	I	T		
	23 Clutch fluid - Add 0.1 hrs	ı	ı	ı	R	ı	ı	ı	R	ı	ı	ı	R	ı	ı	ı	R	П	П	ı	R		
TRANS. &	24 Manual transmission fluid-add 0.3 hrs for replacement	ı	R	ı	ı	ı	ı	ı	ı	ı	R	ı	ı	ı	ı	ı	ı	П	R	I			
TRANSFER	25 Automatic transmission fluid-add 0.3 hrs for replacement	-	I	ı	ı	ı	ı	ı	Ι	ı	ı	_	ı	ı	ı	ı	ı			I	R		
CASE	26 Transfer case fluid-add 0.2 hrs for replacement (4x4 only)	ı	R	I	ı	ı	ı	Ι	I	ı	R	Ι	I	-	ı	ı	ı	Ι	R	ı	I		
PROPSHAFT	27 Universal joints & sliding sleeve #	1	1	L	I	1	L	I	I	L	1	Ι	L	1	1	L	I	Ι	L	- 1			
PROPONALI	28 Prop shaft mounting and universal joints & sliding sleeve for looseness and excessive wear	1	1	ı	ı	ı	ı	ı	ı	- 1	ı	_	-	ı	- 1	ı	ı			ı	1		
	29 Front axle fluid *- add 0.1 hrs for replacement on 4x4	I	R	I	I	I	I	I	I	I	Τ	I	I	I	ı	I	R	ΙΙ	П	I	T		
FRONT/	30 Shift on the fly fluid* - add 0.1 hrs for replacement on 4x4	ı	R	I	- 1	ı	ı	ı	I	- 1	- 1	Ι	- 1	- 1	- 1	ı	R	Ι		I	I		
REAR AXLE	31 Rear axle fluid (without limited slip) - add 0.3 hrs for replacement	ı	I	I	I	I	- 1	I	Ι	ı	- 1	I	I	I	ı	I	R	I	1	I	I		
	32 Rear axle fluid (with limited slip) - add 0.1 hrs for replacement		R							_	R	_		-	_				R	$\overline{}$			





NOTE: APPLICABLE FOR 5,000 KM TO 100,000 KM OR

PLEASE NOTE:

- 1. Refer to the Service Interval Guideline by Country for the correct Interval by kilometers or months, whichever occurs first.
- 2. This Service Schedule will have preference over the Owner's Manual and Warranty & Service Guide (Refer to updated date).
- 3. Refer to the Warranty and Service Guide for Severe Driving Conditions.
- 4. Consult the Owner/Customer prior to any additional work being carried out as an additional cost will be charged for items not covered under warranty.

never occurs first.

6 MONTHS TO 120 MONTHS SERVICE INTERVALS
efer to undated date)

		I = Inspection. After inspection clean and correct, or repla	ace a	s nec	essa	y - R	= Rep	lace -	L = L	ubrica	ite - A	= Ad	ust											
SERVICE INTER	VAL E	VERY KMs (x 1000)	5	10	15	20	25	30	35	40	45		55	60	65	70	75	80	85	90	95	100	ОК	NOT
(or months, which	ever	occurs first) Months	6	12	18	24	30	36	42	48	54	60	66	72	78	84	90	96	102	108	114	120	OK	OK
FRONT/	33	Shift on the fly	ı	-	- 1	-	Ι	I	I	- 1	Ι	I	I	ı	ı	_	ı	ı	-	- 1	-			
REAR AXLE	34	All axle shaft and housing for distortion or damage	ı	-	- 1	-	Ι	I	I	- 1	Ι	I	I	ı	ı	_	ı	ı	-	- 1	-			
REAR AXLE	35	Front drive axle CV joints, condition of rubber dust covers	I	_	ı	-	- 1	Ι	ı	ı	Ι	I	ı	- 1	I	_	I	ı	- 1	I	I	П		
	36	Steering wheel play and function	ı	I	I	I	Ι	I	ı	-	I	ı	I	-	I	- 1	-	ı	ı	ı	-			
STEERING	37	Power steering fluid	ı	I	I	I	Ι	I	ı	R	I	ı	I	-	I	- 1	-	R	ı	ı	-			
STEERING	38	Steering rack and ball joint rubber boots	ı	I	I	I	Ι	I	ı	-	I	ı	I	-	I	- 1	-	ı	ı	ı	-			
	39	Wheel alignment inspection (to be offered to customer)						Red	omme	nded	every	servic	e-cos	for cu	stom	er's ac	count							
PARKING	40	Parking brake function - lever travel & ratchet for damage	ı	- 1	- 1	I	I	I	- 1	-	- 1	I	- 1	I	ı		-	- 1	-	ı	-			
BRAKE	41	Parking brake cables for looseness or damage	I	_	ı	-	- 1	Ι	ı	ı	-	I	ı	- 1	I	_	I	ı	- 1	I	I	П		
	42	Suspension front & rear - strut rubbers, bushes, tie-rod ends & link arms	ı	I	I	I	I	I	I	Ī	I	I	I	I	ı	I	ı	I	I	I	ı			
CHASSIS &	43	Shock absorbers for leaks and looseness	I	_	ı	-	- 1	Ι	ı	ı	-	I	ı	- 1	I	_	I	ı	- 1	I	I	П		
SUSPENSION	44	Leaf/coil springs for damage	ı	_	ı	-	-	- 1	I		-	- 1	ı	-	I	- 1		-	ı	-	-			
	45	Cab mountings for looseness and damage	ı	- 1	- 1	- 1	- 1	- 1	- 1	- 1	- 1	1	I	- 1	ı	- [- 1	ı	- 1	- 1	- 1	I		
	46	Tyre Pressure - Check and correct (incl. spare wheel)	ı	- 1	- 1	- 1	- 1	- 1	- 1	- 1	- 1	1	I	- 1	ı	- [- 1	ı	- 1	- 1	- 1	I		
	47	Inspect tyres & rims for damage (incl. spare wheel)	ı	- 1	- 1	- 1	- 1	- 1	- 1	- 1	- 1	1	- [- 1	ı	- [- 1	ı	- 1	- 1	- 1	I		
WHEELS	48	Wheel bearing (front & rear) - Inspect for bearing play	ı	- 1	- 1	- 1	- 1	- 1	- 1	- 1	- 1	1	- [- 1	ı	- [- 1	ı	- 1	- 1	- 1	I		
WIILLE	49	Rotate tyres & torque wheel nuts as per specification-Refer Bulletin GEN-2015-09	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т	Т		
	50	Front wheel bearing grease oil seal - Add 1.1 hrs for replacement (4x2)	ı	- 1	ı	ı	ı	I	ı	ı	I	R	I	ı	ı	- 1	ı	ı	I	ı	ı	R		
	51	Front wheel and needle bearing grease and oil seal - Add 2.8 hrs for replacement (4x4)	ı	- 1	- 1	- 1	I	- 1	I	- 1	- 1	R	ı	- 1	ı	- 1	ı	I	- 1	ı	ı	R		
	52	Vehicle systems - Check all ECUs for DTCs & reset service interval*	ı	- 1	- 1	I	I	1	ı	ı	I	I	I	I	I	- 1	ı	I	- 1	- 1	I	I		
	53	Extract DRM data & generate VDAS REPORT*- Refer Bulletin 2304261630TRA0 – SB2309							Attach	repor	t to Jo	b Car	d at e	very se	ervice	interv	al							
ELECTRICAL	54	Starter and alternator function / output	ı	-	I	-	-	- 1	-	-	- 1	I	I	_	I	- 1	_	-	- 1	ı	_			
EQUIPMENT	55	Battery electrolyte level and specific gravity*	ı	-	I	I	I	I	- 1	-	-	- 1	ı		I	- 1		-	- 1	ı	-	I		
EGON MEN	56	Check operation of all lights, hooter, instruments, a/c, radio, wiper blades & washers	ı	- 1	- 1	- 1	- 1	- 1	- 1	- 1	- 1	I	- 1	- 1	- 1	- 1	ı	ı	- 1	- 1	ı			
	57	Remote key battery*	I	I	I	R	I	I	I	R	I	I	I	R	I	I	I	R	I	I	I	R		
	58	Airbag system and Airbag warning light, visual inspection	I	I	I	I		I	Ι	Ι	I	I	I	I	I	I	I	I	I	I	I			
	59	Seatbelts function and damage	I	I	I	I		I	Ι	Ι	I	I	I	I	I	I	I	I	I	I	I			
	60	Inspect chassis and body for corrosion - Complete Inspection Sheet						Atta	ch co	y of S	heet	to Job	Card	at eve	ry ser	vice in	terva							
BODY		Doors, bonnet, tailgate links, locks and door restraints to Check/Adjust/Clean/Lubricate	I	I	I	L	I	I		L		I	I	L	I	I	I	L		I	I	L		
	62	Pollen filter*	I	I	I	R		I	Ι	R	I	I	I	R	I	I	I	R	I	I	I	R		
	63	Air conditioner drain pipe for drainage	I	I	I	I	I	I		I		I	I	I	ı	I	ı	I	I	I	ı			
SAFETY	64	Check for open RECALLS or SERVICE CAMPAIGNS						Att	ach co	py of	IVH to	Job (ard a	t every	serv	ice inte	erval							
TESTING	65	Road Test	ı	Ι	- 1	I	- 1	- 1	- 1	- 1	- 1	- 1	ı	I	ı	- 1	I	-	- 1	I	ı			

* where f	itt	ec	
-----------	-----	----	--

where grease nipples are fitted.

Customer Signature Date

I was informed of the service cost & additional items that needs attention.

Attach one copy to Customer's Invoice

Attach one copy to Job Card

Technician Signature

I hereby confirm that all items have been checked and and rectifed where required.

Updated.
Oct 2023

Document No.

CKD / ISUZU 2.5 / 3.0 Diesel





PLEASE NOTE:

1. Refer to the Service Interval Guideline by Country for the correct Interval by kilometers or months, whichever occurs first.

- 2. This Service Schedule will have preference over the Owner's Manual and Warranty & Service Guide (Refer to updated date).
- 3. Refer to the Warranty and Service Guide for Severe Driving Conditions.

4	Consult the Owner/Customer prior to:	any additional wark bains	, corried out on on o	aditional aget will be abo	rand for itama not cover	ad unadar usarrantu

NOTE: APPLICABLE FOR	105,000 KM TO 180,000 KM OR
126 MONTHS TO 216 MON	THS SERVICE INTERVALS

Job Card No.:	Date :	Model :
Customer Name:	VIN :	KM Reading:
Service Advisor :	Authorisation No:	Technician (Print) :

I = Inspection. After inspection clean and correct, or replace as necessary - R = Replace - L = Lubricate - A = Adjust

SERVICE INTER	VAL EVERY	KMs (x 1000)								140	145	150	155	5 160	165	170	175	180	ОК	NOT
(or months, which	ever occurs first)	Months	126	132	138	144	150	156	162	168	174	180	186	192	198	204	210	216	UK	OK
	,	Labour hrs.	1,1	1,2	1,1	1,3	1,1	1,2	1,1	1,3	1,1	1,2	1,1	1,3	1,1	1,2	1,1	1,3		
	1 Engine Oil and Filter		R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R		
	2 Fuel Filter		-	R	-	R	-	R	-	R	-	R	-	R	-	R	-	R		
	3 Pre-Fuel Filter* (Note: only where fitted)-add 0.1 hours		-	R	-	R	-	R	-	R	-	R	-	R	-	R	-	R		
	4 Fuel sedimentor for presence of water		-	ı	Ι	Ι	Ι	ı	ı	Ι	I	I	I	ı	I	- 1	Ι	Ι		1
	5 Fuel leakage at tank, cap and pipes		ı	I	Ι	- 1	I	ı	- 1	ı	I	I	I	- 1	- 1	- 1	I	I		
	6 Air filter element (I & R) and all air cleaner hose fitments for tightness (I)		ı	I	Ι	R	I	ı	- 1	R	I	I	I	R	- 1	- 1	I	R		
ENGINE	7 Valve Clearances - add 1.5 for adjustment		-	-	-	-	-	-	-	-	-	Α	-	-	-	-	-	-		
ENGINE	8 All engine drive belts for tension and damage and check pulley condition (replace if needed)		ı	I	Ι	- 1	I	ı	- 1	ı	I	I	I	- 1	- 1	- 1	I	I		
	9 Run engine through operating range & check for excessive smoke		ı	I	Ι	- 1	I	ı	- 1	ı	I	I	I	- 1	- 1	- 1	I	I		
	10 Coolant concentration (50 % glycol) - Add 0.3 hrs (Record coolant freezing point on the job card)		ı	I	Ι	- 1	I	ı	- 1	ı	I	I	I	- 1	- 1	- 1	I	I		
	11 Coolant concentration (50 % glycol) - Add 0.3 hrs		ı	ı	Ι	Ι	ı	-	Ι	Ι	ı	R	I	ı	ı	ı	Ι	Т		1
	12 Radiator core (check for foreign objects) and fan operation		-	I	Ι	Ι	ı	ı	-	ı	I	- 1	I	ı	- 1	- 1	Ι			
	13 Exhaust system for leaks and mountings for tightness or damage		-	I	Ι	Ι	ı	ı	-	ı	I	- 1	I	ı	- 1	- 1	Ι			
	14 All hoses & pipes in engine compartment for tightness or damage		-	I	Ι	Ι	ı	ı	-	ı	I	- 1	I	ı	- 1	- 1	Ι			
	15 Brake pedal function, travel and free play		-	ı	Ι	Ι	Ι	ı	ı	Ι	I	I	I	ı	I	- 1	Ι	Ι		1
	16 Brake fluid level		ı	I	Ι	- 1	I	ı	- 1	ı	I	I	I	- 1	- 1	- 1	I	I		
SERVICE	17 Brake fluid - Add 0.3 hrs		ı	I	Ι	R	I	ı	- 1	R	I	I	I	R	- 1	- 1	I	R		
BRAKE	18 Front disc brake pads & discs for wear (Record thickness size of pads & discs on the job card)		ı	I	Ι	- 1	I	ı	- 1	ı	I	I	I	- 1	- 1	- 1	I	I		
	19 Rear brake linings & drums for wear (Record thickness size of shoes & drums on the job card)		I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	1&/	\ I&A	I&A	I&A	I&A	I&A		
	20 Brake pipes & hoses for leaks, loose connections or damage		ı	I	Ι	- 1	I	ı	- 1	ı	I	I	I	- 1	- 1	- 1	I	I		
	21 Clutch pedal function, travel and free play & fluid leaks		ı	I	Ι	- 1	I	ı	- 1	ı	I	I	I	- 1	- 1	- 1	I	I		
CLUTCH	22 Clutch fluid level		ı	I	I	ı	I	I	- 1	ı	I	I	I	ı	I	I	I	I		
	23 Clutch fluid - Add 0.1 hrs		ı	I	I	R	I	I	- 1	R	I	I	I	R	I	I	I	R		
TRANS. &	24 Manual transmission fluid-add 0.3 hrs for replacement		ı	I	Ι	- 1	I	R	- 1	ı	I	I	I	- 1	- 1	R	I	I		
TRANSFER	25 Automatic transmission fluid-add 0.3 hrs for replacement		ı	I	Ι	- 1	I	ı	- 1	ı	I	I	I	- 1	- 1	- 1	I	I		
CASE	26 Transfer case fluid-add 0.2 hrs for replacement for 4x4		ı	I	Ι	- 1	I	R	- 1	ı	I	I	I	- 1	- 1	R	I	I		
PROPSHAFT	27 Universal joints & sliding sleeve #		L	I	- 1	L	- 1	- 1	L	- 1	I	L	I	I	L	- 1	- 1	L		ĺ
PRUPSHAFI	28 Prop shaft mounting and universal joints & sliding sleeve for looseness and excessive wear		I	I	- 1	- 1	- 1	- 1	ı	- 1	I	- 1	I	I	- 1	- 1	- 1	I		ĺ
	29 Front axle fluid *- add 0.1 hrs for replacement on 4x4		ı	Ι	- [ı	Ι	- 1	-	ı	ı	R	I	1	1	1	- 1			
FRONT/	30 Shift on the fly fluid* - add 0.1 hrs for replacement on 4x4		ı	Ι	- [ı	Ι	- 1	-	ı	ı	R	I	1	1	1	- 1			
REAR AXLE	31 Rear axle fluid (without limited slip) - add 0.3 hrs for replacement		ı	Ι	- [ı	Ι	- 1	-	ı	ı	R	I	1	1	1	- 1			
	32 Rear axle fluid (with limited slip) - add 0.1 hrs for replacement		ı	ı	- 1	ı	ı	R	ı	ı	ı	I	I	ı	I	R	ı			<u> </u>

CONTINUED....





PLEASE NOTE:

- 1. Refer to the Service Interval Guideline by Country for the correct Interval by kilometers or months, whichever occurs first.
- 2. This Service Schedule will have preference over the Owner's Manual and Warranty & Service Guide (Refer to updated date).
- 3. Refer to the Warranty and Service Guide for Severe Driving Conditions.
- 4. Consult the Owner/Customer prior to any additional work being carried out as an additional cost will be charged for items not covered under warranty.

Date

NOTE: APPLICABLE FOR 105,000 KM TO 180,000 KM OR 126 MONTHS TO 216 MONTHS SERVICE INTERVALS

I = Inspection. After inspection clean and correct, or replace as necessary - R = Replace - L = Lubricate - A = Adjust

Commit C	216 OK OK OK
FRONT STEERING STEERING Steering wheel play and function Steering rack and ball joint rubber dust covers Steering rack and ball joint rubber boots Steering rack and ball joint rubber dust covers Steering rack and ball joint rubber dust and ball joint rubber dust covers Steering rack and ball joint rubber dust and ball joint rubber dust and ball joint rubber dust and ball joint rubber dust and ball joint rubber dust and ball joint rubber dust and ball joint rubber seed on the seed of the seed of the seed of the seed of the seed of the seed of the seed of the seed of the seed of the se	
REAR AXLE 34 All axle shaft and housing for distortion or damage	
STEERING Steering wheel play and function Steering fluid Steering fluid Steering fluid Steering fluid Steering rack and ball joint rubber boots Steering rack and steering rack a	
STEERING 37 Power steering fluid 38 Steering rack and ball joint rubber boots 1 1 1 1 1 1 1 1 1	
38 Steering rack and ball joint rubber boots 1 1 1 1 1 1 1 1 1	
38 Steering rack and ball joint rubber boots	
PARKING BRAKE 40 Parking brake function - lever travel & ratchet for damage	
### BRAKE 41 Parking brake	
Authorized Suspension from the rear - strut rubbers, bushes, tie-rod ends & link arms	
CHASSIS & SUSPENSION 43 Shock absorbers for leaks and looseness I	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
SUSPENSION 44 Leaf/coil springs for damage	1 1 1
### WHEELS 46 Tyre Pressure - Check and correct (incl. spare wheel) 1 1 1 1 1 1 1 1 1	1 1
WHEELS 46 Tyre Pressure - Check and correct (incl. spare wheel) I<	1
WHEELS 47 Inspect tyres & rims for damage (incl. spare wheel) I<	1
WHEELS 48 Wheel bearing (front & rear) - Inspect for bearing play I	
WHEELS 49 Rotate tyres & torque wheel nuts as per specification-Refer Bulletin GEN-2015-09 T	
49 Rotate tyres & torque wheel nuts as per specification-Refer Bulletin GEN-2015-09 T	1
51 Front wheel and needle bearing grease and seal - Add 2.8 hrs for replacement (4x4) I	T
52 Vehicle systems - Check all ECUs for DTCs & reset service interval* I I I I I I I I I I	1
	1
	1
53 Extract DRM data & generate VDAS REPORT*- Refer Bulletin 2304261630TRA0 – SB2309 Attach report to Job Card at every service interval	
54 Starter and alternator function / output	1
ELECTRICAL EQUIPMENT 55 Battery electrolyte level and specific gravity*	1
56 Check operation of all lights, hooter, instruments, a/c, radio, wiper blades & washers	T
57 Remote key battery*	R
58 Airbag system and Airbag warning light, visual inspection	1
59 Seatbelts function and damage	1
60 Inspect chassis and body for corrosion - Complete Inspection Sheet Attach copy of Sheet to Job Card at every service interval	
BODY 61 Doors, bonnet, tailgate links, locks and door restraints to Check/Adjust/Clean/Lubricate I I I I L I I I I L I I I I I I I I I	L
62 Pollen filter*	R
63 Air conditioner drain pipe	1
SAFETY 64 Check for open RECALLS or SERVICE CAMPAIGNS Attach copy of IVH to Job Card at every service interval	-
TESTING 65 Road Test	

* where	titted
---------	--------

where grease nipples are fitted.

Customer Signature

I was informed of the service cost & additional items that needs attention.

Attach one copy to Customer's Invoice

Attach one copy to Job Card

Technician Signature

I hereby confirm that all items have been checked and and rectifed where required.

Updated.
Oct 2023

Document No.

CKD / ISUZU 2.5 / 3.0 Diesel

Corrosion Inspection Sheet TF Series (RT) Single Cab



PLEASE NOTE: Copy to be attached to Job Card

			1
Job Card No.	Date:	Model:	
Customer Name:	Km.:	VIN :	
Service Consultant name:	Technician name:	<u></u>	
Bodywork Inspection			
Vehicle OK	Comments		
Yes No			
Vehicle Repaired			
Yes No		DEALER'S STAMP	
Accident / Bodywork damage		AND	
repaired to factory standard			
Yes No		SIGNATURE	
<u> </u>	ARK TEST RESULTS USING REL	EVANT SYMBOL	
STONE THROW	DENT/BUMP	BODYWORK DAMAGE	
		_	
+ SCRATCH	# PAINTWORK DA THE DIAGRAM IS REPRESENTATIVE OF A	•	

Corrosion Inspection Sheet TF Series (RT) Extended Cab



PLEASE NOTE: Copy to be attached to Job Card

Job Card No.	Date:	Model:
Customer Name:	Km.:	VIN :
Service Consultant name:	Technician na	me:
Bodywork Inspection		
Vehicle OK Comments		
Yes No		
Vehicle Repaired		
Yes No		DEALER'S STAMP
Accident / Bodywork damage		AND
repaired to factory standard		AND
Yes No		SIGNATURE
MARK TEST RES	SULTS USING	G RELEVANT SYMBOL
STONE THROW	O DENT	BODYWORK DAMAGE
		_
+ SCRATCH	••	WORK DAMAGE SEAL UNDERBODY
THE DIAGRAM IS	REPRESENTATIV	/E OF ALL MODEL SERIES

Corrosion Inspection Sheet TF Series (RT) Double Cab



PLEASE NOTE: Copy to be attached to Job Card

Job Card No	. Date:		Model:	
Customer Name:	. Km. :		VIN:	
Service Consultant name:	. Technician nam	e:		
Bodywork Inspection				
Vehicle OK Comments	;			
Yes No				
Vehicle Repaired				
Yes No		DEALER	'S STAMP]
Accident / Bodywork damage		Δ	.ND	
repaired to factory standard				
Yes No		SIGN	ATURE	
MARK TEST RESULTS USING RELEVANT SYMBOL				
● STONE THROW	O DENT/B		BODYWORK DAMAGE	
+ SCRATCH THE DIAGRAM IS	••	ORK DAMAGE OF ALL MODEL SERIES	SEAL UNDERBODY	