

5,000 km or 6 Months Service Schedule ISUZU D-MAX (RG 06) 1.9L (RZ4E) & 3.0L (4JJ3) - Diesel



NOTE: APPLICABLE FOR 5,000 KM TO 90,000 KM OR 6 MONTHS TO 108 MONTHS SERVICE INTERVALS

- PLEASE NOTE: 1. Refer to the Service Interval Guideline by Country for the correct Interval by kilometers or months, whichever occurs first.
- 2. This Service Schedule will have preference over the Owner's Manual and Warranty & Service Guide (Refer to updated date).
- 3. Refer to the Warranty and Service Guide for Severe Driving Conditions.

Job Card No.	:	Date :						Mod	del :													
Customer Na	me: .	VIN:						KM	Rea	ding	:											
Service Advis	or ·	Authorisation No:						Toc	hnic	ian (Drin	nt\ ·										
Service Auvis	301 .	I = Inspection. After inspection clean and correct, or replace																				
SERVICE INTE	RVAL	EVERY KMs (x 1000)	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90	ОК	NOT
(or months, whichever occurs first) Months				12	18	+	1	36	42	48	54	60	66		78	84	90	96	1			OK
Labour hrs. 1 Engine Oil and Filter		1,1 R	1,3 R	1,1 R	1,4 R	1,1 R	1,3 R	1,1 R	1,4 R	1,1 R	1,4 R	1,1 R	1,4 R	1,1 R	1,3 R	1,1 R	1,4 R	1,1 R	1,3 R	<u> </u>	_	
	2	Fuel Filter	-	R	-	R	-	R	-	R	-	R	-	R	-	R	-	R	-	R		
	3	Pre-Filter*	-	R	<u> </u>	R	-	R	-	R	-	R	-	R	-	R	-	R	Ę	R	<u> </u>	
	5	Fuel sedimentor for presence of water Fuel leakage at tank, cap and pipes	<u> </u> 	I	I	 	I	 	 	I	-	 	I		I	1	<u> </u>	I	I		-	-
	6	Air filter element (I & R) and all air cleaner hose fitments for tightness (I)	Ι	ı	Τ	R	I	Ι	I	R	Ι	Ι	I	R	Ι	Ι	Ι	R	ı	Ι		
ENGINE	8	Valve Clearances - add 1.3 hrs for 4JJ3 All engine drive belts for tension & damage & check pulley condition (replace if reqd.)	-	-	1	-	i	-	-	<u>-</u>	-	A	-	-	-	-	-	-	-	-	├	
	9	Run engine through operating range & check for excessive smoke	İ	İ	Ė	İ	İ	İ	Ī	İ	-	İ	i	İ	i	İ	İ	İ	Ī	Ė		
	10	Coolant sys.for leaks (press.test radiator & cap) & check coolant concentr.(50% gly.)	1	1	1	1	I	1	1	1	1	I	ı	1	I		1	1	1	<u> </u>	<u> </u>	
	11	Coolant concentr.(50% glycol)-Add 0.3 hrs (Record coolant freezing point on the J/C) Radiator core (check for foreign objects) and fan operation	<u> </u> 		H	<u> </u>	1	I	I	I	I	R	I		I	<u> </u> 				\perp	-	-
	13	Exhaust system for leaks and mountings for tightness or damage	Ι	I	Ι	I	I	Ι	I	I	ı	Ι	I	Ι	ı	Ι	I	I.	I	I		
		All hoses & pipes in engine compartment for tightness or damage Brake pedal function, travel and free play	<u> </u> 	 	1		I	1	I	1		I			 	1	I	<u> </u>		<u> </u>	<u> </u>	
SERVICE	_	Brake fluid	İ	İ	İ	R	İ	İ	İ	R	i	İ	i	R	i	i	İ	R	Ī	Ė		
BRAKE	17	Front discs & pads for wear (Record thickness size of pads & discs on job card)	10.0	10.0	10.0	10.4	10.4	10.4	10.0	10.4	10.4	10.4	10.4	10.4	10.4	10.4	1	10.4	10.0	10.4		
	18	Rear linings & drums for wear (Record thickness size of shoes & drums on job card) Brake pipes & hoses for leaks, loose connections or damage	I&A	I&A I	I&A	I&A	I&A	I&A	I&A I	I&A	I&A	I&A	I&A I	I&A I	I&A I	I&A I	I&A	I&A	I&A	I&A	-	-
CLUTCH	20	Clutch pedal function, travel and fi	ı	I	I	I	I	I	I	I	-	I	ı	I	Ι	I	ı	I	I	I		
	21	Clutch fluid * - add 0.1 hrs for replacement Manual transmission fluid * - add 0.2 hrs for replacement	I R	R	÷	R R	H	R	R	R	$^{+}$	R R	+	R	l R	R	H	R R	H	R		
TRANS. & TRANSFER	23	Automatic transmission fluid-add 0.3 hrs for replacement every 100 000 km	Ι	Ι	I	Ι	ı	Ι	Ι	Ι	Ι	Ι	Ι	Ι	Ι	Ι	Ι	ı	Ι	Ι		
CASE	24	Transfer case fluid * - add 0.15 hrs for replacement on 4x4	1	R	1	1	1	1	ı	1	1	R	1	1	1	1	1	1	1	R		
PROPSHAFT	25 26	Universal joints & sliding sleeve # Prop shaft mntg. & universal joints & sliding sleeve for looseness & excessive wear	1	L	I	L	1	L	1	L	1	L		L	1	L	L	L	I	L	<u> </u>	
	27		Ī	R	Ī	Ī	I	I	I	I	1	I	İ	I	I	Ī	Ċ	R	ė			
	28	Shift on the fly fluid*- add 0.1 hrs for replacement on 4x4	Ī	R	- [Ι	- 1	Ī	1	T	1	Ī	- 1	Ī	-1	Ī	-1	R	T	1		
FRONT/ REAR AXLE	30	Rear axle fluid - level and leaks Shift on the fly & rear diff lock operation test *	<u> </u> 	R	1	<u> </u>	I	1	I	1	1	I		<u> </u>	I	1	<u> </u>	R	<u> </u>	H	-	
	31	All axle shafts and housing for distortion or damage	İ	Ī	İ	Ī	İ	İ	İ	ı	-	İ	i	İ	ı	İ	İ	I	I	İ		
	32	Front drive axle CV joints, condition of rubber dust covers		-	L!	-	1	1	-	I	1	1		-	1				<u> </u>	L	<u> </u>	
	33	Steering wheel play and function Power steering fluid * - add 0.3 hrs for replacement	_		1		I	I	Ī	R		I	_	I	ı	-	I	R	,	<u>'</u>		-
STEERING		Power steering pump, hoses, fittings & connections - inspect for cracks & leaks *	I	I	Ι	- 1	I	Ι	Ι	I	ı	Ι	ı	Ι	I	I	Ι	I	I	Ι		
	36	Steering rack and ball joint rubber boots Wheel alignment inspection (to be offered to customer)	1	I		l Re	comn	l nende	l ed ev	ery s	ervic	e-cos	t for	custo	l mer's	l	Ount	I	I	I	<u> </u>	
PARKING	38	Parking brake function		1	Ι,	1	1	ı	1	1	1	1	1	ı	1	1	I i	1	ī	П		
BRAKE	39	<u> </u>	Ė	<u> </u>	H	٠.	<u> </u>	Ė	·			Ė	· ·	·		<u> </u>	÷	i.	÷	÷	<u> </u>	
	40	Shock absorbers for leaks and looseness	İ	İ	Ė	İ	i	İ	İ	i	İ	İ	i	İ	i	·	İ	İ	İ	İ	<u> </u>	
CHASSIS & SUSPENSION	41	Leaf/Coil springs for damage	1	1	1	1	1	1	1	1	1	I	1	1	1	1	I	1	1	<u> </u>	<u> </u>	
SUSPENSION		Leaf spring anti-friction (rubbers) - replacement for customer's account Tightness of bolts and nuts on chassis and body	+	ı	I	 	I	I	ı	ı	-	+	1		ı	<u> </u>		<u> </u> 	ı	<u> </u>		
	44	Cab mountings for looseness and damage	I	I	I	I	I	Ι	I	I	ı	Ι	ı	I	ı	ı	ı	I	I	L		
	45 46	Tyre Pressure - Check and correct (incl. spare wheel) Inspect tyres & rims for damage (incl. spare wheel)		I		<u> </u>	<u> </u>	1	I	1	-	1	<u> </u>	I	I	<u> </u> 	<u> </u>	I	I	<u> </u> 	<u> </u>	
WHEELS	47	Rotate tyres & torque wheel nuts as per specification-Refer Bulletin GEN-2015-09	T	T	Ť	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T		
	48	7 1 01 7		1	1	1	1	1	1	1	1	1	1	1	1		1	I	1	L	<u> </u>	
	49 50	Vehicle systems - Check all ECUs for DTCs & reset service interval* Extract DRM data & gen.VDAS REPORT*-Ref.Bull. 2304261630TRA0-SB2309		!	<u> </u>	!	Atta	ch rei	oort t	o Job	l Car	d at e	verv	servi	ce int	l terva	<u> </u>	<u> </u>	<u> </u>	<u> </u>		
ELECTRICAL EQUIPMENT	51	Alternator output test (charging output voltage with all loads ON = 13.8V - 14.5V)	I	I	I	I	I	I	Ι	Ι	ı	Ι	I	Ι	I	I	ı	I	I	I		
	_	Battery electrolyte level and specific gravity		1	1	1	I	1	<u> </u> -	I	1	1	1	1	 		<u> </u> 	1	I	<u> </u>	₩	
	53 54		1	<u> </u>	H	l R	<u> </u>	I		R	-	H	I	R		<u> </u>	<u> </u>	l R		H	-	-
	55	Airbag system self test and warning light function	I	I	I	I	i	Ι	I	I	Ι	Ι	I	ı	İ	I	İ	ı	ı	I		
	56	Seatbelts function and damage	1	I	I	I Att	l ach c	ODV O	I f She	I eet to	.loh	l Card	at ev	l erv s	l envio	l e inte	l anyal	I	I	I	₩	<u> </u>
BODY		Inspect chassis and body for corrosion - complete inspection sheet Door, tailgate and hood lock/striker to Check/Adjust/Clean/Lubricate if required	ı	I	ı	L	I	ору о I	I	L	I	I	at ev	L L	I	I	I	L	I	Τ		\vdash
	59	Pollen filter	I	I	I	R	I	Ţ	I	R	I	Ţ	ı	R	I	I	I	R	I	I		
SAFETY		Air conditioner drain pipe for drainage Check for open RECALLS or SERVICE CAMPAIGNS			П	I At	I ttach	CODV	of IV	H to s	l lob C	l Card a	I at eve	l erv se	l	inte	<u>l</u> rval	I	Ш	ᆣ	\vdash	
TESTING		Road Test	I	Ι	I	I	I	I	I	I	I	I	I	· -	I	I	I	I	Ι	I		

* where fitted

where grease nipples are fitted.

I was informed of the service cost & additional items that needs attention.

Customer Signature Date Technician Signature

Updated.



5,000 km or 6 Months Service Schedule ISUZU D-MAX (RG 06) 1.9L (RZ4E) & 3.0L (4JJ3) - Diesel



NOTE: APPLICABLE FOR 95,000 KM TO 180,000 KM OR 114 MONTHS TO 216 MONTHS SERVICE INTERVALS

- 1. Refer to the Service Interval Guideline by Country for the correct Interval by kilometers or months, whichever occurs first.
- 2. This Service Schedule will have preference over the Owner's Manual and Warranty & Service Guide (Refer to updated date).
- 3. Refer to the Warranty and Service Guide for Severe Driving Conditions.

Consult the Owner/Customer prior to an	v additional work boing carried out as a	an additional cost will be sharped for its	me not covered under warranty

Job Card No.:		Date :						Mod	del :													
Customer Name: VIN :								км	Pos	dina												
Customer Nar	ne: .	VIN :						IVIVI	Rea	aing				•••••						•••••	•••	
Service Advis	or:.	Authorisation No:																				
		I = Inspection. After inspection clean and correct, or replace			·		<u> </u>															
SERVICE INTERVAL EVERY KMs (x 1000)			_							130											ОК	NOT OK
(or months, whic	neve	•						144		156				180		192			210	216	\Box	OIL
Labour hrs.			1,1	1,4	1,1	1,3		1,4	1,1	1,3	1,1	1,4	1,1	1,4	1,1	1,4	1,1		1,1	1,4	\vdash	
		Engine Oil and Filter Fuel Filter	R	R R	R	R R	R -	R R	R	R R	R	R R	R	R R	R	R R	R -	R R	R	R R	\vdash	
		Pre-Filter*	-	R	-	R	-	R	-	R	-	R	-	R	-	R	-	R	-	R		
		Fuel sedimentor for presence of water	ı	I	ı	I	ı	I	ı	ı	ı	Ι	Ι	ı	Ι	ı	I	I	ı	Ι		
		Fuel leakage at tank, cap and pipes	ı	ı	ı	ı	ı	Ι	-	Ι	-	-	-	Ι	-	-	-	Ι	ı	-	Ш	
		Air filter element (I & R) and all air cleaner hose fitments for tightness (I)	ı	R	ı	ı	ı	R	ı	-	ı	R	ı	A	ı	R	-	-	ı	R	\vdash	
ENGINE	7 8	Valve Clearances - add 1.3 hrs for 4JJ3 All engine drive belts for tension & damage & check pulley condition (replace if regd.)	1	A	-		· 	Ī	-	_	_	_	_	A	-	_	_	-	· -	-	\vdash	
	9	Run engine through operating range & check for excessive smoke	Ī	ı	i	ı	Ī	İ	Ī	İ	İ	İ	İ	İ	Ī	Ī	Ī	İ	Ī	İ		
	10	Coolant sys.for leaks (press.test radiator & cap) & check coolant concentr.(50% gly.)	ı	-	ı	-	ı	_	-	_	-	Ι	Ι	_	-	ı	_	_	ı	Ι		
	11	Coolant concentr.(50% glycol)-Add 0.3 hrs (Record coolant freezing point on the J/C)	1	R	1	1	1	1	1	-	1	1	1	R	1	1	1	1	1	1	\vdash	
		Radiator core (check for foreign objects) and fan operation Exhaust system for leaks and mountings for tightness or damage		<u> </u>				_	-			_	-			_		_				
		All hoses & pipes in engine compartment for tightness or damage	i	<u> </u>	<u> </u>	<u> </u>	<u> </u>	-	<u> </u>	_	+			_	<u> </u>	<u> </u>	_	-	<u> </u>			
		Brake pedal function, travel and free play	1	1	Ī	1	1	1	1	Ī	1	Ī	Ī	Ī	Ī	1	Ī	1	Ī	Ī		
SERVICE	16	Brake fluid	ı	R	ı	-	ı	R	-	_	-	R	Ι	_	-	R	_	_	ı	R		
BRAKE		Front discs & pads for wear (Record thickness size of pads & discs on job card)	1	1	1	1	1	1	- 1	1	1	1	1	1	- 1	1	1	1	1	R	\vdash	
		Rear linings & drums for wear (Record thickness size of shoes & drums on job card) Brake pipes & hoses for leaks, loose connections or damage	I&A I	I&A I	I&A I	I&A I	I&A	I&A I	I&A	I&A I	I&A I	I&A I	I&A I	I&A	I&A	I&A I	I&A I	I&A	I&A	I&A		
01.117011		Clutch pedal function, travel and free play & fluid leaks	i	<u> </u>	<u> </u>	<u> </u>	İ	<u> </u>	<u> </u>	+	<u> </u>		<u> </u>	+	İ	<u> </u>	+	<u> </u>	<u> </u>			
CLUTCH	21	Clutch fluid * - add 0.1 hrs for replacement	-1	R	-	R	1	R	-	R	-1	R	- 1	R	1	R	- 1	R	-	R		
TRANS. &		Manual transmission fluid * - add 0.2 hrs for replacement	R		_	R			R			R	-		R	_		R	_	-	\vdash	
TRANSFER	23	Automatic transmission fluid-add 0.3 hrs for replacement every 100 000 km	I	R	-	_	ı	_	-	-	ı	-	ı	-	I	ı	-	_	ı	-	\Box	
CASE 2	24	Transfer case fluid * - add 0.15 hrs for replacement on 4x4	1	1	1	1	1	1	1	R	1	- 1	I	1	1	1	1	R	1	- 1		ì
PROPSHAFT		Universal joints & sliding sleeve #	ı	L	ı	L	ı	L	Ι	L	-	L	- 1	L	- 1	L	ı	L	ı	L		
		Prop shaft mntg. & universal joints & sliding sleeve for looseness & excessive wear	I	_	_	_	-	_	_	_	1	-	_		-	-	_	_	_	_	-	
	28	Front axle fluid *- add 0.1 hrs for replacement on 4x4 Shift on the fly fluid*- add 0.1 hrs for replacement on 4x4	÷	÷	H	+	÷	÷	÷	+	÷	÷	÷	R R	-	÷	+	÷	÷	÷		
		Rear axle fluid - level and leaks	İ	-	Ī	-	İ	ı	-	-	_	_	_	R	_	_	_	ı	Ī	_		
REAR AXLE	30	Shift on the fly & rear diff lock operation test *	ı	ı	I	ı	ı	-	Ι	_	ı			_	Ι	ı	_	-	I			
		All axle shafts and housing for distortion or damage	1	1	<u> </u>	1	1	1	1	1	1	1	1	1	1	1	1	1	<u> </u>	1	\vdash	
		Front drive axle CV joints, condition of rubber dust covers Steering wheel play and function						<u> </u>			-			<u> </u>	1	<u> </u>	<u> </u>	<u> </u>		1		
	34	Power steering fluid * - add 0.3 hrs for replacement	İ	_	İ	_	Ī	R	-	Ī	ı		1	Ī		R	-	-	İ			
STEERING	35	Power steering pump, hoses, fittings & connections - inspect for cracks & leaks *	ı	Ι	ı	Ι	Ι	Ι	Ι	Ι	Ι	1	1	Ι	1	Ι	Ι	Ι	ı	1		
	36	Steering rack and ball joint rubber boots	1	I	ı	1		- [1	Ţ	1	Ţ	- 1	1	1	1	- [-1	ı	- 1	\sqcup	
PARKING	37	Wheel alignment inspection (to be offered to customer)				1	Red	comm	nende	ed ev	ery se	ervice	e-cos	t for o	custo	mer's	acc	ount	1		\vdash	
BRAKE	38	Parking brake function	I	_	I	_	I	_	I	_	I	-	-	_	I	I	_	_	I	-		1
	39	Suspension front & rear - strut rubbers, bushes, tie-rod ends & link arms	ı	ı	ı	ı	ı	Ι	-	Ι	-	-	-	Ι	_	-	-	Ι	ı	-	Ш	
CITACOIC 0	40	Shock absorbers for leaks and looseness	1	_		_	-				_					_			-		\vdash	
CHASSIS & SUSPENSION		Leaf/Coil springs for damage Leaf spring anti-friction (rubbers) - replacement for customer's account	1	<u> </u>		-	 	÷	-		+	_	_	_	<u> </u>	_	_	÷	<u> </u>	-	\vdash	
		Tightness of bolts and nuts on chassis and body	Ī	ı	Ī	ı	ı	-	ı	-	Ī	-	-	-	Ī	-	-	-	Ī	-		
		Cab mountings for looseness and damage	ı	ı	I	ı	ı	-	Ι	_	ı			_	Ι	ı	_	-	I			
		Tyre Pressure - Check and correct (incl. spare wheel)	1	1	1	1	1		Ι.		1								1		\vdash	
WHEELS	46 47	Inspect tyres & rims for damage (incl. spare wheel) Rotate tyres & torque wheel nuts as per specification-Refer Bulletin GEN-2015-09	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T		
	48	Wheel bearing (front & rear) - Inspect for bearing play	i	· 	i	· 	i	_	-	_	i	_	_	_	İ	i		-	i	_		
	49	Vehicle systems - Check all ECUs for DTCs & reset service interval*	ı	ı	ı	ı	ı	ı	ı	Ι	-	- 1	Ι	Ι	-1	-	1	ı	ı	- 1		
		Extract DRM data & gen.VDAS REPORT*-Ref.Bull. 2304261630TRA0-SB2309						Attac	ch rep	ort to	Job	Card	at e	very	servi	ce int	erval				igsquare	
ELECTRICAL	51	Alternator output test (charging output voltage with all loads ON = 13.8V - 14.5V)						+							_	_		+			\vdash	
EQUIPMENT		Battery electrolyte level and specific gravity Check operation of all lights, hooter, instruments, aircon, radio, wiper blades & washers		-		-		_	<u> </u>		-					<u> </u>	 -	_	!	<u> </u>	\Box	
		Remote key battery	Ė	R	Ė	i	i	R	i	÷	÷	R	_	÷	Ė	R	_	÷	i	R		
-		Airbag system self test and warning light function	Ī	Ī	Ī	ı	Ī	I	I	-	Ī	-:	_	-	Ī	-	Ī	Ī	Ī	-:	\Box	
		Seatbelts function and damage	ı	I	I	I	ı	ı	ı	Ι	Ι	Ι	Τ	Ι	Ι	ı	ı	ı	ı	Ι		
DODY	57	Inspect chassis and body for corrosion - complete inspection sheet	ļ	<u> </u>	L.		Atta	ch co	ору о	f She				at ev	ery s		e inte	rval			╓┦	_
BODY	58 59	Door, tailgate and hood lock/striker to Check/Adjust/Clean/Lubricate if required Pollen filter		L R	1	-	I	L R			 	L R	<u> </u>	-	1	L R				L R	\square	
		Air conditioner drain pipe for drainage	ı	I	1		ı	T.		-	-	I	_	-	+	Т		+	+	Т	\dashv	
SAFETY		Check for open RECALLS or SERVICE CAMPAIGNS	Ė	Ė	Ė			tach o	сору	of IVI				at eve	ry se	rvice		val				
TESTING	62	Road Test	Ī	I	ı	I	Ī	I	I	I	I	ı	ı	ı	I	I	ı	I	I	I		
* where fitted # where grease i	ninnla	s are fitted																				
, which grease I	אוטשווי	o aro maoa.																				

Customer Signature

Technician Signature

I hereby confirm that all items have been checked and and rectifed where required.

Oct 2023 RZ4E - 1.9 4JJ3 - 3.0

Corrosion Inspection Sheet D-MAX (RG06) Single Cab



PLEASE NOTE: Copy to be attached to Job Card

Job Card No	Date: Model:
Customer Name:	. Km.: VIN :
Service Consultant name:	. Technician name:
Bodywork Inspection	
Vehicle OK Comments	
Yes No	·
	
Vehicle Repaired	
Yes No	DEALER'S STAMP
	DEALER O STATE
Accident / Bodywork damage	AND
repaired to factory standard	
Yes No	SIGNATURE
MARK TEST RE	ESULTS USING RELEVANT SYMBOL
STONE THROW	○ DENT / BUMP □ BODYWORK DAMAGE
+ SCRATCH	# PAINTWORK DAMAGE SEAL UNDERBODY
•	IS REPRESENTATIVE OF ALL MODEL SERIES

Corrosion Inspection Sheet D-MAX (RG06) Extended Cab



PLEASE NOTE: Copy to be attached to Job Card

Job Card No	. Date: Model:
Customer Name:	VIN :
Service Consultant name:	. Technician name:
Bodywork Inspection	
Vehicle OK Comments	
Yes No	
Vehicle Repaired	
Yes No	
	DEALER'S STAMP
Accident / Bodywork damage	AND
repaired to factory standard	LITTER .
Yes No	SIGNATURE
MARK TEST RE	ESULTS USING RELEVANT SYMBOL
STONE THROW	○ DENT / BUMP □ BODYWORK DAMAGE
+ SCRATCH	# PAINTWORK DAMAGE SEAL UNDERBODY
	IS REPRESENTATIVE OF ALL MODEL SERIES

Corrosion Inspection Sheet D-MAX (RG06) Double Cab



PLEASE NOTE: Copy to be attached to Job Card

Job Card No	Date: Model:
Customer Name:	Km.: VIN :
Service Consultant name:	Technician name:
Bodywork Inspection	
Vehicle OK Comments	
Yes No	
Vehicle Repaired	
Yes No	
	DEALER'S STAMP
Accident / Bodywork damage	AND
repaired to factory standard	AND
	SIGNATURE
Yes No	SIGNATORE
MARK TEST RES	SULTS USING RELEVANT SYMBOL
STONE THROW	○ DENT / BUMP □ BODYWORK DAMAGE
+ SCRATCH	# PAINTWORK DAMAGE SEAL UNDERBODY
•	REPRESENTATIVE OF ALL MODEL SERIES
THE BINGIVINITE	NET NEGERITATIVE OF THE MODEL GENERO