



5,000 km or 6 Months Service Schedule

ISUZU D-MAX (RG 06) 1.9L (RZ4E) & 3.0L (4JJ3) - Diesel



NOTE : APPLICABLE FOR 5,000 KM TO 90,000 KM OR 6 MONTHS TO 108 MONTHS SERVICE INTERVALS

PLEASE NOTE:

1. Refer to the Service Interval Guideline by Country for the correct Interval by kilometers or months, whichever occurs first.
2. This Service Schedule will have preference over the Owner's Manual and Warranty & Service Guide (Refer to updated date).
3. Refer to the Warranty and Service Guide for Severe Driving Conditions.
4. Consult the Owner/Customer prior to any additional work being carried out as an additional cost will be charged for items not covered under warranty.

Job Card No.:	Date:	Model:
Customer Name:	VIN:	KM Reading:
Service Advisor:	Authorisation No.:	Technician (Print):

I = Inspection. After inspection clean and correct, or replace as necessary - R = Replace - L = Lubricate - A = Adjust

SERVICE INTERVAL EVERY		KMs (x 1000)																		OK	NOT OK
		Months																			
		5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	90		
(or months, whichever occurs first)		6	12	18	24	30	36	42	48	54	60	66	72	78	84	90	96	102	108		
	Labour hrs.	1,1	1,3	1,1	1,4	1,1	1,3	1,1	1,4	1,1	1,4	1,1	1,4	1,1	1,3	1,1	1,4	1,1	1,3		
ENGINE	1	Engine Oil and Filter	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R	R		
	2	Fuel Filter	-	R	-	R	-	R	-	R	-	R	-	R	-	R	-	R	-		
	3	Pre-Filter*	-	R	-	R	-	R	-	R	-	R	-	R	-	R	-	R	-		
	4	Fuel sedimentor for presence of water	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
	5	Fuel leakage at tank, cap and pipes	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
	6	Air filter element (I & R) and all air cleaner hose fittings for tightness (I)	I	I	I	R	I	I	I	R	I	I	I	R	I	I	I	R	I		
	7	Valve Clearances - add 1.3 hrs for 4JJ3	-	-	-	-	-	-	-	-	-	-	A	-	-	-	-	-	-		
	8	All engine drive belts for tension & damage & check pulley condition (replace if reqd.)	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
	9	Run engine through operating range & check for excessive smoke	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
	10	Coolant sys.for leaks (press.test radiator & cap) & check coolant concentr.(50% gly.)	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
	11	Coolant concentr.(50% glycol)-Add 0.3 hrs (Record coolant freezing point on the J/C)	I	I	I	I	I	I	I	I	I	R	I	I	I	I	I	I	I		
	12	Radiator core (check for foreign objects) and fan operation	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
	13	Exhaust system for leaks and mountings for tightness or damage	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
	14	All hoses & pipes in engine compartment for tightness or damage	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
SERVICE BRAKE	15	Brake pedal function, travel and free play	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
	16	Brake fluid	I	I	I	R	I	I	I	R	I	I	R	I	I	I	R	I			
	17	Front discs & pads for wear (Record thickness size of pads & discs on job card)	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
	18	Rear linings & drums for wear (Record thickness size of shoes & drums on job card)	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A	I&A		
CLUTCH	19	Brake pipes & hoses for leaks, loose connections or damage	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
	20	Clutch pedal function, travel and ft	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
	21	Clutch fluid * - add 0.1 hrs for replacement	I	R	I	R	I	R	I	R	I	R	I	R	I	R	I	R	I		
TRANS. & TRANSFER CASE	22	Manual transmission fluid * - add 0.2 hrs for replacement	R	I	I	R	I	I	R	I	I	R	I	I	R	I	I	R			
	23	Automatic transmission fluid-add 0.3 hrs for replacement every 100 000 km	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
	24	Transfer case fluid * - add 0.15 hrs for replacement on 4x4	I	R	I	I	I	I	I	I	I	R	I	I	I	I	I	I			
PROPSHAFT	25	Universal joints & sliding sleeve #	I	L	I	L	I	L	I	L	I	L	I	L	I	L	I	L			
	26	Prop shaft mntg. & universal joints & sliding sleeve for looseness & excessive wear	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
FRONT/ REAR AXLE	27	Front axle fluid * - add 0.1 hrs for replacement on 4x4	I	R	I	I	I	I	I	I	I	I	I	I	I	I	R	I			
	28	Shift on the fly fluid*- add 0.1 hrs for replacement on 4x4	I	R	I	I	I	I	I	I	I	I	I	I	I	I	R	I			
	29	Rear axle fluid - level and leaks	I	R	I	I	I	I	I	I	I	I	I	I	I	I	R	I			
	30	Shift on the fly & rear diff lock operation test *	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
	31	All axle shafts and housing for distortion or damage	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
	32	Front drive axle CV joints, condition of rubber dust covers	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
STEERING	33	Steering wheel play and function	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
	34	Power steering fluid * - add 0.3 hrs for replacement	I	I	I	I	I	I	I	R	I	I	I	I	I	I	R	I			
	35	Power steering pump, hoses, fittings & connections - inspect for cracks & leaks *	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
	36	Steering rack and ball joint rubber boots	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
PARKING BRAKE	37	Wheel alignment inspection (to be offered to customer)	Recommended every service-cost for customer's account																		
	38	Parking brake function	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
CHASSIS & SUSPENSION	39	Suspension front & rear - strut rubbers,bushes,tie-rod ends & link arms	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
	40	Shock absorbers for leaks and looseness	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
	41	Leaf/Coil springs for damage	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
	42	Leaf spring anti-friction (rubbers) - replacement for customer's account	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
	43	Tightness of bolts and nuts on chassis and body	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
	44	Cab mountings for looseness and damage	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
WHEELS	45	Tyre Pressure - Check and correct (incl. spare wheel)	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
	46	Inspect tyres & rims for damage (incl. spare wheel)	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
	47	Rotate tyres & torque wheel nuts as per specification-Refer Bulletin GEN-2015-09	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T	T			
	48	Wheel bearing (front & rear) - Inspect for bearing play	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
ELECTRICAL EQUIPMENT	49	Vehicle systems - Check all ECUs for DTCs & reset service interval*	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
	50	Extract DRM data & gen.VDAS REPORT*-Ref.Bull. 2304261630TRA0-SB2309	Attach report to Job Card at every service interval																		
	51	Alternator output test (charging output voltage with all loads ON = 13.8V - 14.5V)	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
	52	Battery electrolyte level and specific gravity	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
	53	Check operation of all lights,hooter,instruments,aircon,radio,wiper blades & washers	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
	54	Remote key battery	I	I	I	R	I	I	I	R	I	I	I	R	I	I	I	R	I		
	55	Airbag system self test and warning light function	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I		
BODY	56	Seatbelts function and damage	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
	57	Inspect chassis and body for corrosion - complete inspection sheet	Attach copy of Sheet to Job Card at every service interval																		
	58	Door, tailgate and hood lock/striker to Check/Adjust/Clean/Lubricate if required	I	I	I	L	I	I	I	L	I	I	I	L	I	I	I	L	I		
	59	Pollen filter	I	I	I	R	I	I	I	R	I	I	I	R	I	I	I	R	I		
SAFETY	60	Air conditioner drain pipe for drainage	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			
	61	Check for open RECALLS or SERVICE CAMPAIGNS	Attach copy of IVH to Job Card at every service interval																		
TESTING	62	Road Test	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I	I			

* where fitted
where grease nipples are fitted.

Customer Signature	Date	Technician Signature
I was informed of the service cost & additional items that needs attention.		I hereby confirm that all items have been checked and and rectified where required.
Attach one copy to <u>Customer's Invoice</u>		
Attach one copy to <u>Job Card</u>		

Updated.
Oct 2023
Doc. No.
RZ4E - 1.9
4JJ3 - 3.0

Corrosion Inspection Sheet
D-MAX (RG06) Single Cab



PLEASE NOTE: Copy to be attached to Job Card

Job Card No. Date: Model:

Customer Name: Km.: VIN :

Service Consultant name: Technician name:

Bodywork Inspection

Vehicle OK

Comments

Yes No

Vehicle Repaired

Yes No

**Accident / Bodywork damage
repaired to factory standard**

Yes No

DEALER'S STAMP

AND






SIGNATURE

MARK TEST RESULTS USING RELEVANT SYMBOL

● STONE THROW ○ DENT / BUMP □ BODYWORK DAMAGE

+ SCRATCH # PAINTWORK DAMAGE ► SEAL UNDERBODY

THE DIAGRAM IS REPRESENTATIVE OF ALL MODEL SERIES



Corrosion Inspection Sheet
D-MAX (RG06) Extended Cab



PLEASE NOTE: Copy to be attached to Job Card

Job Card No. Date: Model:

Customer Name: Km.: VIN :

Service Consultant name: Technician name:

Bodywork Inspection

Vehicle OK

Yes No

Vehicle Repaired

Yes No

Accident / Bodywork damage repaired to factory standard

Yes No

Comments

DEALER'S STAMP

AND






SIGNATURE

MARK TEST RESULTS USING RELEVANT SYMBOL

● STONE THROW ○ DENT / BUMP □ BODYWORK DAMAGE

+ SCRATCH # PAINTWORK DAMAGE ► SEAL UNDERBODY

THE DIAGRAM IS REPRESENTATIVE OF ALL MODEL SERIES



Corrosion Inspection Sheet
D-MAX (RG06) Double Cab



PLEASE NOTE: Copy to be attached to Job Card

Job Card No. Date: Model:

Customer Name: Km.: VIN :

Service Consultant name: Technician name:

Bodywork Inspection

Vehicle OK

Yes No

Vehicle Repaired

Yes No

**Accident / Bodywork damage
repaired to factory standard**

Yes No

Comments

DEALER'S STAMP
 AND
 SIGNATURE

MARK TEST RESULTS USING RELEVANT SYMBOL

- STONE THROW
- DENT / BUMP
- BODYWORK DAMAGE
- + SCRATCH
- # PAINTWORK DAMAGE
- ▶ SEAL UNDERBODY

THE DIAGRAM IS REPRESENTATIVE OF ALL MODEL SERIES

