

**DOUBLE CAB SPECIFICATIONS**Introducing the All-New ISUZU D-MAX, our Boldest Bakkie yet.

www.isuzu.co.za f © in

With you, for the long run



## ISUZU D-MAX DOUBLE CAB SPECIFICATIONS

MODELS	D-MAX 1.9 Ddi L	D-MAX 1.9 Ddi L A/T	D-MAX 1.9 Ddi 4X4 L	D-MAX 1.9 Ddi LS	D-MAX 1.9 Ddi LS A/T	D-MAX 1.9 Ddi 4X4 LS A/T	D-MAX 3.0 Ddi 4X4 LS
ENGINE							
Engine code	RZ4E-MID	RZ4E-MID	RZ4E-MID	RZ4E-MID	RZ4E-MID	RZ4E-MID	4JJ3
Displacement (cc)	1 898	1 898	1 898	1 898	1 898	1 898	2 999
No. of cylinders	4	4	4	4	4	4	4
Compression ratio	16.5:1	16.5:1	16.5:1	16.5:1	16.5:1	16.5:1	16.3:1
Bore x stroke (mm)	80 X 94.4	80 X 94.4	80 X 94.4	80 X 94.4	80 X 94.4	80 X 94.4	95.4 X 104.9
No. of valves	16	16	16	16	16	16	16
Power (kW) @ r/min	110 @ 3 600	110 @ 3 600	110 @ 3 600	110 @ 3 600	110 @ 3 600	110 @ 3 600	140 @ 3 600
Torque (Nm) @ r/min	350 @ 1 800 - 2 600	350 @ 1 800 - 2 600	350 @ 1 800 - 2 600	350 @ 1 800 - 2 600	350 @ 1 800 - 2 600	350 @ 1 800 - 2 600	450 @ 1 600 - 2 600
Turbocharger	Standard	Standard	Standard	Standard	Standard	Standard	Standard
800 mm water depth protection	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Pre-air cleaner	Standard	Standard	Standard	Standard	Standard	Standard	Standard
ACG (90A)	Standard	Standard	Standard	Standard	Standard	Standard	Standard
ACG with IBS ( Intelligent Battery System )	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Intercooler	Standard	Standard	Standard	Standard	Standard	Standard	Standard

FUEL CONSUMPTION <sup>1</sup>							
Combined Cycle (Litres/100 km)	7.3	7.3	7.4	7.3	7.3	7.6	8.2
Combined CO <sub>2</sub> Emissions (g/km)	190	192	193	190	192	198	214
Fuel Type	Diesel						

TRANSMISSION							
Transmission Type	6-Speed Manual	6-Speed Automatic	6-Speed Manual	6-Speed Manual	6-Speed Automatic	6-Speed Automatic	6-Speed Manua
Gear Ratio: 1st	4.942	3.600	4.942	4.942	3.600	3.600	4.942
Gear Ratio: 2nd	2.686	2.090	2.686	2.686	2.090	2.090	2.452
Gear Ratio: 3rd	1.527	1.488	1.527	1.527	1.488	1.488	1.428
Gear Ratio: 4th	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Gear Ratio: 5th	0.749	0.687	0.749	0.749	0.687	0.687	0.749
Gear Ratio: 6th	0.634	0.580	0.634	0.634	0.580	0.580	0.634
Gear Ratio: Reverse	4.597	3.732	4.597	4.597	3.732	3.732	4.597
4WD Selector	-	-	Standard	_	-	Standard	Standard
Low Range Ratio	-	-	2.482	_	-	2.482	2.482

FRONT DIFFERENTIAL							
Shift on the Fly up to 100 km / hour	-	-	Standard	-	-	Standard	Standard
Axle Ratio: Final Drive	-	-	4.1	-	-	4.1	3.727

REAR DIFFERENTIAL							
Differential Lock	-	-	Standard	Standard	Standard	Standard	Standard
Axle Ratio: Final Drive	4.1	4.1	4.1	4.1	4.1	4.1	3.727

CHASSIS DESIGN							
Front Wheel Suspension	Coil Over Shock						
Rear Wheel Suspension	Leaf Spring Overslung						
Shock Absorbers	Twintube Gas Pressurised						
Suspension	High-Ride						
Skid Plate Guard Front	Standard						
Skid Plate Guard Rear	Standard						
Engine Sump Guard	Standard	Standard	Standard	Standard	Standard	-	Standard
Transfer Case Guard	-	-	Standard	-	-	Standard	Standard
Oil Pan Guard	Standard						

MODELS	D-MAX 3.0 Ddi 4X4 LS A/T	D-MAX 3.0 Ddi LSE A/T	D-MAX 3.0 Ddi LSE (N/R) A/T	D-MAX 3.0 Ddi 4X4 LSE A/T	D-MAX 3.0 Ddi 4X4 LSE (N/R) A/T	D-MAX 3.0 Ddi V-Cross A/T	D-MAX 3.0 Ddi 4X4 V-Cross A/T
ENGINE							
350 @ 1800-2600	4JJ3	4JJ3	4JJ3	4JJ3	4JJ3	4JJ3	4JJ3
Displacement (cc)	2 999	2 999	2 999	2 999	2 999	2 999	2 999
No. of Cylinders	4	4	4	4	4	4	4
Compression Ratio	16.3:1	16.3:1	16.3:1	16.3:1	16.3:1	16.3:1	16.3:1
Bore X Stroke (mm)	95.4 X 104.9	95.4 X 104.9	95.4 X 104.9	95.4 X 104.9	95.4 X 104.9	95.4 X 104.9	95.4 X 104.9
No. of Valves	16	16	16	16	16	16	16
Power (kW) @ r/min	140 @ 3 600	140 @ 3 600	140 @ 3 600	140 @ 3 600	140 @ 3 600	140 @ 3 600	140 @ 3 600
Torque (nm) @ r/min	450 @ 1 600 - 2 600	450 @ 1 600 - 2 600	450 @ 1 600 - 2 600	450 @ 1 600 - 2 600	450 @ 1 600 - 2 600	450 @ 1 600 - 2 600	450 @ 1 600 - 2 600
Turbocharger	Standard	Standard	Standard	Standard	Standard	Standard	Standard
800 mm Water Depth Protection	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Pre-Air Cleaner	Standard	Standard	Standard	Standard	Standard	Standard	Standard
ACG (90 A)	Standard	Standard	Standard	Standard	Standard	Standard	Standard
ACG with with Intelligent Battery System (IBS)	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Intercooler	Standard	Standard	Standard	Standard	Standard	Standard	Standard

FUEL CONSUMPTION <sup>1</sup>							
Combined Cycle (Litres/100 km)	7.9	7.9	7.9	7.9	7.9	7.9	8.1
Combined CO <sub>2</sub> Emissions (g/km)	208	208	208	208	208	208	212
Fuel Type	Diesel						

TRANSMISSION							
Transmission Type	6-Speed Automatic						
Gear Ratio: 1st	3.600	3.600	3.600	3.600	3.600	3.600	3.600
Gear Ratio: 2nd	2.090	2.090	2.090	2.090	2.090	2.090	2.090
Gear Ratio: 3rd	1.488	1.488	1.488	1.488	1.488	1.488	1.488
Gear Ratio: 4th	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Gear Ratio: 5th	0.687	0.687	0.687	0.687	0.687	0.687	0.687
Gear Ratio: 6th	0.580	0.580	0.580	0.580	0.580	0.580	0.580
Gear Ratio: Reverse	3.732	3.732	3.732	3.732	3.732	3.732	3.732
4WD Selector	Standard	-	-	Standard	Standard	-	Standard
Low Range Ratio	2.482	-	-	2.482	2.482	-	2.482

FRONT DIFFERENTIAL							
Shift on the Fly up to 100 km / hour	Standard	-	-	Standard	Standard	-	Standard
Axle Ratio: Final Drive	3.727	-	-	3.727	3.727	-	3.727

REAR DIFFERENTIAL							
Differential Lock	Standard						
Axle Ratio: Final Drive	3.727	3.727	3.727	3.727	3.727	3.727	3.727

CHASSIS DESIGN							
Front Wheel Suspension	Coil Over Shock						
Rear Wheel Suspension	Leaf Spring Overslung						
Shock Absorbers	Twintube Gas Pressurised						
Suspension	High-Ride						
Skid Plate Guard Front	Standard						
Skid Plate Guard Rear	Standard						
Engine Sump Guard	Standard						
Transfer Case Guard	Standard	_	_	Standard	Standard	_	Standard
Oil Pan Guard	Standard						





MODELS	D-MAX 1.9 Ddi L	D-MAX 1.9 Ddi L A/T	D-MAX 1.9 Ddi 4X4 L	D-MAX 1.9 Ddi LS	D-MAX 1.9 Ddi LS A/T	D-MAX 1.9 Ddi 4X4 LS A/T	D-MAX 3.0 Ddi 4X4 LS
WHEELS AND TYRES							
Tyre Size	255 / 65 R 17	255 / 65 R 17	255 / 65 R 17	255 / 65 R 17	255 / 65 R 17	255 / 65 R 17 AT	255 / 65 R 17
Wheels Size / Type	Steel 17" X 7.0J-33	Steel 17" X 7.0J-33	Steel 17" X 7.0J-33	Alloy 17" X 7.0J-33	Alloy 17" X 7.0J-33	Alloy 17" X 7.0J-33	Alloy 17" X 7.0J-33
Spare Wheel Size / Type	Steel 17" X 7.0J-33	Steel 17" X 7.0J-33	Steel 17" X 7.0J-33	Steel 17" X 7.0J-33	Steel 17" X 7.0J-33	Steel 17" X 7.0J-33	Steel 17" X 7.0J-33
Turning Circle (m)	12.5	12.5	12.5	12.5	12.5	12.5	12.5
Tyre-Pressure Monitoring Sensor	-	-	-	-	-	-	-

DIMENSIONS							
Length (mm)	5 265	5 265	5 265	5 265	5 265	5 265	5 265
Width (mm)	1 870	1 870	1 870	1 870	1 870	1 870	1 870
Height (mm)	1 805	1 805	1 805	1 805	1 805	1 805	1 805
Wheelbase (mm)	3 125	3 125	3 125	3 125	3 125	3 125	3 125
Front / Rear Track (mm)	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570
Rear Overhang (mm)	1 250	1 250	1 250	1 250	1 250	1 250	1 250
Ground Clearance (mm)	227	227	227	227	227	227	227
Loadbox Length (mm)	1 495	1 495	1 495	1 495	1 495	1 495	1 495
Loadbox Width (mm)	1 530	1 530	1 530	1 530	1 530	1 530	1 530
Loadbox Depth (mm)	490	490	490	490	490	490	490
Approach Angle (°)	30	30	30	30	30	30	30
Departure Angle (°)	24	24	24	24	24	24	24
Breakover Angle (°)	22.5	22.5	22.5	22.5	22.5	22.5	22.5
Wading Depth (mm)	800	800	800	800	800	800	800

MASS / CAPACITY							
Gross Axle Mass - Front (GA1) (kg)	1 450	1 450	1 450	1 450	1 450	1 450	1 450
Gross Axle Mass – Rear (GA2) (kg)	1 910	1 910	1 910	1 910	1 910	1 910	1 910
Gross Vehicle Mass (GVM) (kg)	3 000	3 000	3 100	3 000	3 000	3 100	3 100
Gross Combined Mass (GCM) (kg)	5 000	5 000	5 000	5 000	5 000	5 000	6 000
Tare Mass (kg)	1 820	1 845	1 900	1 820	1 845	1 935	1 970
Payload (kg)	1 120	1 095	1 140	1 120	1 095	1 105	1 070
Towing Capacity (kg): Unbraked Trailer <sup>2</sup>	750	750	750	750	750	750	750
Towing Capacity / Rating (kg): Braked Trailer²	2 100	2 100	2 100	2 100	2 100	2 100	3 500
Fuel Tank Capacity (Litres)	76	76	76	76	76	76	76

LOADBOX FEATURES							
Tiedown Brackets in Loadbox for Load Restraint	4	4	4	4	4	4	4
Rope Hooks on Loadbox Side	-	-	-	-	-	-	-

MODELS	D-MAX 3.0 Ddi 4X4 LS A/T	D-MAX 3.0 Ddi LSE A/T	D-MAX 3.0 Ddi LSE (N/R) A/T	D-MAX 3.0 Ddi 4X4 LSE A/T	D-MAX 3.0 Ddi 4X4 LSE (N/R) A/T	D-MAX 3.0 Ddi V-Cross A/T	D-MAX 3.0 Ddi 4X4 V-Cross A/T
WHEELS AND TYRES							
Tyre Size	255 / 65 R 17	265 / 60 R 18	265 / 60 R 18	265 / 60 R 18	265 / 60 R 18	265 / 60 R 18	265 / 60 R 18
Wheels Size / Type	Alloy 17" X 7.0J-33	Alloy 18" X 7.5J-33	Alloy 18" X 7.5J-33	Alloy 18" X 7.5J-33	Alloy 18" X 7.5J-33	Alloy 18" X 7.5J-33	Alloy 18" X 7.5J-33
Spare Wheel Size / Type	Steel 17" X 7.0J-33	Alloy 18" X 7.5J-33	Alloy 18" X 7.5J-33	Alloy 18" X 7.5J-33	Alloy 18" X 7.5J-33	Alloy 18" X 7.5J-33	Alloy 18" X 7.5J-33
Turning Circle (m)	12.5	12.5	12.5	12.5	12.5	12.5	12.5
Tyre-Pressure Monitoring Sensor	-	-	Standard	Standard	Standard	Standard	Standard

DIMENSIONS							
Length (mm)	5 265	5 333	5 333	5 333	5 333	5 333	5 333
Width (mm)	1 870	1 870	1 870	1 870	1 870	1 880	1 880
Height (mm)	1 805	1 810	1 810	1 810	1 810	1 810	1 810
Wheelbase (mm)	3 125	3 125	3 125	3 125	3 125	3 125	3 125
Front / Rear Track (mm)	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570
Rear Overhang (mm)	1 250	1 318	1 318	1 318	1 318	1 318	1 318
Ground Clearance (mm)	227	232	232	232	232	232	232
Loadbox Length (mm)	1 495	1 495	1 495	1 495	1 495	1 495	1 495
Loadbox Width (mm)	1 530	1 530	1 530	1 530	1 530	1 530	1 530
Loadbox Depth (mm)	490	490	490	490	490	490	490
Approach Angle (°)	30	30	30	30	30	30	30
Departure Angle (°)	24	18	18	18	18	18	18
Breakover Angle (°)	22.5	22.5	22.5	22.5	22.5	22.5	22.5
Wading Depth (mm)	800	800	800	800	800	800	800

MASS / CAPACITY							
Gross Axle Mass - Front (GA1) (kg)	1 450	1 450	1 450	1 450	1 450	1 450	1 450
Gross Axle Mass - Rear (GA2) (kg)	1 910	1 910	1 910	1 910	1 910	1 910	1 910
Gross Vehicle Mass (GVM) (kg)	3 100	3 000	3 000	3 100	3 100	3 000	3 100
Gross Combined Mass (GCM) (kg)	6 000	6 000	6 000	6 000	6 000	6 000	6 000
Tare Mass (kg)	1 980	1 950	1 950	2 045	2 045	1 980	2 070
Payload (kg)	1 060	990	990	995	995	960	970
Towing Capacity (kg): Unbraked Trailer²	750	750	750	750	750	750	750
Towing Capacity / Rating (kg): Braked Trailer²	3 500	3 500	3 500	3 500	3 500	3 500	3 500
Fuel Tank Capacity (Litres)	76	76	76	76	76	76	76

LOADBOX FEATURES							
Tiedown Brackets in Loadbox for Load Restraint	4	4	4	4	4	4	4
Rope Hooks on Loadbox Side	-	-	-	-	-	-	-





MODELS	D-MAX 1.9 Ddi L	D-MAX 1.9 Ddi L A/T	D-MAX 1.9 Ddi 4X4 L	D-MAX 1.9 Ddi LS	D-MAX 1.9 Ddi LS A/T	D-MAX 1.9 Ddi 4X4 LS A/T	D-MAX 3.0 Ddi 4X4 LS
SAFETY FEATURES							
Anti-Lock Braking System (ABS)	Standard						
Electronic Brake Force Distribu- tion (EBD)	Standard						
Brake Assist System (BAS)	Standard						
Electronic Stability Control (ESC) with Traction Control	Standard						
Hill Start Assist (HSA)	Standard						
Hill Descent Control (HDC)	Standard						
Trailer Sway Control	Standard						
Brake Override Accelerator (BOA)	Standard						
Cruise control	-	-	-	Standard	Standard	Standard	Standard
Multi collision brake	-	-	-	-	-	-	-
Height adjustable 3-point front seat belts	Standard						
Front seat centre lap belt (2 point)	-	-	-	-	-	-	-
Seat belt pretensioners	Standard						
Fixed 3-point rear seat belts	Standard						
Seat belt reminder	Driver and Passenger						
Occupant detection sensor	Passenger						
Driver & Passenger airbags	Standard						
Front seat side airbags	-	-	-	Standard	Standard	Standard	Standard
Curtain airbags	-	-	-	Standard	Standard	Standard	Standard
Knee airbag	-	-	-	Driver	Driver	Driver	Driver
Far side airbag	-	-	-	-	-	-	-
Side impact protection bars	Standard						
Improve side pole impact	-	-	-	_	-	-	-
Collapsible steering column	Standard						
Speed sensitive door lock	Standard						
ISOFIX child seat attachment	Standard with Top Tether						
Parking distance sensors	-	-	-	Rear	Rear	Rear	Rear
Rear view camera	-	-	-	Standard	Standard	Standard	Standard
Front camera	-	-	-	-	-	-	-
Warning triangle kit	Standard						
Emergency stop signal	Standard						
Blind spot monitor	-	-	-	-	-	-	-
Rear cross traffic alert	-	-	-	-	-	-	-
Rear radar	-	-	-	-	-	-	-
Autonomous emergency brake	-	-	-	-	-	-	-
Forward collision warning	-	-	-	-	-	-	-
Pedal misapplication mitigation	-	-	-	-	-	-	-
Manual speed limiter	-	-	-	-	-	-	-
Lane departure warning	-	-	-	-	-	-	-
Lane keep assist	-	-	-	-	-	-	-
Lane departure prevention	-	-	-	-	-	-	-
Driver monitoring	_	-	-	-	-	-	-



MODELS	D-MAX 3.0 Ddi 4X4 LS A/T	D-MAX 3.0 Ddi LSE A/T	D-MAX 3.0 Ddi LSE (N/R) A/T	D-MAX 3.0 Ddi 4X4 LSE A/T	D-MAX 3.0 Ddi 4X4 LSE (N/R) A/T	D-MAX 3.0 Ddi V-Cross A/T	D-MAX 3.0 Ddi 4X4 V-Cross A/T
SAFETY FEATURES							
Anti-Lock Braking System (ABS)	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Electronic Brake Force Distribu- tion (EBD)	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Brake Assist System (BAS)	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Electronic Stability Control (ESC) with Traction Control	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Hill Start Assist (HSA)	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Hill Descent Control (HDC)	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Frailer Sway Control	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Brake Override Accelerator (BOA)	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Cruise control	Standard	Standard	Standard	Standard	Standard	Standard, Adaptive	Standard, Adaptive
Multi collision brake	-	-	-	-	-	Standard	Standard
Height adjustable 3-point front seat belts	Standard	Standard	Standard	Standard	Standard	Standard	Standard
ront seat centre lap belt 2 point)	-	-	-	-	-	-	-
Seat belt pretensioners	Standard	Standard	Standard	Standard	Standard	Standard	Standard
ixed 3-point rear seat belts	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Seat belt reminder	Driver and Passenger	Driver and Passenger	Driver and Passenger	Driver and Passenger	Driver and Passenger	Driver and Passenger	Driver and Passenge
Occupant detection sensor	Passenger	Passenger	Passenger	Passenger	Passenger	Front and Rear Passenger	Front and Rear Passenger
Oriver & Passenger airbags	Standard	Standard	Standard	Standard	Standard	Standard	Standard
ront seat side airbags	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Curtain airbags	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Knee airbag	Driver	Driver	Driver	Driver	Driver	Driver	Driver
ar side airbag	-	-	-	-	-	Standard	Standard
ide impact protection bars	Standard	Standard	Standard	Standard	Standard	Standard	Standard
mprove side pole impact	-	-	-	-	-	-	-
Collapsible steering column	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Speed sensitive door lock	Standard	Standard	Standard	Standard	Standard	Standard	Standard
SOFIX child seat attachment	Standard with Top Tether	Standard with Top Tether	Standard with Top Tether	Standard with Top Tether	Standard with Top Tether	Standard with Top Tether	Standard with Top Tether
Parking distance sensors	Rear	Front and Rear	Front and Rear	Front and Rear	Front and Rear	Front and Rear	Front and Rear
Rear view camera	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Front camera	-	-	-	-	-	Standard	Standard
Warning triangle kit	Standard	Standard	Standard	Standard	Standard	Standard	Standard
mergency stop signal	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Blind spot monitor	-	Standard	-	Standard	-	Standard	Standard
Rear cross traffic alert	-	Standard	-	Standard	-	Standard	Standard
Rear radar	-	Standard	-	Standard	-	Standard	Standard
Autonomous emergency brake	-	-	-	-	-	Standard	Standard
orward collision warning	-	-	-	-	-	Standard	Standard
Pedal misapplication mitigation	-	-	-	-	-	Standard	Standard
Manual speed limiter	-	-	-	-	-	Standard	Standard
Lane departure warning	-	-	-	-	-	Standard	Standard
Lane keep assist	-	-	-	-	-	Standard	Standard
Lane departure prevention	-	-	-	-	-	Standard	Standard
Driver monitoring	-	-	-	-	-	Standard	Standard



MODELS	D-MAX 1.9 Ddi L	D-MAX 1.9 Ddi L A/T	D-MAX 1.9 Ddi 4X4 L	D-MAX 1.9 Ddi LS	D-MAX 1.9 Ddi LS A/T	D-MAX 1.9 Ddi 4X4 LS A/T	D-MAX 3.0 Ddi 4X4 LS
SECURITY FEATURES							
Manual Door Locks	-	_	_	_	_	_	_
Remote-Controlled Central Locking	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Remote Keyless Entry	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Passive Entry Start System (PESS)	-	-	-	-	-	-	-
Child-Proof Rear Door Locks	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Anti-Theft Alarm System	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Ultrasonic Alarm	-	-	-	Standard	Standard	Standard	Standard
Transponder Immobiliser System	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Selectable Door Unlock	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Walk-Away Auto Door Lock	-	-	-	-	-	-	-

INTERIOR / EXTERIOR LIGHTING							
Front Reading Lamps	-	-	-	Standard	Standard	Standard	Standard
Interior Courtesy Lamps	Standard						
Illuminated Entry	Standard						
Front Fog Lamps	-	-	-	Standard	Standard	Standard	Standard
Daytime Running Lights (DRL)	-	-	-	Halogen	Halogen	Halogen	Halogen
Headlamps	Halogen						
Headlamp Levelling	-	-	-	Manual	Manual	Manual	Manual
Headlamps 'ON' Warning Buzzer	Standard						
Automatic On/Off Headlamp	-	-	-	-	-	-	-
Automatic High Beam	-	-	-	-	_	-	-
Turn Indicator Lamp on Door	Standard	Standard	Standard	-	-	-	-
Rear Taillights - Combination	Bulb						
High-Mounted Centre Stop Lamp	Standard						
Rear Fog Lamps	-	-	-	-	-	-	-
Follow-Me-Home Headlamps	Standard						

EXTERIOR FEATURES							
Front Wiper	Variable Intermittent	Variable Intermittent	Variable Intermittent	Variable Intermittent	Variable Intermittent	Variable Intermittent	Variable Intermittent
Radiator Grille	Grey	Grey	Grey	Metallic Grey	Metallic Grey	Metallic Grey	Metallic Grey
Front Bumper	Painted Black	Painted Black	Painted Black	Body Colour	Body Colour	Body Colour	Body Colour
Rear Bumper	Painted Black	Painted Black	Painted Black	Body Colour	Body Colour	Body Colour	Body Colour
Front Bumper Cladding	-	-	-	-	-	-	-
Towbar	Optional (2.1T)	Optional (2.1T)	Optional (2.1T)	Optional (2.1T)	Optional (2.1T)	Optional (2.1T)	Optional (3.5T)
Exterior Door Handle	Black	Black	Black	Body Colour	Body Colour	Body Colour	Body Colour
Exterior Mirror	Black, Power Adjustment, Driver Side Aspherical	Black, Power Adjustment, Driver Side Aspherical	Black, Power Adjustment, Driver Side Aspherical	Body Colour, Power Adjustment and Manual Folding, Side Indicator, Driver Side Aspherical	Body Colour, Power Adjustment and Manual Folding, Side Indicator, Driver Side Aspherical	Body Colour, Power Adjustment and Manual Folding, Side Indicator	Body Colour, Power Adjustment and Manual Folding, Side Indicator, Driver Side Aspherical
B-Pillar Blackout	-	-	-	-	-	-	-
Over Fender (Fender Flares)	-	-	-	-	-	-	-
Roof Rails	-	-	-	-	-	-	-
Sports Bar	-	-	-	-	-	-	-
Sports Hoop	-	-	-	-	-	-	-
Side-Steps	-	-	-	Standard Black	Standard Black	Standard Black	Standard Black
Mudflaps	Front and Rear	Front and Rear	Front and Rear	Front and Rear	Front and Rear	Front and Rear	Front and Rear
Tailgate Handle	Black	Black	Black	Body Colour	Body Colour	Body Colour	Body Colour
Cab Protector	-	-	-	-	-	Standard	-



MODELS	D-MAX 3.0 Ddi 4X4 LS A/T	D-MAX 3.0 Ddi LSE A/T	D-MAX 3.0 Ddi LSE (N/R) A/T	D-MAX 3.0 Ddi 4X4 LSE A/T	D-MAX 3.0 Ddi 4X4 LSE (N/R) A/T	D-MAX 3.0 Ddi V-Cross A/T	D-MAX 3.0 Ddi 4X4 V-Cross A/T
SECURITY FEATURES							
Manual Door Locks	-	-	-	-	-	-	-
Remote-Controlled Central Locking	Standard	-	-	-	-	-	-
Remote Keyless Entry	Standard	-	-	-	-	-	-
Passive Entry Start System (PESS)	-	Standard	Standard	Standard	Standard	Standard	Standard
Child-Proof Rear Door Locks	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Anti-Theft Alarm System	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Ultrasonic Alarm	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Transponder Immobiliser System	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Selectable Door Unlock	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Walk-Away Auto Door Lock	-	Standard	Standard	Standard	Standard	Standard	Standard

INTERIOR / EXTERIOR LIGHTIN	NG						
Front Reading Lamps	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Interior Courtesy Lamps	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Illuminated Entry	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Front Fog Lamps	Standard	Standard / LED					
Daytime Running Lights (DRL)	Halogen	LED	LED	LED	LED	LED	LED
Headlamps	Halogen	LED	LED	LED	LED	LED	LED
Headlamp Levelling	Manual	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic
Headlamps 'ON' Warning Buzzer	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Automatic On/Off Headlamp	-	Standard	Standard	Standard	Standard	Standard	Standard
Automatic High Beam	-	-	-	-	-	Standard	Standard
Turn Indicator Lamp on Door	-	-	-	-	-	-	-
Rear Taillights - Combination	Bulb	LED	LED	LED	LED	LED	LED
High-Mounted Centre Stop Lamp	Standard	Standard	Standard	Standard	Standard	Standard	Standard
Rear Fog Lamps	-	Standard	Standard	Standard	Standard	Standard	Standard
Follow-Me-Home Headlamps	Standard	Standard	Standard	Standard	Standard	Standard	Standard

Front Wiper	Variable Intermittent	Auto / Rain-Sensing	Auto / Rain-Sensing				
Radiator Grille	Metallic Grey	Chrome	Chrome	Chrome	Chrome	Gun Metallic	Gun Metallic
Front Bumper	Body Colour	Body Colour	Body Colour	Body Colour	Body Colour	High Appearance	High Appearance
Rear Bumper	Body Colour	Body Colour	Body Colour	Body Colour	Body Colour	Body Colour	Body Colour
Front Bumper Cladding	-	-	-	-	-	Standard Gun Metallic	Standard Gun Metallic
Towbar	Optional (3.5T)	Standard (3.5T)	Standard (3.5T)	Standard (3.5T)	Standard (3.5T)	Standard (3.5T)	Standard (3.5T)
Exterior Door Handle	Body Colour	Chrome	Chrome	Chrome	Chrome	Dark Grey Metallic	Dark Grey Metallic
Exterior Mirror	Body Colour, Power Adjustment and Manual Folding, Side Indicator, Driver Side Aspherical	Chrome, Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical	Chrome, Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical	Chrome, Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical	Chrome, Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical	Gun Metallic, Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical	Gun Metallic, Power Adjustment and Folding, Heated, Side Indicator, Driver Side Aspherical
B-Pillar Blackout	-	Standard	Standard	Standard	Standard	Standard	Standard
Over Fender (Fender Flares)	-	-	-	-	-	Standard Gun Metallic	Standard Gun Metallic
Roof Rails	-	Standard	Standard	Standard	Standard	Standard	Standard
Sports Bar	-	Standard Chrome	Standard Chrome	Standard Chrome	Standard Chrome	-	-
Sports Hoop	-	-	-	-	-	Standard Gun Metallic	Standard Gun Metallic
Side-Steps	Standard Black	Standard Black	Standard Black	Standard Black	Standard Black	Standard Medium Grey	Standard Medium Grey
Mudflaps	Front and Rear	Front and Rear	Front and Rear	Front and Rear	Front and Rear	Front and Rear	Front and Rear
Tailgate Handle	Body Colour	Chrome	Chrome	Chrome	Chrome	Dark Grey Metallic	Dark Grey Metallic
Cab Protector	-	_	_	_	_	_	_



D-MAX 1.9 Ddi L	D-MAX 1.9 Ddi L A/T	D-MAX 1.9 Ddi 4X4 L	D-MAX 1.9 Ddi LS	D-MAX 1.9 Ddi LS A/T	D-MAX 1.9 Ddi 4X4 LS A/T	D-MAX 3.0 Ddi 4X4 LS
Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic
-		-	-			Manual
					-	Standard
						Day / Night  Driver with Ticket
Holder, Passenger with Vanity Mirror	Holder, Passenger with Vanity Mirror	Holder, Passenger with Vanity Mirror	Holder, Passenger with Vanity Mirror	Holder, Passenger with Vanity Mirror	Holder, Passenger with Vanity Mirror	Holder, Passenger with Vanity Mirror
-	-	-	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard	Standard	Standard
-	-	-	Standard	Standard	Standard	Standard
-	-	-	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard	Standard	Standard
1	1	1	1	1	1	1
Standard	Standard	Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard – High Type	Standard – High Type	Standard – High Type	Standard – High Typ
Tilt and Telescopic	Tilt and Telescopic	Tilt and Telescopic	Tilt and Telescopic	Tilt and Telescopic	Tilt and Telescopic	Tilt and Telescopic
		•	Leather			Leather
Audio Controls	Audio Controls	Audio Controls	Audio and Auto Cruise	Audio and Auto Cruise	Audio and Auto Cruise	Audio and Auto Cruise
Urethane	Urethane	Urethane	Urethane	Urethane	Urethane	Urethane
Bucket Seats (x2)	Bucket Seats (x2)	Bucket Seats (x2)	Bucket Seats (x2)	Bucket Seats (x2)	Bucket Seats (x2)	Bucket Seats (x2)
Bench, Split Cushion	Bench, Split Cushion	Bench, Split Cushion	Bench, Split Cushion	Bench, Split Cushion	Bench, Split Cushion	Bench, Split Cushion
						60:40 Cloth
Ciotii	ciotii	Ciotii	ciotii	Cloth	Cloth	Clour
6-Way Manual Driver	6-Way Manual Driver	6-Way Manual Driver	6-Way Manual Driver	6-Way Manual Driver	6-Way Manual Driver	6-Way Manual Drive
-	-	-	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard	Standard	Standard
Dinek	Black	Dlack	Cibrox	Cibrar	Cibrar	Silver
						Pale Grey Upper /
Black Lower	Black Lower	Black Lower	Black Lower	Black Lower	Black Lower	Black Lower
Standard	Standard	Standard				Standard
Passengers	Passengers	Passengers	Passengers	Passengers	Passengers	Driver and Passengers
and Tibia Pad	and Tibia Pad	and Tibia Pad	and Tibia Pad	and Tibia Pad	and Tibia Pad	Carpet with Heel Pa and Tibia Pad
Standard	Standard	Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard	Standard	Standard
Standard	Standard	Standard	Standard	Standard	Standard	Standard
-	-	-	-	-	-	-
-	-	-	-	-	-	-
Power Front and Rear with Driver One-Touch, Jam Protection and Timer	Power Front and Rear with Driver One-Touch, Jam Protection and Timer	Power Front and Rear with Driver One-Touch, Jam Protection and Timer	Power Front and Rear with Driver One-Touch, Jam Protection and Timer	Power Front and Rear with Driver One-Touch, Jam Protection and Timer	Power Front and Rear with Driver One-Touch, Jam Protection and Timer	Power Front and Rear with Driver One-Touch, Jam Protection and Timer
Fixed without Defogger	Fixed without Defogger	Fixed without Defogger	Fixed without Defogger	Fixed without Defogger	Fixed without Defogger	Fixed without Defogger
- 2.00001						
Standard	Standard	Standard	Standard	Standard	Standard	Standard
	Hydraulic Manual Standard Day / Night Driver with Ticket Holder, Passenger with Vanity Mirror  - Standard  1 Standard  1 Standard Standard Standard Standard Tilt and Telescopic Urethane Audio Controls Urethane Bucket Seats (x2) Bench, Split Cushion 60:40 Cloth 6-Way Manual Driver  - Standard Black Pale Grey Upper / Black Lower Standard Standard Standard Standard Standard Standard Standard Standard Standard Passengers Carpet with Heel Pad and Tibia Pad Standard Standard Standard Standard Standard Standard Standard Standard Standard Tibia Pad Standard Standard Standard Standard Standard Tibia Pad Standard Standard Standard Standard Standard	Hydraulic Manual Manual Standard Day / Night Driver with Ticket Holder, Passenger with Vanity Mirror  Standard Standard Standard Standard  Tilt and Telescopic Urethane Urethane Audio Controls Urethane Urethane Bucket Seats (x2) Bench, Split Cushion 60:40 Cloth Cloth Cloth Cloth Cloth Cloth Cloth G-Way Manual Driver Standard Stan	Hydraulic Hydraulic Hydraulic  Manual Manual Manual  Standard Standard Standard  Day / Night Day / Night Day / Night  Driver with Ticket Holder, Passenger with Vanity Mirror   Standard Standard Standard  Standard Standard Standard   Standard Standard Standard  1 1 1 1  Standard Standard Standard  Standard Standard Standard  1 1 1 1  Standard Standard Standard  Standard Standard Standard  Standard Standard Standard  Tilt and Telescopic Tilt and Telescopic Urethane Urethane  Audio Controls Audio Controls Audio Controls  Urethane Urethane Urethane Urethane  Bucket Seats (x2) Bucket Seats (x2)  Bench, Split Cushion 60:40  Cloth Cloth Cloth Cloth  G-Way Manual Driver G-Way Manual Driver   Standard Standard Standard  Standard Standard Standard  Standard Standard Standard  Standard Standard Standard  Tilt and Telescopic Tilt and Telescopic Urethane  Bucket Seats (x2) Bucket Seats (x2)  Bucket Seats (x2) Bucket Seats (x2)  Bench, Split Cushion 60:40  Cloth Cloth Cloth Cloth  G-Way Manual Driver G-Way Manual Driver	Hydraulic Hydraulic Hydraulic Hydraulic Hydraulic Hydraulic Manual Manual Manual Standard Standard Standard Day / Night Day /	Hydraulic Manual Manual Manual Manual Standard Standard Standard Standard Standard Standard Day / Night Day /	Hydraulic Manual



MODELS	D-MAX 3.0 Ddi 4X4 LS A/T	D-MAX 3.0 Ddi LSE A/T	D-MAX 3.0 Ddi LSE (N/R) A/T	D-MAX 3.0 Ddi 4X4 LSE A/T	D-MAX 3.0 Ddi 4X4 LSE (N/R) A/T	D-MAX 3.0 Ddi V-Cross A/T	D-MAX 3.0 Ddi 4X4 V-Cross A/T
INTERIOR FEATURES							
Power-Assisted Steering (PAS)	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Electric	Electric
Air Conditioning	Manual	Automatic, Dual Zone					
Pollen Filter	Standard						
Inside Rear-View Mirror	Day / Night	Auto Diming	Auto Diming				
Sunvisor	Driver with Ticket Holder, Passenger with Vanity Mirror	Driver and Passenger with Vanity Mirror Light	Driver and Passenger with V anity Mirror Light				
Overhead Console with Map Lamps (X2) and Sunglasses Holder	Standard						
Digital Clock	Standard						
Cruise Control	Standard	Standard	Standard	Standard	Standard	Standard, Adaptive	Standard, Adaptive
Multi-Information Display (MID)	Standard						
Dashboard Illumination Control	Standard						
Power Socket – Auxiliary 12V IP Mounted	1	1	1	1	1	1	1
Cigarette Lighter	Standard						
Lockable Glove Box	Standard						
		5 5 7				: :	Standard – High Type
Utility Box on Glove Box	Standard - High Type			Standard – High Type			
Steering Column Adjustment	Tilt and Telescopic						
Steering Wheel Trim	Leather						
Steering Wheel Multi-Functional Controls	Audio and Auto Cruise	Audio, SAS, Auto Cruise and Adaptive Cruise Control	Audio, SAS, Auto Cruise and Adaptive Cruise Control				
Gear Shift Trim	Urethane	Leather with Decorate					
Front Seat Configuration	Bucket Seats (x2)						
Rear Seat Configuration	Bench, Split Cushion 60:40						
Seat Trim	Cloth	Cloth	Cloth	Cloth	Cloth	Partial Leather	Partial Leather
Seat Adjustment	6-Way Manual Driver	6-Way Manual Driver, Manual Lumbar Support Driver	6-Way Manual Driver, Manual Lumbar Support Driver	6-Way Manual Driver, Manual Lumbar Support Driver	6-Way Manual Driver, Manual Lumbar Support Driver	8-Way Power Driver, Power Lumbar Support Driver	8-Way Power Driver, Power Lumbar Support Driver
Storage Pockets behind Front	Standard						
Seats Door Trim with Storage Pockets and	Standard						
Integrated Cupholders							
Interior Door Release Handle	Silver Pale Grey Upper /	Chrome Pale Grey Upper /	Chrome Pale Grey Upper /	Chrome Pale Grey Upper /	Chrome Pale Grey Upper /	Chrome Black Upper /	Chrome
Interior Trim Colours	Black Lower	Black Upper / Black Lower					
A-pillar Assist Grip - Driver and Passenger	Standard						
Roof-Mounted Assist Grips	Driver and Passengers						
Floor Trim	Carpet with Heel Pad and Tibia Pad	Carpet with Heel Pac and Tibia Pad					
Floor Tunnel Console with Integrated Cupholder	Standard						
Centre Console Storage Box with Lid	Standard	Standard with Soft Pad with Stitch					
Driver Footrest	Standard						
Rear Heater Duct	Standard	-	-	-	-	-	-
Rear Ventilation Duct	-	Standard	Standard	Standard	Standard	Standard	Standard
Storage Box	-	_	-	-	-	_	_
Window Operation	Power Front and Rear with Driver One-Touch, Jam Protection and Timer						
Rear Window	Fixed without Defogger	Fixed with Defogger					
Fuel Flap Remote Opener	Standard						
Ventilator Grille with Shutter	Standard						



MODELS	D-MAX 1.9 Ddi L	D-MAX 1.9 Ddi L A/T	D-MAX 1.9 Ddi 4X4 L	D-MAX 1.9 Ddi LS	D-MAX 1.9 Ddi LS A/T	D-MAX 1.9 Ddi 4X4 LS A/T	D-MAX 3.0 Ddi 4X4 LS
INFOTAINMENT							
Audio System	AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming and Hands-Free Phone	AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming and Hands-Free Phone	AM/FM Radio, CD Player, USB, Clock, Bluetooth® – Audio Streaming and Hands-Free Phone	AM/FM Radio, 7" Touchscreen, Bluetooth® – Audio Streaming, Apple CarPlay® and Android Auto, Wi-Fi and Hands-Free Phone	AM/FM Radio, 7" Touchscreen, Bluetooth® – Audio Streaming, Apple CarPlay® and Android Auto, Wi-Fi and Hands-Free Phone	AM/FM Radio, 7" Touchscreen, Bluetooth® – Audio Streaming, Apple CarPlay® and Android Auto, Wi-Fi and Hands-Free Phone	AM/FM Radio, 7" Touchscreen, Bluetooth® – Audio Streaming, Apple CarPlay® and Android Auto, Wi-Fi and Hands-Free Phone
USB Port (Music Playback and Device Link)	Standard	Standard	Standard	Standard	Standard	Standard	Standard
USB Charge Port	-	-	-	Rear	Rear	Rear	Rear
Speakers	4	4	4	6	6	6	6
Antenna	Standard	Standard	Standard	Standard	Standard	Standard	Standard

OPTIONS							
17" Alloy Wheel	Available	Available	Available	-	-	-	-
18" Alloy wheel & 265/60R18 tyre (All Terrain)	-	-	-	Available	Available	Available	Available
18" Alloy wheel & 265/60R18 tyre (H/T Terrain)	-	-	-	Available	Available	Available	Available
Differential lock	Available	Available	-	-	-	-	-
Hub cap steel wheel	-	-	-	-	-	-	-
Hub cap alloy wheel	Available	Available	Available	-	-	-	-
Spare tire steel	-	-	-	-	-	-	-
Spare tire alloy	-	-	-	Available	Available	Available	Available
Sports bar, black	Available						
Sports bar, chrome	Available						
Rear sliding window	Available						
Partial Leather seat with manual adjustment	-	-	-	Available	Available	Available	Available
Body Colour Front Bumper	Available	Available	Available	-	-	-	-
Body Colour Rear Bumper	Available	Available	Available	-	-	-	-
Safari beige	Available						
Safari beige with black rear step	_	-	-	Available	Available	Available	Available

WARRANTY / SERVICE INTE	RVALS						
Warranty and Roadside Assistance	5 Years / 120 000 km						
Anti-Corrosion Warranty	5 Years / Unlimited km						
Service Plan	5 Years / 90 000 km						
Service Intervals	12 Months / 15 000 km						



MODELS	D-MAX 3.0 Ddi 4X4 LS A/T	D-MAX 3.0 Ddi LSE A/T	D-MAX 3.0 Ddi LSE (N/R) A/T	D-MAX 3.0 Ddi 4X4 LSE A/T	D-MAX 3.0 Ddi 4X4 LSE (N/R) A/T	D-MAX 3.0 Ddi V-Cross A/T	D-MAX 3.0 Ddi 4X4 V-Cross A/T
INFOTAINMENT							
Audio System	AM/FM Radio, 7" Touchscreen, Bluetooth®- Audio Streaming, Apple CarPlay® and Android Auto, Wi-Fi and Hands-Free Phone	AM/FM Radio, 9" Touchscreen, Bluetooth® – Audio Streaming, Apple CarPlay® and Android Auto, Wi-Fi and Hands-Free Phone	AM/FM Radio, 9" Touchscreen, Bluetooth® – Audio Streaming, Apple CarPlay® and Android Auto, Wi-Fi and Hands-Free Phone	AM/FM Radio, 9" Touchscreen, Bluetooth® – Audio Streaming, Apple CarPlay® and Android Auto, Wi-Fi and Hands-Free Phone	AM/FM Radio, 9" Touchscreen, Bluetooth® – Audio Streaming, Apple CarPlay® and Android Auto, Wi-Fi and Hands-Free Phone	AM/FM Radio, 9" Touchscreen, Bluetooth® – Audio Streaming, Apple CarPlay® and Android Auto, Wi-Fi and Hands-Free Phone	AM/FM Radio, 9" Touchscreen, Bluetooth® – Audio Streaming, Apple CarPlay® and Android Auto, Wi-Fi and Hands-Free Phone
USB Port (Music Playback and Device Link)	Standard	Standard	Standard	Standard	Standard	Standard	Standard
USB Charge Port	Rear	Rear	Rear	Rear	Rear	Rear	Rear
Speakers	6	8	8	8	8	8	8
Antenna	Standard	Standard	Standard	Standard	Standard	Standard	Standard

OPTIONS							
17" Alloy Wheel	-	-	-	-	-	-	-
18" Alloy wheel & 265/60R18 tyre (All Terrain)	Available	-	-	-	-	-	-
18" Alloy wheel & 265/60R18 tyre (H/T Terrain)	Available						
Differential lock	-	-	-	-	-	-	-
Hub cap steel wheel	-	-	-	-	-	-	-
Hub cap alloy wheel	-	-	-	-	-	-	-
Spare tire steel	-	-	-	-	-	-	-
Spare tire alloy	Available	-	-	-	-	-	-
Sports bar, black	Available	-	-	-	-	-	-
Sports bar, chrome	Available	-	-	-	-	-	-
Rear sliding window	Available						
Partial Leather seat with manual adjustment	Available						
Body Colour Front Bumper	-	-	-	-	-	-	-
Body Colour Rear Bumper	-	-	-	-	-	-	-
Safari beige	Available	-	-	-	-	-	-
Safari beige with black rear step	Available	-	-	_	_	-	_

WARRANTY / SERVICE INTERVALS											
Warranty and Roadside Assistance	5 Years / 120 000 km										
Anti-Corrosion Warranty	5 Years / Unlimited km										
Service Plan	5 Years / 90 000 km										
Service Intervals	12 Months / 15 000 km	12 Months / 15 000 km	12 Months / 15 000 km								

<sup>&</sup>lt;sup>1</sup> Fuel Economy and CO2 data as per ECE R101 / SANS 20101 regulation. Note that the actual fuel consumption will depend on many factors including the driver's driving habits, prevailing conditions and the vehicle's equipment, condition and use.

<sup>&</sup>lt;sup>3</sup> (N/R) models does not have Rear Radar package.



<sup>&</sup>lt;sup>2</sup> Towing capacity subject to South African Road Traffic Act. The weight of the towing vehicle including trailer towball load must not exceed the Gross Vehicle Mass (GVM). The combined weight of the fully loaded vehicle and trailer must not exceed the Gross Combination Mass (GCM). Maximum individual axle loads (GA1 and GA2) must not be exceeded. (e.g.: if a 3.0L Diesel is towing 3,500kg its maximum Vehicle mass is 2,500kg in order to be within GCM).



Disclaimer: The information contained in this document was accurate at the time of going to print MaY 2023. Specifications and equipment are subject to change without prior notice. Some illustrations in this document feature special equipment that is not included in standard delivery, and can be purchased at an additional cost. Vehicles may differ from images shown. Printed colours may vary from actual. Errors and omissions excepted. Terms and conditions apply. Please contact your ISUZU retailer for exact information.