

DEFINITELY A BAKKIE

More space. More flexibility.
More capability.



NEW ISUZU
D-MAX

Take it to its limits

Introducing the **NEW ISUZU D-MAX EXTENDED CAB RANGE**

www.isuzu.co.za f X

ISUZU
With you for the long run

More than a new look, this is the evolution of proven capability, more refined, more efficient, and built to handle whatever the day demands.

The ISUZU D-MAX Extended Cab is built for businesses that need more than just a work vehicle. Designed to handle demanding workloads while adapting to everyday needs, it delivers the perfect balance between capability, flexibility, and comfort.

Being Ready to outlast isn't just about getting the job done, it's about how much more it allows you to do. From site work during the week to everything beyond it, this is a bakkie that adapts to your world.



ISUZU D-MAX EXTENDED CAB SPECIFICATIONS

SMOD	M260RV4	M260RV5	M260RY8	M260RV6	M260RV7	M260RY9	M260RV8	M260RZ0
MODELS	1.9 DDI HR L 4X2	1.9 DDI HR L A/T 4X2	1.9 DDI HR L 4X4	1.9 DDI HR LS 4X2	1.9 DDI HR LS A/T 4X2	1.9 DDI HR LS A/T 4X4	3.0 DDI LSE A/T 4X2	3.0 DDI LSE A/T 4X4
ENGINE	RZ4E-MID	RZ4E-MID	RZ4E-MID	RZ4E-MID	RZ4E-MID	RZ4E-MID	4JJ3	4JJ3
Displacement (cc)	1898	1898	1898	1898	1898	1898	2999	2999
No. of Cylinders	4	4	4	4	4	4	4	4
Compression Ratio	16.5:1	16.5:1	16.5:1	16.5:1	16.5:1	16.5:1	16.3:1	16.3:1
Bore X Stroke (mm)	80 x 94.4	80 x 94.4	80 x 94.4	80 x 94.4	80 x 94.4	80 x 94.4	95.4 x 104.9	95.4 x 104.9
No. of Valves	16	16	16	16	16	16	16	16
Power (kW) @ r/min	110 @ 3600	110 @ 3600	110 @ 3600	110 @ 3600	110 @ 3600	110 @ 3600	140 @ 3600	140 @ 3600
Torque (Nm) @ r/min	350 @ 1800-2600	350 @ 1800-2600	350 @ 1800-2600	350 @ 1800-2600	350 @ 1800-2600	350 @ 1800-2600	450 @ 1600-2600	450 @ 1600-2600
Turbocharger	Std	Std	Std	Std	Std	Std	Std	Std
800mm Water Depth Protection	Std	Std	Std	Std	Std	Std	Std	Std
Pre-Air Cleaner	Std	Std	Std	Std	Std	Std	Std	Std
ACG (90A)	Std	Std	Std	Std	Std	Std	Std	Std
ACG with IBS (Intelligent)	Std	Std	Std	Std	Std	Std	Std	Std
Intercooler	Std	Std	Std	Std	Std	Std	Std	Std

FUEL CONSUMPTION #1								
Combined Cycle (Litres/100km)	7.1	7.1	7.4	7.1	7.3	7.6	7.9	7.9
Combined CO ₂ Emissions (g/km)	186	186	193	186	192	198	208	208
Fuel Type	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel

TRANSMISSION								
Transmission Type	6 Speed Manual	6 Speed Automatic	6 Speed Manual	6 Speed Manual	6 Speed Automatic	6 Speed Automatic	6 Speed Automatic	6 Speed Automatic
Gear Ratio: 1st	4.942	3.600	4.942	4.942	3.600	3.600	3.600	3.600
Gear Ratio: 2nd	2.686	2.090	2.686	2.686	2.090	2.090	2.090	2.090
Gear Ratio: 3rd	1.527	1.488	1.527	1.527	1.488	1.488	1.488	1.488
Gear Ratio: 4th	1.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000
Gear Ratio: 5th	0.749	0.687	0.749	0.749	0.687	0.687	0.687	0.687
Gear Ratio: 6th	0.634	0.580	0.634	0.634	0.580	0.580	0.580	0.580
Gear Ratio: Reverse	4.597	3.732	4.597	4.597	3.732	3.732	3.732	3.732
4WD Selector	-	-	-	-	-	-	-	Std
Low Range Ratio	-	-	-	-	-	-	-	2.482

FRONT DIFFERENTIAL								
Differential Lock	-	-	Std	-	-	Std	-	Std
Axle Ratio: Final Drive	-	-	4.100	-	-	4.100	-	3.727

REAR DIFFERENTIAL								
Differential Lock	-	-	Std	Std	Std	Std	Std	Std
Axle Ratio: Final Drive	4.100	4.100	4.100	4.100	4.100	4.100	3.727	3.727

CHASSIS DESIGN								
Wheel suspension front	High Mounting	High Mounting	High Mounting	High Mounting	High Mounting	High Mounting	High Mounting	High Mounting
Wheel suspension rear	Leaf Spring Overslung	Leaf Spring Overslung	Leaf Spring Overslung	Leaf Spring Overslung	Leaf Spring Overslung	Leaf Spring Overslung	Leaf Spring Overslung	Leaf Spring Overslung
Shock absorbers	Twintube Gas	Twintube Gas	Twintube Gas	Twintube Gas Pres-	Twintube Gas	Twintube Gas	Twintube Gas	Twintube Gas
Suspension	High Ride	High Ride	High Ride	High Ride	High Ride	High Ride	High Ride	High Ride
Skid plate guard front	Std	Std	Std	Std	Std	Std	Std	Std
Skid plate guard rear	Std	Std	Std	Std	Std	Std	Std	Std
Transfer case guard	-	-	Std	-	-	Std	-	Std
Oil pan guard	Std	Std	Std	Std	Std	Std	Std	Std

SMOD	M260RV4	M260RV5	M260RY8	M260RV6	M260RV7	M260RY9	M260RV8	M260RZ0
MODELS	1.9 DDI HR L 4X2	1.9 DDI HR L A/T 4X2	1.9 DDI HR L 4X4	1.9 DDI HR LS 4X2	1.9 DDI HR LS A/T 4X2	1.9 DDI HR LS A/T 4X4	3.0 DDI LSE A/T 4X2	3.0 DDI LSE A/T 4X4

WHEELS & TYRES								
Tyre Size	255/65R17	255/65R17	255/65R17	255/65R17	255/65R17	255/65R17	265/60R18	265/60R18
Wheels Size / Type	Steel 17" x 7.0J-33	Steel 17" x 7.0J-33	Steel 17" x 7.0J-33	Alloy 17" x 7.0J-33	Alloy 17" x 7.0J-33	Alloy 17" x 7.0J-33	Alloy 18" x 7.5J-33	Alloy 18" x 7.5J-33
Spare Wheel	Steel 17" x 7.0J-33	Steel 17" x 7.0J-33	Steel 17" x 7.0J-33	Steel 17" x 7.0J-33	Steel 17" x 7.0J-33	Steel 17" x 7.0J-33	Alloy 18" x 7.5J-33	Alloy 18" x 7.5J-33
Turning Circle (m)	12.5	12.5	12.5	12.5	12.5	12.5	12.5	12.5
Tyre-Pressure Monitoring Sensor	-	-	-	-	-	-	Std	Std

DIMENSIONS								
Length (mm)	5265	5265	5265	5265	5265	5265	5333	5333
Width (mm)	1870	1870	1870	1870	1870	1870	1870	1870
Height (mm)	1785	1785	1785	1785	1785	1785	1790	1790
Wheelbase (mm)	3125	3125	3125	3125	3125	3125	3125	3125
Track front / rear (mm)	1570 / 1570	1570 / 1570	1570 / 1570	1570 / 1570	1570 / 1570	1570 / 1570	1570 / 1570	1570 / 1570
Rear overhang (mm)	1250	1250	1250	1250	1250	1250	1318	1318
Ground clearance (mm)	227	227	227	227	227	227	232	232
Loadbox length (mm)	1805	1805	1805	1805	1805	1805	1805	1805
Loadbox width (mm)	1530	1530	1530	1530	1530	1530	1530	1530
Loadbox depth (mm)	490	490	490	490	490	490	490	490
Approach angle (o)	30	30	30	30	30	30	30	30
Departure angle (o)	24	24	24	24	24	24	24	24
Breakover angle (o)	22.5	22.5	22.5	22.5	22.5	22.5	22.5	22.5
Wading depth (mm)	800	800	800	800	800	800	800	800

MASS / CAPACITY								
Gross Axle Mass - Front	1450	1450	1450	1450	1450	1450	1450	1450
Gross Axle Mass - Rear	1910	1910	1910	1910	1910	1910	1910	1910
Gross Vehicle Mass (GVM)	3000	3000	3000	3000	3000	3000	3000	3100
Gross Combined Mass	5000	5000	5000	5000	5000	5000	6000	6000
Tare Mass (kg)	1770	1785	1865	1770	1785	1880	1930	2020
Payload (kg)	1170	1170	1170	1145	1120	1120	1005	1025
Towing Capacity (kg): #2 Unbraked Trailer ²	750	750	750	750	750	750	750	750
Towing Capacity / Rating (kg): #2	2100	2100	2100	2100	2100	2100	3500	3500
Fuel Tank Capacity (Litres) ¹	76	76	76	76	76	76	76	76

LOADBOX FEATURES								
Tiedown brackets in load-box for load restraint	4	4	4	4	4	4	4	4
Rope hooks on load box	-	-	-	-	-	-	-	-

SECURITY FEATURES								
Anti-Lock Braking System (ABS)	Std	Std	Std	Std	Std	Std	Std	Std
Electronic Brake Force Distribution (EBD)	Std	Std	Std	Std	Std	Std	Std	Std
Brake Assist System (BAS)	Std	Std	Std	Std	Std	Std	Std	Std

SMOD	M260RV4	M260RV5	M260RY8	M260RV6	M260RV7	M260RY9	M260RV8	M260RZ0
MODELS	1.9 DDI HR L 4X2	1.9 DDI HR L A/T 4X2	1.9 DDI HR L 4X4	1.9 DDI HR LS 4X2	1.9 DDI HR LS A/T 4X2	1.9 DDI HR LS A/T 4X4	3.0 DDI LSE A/T 4X2	3.0 DDI LSE A/T 4X4

SAFETY FEATURES (CONTIN)								
Electronic Stability Control	Std	Std	Std	Std	Std	Std	Std	Std
Hill Start Assist (HSA)	Std	Std	Std	Std	Std	Std	Std	Std
Hill Descent Control (HDC)	Std	Std	Std	Std	Std	Std	Std	Std
Trailer Sway Control	Std	Std	Std	Std	Std	Std	Std	Std
Brake Override Accelerator	Std	Std	Std	Std	Std	Std	Std	Std
Cruise control	-	-	-	Std	Std	Std	Std	Std
Height adjustable 3-point front seat belts	Std	Std	Std	Std	Std	Std	Std	Std
Front seat centre lap belt (2	-	-	-	-	-	-	-	-
Seat belt pretensioners	Std	Std	Std	Std	Std	Std	Std	Std
Fixed 3-point rear seat belts	-	-	-	-	-	-	-	-
Seat belt reminder	Driver & Passen-	Driver & Pas-	Driver & Pas-	Driver & Passenger	Driver & Pas-	Driver & Pas-	Driver & Pas-	Driver & Pas-
Occupant detection sensor	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger	Passenger
Driver & Passenger airbags	Std	Std	Std	Std	Std	Std	Std	Std
Front seat side airbags	-	-	-	Std	Std	Std	Std	Std
Curtain airbags	-	-	-	Std	Std	Std	Std	Std
Knee airbag	-	-	-	Driver	Driver	Driver	Driver	Driver
Far side airbag	-	-	-	-	-	-	Std	Std
Side impact protection bars	Std	Std	Std	Std	Std	Std	Std	Std
Collapsible steering column	Std	Std	Std	Std	Std	Std	Std	Std
Speed sensitive door lock	Std	Std	Std	Std	Std	Std	Std	Std
ISOFIX child seat attachment	-	-	-	-	-	-	-	-
Parking distance sensors	-	-	-	Rear	Rear	Rear	Front & Rear	Front & Rear
Rear view camera	-	-	-	Std	Std	Std	Std	Std
Warning triangle kit	Std	Std	Std	Std	Std	Std	Std	Std
Emergency stop signal	Std	Std	Std	Std	Std	Std	Std	Std
Blind spot monitor	-	-	-	-	-	-	Std	Std
Rear cross traffic alert	-	-	-	-	-	-	Std	Std
Rear radar	-	-	-	-	-	-	Std	Std
Autonomous emergency	-	-	-	-	-	-	-	-
Forward collision warning	-	-	-	-	-	-	-	-
Pedal misapplication mitigation	-	-	-	-	-	-	-	-
Manual speed limiter	-	-	-	-	-	-	-	-
Lane departure warning	-	-	-	-	-	-	-	-
Lane keep assist	-	-	-	-	-	-	-	-
Lane departure prevention	-	-	-	-	-	-	-	-
Driver monitoring	-	-	-	-	-	-	-	-



SMOD	M260RV4	M260RV5	M260RY8	M260RV6	M260RV7	M260RY9	M260RV8	M260RZ0
MODELS	1.9 DDI HR L 4X2	1.9 DDI HR L A/T 4X2	1.9 DDI HR L 4X4	1.9 DDI HR LS 4X2	1.9 DDI HR LS A/T 4X2	1.9 DDI HR LS A/T 4X4	3.0 DDI LSE A/T 4X2	3.0 DDI LSE A/T 4X4

SECURITY FEATURES

Manual door locks	-	-	-	-	-	-	-	-
Remote controlled central locking	Std	Std	Std	Std	Std	Std	-	-
Remote keyless entry	Std	Std	Std	Std	Std	Std	-	-
Remote key auto lock	Std	Std	Std	Std	Std	Std	Std	Std
Remote Engine Start	-	-	-	-	-	-	Std	Std
Passive Entry Start System (PESS)	-	-	-	-	-	-	Std	Std
Child proof rear door locks	-	-	-	-	-	-	-	-
Anti-theft alarm system	Std	Std	Std	Std	Std	Std	Std	Std
Ultrasonic alarm	-	-	-	Std	Std	Std	Std	Std
Transponder immobiliser system	Std	Std	Std	Std	Std	Std	Std	Std
Selectable door unlock	-	-	-	-	-	-	Std	Std
Walk away auto door lock	-	-	-	-	-	-	Std	Std

INTERIOR / EXTERIOR LIGHTING

Front reading lamps	Std	Std	Std	Std	Std	Std	Std	Std
Interior courtesy lamp	Std	Std	Std	Std	Std	Std	Std	Std
Illuminated entry	Std	Std	Std	Std	Std	Std	Std	Std
Front fog lamps	-	-	-	Std, LED	Std, LED	Std, LED	Std, LED	Std, LED
Daytime Running Lights	Halogen	Halogen	Halogen	LED	LED	LED	LED	LED
Welcome headlamps	-	-	-	-	-	-	-	-
Headlamps "on" warning	Std	Std	Std	Std	Std	Std	Std	Std
Headlamps	Halogen	Halogen	Halogen	LED	LED	LED	LED	LED
Headlamp Levelling	-	-	-	Manual	Manual	Manual	Automatic	Automatic
Automatic on/off headlamp	-	-	-	Std	Std	Std	Std	Std
Turn indicator lamp on door	Std	Std	Std	-	-	-	-	-
Rear tail lamps, combination	Bulb	Bulb	Bulb	LED	LED	LED	LED	LED
Rear fog lamps	-	-	-	-	-	-	Std	Std
Follow me home headlamps	Std	Std	Std	Std	Std	Std	Std	Std

EXTERIOR FEATURES

Front wiper	Variable Inter-	Variable Inter-	Variable Inter-	Auto, Rain	Auto, Rain	Auto, Rain	Auto, Rain	Auto, Rain
Radiator grille	Black Paint	Black Paint	Black Paint	Black Paint	Black Paint	Black Paint	Silky Silver Met	Silky Silver Met
Front bumper	Painted Black	Painted Black	Painted Black	Body Colour	Body Colour	Body Colour	Body Colour	Body Colour
Rear bumper	Painted Black	Painted Black	Painted Black	Body Colour	Body Colour	Body Colour	Body Colour	Body Colour

SMOD	M260RV4	M260RV5	M260RY8	M260RV6	M260RV7	M260RY9	M260RV8	M260RZ0
MODELS	1.9 DDI HR L 4X2	1.9 DDI HR L A/T 4X2	1.9 DDI HR L 4X4	1.9 DDI HR LS 4X2	1.9 DDI HR LS A/T 4X2	1.9 DDI HR LS A/T 4X4	3.0 DDI LSE A/T 4X2	3.0 DDI LSE A/T 4X4

EXTERIOR FEATURES (CONTIN)

Towbar	Optional (2.1T)	Optional (2.1T)	Optional (2.1T)	Optional (2.1T)	Optional (2.1T)	Optional (2.1T)	Std (3.5T)	Std (3.5T)
Exterior door handle	Black	Black	Black	Body Colour	Body Colour	Body Colour	Chrome	Chrome
Exterior mirror	Black, Power Adjustment, Driver Side Aspherical	Black, Power Adjustment, Driver Side Aspherical	Black, Power Adjustment, Driver Side Aspherical	Body Colour, Power Adjustment and Manual Folding, Side Indicator, Driver	Body Colour, Power Adjustment and Manual Folding, Side Indicator, Driver	Body Colour, Power Adjustment and Manual Folding, Side Indicator, Driver	Chrome, Power Adjustment and Folding, Heated, Side Indicator, Driver Side	Chrome, Power Adjustment and Folding, Heated, Side Indicator, Driver Side
B-Pillar blackout	-	-	-	-	-	-	Std	Std
Roof rails	-	-	-	-	-	-	Std, Dark Gray met	Std, Dark Gray met
Sports bar	-	-	Optional, Black	Optional, Black	Optional, Black	Optional, Black	Std, Chrome	Std, Chrome
Side steps	Std, Black	Std, Black	Std, Black	Std, Black	Std, Black	Std, Black	Std, Black	Std, Black
Mudflaps	Front & Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear
Tailgate handle	Black	Black	Black	Body Colour	Body Colour	Body Colour	Chrome	Chrome

INTERIOR FEATURES

Power Assisted Steering	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Air conditioner	Manual	Manual	Manual	Manual	Manual	Manual	Automatic, Dual Zone	Automatic, Dual Zone
Pollen filter	Std	Std	Std	Std	Std	Std	Std	Std
Rear view mirror, inside	Day / Night	Day / Night	Day / Night	Day / Night	Day / Night	Day / Night	Day / Night	Day / Night
Sun visor	Driver with Ticket holder, Passenger with Vanity Mirror	Driver with Ticket holder, Passenger with Vanity Mirror	Driver with Ticket holder, Passenger with Vanity Mirror	Driver with Ticket holder, Passenger with Vanity Mirror	Driver with Ticket holder, Passenger with Vanity Mirror	Driver with Ticket holder, Passenger with Vanity Mirror	Driver & Passenger with Vanity Mirror Light	Driver & Passenger with Vanity Mirror Light
Overhead console with map lamps (x2) and sunglasses holder	Std	Std	Std	Std	Std	Std	Std	Std
Multi Information Display (MID)	Std	Std	Std	Std	Std	Std	Std, 7" with decoration	Std, 7" with decoration
Dashboard illumination control	Std	Std	Std	Std	Std	Std	Std	Std
Power socket, auxiliary 12V IP mounted	1	1	1	1	1	1	1	1
Glove box, lockable	Std	Std	Std	Std	Std	Std	Std	Std
Utility box on glove box	Std	Std	Std	Std, High Type	Std, High Type	Std, High Type	Std, High Type	Std, High Type
Steering column adjustment	Tilt & Telescopic	Tilt & Telescopic	Tilt & Telescopic	Tilt & Telescopic	Tilt & Telescopic	Tilt & Telescopic	Tilt & Telescopic	Tilt & Telescopic
Automatic shift paddles	-	-	-	-	-	-	Std	Std
Steering wheel trim	Urethane	Urethane	Urethane	Leather	Leather	Leather	Leather	Leather
Steering wheel multifunctional controls	Audio Controls	Audio Controls	Audio Controls	Audio & Auto Cruise	Audio & Auto Cruise	Audio & Auto Cruise	Audio & Auto Cruise	Audio & Auto Cruise
Gear shift trim	Urethane	Urethane	Urethane	Urethane	Urethane	Urethane	Leather with Decorate	Leather with Decorate
Front seat configuration	2 x Bucket	2 x Bucket	2 x Bucket	2 x Bucket	2 x Bucket	2 x Bucket	2 x Bucket	2 x Bucket
Rear seat configuration	-	-	-	-	-	-	-	-

SMOD	M260RV4	M260RV5	M260RY8	M260RV6	M260RV7	M260RY9	M260RV8	M260RZ0
MODELS	1.9 DDI HR L 4X2	1.9 DDI HR L A/T 4X2	1.9 DDI HR L 4X4	1.9 DDI HR LS 4X2	1.9 DDI HR LS A/T 4X2	1.9 DDI HR LS A/T 4X4	3.0 DDI LSE A/T 4X2	3.0 DDI LSE A/T 4X4

INTERIOR FEATURES (CONTIN)								
Seat trim	Cloth	Cloth	Cloth	Cloth	Cloth	Cloth	Partial Leather	Partial Leather
Seat adjustment	6 Way Manual Driver	6 Way Manual Driver	6 Way Manual Driver	6 Way Manual Driver, Manual	6 Way Manual Driver, Manual	6 Way Manual Driver, Manual	8 Way Power Driver, Power	8 Way Power Driver, Power
Heated front seat	-	-	-	-	-	-	Std	Std
Storage pockets behind front seats	-	-	-	Std	Std	Std	Std	Std
Door trim with storage pockets and integrated cupholders	Std	Std	Std	Std	Std	Std	Std	Std
Interior door release handle	Black	Black	Black	Silver	Silver	Silver	Chrome	Chrome
Interior trim colours	Pale Grey Upper / Black Lower	Pale Grey Upper / Black Lower	Pale Grey Upper / Black Lower	Pale Grey Upper / Black Lower	Pale Grey Upper / Black Lower	Pale Grey Upper / Black Lower	Black Upper / Black Lower	Black Upper / Black Lower
A-pillar assist grip, driver & passenger	Std	Std	Std	Std	Std	Std	Std	Std
Roof mounted assist grips	Passenger	Passenger	Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger
Floor trim	Carpet with heel pad & tibia pad	Carpet with heel pad & tibia pad	Carpet with heel pad & tibia pad	Carpet with heel pad & tibia pad	Carpet with heel pad & tibia pad	Carpet with heel pad & tibia pad	Carpet with heel pad & tibia pad	Carpet with heel pad & tibia pad
Floor tunnel console with integrated cupholder	Std	Std	Std	Std	Std	Std	Std	Std
Centre console storage box with lid	-	-	-	Std	Std	Std	Std with Soft pad with stitch	Std with Soft pad with stitch
Driver footrest	Std	Std	Std	Std	Std	Std	Std	Std
Rear heater duct	-	-	-	-	-	-	-	-
In floor storage	Std	Std	Std	Std	Std	Std	Std	Std
Window operation	Power Front with Driver One Touch, Jam Protection	Power Front with Driver One Touch, Jam	Power Front with Driver One Touch, Jam	Power Front with Driver One Touch, Jam Protection &	Power Front with Driver One Touch, Jam Protection &	Power Front with Driver One Touch, Jam Pro-	Power Front with Driver One Touch, Jam	Power Front with Driver One Touch, Jam Pro-
Rear window	Fixed without defogger	Fixed without defogger	Fixed without defogger	Fixed without defogger	Fixed without defogger	Fixed without defogger	Fixed with defogger	Fixed with defogger
Fuel flap remote opener	Std	Std	Std	Std	Std	Std	Std	Std
Ventilator grille with shutter (fin shut)	Std	Std	Std	Std	Std	Std	Std	Std
Ventilator grille with shutter (fin shut)	Std	Std	Std	Std	Std	Std	Std	Std

INFOTAINMENT								
Audio system	AM/FM BASE Radio, 8" Touch Screen, Bluetooth - Audio Streaming, Apple CarPlay & Android Auto, WiFi & Handsfree Phone	AM/FM BASE Radio, 8" Touch Screen, Bluetooth - Audio Streaming, Apple CarPlay & Android Auto, WiFi & Handsfree Phone	AM/FM BASE Radio, 8" Touch Screen, Bluetooth - Audio Streaming, Apple CarPlay & Android Auto, WiFi & Handsfree Phone	AM/FM Radio, 8" Touch Screen, Bluetooth - Audio Streaming, Apple CarPlay & Android Auto, WiFi & Handsfree Phone	AM/FM Radio, 8" Touch Screen, Bluetooth - Audio Streaming, Apple CarPlay & Android Auto, WiFi & Handsfree Phone	AM/FM Radio, 8" Touch Screen, Bluetooth - Audio Streaming, Apple CarPlay & Android Auto, WiFi & Handsfree Phone	AM/FM Radio, 9" Touch Screen, Bluetooth - Audio Streaming, Apple CarPlay & Android Auto, WiFi & Handsfree Phone	AM/FM Radio, 9" Touch Screen, Bluetooth - Audio Streaming, Apple CarPlay & Android Auto, WiFi & Handsfree Phone
USB Port (Music Playback & Device Link)	Std	Std	Std	Std	Std	Std	Std	Std
Speakers	4	4	4	6	6	6	6	6
Antenna	Std	Std	Std	Std	Std	Std	Std	Std

SMOD	M260RV4	M260RV5	M260RY8	M260RV6	M260RV7	M260RY9	M260RV8	M260RZ0
MODELS	1.9 DDI HR L 4X2	1.9 DDI HR L A/T 4X2	1.9 DDI HR L 4X4	1.9 DDI HR LS 4X2	1.9 DDI HR LS A/T 4X2	1.9 DDI HR LS A/T 4X4	3.0 DDI LSE A/T 4X2	3.0 DDI LSE A/T 4X4

OPTIONS								
17" Alloy Wheel	Available	Available	Available	-	-	-	-	-
18" Alloy wheel & 265/60R18 tyre (All	-	-	-	Available	Available	Available	-	-
18" Alloy wheel & 265/60R18 tyre (H/T	-	-	-	Available	Available	Available	Available	Available
Differential lock	Available	Available	-	-	-	-	-	-
Hub cap steel wheel	-	-	-	-	-	-	-	-
Hub cap alloy wheel	Available	Available	Available	-	-	-	-	-
Spare tire steel	-	-	-	-	-	-	-	-
Spare tire alloy	-	-	-	Available	Available	Available	-	-
Sports bar, black	Available	Available	Available	Available	Available	Available	-	-
Sports bar, chrome	Available	Available	Available	Available	Available	Available	-	-
Rear sliding window	Available	Available	Available	Available	Available	Available	Available	Available
Partial Leather seat with manual adjustment	-	-	-	Available	Available	Available	-	-
Body Colour Front	Available	Available	Available	-	-	-	-	-
Body Colour Rear Bumper	Available	Available	Available	-	-	-	-	-
Safari beige	-	-	-	-	-	-	-	-
Safari beige with black rear step	-	-	-	-	-	-	-	-
Sunset beige	Available	Available	Available	Available	Available	Available	-	-
Sunset beige	-	-	-	Available	Available	Available	-	-

WARRANTY & SERVICE INTERVALS								
Warranty & roadside assistance	5 years / 120 000 km	5 years / 120 000 km	5 years / 120 000 km	5 years / 120 000 km	5 years / 120 000 km	5 years / 120 000 km	5 years / 120 000 km	5 years / 120 000 km
Anti-corrosion warranty	5 years / unlimited km	5 years / unlimited km	5 years / unlimited km	5 years / unlimited km	5 years / unlimited km	5 years / unlimited km	5 years / unlimited km	5 years / unlimited km
Service plan	5 years / 90 000 km	5 years / 90 000	5 years / 90 000	5 years / 90 000	5 years / 90 000 km	5 years / 90 000	5 years / 90 000	5 years / 90 000
Service intervals	12 months / 15 000 km	12 months / 15 000 km	12 months / 15 000 km	12 months / 15 000 km	12 months / 15 000 km	12 months / 15 000 km	12 months / 15 000 km	12 months / 15 000 km

(#1) Fuel Economy and CO2 data as per ECE R101 / SANS 20101 regulation. Note that the actual fuel consumption will depend on many factors including the driver's driving habits, prevailing conditions and the vehicle's equipment, condition and use.

(#2) Towing capacity subject to South African Road Traffic Act. The weight of the towing vehicle including trailer towball load must not exceed the Gross Vehicle Mass (GVM). The combined weight of the fully loaded vehicle and trailer must not exceed the Gross Combination Mass (GCM). Maximum individual axle loads (GA1 and GA2) must not be exceeded. (e.g.: If a 3.0L Diesel is towing 3,500kg its maximum Vehicle mass is 2,500kg in order to be within GCM).

D-MAX 1.9 Ddi HR L

ISUZU D-MAX EXTENDED CAB 1.9 Ddi HR L
Colour: SPLASH WHITE



Cloth seat trim



17" Alloy wheels

Available in the following colours:



The L trim level comes standard with following features
Herewith a summary of the noteworthy specifications:

INTERIOR

Cloth seat with 4 way manual driver adjustment, 1x Power socket, auxiliary 12V IP mounted, USB Type C Port, Power Front with Driver One Touch, Jam Protection, Illuminated entry, Interior courtesy lamp

EXTERIOR

Halogen Front Fog Lamp Bezel & Newly Designed Air Curtain, Black Rear Bumper, Black front bumper, New design headlamps – Models with H4 bulb, 16-inch Steel wheel, New design front fascia, Black, front & rear Mudflaps, two-tone Black/Dark Grey grille, New design tailgate, New design engine hood

TECH

New 8"inch AM/FM BASE Radio, Touch Screen, Bluetooth - Audio Streaming, Apple CarPlay & wireless Android Auto, WiFi & Handsfree Phone.

SAFETY

Remote controlled central locking, Remote keyless entry, Remote key auto lock, Anti-theft alarm system, Transponder immobiliser system, Selectable door unlock.

PERFORMANCE

Available in 1.9 turbo diesel engine with a 6-speed manual Transmission.


1.9 Available in 4x2 with a in-wheel mouting suspension front, Low Ride suspension, Front and Rear plate guard rear.

D-MAX 1.9 Ddi HR LS

ISUZU D-MAX EXTENDED CAB 1.9 Ddi HR L
Colour: MERCURY SILVER



Cloth Seats trim



17" Alloywheels

Available in the following colours:



The LS trim level comes standard with L features as well as the following additional specifications:

INTERIOR

Cloth seat with 6 Way Manual Driver, Manual Lumbar Support Driver, Multi Information Display (MID), USB Type C ports, Steering wheel multifunctional controls with audio controls, Manual Air conditioner, Power Front with Driver One Touch, Jam Protection & Time.

EXTERIOR

LED Headlights & Rear combination lamp, 17' alloy wheels, LED front and rear Fog lamps, Automatic on/off headlamp, Rain Sensor front wipers, Black Sports bar, Body Colour, Power Adjustment and Manual Folding, Side Indicator, Driver Side Aspherical

TECH

New 8"inch Infotainment Touch Screen, Bluetooth - Audio Streaming, Apple CarPlay & wireless Android Auto, WiFi & Handsfree Phone, Rough Terrain Mode

SAFETY

Anti-theft alarm system, Ultrasonic alarm, Transponder immobiliser system, Selectable door unlock,

PERFORMANCE

Available in 1.9L turbo diesel engine with a 6-speed manual or automatic transmission,

4x2 or 4x4 Drive Configuration with Differential Lock and Low Range Transfer Case.

D-MAX 3.0 Ddi LSE

ISUZU D-MAX EXTENDED CAB 3.0 Ddi LSE 4x4 A/T
Colour: SPLASH WHITE



Partial Leather seat trim



18" Alloy wheels

Available in the following colours:



The LSE trim level comes standard with LS features as well as the following additional specifications:

INTERIOR

Partial leather with Heated front seats, with 8 Way Power Driver, Power Lumbar Support Driver, AT Paddle shifts, USB Type-C ports, Piano Black finishes for dash air vents and centre console surround, Semi-gloss silver finishes on dash and door garnishes, and steering wheel, Partial leather trimmed seats, MID with 7-inch digital driver's MID, Automatic, Dual Zone AC,

EXTERIOR

Silky silver and dark grey grille, Body Colour, Rear bumper, 18" alloy wheels, Front Fog Lamp Bezel & Newly Designed Air Curtain, Black Rear Bumper, Black front bumper, New design headlamps, LED headlamps, Dark Grey Roof rails.

TECH

New 9"inch Infotainment Touch Screen, Bluetooth - Audio Streaming, Apple CarPlay & wireless Android Auto, WiFi & Handsfree Phone, Rough Terrain Mode

SAFETY

Front & Rear Parking Sensos, Rear-view camera, Blind Spot Monitor, Rear Cross Traffic Alert, Rear Radar, Cruise Control, Remote engine start, Passive Entry Start System (PESS), Walk away auto door lock.

PERFORMANCE

Available in 3.0L turbo diesel engine with a 6-speed automatic transmission.

4x2 or 4x4 Drive Configuration with Differential Lock and Low Range Transfer Case.



MODEL SHOWN: ISUZU D-MAX EXTENDED CAB 3.0 Ddi LSE

TRUECARE

PEACE OF MIND FOR YOU & YOUR ISUZU

PEACE OF MIND

WARRANTY & ROADSIDE ASSISTANCE: 5 Years / 120 000 km

ANTI-CORROSION WARRANTY: 5 Years / Unlimited km

SERVICE PLAN: 5 Years/ 90 000 km

SERVICE INTERVALS: 12 months / 15 000 km



Disclaimer: The information contained in this brochure was accurate at the time of going to publication in April 2026. Specifications and equipment are subject to change without prior notice. Some illustrations in this brochure feature special equipment that is not included in standard delivery, and can be purchased at an additional cost. Printed colours may vary from actual. Errors and omissions excepted. Vehicles may differ from images. Terms and conditions apply. Please contact your ISUZU Dealer for exact information. Apple CarPlay® is a trademark of Apple Inc. Android Auto is a trademark of Google LLC. Not all devices will be compatible and functionality will vary depending on the device. Mobile Data and SMS rates may apply and are the responsibility of the user. Please check your local road rules before using these functions.