

Comfortable Everywhere





ISUZU mu-X SPECIFICATIONS

| MODELS | 1.9 LS 4X2 | 3.0 LS 4X2 | 3.0 LS 4X4 | 3.0 LSE 4X2 | 3.0 LSE 4X4 | 3.0 ONYX 4X4 |
|--|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| ENGINE | | | | | | |
| Displacement (cc) | 1899 | 2999 | 2999 | 2999 | 2999 | 2999 |
| No. of Cylinders | 4 | 4 | 4 | 4 | 4 | 4 |
| Compression Ratio | 16.5:1 | 16.3:1 | 16.3:1 | 16.3:1 | 16.3:1 | 16.3:1 |
| Bore X Stroke (mm) | 80 x 94.4 | 95.4 x 104.9 |
| No. of Valves | 16 | 16 | 16 | 16 | 16 | 16 |
| Power (kW) @ r/min | 110 @ 3600 | 140 @ 3600 | 140 @ 3600 | 140 @ 3600 | 140 @ 3600 | 140 @ 3600 |
| Torque (Nm) @ r/min | 350 @ 1800-2600 | 450 @ 1600-2600 | 450 @ 1600-2600 | 450 @ 1600-2600 | 450 @ 1600-2600 | 450 @ 1600-2600 |
| Turbocharger | Standard | Standard | Standard | Standard | Standard | Standard |
| Water Depth Protection (mm) | Standard | Standard | Standard | Standard | Standard | Standard |
| Pre-Air Cleaner | Standard | Standard | Standard | Standard | Standard | Standard |
| ACG (120 A) | Standard | Standard | Standard | Standard | Standard | Standard |
| ACG (120 A) with Intelligent Battery System (IBS) | Standard | Standard | Standard | Standard | Standard | Standard |
| Intercooler | Standard | Standard | Standard | Standard | Standard | Standard |

| FUEL CONSUMPTION ¹ | Std | | | | | |
|---|--------|--------|--------|--------|--------|--------|
| Combined Cycle (Litres/100 km) | 7 | 7.6 | 7.6 | 7.6 | 7.6 | 7.6 |
| Combined CO ₂ Emissions (g/km) | 185 | 199 | 200 | 199 | 200 | 200 |
| Fuel Type | Diesel | Diesel | Diesel | Diesel | Diesel | Diesel |

| TRANSMISSION | | | | | | |
|---------------------|-------|-------|----------|-------------------|----------|----------|
| Transmission Type | | | | 6 Speed Automatic | | |
| Gear Ratio: 1st | 3,600 | 3,600 | 3,600 | 3,600 | 3,600 | 3,600 |
| Gear Ratio: 2nd | 2,090 | 2,090 | 2,090 | 2,090 | 2,090 | 2,090 |
| Gear Ratio: 3rd | 1,488 | 1,488 | 1,488 | 1,488 | 1,488 | 1,488 |
| Gear Ratio: 4th | 1,000 | 1,000 | 1,000 | 1,000 | 1,000 | 1,000 |
| Gear Ratio: 5th | 0,687 | 0,687 | 0,687 | 0,687 | 0,687 | 0,687 |
| Gear Ratio: 6th | 0,580 | 0,580 | 0,580 | 0,580 | 0,580 | 0,580 |
| Gear Ratio: Reverse | 3,732 | 3,732 | 3,732 | 3,732 | 3,732 | 3,732 |
| 4WD Selector | - | - | Standard | - | Standard | Standard |
| Low Range Ratio | - | - | - | - | - | - |

| FRONT DIFFERENTIAL | | | | | | |
|-------------------------|---|---|-------|---|-------|-------|
| Differential Lock | - | - | - | - | - | - |
| Axle Ratio: Final Drive | - | - | 3.727 | - | 3.727 | 3.727 |

| REAR DIFFERENTIAL | | | | | | |
|-------------------------|----------|----------|----------|----------|----------|----------|
| Differential Lock | Standard | Standard | Standard | Standard | Standard | Standard |
| Axle Ratio: Final Drive | 4.1 | 3.727 | 3.727 | 3.727 | 3.727 | 3.727 |

| CHASSIS DESIGN | | | | | | |
|------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| Front Wheel Suspension | Independent high-ride coil |
| Rear Wheel Suspension | Multi-link coil |
| Shock Absorbers | Gas | Gas | Gas | Gas | Gas | Gas |
| High-Ride Suspension | Standard | Standard | Standard | Standard | Standard | Standard |
| Skid Plate Guard | Standard | Standard | Standard | Standard | Standard | Standard |
| Engine Sump Guard | Standard | Standard | Standard | Standard | Standard | Standard |
| Transfer Case Guard | - | - | Standard | - | Standard | Standard |
| Oil Pan Guard | Standard | Standard | Standard | Standard | Standard | Standard |

| WHEELS & TYRES | | | | | | |
|---------------------------------|---------------------|---------------------|---------------------|---------------------|---------------------|----------------------------------|
| Tyre Size | 265/60R18 | 265/60R18 | 265/60R18 | 265/60R18 | 265/60R18 | 265/50R20 |
| Wheels Size / Type | Alloy 18" x 7.5J-33 | Alloy Machining 20" x 7.5J-33 |
| Spare Wheel Size / Type | Alloy 18" x 7.5J-33 | Alloy 20" x 7.5J-33 |
| Turning Circle (m) | 11,4 | 11,4 | 11,4 | 11,4 | 11,4 | 11,4 |
| Tyre-Pressure Monitoring Sensor | - | - | - | Standard | Standard | Standard |

¹ Fuel Economy & CO₂ data as per ECE R101 / SANS 20101 Regulation. Note that the actual fuel consumption will depend on many factors, including the driver's driving habits, prevailing conditions & the vehicle's equipment, condition and use.

| MODELS | 1.9 LS 4X2 | 3.0 LS 4X2 | 3.0 LS 4X4 | 3.0 LSE 4X2 | 3.0 LSE 4X4 | 3.0 ONYX 4X4 |
|-------------------------|------------|------------|------------|-------------|-------------|--------------|
| DIMENSIONS | | | | | | |
| Length (mm) | 4850 | 4850 | 4850 | 4850 | 4850 | 4850 |
| Width (mm) | 1870 | 1870 | 1870 | 1870 | 1870 | 1870 |
| Height (mm) | 1820 | 1820 | 1820 | 1825 | 1825 | 1825 |
| Wheelbase (mm) | 2855 | 2855 | 2855 | 2855 | 2855 | 2855 |
| Front / Rear Track (mm) | 1570/ 1570 | 1570/ 1570 | 1570/ 1570 | 1570/ 1570 | 1570/ 1570 | 1570/ 1570 |
| Front Overhang (mm) | 895 | 895 | 895 | 895 | 895 | 895 |
| Rear Overhang (mm) | 1100 | 1100 | 1100 | 1100 | 1100 | 1100 |
| Ground Clearance (mm) | 235 | 235 | 235 | 235 | 235 | 235 |
| Approach Angle (°) | 30,0 | 30,0 | 30,0 | 30,0 | 30,0 | 30,0 |
| Departure Angle (°) | 26,0 | 26,0 | 26,0 | 26,0 | 26,0 | 26,0 |
| Breakover Angle (°) | 24,0 | 24,0 | 24,0 | 24,0 | 24,0 | 24,0 |
| Wading Depth (mm) | 800 | 800 | 800 | 800 | 800 | 800 |

| MASS / CAPACITY | | | | | | |
|---|-------|-------|-------|-------|-------|-------|
| Gross Axle Mass – Front (GA1) (kg) | 1450 | 1450 | 1450 | 1450 | 1450 | 1450 |
| Gross Axle Mass – Rear (GA2) (kg) | 1650 | 1650 | 1650 | 1650 | 1650 | 1650 |
| Gross Vehicle Mass (GVM) (kg) | 2700 | 2700 | 2800 | 2700 | 2800 | 2800 |
| Gross Combined Mass (GCM) (kg) | 4800 | 5900 | 5900 | 5900 | 5900 | 5900 |
| Tare Mass (kg) | 1 900 | 1 970 | 2 065 | 1 995 | 2 090 | 2 125 |
| Payload (kg) | 739 | 669 | 674 | 644 | 649 | 614 |
| Towing Capacity (kg): Unbraked Trailer² | 750 | 750 | 750 | 750 | 750 | 750 |
| Towing Capacity / Rating (kg): Braked Trailer² | 2 100 | 3 500 | 3 500 | 3 500 | 3 500 | 3 500 |
| Fuel Tank Capacity (Litres) | 80 | 80 | 80 | 80 | 80 | 80 |
| | 80 | | | 80 | 80 | 80 |

| SAFETY FEATURES | Chamaland | Cham I I | Chan II | Cham II | Chandral | Character of |
|---|--------------|--------------|--------------|--------------|--------------|--------------------|
| Anti-Lock Braking System (ABS) | Standard | Standard | Standard | Standard | Standard | Standard |
| Electronic Brake-Force Distribution (EBD) | Standard | Standard | Standard | Standard | Standard | Standard |
| Brake-Assist System (BAS) | Standard | Standard | Standard | Standard | Standard | Standard |
| Brake-Override Accelerator (BOA) | Standard | Standard | Standard | Standard | Standard | Standard |
| Electronic Stability Control (ESC) with Traction Control | Standard | Standard | Standard | Standard | Standard | Standard |
| Hill-Start Assist (HSA) | Standard | Standard | Standard | Standard | Standard | Standard |
| Hill-Descent Control (HDC) | Standard | Standard | Standard | Standard | Standard | Standard |
| Trailer Sway Control | Standard | Standard | Standard | Standard | Standard | Standard |
| Cruise Control | Standard | Standard | Standard | Standard | Standard | Standard / Adaptiv |
| Multi-Collision Braking System | _ | - | - | - | _ | Standard |
| Height-Adjustable 3-Point Seatbelts | Standard | Standard | Standard | Standard | Standard | Standard |
| Seatbelt Pre-Tensioners | Standard | Standard | Standard | Standard | Standard | Standard |
| Occupant Detection Sensor | Passengers | Passengers | Passengers | Passengers | Passengers | Passengers |
| Driver & Front Passenger Airbags | Standard | Standard | Standard | Standard | Standard | Standard |
| Front-Seat Side Airbags | Standard | Standard | Standard | Standard | Standard | Standard |
| Curtain Airbags | Standard | Standard | Standard | Standard | Standard | Standard |
| Knee Airbag Driver | Standard | Standard | Standard | Standard | Standard | Standard |
| Far-Side Airbag | - | - | - | - | - | Standard |
| Side-Impact Bars (Front & Rear Doors) | Standard | Standard | Standard | Standard | Standard | Standard |
| Improved Side-Pole Impact | - | - | - | - | - | Standard |
| Collapsible Steering Column | Standard | Standard | Standard | Standard | Standard | Standard |
| Speed-Sensitive Door Lock | Standard | Standard | Standard | Standard | Standard | Standard |
| ISOFIX Child-Seat Attachment | Standard | Standard | Standard | Standard | Standard | Standard |
| Rear-View Camera | Standard | Standard | Standard | Standard | Standard | Standard |
| Front Camera | _ | - | - | _ | _ | Standard |
| Parking Distance Sensors | Front & Rear |
| Emergency Stop Signal | Standard | Standard | Standard | Standard | Standard | Standard |
| Blind-Spot Monitor | _ | - | - | Standard | Standard | Standard |
| Rear Cross-Traffic Alert | - | - | - | Standard | Standard | Standard |
| Rear Radar | _ | | _ | Standard | Standard | Standard |

| MODELS | 1.9 LS 4X2 | 3.0 LS 4X2 | 3.0 LS 4X4 | 3.0 LSE 4X2 | 3.0 LSE 4X4 | 3.0 ONYX 4X4 |
|---------------------------------|------------|------------|------------|-------------|-------------|--------------|
| SAFETY FEATURES | | | | | | |
| Autonomous Emergency Brake | - | _ | - | _ | - | Standard |
| Forward-Collision Warning | - | - | - | - | - | Standard |
| Pedal Misapplication Mitigation | _ | _ | _ | _ | _ | Standard |
| Manual Speed Limiter | _ | _ | - | _ | _ | Standard |
| Lane-Departure Warning | - | - | - | - | - | Standard |
| Lane-Keep Assist | _ | _ | - | - | _ | Standard |
| Lane-Departure Prevention | - | _ | _ | - | _ | Standard |
| Driver Monitoring | _ | - | - | _ | _ | Standard |
| Electric Park Brake | Standard | Standard | Standard | Standard | Standard | Standard |

| SECURITY FEATURES | | | | | | |
|-----------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|
| Remote controlled central locking | Standard | Standard | Standard | - | _ | _ |
| Remote start engine | - | - | - | Standard | Standard | Standard |
| Passive Entry Start System (PESS) | - | - | - | Standard | Standard | Standard |
| Anti-theft alarm system | Standard | Standard | Standard | Standard | Standard | Standard |
| Transponder immobiliser system | Standard | Standard | Standard | Standard | Standard | Standard |
| Selectable door unlock | Standard | Standard | Standard | Standard | Standard | Standard |
| Walk away auto door lock | _ | _ | - | Standard | Standard | Standard |
| Telematics | Accessory | Accessory | Accessory | Accessory | Accessory | Accessory |

| INTERIOR LIGHTING | | | | | | |
|--|----------|----------|----------|----------|----------|----------|
| Front Reading Lamps | Standard | Standard | Standard | Standard | Standard | Standard |
| Interior Courtesy Lamps | Standard | Standard | Standard | Standard | Standard | Standard |
| Ambient Lighting in Door Trim Panel | - | - | - | - | - | Standard |
| Luggage Lamp | Standard | Standard | Standard | Standard | Standard | Standard |

| EXTERIOR LIGHTING | | | | | | |
|---------------------------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Front Fog Lights | Standard, LED |
| Daytime Running Lights (DRL) | LED | LED | LED | LED | LED | LED |
| Headlights | Bi-LED | Bi-LED | Bi-LED | Bi-LED | Bi-LED | Bi-LED |
| Headlights 'ON' Warning Buzzer | Standard | Standard | Standard | Standard | Standard | Standard |
| Headlamp Levelling Automatic | Automatic | Automatic | Automatic | Automatic | Automatic | Automatic |
| Automatic ON/OFF Headlamp | Standard | Standard | Standard | Standard | Standard | Standard |
| Automatic High Beam | - | - | - | - | - | Standard |
| LED Combination Rear Taillights | Standard | Standard | Standard | Standard | Standard | Standard |
| High-Mounted Centre Stoplight | LED | LED | LED | LED | LED | LED |
| Rear Fog Lamps | LED | LED | LED | LED | LED | LED |
| Follow-Me-Home Headlamps | Standard | Standard | Standard | Standard | Standard | Standard |

| EXTERIOR FEATURES | | | | | | |
|-----------------------------|--|--|--|--|--|--|
| Front wiper | Auto, Rain Sensing | Auto, Rain Sensing | Auto, Rain Sensing | Auto, Rain Sensing | Auto, Rain Sensing | Auto, Rain Sensing |
| Radiator grille colour | Dark Chrome | Dark Chrome | Dark Chrome | Dark Chrome | Dark Chrome | Dark Chrome |
| Front bumper colour | Body Colour/ Magnetite Upper and Lower | Body Colour/ Magnetite Upper and Lower | Body Colour/ Magnetite Upper and Lower |
| Rear bumper colour | Body Colour/ Magnetite | Body Colour/ Magnetite | Body Colour/ Magnetite | Body Colour/ Magnetite | Body Colour/ Magnetite | Body Colour/ Magnetite |
| Exterior door handle colour | Body Colour | Body Colour | Body Colour | Body Colour | Body Colour | Body Colour |
| Exterior mirrors | Body Colour, Power adjust, Manual fold, Side indicator | Body Colour, Power adjust, Manual fold, Side indicator | Body Colour, Power adjust, Manual fold, Side indicator | Body Colour, Power adjust, Power fold, Side indicator, Heated | Body Colour, Power adjust, Power fold, Side indicator, Heated | Body Colour, Power adjust, Power fold, Side indicator, Heated |
| B-Pillar blackout | Standard | Standard | Standard | Standard | Standard | Standard |
| Side steps | Standard, Magnetite | Standard, Magnetite | Standard, Magnetite | Standard, Magnetite | Standard, Magnetite | Standard, Magnetite |
| Mudflaps | Front & Rear | Front & Rear | Front & Rear | Front & Rear | Front & Rear | Front & Rear |
| Roof rails | Standard, Magnetite | Standard, Magnetite | Standard, Magnetite | Standard, Magnetite | Standard, Magnetite | Standard, Magnetite |


² Towing capacity subject to South African Road Traffic Act. The weight of the towing vehicle including trailer towball load must not exceed the Gross Vehicle Mass (GVM). The combined weight of the fully loaded vehicle & trailer must not exceed the Gross Combination Mass (GCM). Maximum individual axle loads (GA1 & GA2) must not be exceeded. (e.g.: if a 3.0 L Diesel is towing 3.500 kg its Maximum Vehicle Mass is 2.500 kg in order to be within GCM). Date of publication July 2023.

| MODELS | 1.9 LS 4X2 | 3.0 LS 4X2 | 3.0 LS 4X4 | 3.0 LSE 4X2 | 3.0 LSE 4X4 | 3.0 ONYX 4X4 |
|-------------------|------------|------------|------------|---|---|---|
| EXTERIOR FEATURES | | | | | | |
| Rear spoiler | Standard | Standard | Standard | Standard | Standard | Standard |
| Lift gate | Manual | Manual | Manual | Power w/Step Sensor and Control Switch | Power w/Step Sensor and Control Switch | Power w/Step Sensor and Control Switch |

| INTERIOR FEATURES | | | | | | |
|---|---|---|---|---|---|---|
| Power Assisted Steering (PAS) | Hydraulic | Hydraulic | Hydraulic | Hydraulic | Hydraulic | Electric |
| Steering column adjustment | Tilt & Telescopic |
| Automatic shift paddles | - | - | - | Standard | Standard | Standard |
| Leather steering wheel with multi- function controls | Standard | Standard | Standard | Standard | Standard | Standard |
| Gear knob trim | Urethane | Urethane | Urethane | Leather | Leather | Leather |
| Seating capacity | 7 | 7 | 7 | 7 | 7 | 7 |
| Front seats configuration | 2 x Bucket | 2 x Bucket | 2 x Bucket | 2 x Bucket Reclining | 2 x Bucket Reclining | 2 x Bucket Reclining |
| Second row seat configuration | Bench 60:40 fold-flat |
| Third row seat configuration | Bench 50:50 fold flat |
| Seat trim | Partial Leather |
| Seat adjustment | Driver Power 8-way seat & Manual Lumbar Support, Power 4-way passenger seat | Driver Power 8-way seat & Manual Lumbar Support, Power 4-way passenger seat | Driver Power 8-way seat & Manual Lumbar Support, Power 4-way passenger seat | Driver Power 8-way seat & Manual Lumbar Support, Power 4-way passenger seat | Driver Power 8-way seat & Manual Lumbar Support, Power 4-way passenger seat | Driver 8 Way Power seat & Power Lumbar Support, 4-way Power Passenger seats |
| Seat belt reminder | Driver & Passengers (Front & Rear) |
| Rear seat centre armrest | Std w/2 cupholders |
| Storage pockets behind front seats | Standard | Standard | Standard | Standard | Standard | Standard |
| Heated front seats | _ | - | - | - | - | Standard |
| Floor trim | Carpet w/heel mat |
| Door garnish | Dark Magnetite |
| Driver footrest | Standard | Standard | Standard | Standard | Standard | Standard |
| Air conditioner | Manual w/rear cabin cooling vents | Manual w/rear cabin cooling vents | Manual w/rear cabin cooling vents | Auto (Climate Control) w/rear cabin cooling vents | Auto (Climate Control) w/rear cabin cooling vents | Auto (Climate Control) w/rear cabin cooling vents |
| Rear heater ducts | Standard | Standard | Standard | Standard | Standard | Standard |
| Rearview mirror, inside | Day/Night | Day/Night | Day/Night | Auto Dimming | Auto Dimming | Auto Dimming |
| Sun visor | Driver w/ticket holder & Passenger w/vanity mirror | Driver w/ticket holder & Passenger w/vanity mirror | Driver w/ticket holder & Passenger w/vanity mirror | Driver & Passenger w/ vanity mirror light | Driver & Passenger w/ vanity mirror light | Driver & Passenger w/ vanity mirror light |
| Overhead console with sunglasses holder | Standard | Standard | Standard | Standard | Standard | Standard |
| Digital clock | Standard | Standard | Standard | Standard | Standard | Standard |
| Cruise control | Standard | Standard | Standard | Standard | Standard | Standard, Adaptive |
| Multi Information Display (MID) | Standard | Standard | Standard | Standard | Standard | Standard |
| Dashboard illumination control | Standard | Standard | Standard | Standard | Standard | Standard |
| Power windows | All w/ Driver one touch, w/ Jam protection, w/ Timer | All w/ Driver one touch, w/ Jam protection, w/ Timer | All w/ Driver one touch, w/ Jam protection, w/ Timer | All w/ Driver one touch, w/ Jam protection, w/ Timer | All w/ Driver one touch, w/ Jam protection, w/ Timer | All w/ Driver one touch, w/ Jam protection, w/ Timer |
| Power socket, auxiliary 12V | 2 | 2 | 2 | 2 | 2 | 2 |
| Front and rear USB charge ports | Standard | Standard | Standard | Standard | Standard | Standard |
| Power socket, auxiliary 220V | _ | - | _ | _ | _ | Standard |
| Glove box, lockable | Standard w/Illumination | Standard w/Illumination | Standard w/lllumination | Standard w/lllumination | Standard w/lllumination | Standard w/Illumination |
| Door trim with storage pockets & integrated cupholders | Standard | Standard | Standard | Standard | Standard | Standard |
| Floor tunnel / console with inte- grated cupholder | Standard | Standard | Standard | Standard | Standard | Standard |
| Centre console storage box with lid | Standard | Standard | Standard | Standard | Standard | Standard |
| Storage box | Standard | Standard | Standard | Standard | Standard | Standard |
| Rear privacy windows | Standard | Standard | Standard | Standard | Standard | Standard |
| Fixed rear window, with defogger | Standard | Standard | Standard | Standard | Standard | Standard |
| Rear window wiper | Standard | Standard | Standard | Standard | Standard | Standard |
| Ventilator grille with shutter (fin shut) | Standard | Standard | Standard | Standard | Standard | Standard |

| MODELS | 1.9 LS 4X2 | 3.0 LS 4X2 | 3.0 LS 4X4 | 3.0 LSE 4X2 | 3.0 LSE 4X4 | 3.0 ONYX 4X4 |
|---|------------|------------|------------|-------------|-------------|--------------|
| INFOTAINMENT | | | | | | |
| Audio System: Touch screen with RDS, MP3, Bluetooth audio streaming with integrated mobile handsfree & rear view camera, Apple CarPlay & Android Auto, Wifi | 7" | 7" | 7" | 9" | 9" | 9" |
| Audio Input Terminal: USB, Auxiliary | Standard | Standard | Standard | Standard | Standard | Standard |
| Number of Speakers | 6 | 6 | 6 | 8 | 8 | 8 |
| Steering Wheel Audio Controls | Standard | Standard | Standard | Standard | Standard | Standard |

| WARRANTY / SERVICE INTERVALS | | | | | | | |
|--------------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|--|
| Warranty & roadside assistance | 5 Years / 120 000 km | |
| Anticorrosion warranty | 5 Years / Unlimited km | |
| Service plan | 5 Years / 90 000 km | |
| Service intervals | 12 Months / 15 000 km | |



ADAS features are designed to assist the driver, but should not be relied upon nor used as a substitute for safe driving practices. Feature operation may vary in different driving conditions. For full explanation of limitations, see Owner's & Driver's Manual.



mu-X LS



Available in the following colours:



Partial Leather



18" Alloy wheels









NORWEGIAN SAPPHIRE BLUE BLUE

DOLOMITE WHITE

SPLASH WHITE



MERCURY OBSIDIAN SILVER GREY

The LS trim level comes standard with generous levels of spec. Herewith a summary of the noteworthy specifications:

INTERIOR

Storage Box, Urethane Gear Knob Trim, Partial Leather Seat Trim, 8- Way Power Adjustable Driver Seat & Lumbar Support, 4-way Power Adjustable Front Passenger Seat, Rear Seat Centre Armrest with 2 Cupholders, Lockable Glove Box with Illumination, Front and Rear USB Charge Ports, Power Windows with Driver One-Touch.

EXTERIOR

Rear Privacy Window, Manual Lift Gate, Auto Rain-Sensing Front Wiper, 18" Alloy Wheels, Side-Steps and Roof Rails.

TECH

7" Touchscreen with RDS, MP3, Bluetooth®, Audio Streaming with Integrated Mobile Hands-Free & Rear-View Camera, 6 Speakers, Apple CarPlay® & Android Auto, Wi-Fi. Includes a Multi-Information Display.

SAFETY

7 x Airbags, Rear-View Camera, Front & Rear Parking Distance Sensors, Trailer Sway Control, Hill-Descent Control, Hill-Start Assist, Electronic Stability Control, Cruise Control, Side-Impact Bars (Front & Rear), Brake-Override Accelerator, Brake-Assist System, Electronic Brake-Force Distribution, Anti-lock Braking System.

PERFORMANCE

Available in 1.9 and 3.0 Litre Turbo Diesel engine matched with 6-speed Auto Transmission. 1.9 available in 4x2 and 3.0 available in 4x2 or 4x4 Drive Configuration with Differential Lock & Low Range Transfer Case.

mu-X LSE







18" Alloy wheels

The LSE trim level comes standard with LS features as well as the following additional specifications:

INTERIOR

Leather Gear Knob Trim, Auto Dimming Rear-View Mirror, Overhead console with map lamps and sunglass holder, Automatic Shift Paddles, Auto Climate Control with Rear Cabin Cooling Vents.

EXTERIOR

Power Lift Gate With Step Sensor and Control Switch, LED front fog lamps bezel magnetite, Rear LED combination taillights.

TECH

9" Touchscreen with RDS, MP3, Bluetooth® Audio Streaming with Integrated Mobile Hands-Free & Rear-View Camera, 8 Speakers, Apple CarPlay® & Android Auto, Wi-Fi. Includes a Multi-Information Display.

Available in the following colours:



SAFETY

Electric Park Brake with auto hold function, Emergency Stop Signal, Passive Entry Start System (PESS), Remote Start Engine, Walk-away auto door lock, Transponder immobiliser system, Speed sensitive door lock, ISOFIX child seat attachment.

THE ADAS SAFETY PACKAGE

Blind Spot Monitor, Rear Cross-Traffic Alert, Rear Radar.

PERFORMANCE

Available with a 3.0 Litre Turbo Diesel Engine matched with 6-Speed Auto Transmission and a 4x2 or 4x4 Drive Configuration with Differential Lock and Low Range Transfer Case.

mu-X ONYX



Available in the following colours:





Partial leather

20" Alloy Machining

NORWEGIAN SAPPHIRE BLUE BLUE DOLOMITE WHITE OBSIDIAN GREY ONYX BLACK **MERCURY**

The ONYX trim level comes standard with features from the LS and LSE trim levels, as well as the following additional specifications:

INTERIOR

Door trim ambient lighting, 8-way Power Adjustable Driver Seat & 4-way Power Adjustable Front Passenger Seat, heated front seats, Electric Power Assisted Steering (PAS), Power socket with auxiliary 220V.

EXTERIOR

Auto on/off headlamps, Automatic high beam, Follow me home headlamps, LED Daytime running Lights (DRL), 20" Alloy Machining.

TFCH

9" Touchscreen with RDS, MP3, Bluetooth® Audio Streaming with Integrated Mobile Hands-Free & Rear-View Camera, 8 Speakers, Apple CarPlay® & Android Auto, Wi-Fi. Includes a Multi-Information Display.

SAFETY

Adaptive Cruise Control, Front Camera, Improve side pole impact, Passengers Occupant detection sensor, 8 airbags, Multi collision brake, Height adjustable 3 point seat belts, Collapsible steering column.

THE ADAS SAFETY PACKAGE

Blind-Spot Monitor, Rear Cross-Traffic Alert, Rear Radar, Autonomous Emergency Brake, Forward-Collision Warning, Pedal Misapplication Mitigation, Manual Speed Limiter, Lane Departure Prevention, Lane Keep assist with emergency overtaking and oncoming (ELK), Lane Departure Warning, Driver Monitoring.

PERFORMANCE

Available with a 3.0 Litre Turbo Diesel Engine matched with 6-Speed Auto Transmission and a 4x4 Drive Configuration with Differential Lock and Low Range Transfer Case.

ISUZU | COMPLETE CARE

• 24/7 CALL CENTRE:

Toll free within South Africa and also available in neighbouring countries.

TOWING SERVICE OR TECHNICAL ASSISTANCE:

In the event of a vehicle breakdown, ISUZU will arrange for towing to the closest dealership for diagnosis and repairs. Where possible, roadside repair will be carried out, with the assistance of an ISUZU dealership or Roadside Assistance technician.

ACCOMMODATION OR RENTAL CAR:

Should you be stranded further than 100 km from your home or destination due to the breakdown or resulting repair work, a FREE rental car or FREE overnight accommodation will be provided.

A fuel deposit (fully refundable on return of the vehicle with a full tank) is payable for rental cars supplied, while fuel and toll costs incurred during the rental are for your own account.

SAFETY AT ROADSIDE:

Should you feel unsafe, a security vehicle (depending on availability) will be dispatched for your protection.

OVERNIGHT STORAGE:

Will be provided for your vehicle if required.

REPATRIATION OF YOUR VEHICLE:

Upon completion of repairs, to your home or closest dealer, if further than 100 km from home.

FLAT TYRE ASSISTANCE:

In the event of a flat tyre, we offer assistance with the tyre change.

KEYS LOCKED IN:

Assistance provided here too.

FUEL ASSISTANCE:

You pay only for the fuel supplied.

• COMMUNICATION OF URGENT MESSAGES:

Including assistance with directions, to family members.

INFORMATION SERVICES:

Explanation of vehicle warning systems, as well as location of closest dealer, filling station or where to get a new tyre.

PEACE OF MIND

WARRANTY & ROADSIDE ASSISTANCE: 5 Years / 120 000 km

ANTI-CORROSION WARRANTY: 5 Years / Unlimited km

SERVICE PLAN: 5 Years / 90 000 km with Service Intervals of 12 months / 15 000 km







Disclaimer: The information contained in this brochure was accurate at the time of going to publication July 2023. Specifications and equipment are subject to change without prior notice. Some illustrations in this brochure feature special equipment that is not included in standard delivery, and can be purchased at an additional cost. Printed colours may vary from actual. Errors and omissions excepted. Vehicles may differ from images. Terms and conditions apply. Please contact your ISUZU retailer for exact information. Apple CarPlay® is a trademark of Apple Inc. Android Auto is a trademark of Google LLC. Not all devices will be compatible & functionality will vary depending on the device. Mobile Data & SMS rates may apply & are the responsibility of the user. Please check your local road rules before using these functions.