





SMOD	M250X90	M250X91	M250X97	M250X92	M250X95	M250X96
MODELS	1.9 LS A/T 4x2	3.0 LS A/T 4x2	3.0 LS A/T 4x4	3.0 LSE A/T 4x2	3.0 LSE A/T 4x4	3.0 ONYX XT A/T 4x4
ENGINE	RZ4E-MID	4]]3	4]]3	4JJ3	4JJ3	4JJ3
Displacement (cc)	1 899	2 999	2 999	2 999	2 999	2 999
No. of Cylinders	4	4	4	4	4	4
Compression Ratio	16.5:1	16.3:1	16.3:1	16.3:1	16.3:1	16.3:1
Bore X Stroke (mm)	80 x 94.4	95.4 x 104.9	95.4 x 104.9	95.4 x 104.9	95.4 x 104.9	95.4 x 104.9
No. of Valves	16	16	16	16	16	16
Power (kW) @ r/min	110 @ 3 600	140 @ 3 600	140 @ 3 600	140 @ 3 600	140 @ 3 600	140 @ 3 600
Torque (Nm) @ r/min	350 @ 1 800-2 600	450 @ 1 600-2 600	450 @ 1 600-2 600	450 @ 1 600-2 600	450 @ 1 600-2 600	450 @ 1 600-2 600
Turbocharger	Standard	Standard	Standard	Standard	Standard	Standad
800mm Water Depth Protection	Standard	Standard	Standard	Standard	Standard	Standard
Pre-Air Cleaner	Standard	Standard	Standard	Standard	Standard	Standard
ACG (120 A)	Standard	Standard	Standard	Standad	Standard	Standard
ACG with IBS (Intelligent Battery System)	Standard	Standard	Standard	Standard	Standard	Standard
Intercooler	Standard	Standard	Standard	Standard	Standard	Standard
FUEL CONSUMPTION ¹						
Combined Cycle (Litres/100km)	7	7.6	TBD	7.6	7.6	7.6
Combined CO ₂ Emissions (g/km)	185	199	TBD	199	200	200
Fuel Type	Diesel	Diesel	Diesel	Diesel	Diesel	Diesel

TRANSMISSION						
Transmission Type	6 Speed Automatic		6 Speed Automatic			
Gear Ratio: 1st	3,600	3,600	3,600	3,600	3,600	3,600
Gear Ratio: 2nd	2,090	2,090	2,090	2,090	2,090	2,090
Gear Ratio: 3rd	1,488	1,488	1,488	1,488	1,488	1,488
Gear Ratio: 4th	1,000	1,000	1,000	1,000	1,000	1,000
Gear Ratio: 5th	0,687	0,687	0,687	0,687	0,687	0,687
Gear Ratio: 6th	0,580	0,580	0,580	0,580	0,580	0,580
Gear Ratio: Reverse	3,732	3,732	3,732	3,732	3,732	3,732
4WD Selector	-	-	Standard	_	Standard	Standard
Low Range Ratio	-	-	-	-	-	-


FRONT DIFFERENTIAL						
Differential Lock	_	_	-	-	_	-
Axle Ratio: Final Drive	-	-	3.727	-	3.727	3.727

REAR DIFFERENTIAL						
Differential Lock	Standard	Standard	Standard	Standard	Standard	Standard
Axle Ratio: Final Drive	4,1	3.727	3.727	3.727	3.727	3.727

CHASSIS DESIGN						
Wheel Suspension Front	Independent High-ride Coil					
Wheel Suspension Rear	Multi-link Coil					
Shock Absorbers	Gas	Gas	Gas	Gas	Gas	Gas
High Ride Suspension	Standard	Standard	Standard	Standard	Standard	Standard
Skid Plate Guard	Standard	Standard	Standard	Standard	Standard	Standad
Engine Sump Guard	Standard	Standard	Standard	Standard	Standard	Standard



SMOD	M250X90	M250X91	M250X97	M250X92	M250X95	M250X96
MODELS	1.9 LS A/T 4x2	3.0 LS A/T 4x2	3.0 LS A/T 4x4	3.0 LSE A/T 4x2	3.0 LSE A/T 4x4	3.0 ONYX XT A/T 4x4
CHASSIS DESIGN (CONT)	:	:	:			•
Transfer Case Guard	-	-	Standard	-	Standard	Standard
Oil Pan Guard	Standard	Standard	Standad	Standard	Standard	Standard
WHEELS & TYRES						
Tyre Size	265/60R18	265/60R18	265/60R18	265/60R18	265/60R18	265/50R20
Wheels Size / Type	Alloy 18" x 7.5J-33	Alloy XT Styling 20" x 7.5J-33				
Spare Wheel	Alloy 18" x 7.5J-33	Alloy 20" x 7.5J-33				
Turning Circle (m)	11.4	11.4	11.4	11.4	11.4	11.4
Tyre-Pressure Monitoring Sensor	-	-	-	Standard	Standard	Standard
DIMENSIONS						
Length (mm)	4 850	4 850	4 850	4 850	4 850	4 850
Width (mm)	1 870	1 870	1 870	1 870	1 870	1 870
Height (mm)	1 820	1 820	1 820	1 825	1 825	1 825
Wheelbase (mm)	2 855	2 855	2 855	2 855	2 855	2 855
Track Front / Rear (mm)	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570	1 570 / 1 570
Front Overhang (mm)	895	895	895	895	895	895
Rear Overhang (mm)	1 100	1 100	1 100	1 100	1 100	1 100
Ground Clearance (mm)	235	235	235	235	235	235
Approach Angle (°)	30,0	30,0	30,0	30,0	30,0	30,0
Departure Angle (°)	26,0	26,0	26,0	26,0	26,0	26,0
Breakover Angle (°)	24,0	24,0	24,0	24,0	24,0	24,0
Wading Depth (mm)	800	800	800	800	800	800
MASS / CAPACITY						
Gross Axle Mass – Front (GA1) (kg)	1 450	1 450	1 450	1 450	1 450	1 450
Gross Axle Mass – Rear (GA2) (kg)	1 650	1 650	1 650	1 650	1 650	1 650
Gross Vehicle Mass (GVM) (kg)	2 700	2 700	2 800	2 700	2 800	2 800
Gross Combined Mass (GCM) (kg)	4 800	5 900	5 900	5 900	5 900	5 900
Tare Mass (kg)	1 905	1 980	TBD	1980	2080	2110
Payload (kg)	734	659	TBD	659	659	629
Towing Capacity (kg): Unbraked Trailer ²	750	750	750	750	750	750
Towing Capacity / Rating (kg): Braked Trailer ²	2 100	3 500	3 500	3 500	3 500	3 500
Fuel Tank Capacity (Litres) ¹	80	80	80	80	80	80
SAFETY FEATURES						
Anti-Lock Braking System (ABS)	Standard	Standard	Standard	Standard	Standard	Standard
Electronic Brake-Force Distribution (EBD)	Standard	Standard	Standard	Standard	Standard	Standard
Brake-Assist System (BAS)	Standard	Standard	Standard	Standard	Standard	Standard





SMOD	M250X90	M250X91	M250X97	M250X92	M250X95	M250X96
MODELS	1.9 LS A/T 4x2	3.0 LS A/T 4x2	3.0 LS A/T 4x4	3.0 LSE A/T 4x2	3.0 LSE A/T 4x4	3.0 ONYX XT A/T 4x4
SECURITY FEATURES						
Remote Controlled Central Locking	-	-	-	-	-	-
Remote Start Engine	-	-	-	Standard	Standard	Standard
Passive Entry Start System (PESS)	Standard	Standard	Standard	Standard	Standard	Standard
Remote Key Auto Re-lock	Standard	Standard	Standard	Standard	Standard	Standard
Anti-theft Alarm System	Standard	Standard	Standard	Standard	Standard	Standard
Transponder Immobiliser System	Standard	Standard	Standard	Standard	Standard	Standard
Selectable Door Unlock	Standard	Standard	Standard	Standard	Standard	Standard
Walk Away Auto Door Lock	Standard	Standard	Standard	Standard	Standard	Standard
Telematics	Accessory	Accessory	Accessory	Accessory	Accessory	

INTERIOR / EXTERIOR LIGHTING						
Front Reading Lamps	Standard	Standard	Standard	Standard	Standard	Standard
Interior Courtesy Lamps	Standard	Standard	Standard	Standard	Standard	Standard
Door Trim Panel Ambient Lighting	-	-	-	-	-	Standard
Luggage Lamp	Standard	Standard	Standard	Standard	Standard	Standard
Foot Lamp (Driver & Assist)	-					Standard
Front Fog Lights	Standard, LED					
Daytime Running Lights (DRL)	LED	LED	LED	LED	LED	LED
Headlights	Bi-LED	Bi-LED	Bi-LED	Bi-LED	Bi-LED	Bi-LED
Headlights 'ON' Warning Buzzer	Standard	Standard	Standard	Standard	Standard	Standard
Headlamp Levelling	Automatic	Automatic	Automatic	Automatic	Automatic	Automatic
Automatic ON/OFF Headlamp	Standard	Standard	Standard	Standard	Standard	Standard
Automatic High Beam	-	-	-	-	-	Standard
Rear LED Combination Taillights	Standard	Standard	Standard	Standard	Standard	Standard
High Mounted Centre Stop Light	LED	LED	LED	LED	LED	LED
Rear Fog Lamps	LED	LED	LED	LED	LED	LED
Follow-Me-Home Headlamps	Standard	Standard	Standard	Standard	Standard	Standard

EXTERIOR FEATURES						
Front Wiper	Auto, Rain Sensing	Auto, Rain Sensing	Auto, Rain Sensing	Auto, Rain Sensing	Auto, Rain Sensing	Auto, Rain Sensing
Radiator Grille Colour	Dark Chrome	Dark Chrome	Dark Chrome	Dark Chrome	Dark Chrome	Dark Chrome
Front Bumper Colour	Gloss Black/ Body Colour	Gloss Black/ Body Colour	Gloss Black/ Body Colour	Gloss Black/ Body Colour	Gloss Black/ Body Colour	Gloss Black/Light Magnetite
Rear Bumper Colour	Body Colour/ Gloss Black	Body Colour/ Gloss Black	Body Colour/ Gloss Black	Body Colour/ Gloss Black	Body Colour/ Gloss Black	Body Colour/ Gloss Black/Light Magnetite
Exterior Door Handle Colour	Body Colour	Body Colour	Body Colour	Body Colour	Body Colour	Body Colour
Exterior Mirrors	Body Colour, Power Adjust, Manual Fold, Side Indicator	Body Colour, Power Adjust, Manual Fold, Side Indicator	Body Colour, Power Adjust, Manual Fold, Side Indicator	Body Colour, Power Adjust, Power Fold, Side Indicator, Heated	Body Colour, Power Adjust, Power Fold, Side Indicator, Heated	Gloss Black w/Material Colour, Power Adjust, Power Fold, Side Indicator, Heated
B-Pillar Blackout	Standard	Standard	Standard	Standard	Standard	Standard



SMOD	M250X90	M250X91	M250X97	M250X92	M250X95	M250X96
MODELS	1.9 LS A/T 4x2	3.0 LS A/T 4x2	3.0 LS A/T 4x4	3.0 LSE A/T 4x2	3.0 LSE A/T 4x4	3.0 ONYX XT A/T 4x4
EXTERIOR FEATURES (CONT)						
Side Steps	Standard/Very Dark Magnetite	Standard/Very Dark Magnetite	Standard/Very Dark Magnetite	Standard/Very Dark Magnetite	Standard/Very Dark Magnetite	Standard Gloss Black
Mudflaps	Front & Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear
Roof Rails	Standard/Very Dark Magnetite	Standard/Very Dark Magnetite	Standard/Very Dark Magnetite	Standard/Very Dark Magnetite	Standard/Very Dark Magnetite	Standard Gloss Black
Rear Spoiler	Standard	Standard	Standard	Standard	Standard	Standard
Lift Gate	Manual	Power w/Step Sensor and Control Switch				

INTERIOR FEATURES						
Power Assisted Steering (PAS)	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Electric
Steering Column Adjustment	Tilt & Telescopic	Tilt & Telescopic	Tilt & Telescopic	Tilt & Telescopic	Tilt & Telescopic	Tilt & Telescopic
Automatic Shift Paddles	-	-	-	Standard	Standard	Standard
Leather Steering Wheel with Multifunction Controls	Standard	Standard	Standard	Standard	Standard	Standard
Gear Knob Trim	Urethane/Black Paint	Urethane/Black Paint	Urethane/Black Paint	Leather/Piano Black	Leather/Piano Black	Leather/Piano Black
Seating Capacity	7	7	7	7	7	7
Front Seats Configuration	2 x Bucket	2 x Bucket	2 x Bucket	2 x Bucket Reclining	2 x Bucket Reclining	2 x Bucket Reclining
Second Row Seat Configuration	Bench 60:40 Fold-Flat	Bench 60:40 Fold-Flat	Bench 60:40 Fold-Flat	Bench 60:40 Fold-Flat	Bench 60:40 Fold-Flat	Bench 60:40 Fold-Flat
Third Row Seat Configuration	Bench 50:50 Fold-Flat	Bench 50:50 Fold-Flat	Bench 50:50 Fold-Flat	Bench 50:50 Fold-Flat	Bench 50:50 Fold-Flat	Bench 50:50 Fold-Flat
Seat Trim	Partial Leather	Partial Leather	Partial Leather	Partial Leather	Partial Leather	Partial Leather with Red Stitching
Seat Adjustment	Driver Power 8-way & Passenger Power 4-way	Driver Power 8-way & Passenger Power 4-way	Driver Power 8-way & Passenger Power 4-way	Driver Power 8-way & Passenger Power 4-way	Driver Power 8-way & Passenger Power 4-way	Driver Power 8-way & Passenger Power 4-way
Seat Belt Reminder	Driver & Passengers (Front & Rear)	Driver & Passengers (Front & Rear)	Driver & Passengers (Front & Rear)	Driver & Passengers (Front & Rear)	Driver & Passengers (Front & Rear)	Driver & Passengers (Front & Rear)
Rear Seat Centre Armrest	Standard w/ 2 Cupholders	Standard w/ 2 Cupholders	Standard w/ 2 Cupholders	Standard w/ 2 Cupholders	Standard w/ 2 Cupholders	Standard w/ 2 Cupholders
Storage Pockets Behind Front Seats	Standard	Standard	Standard	Standard	Standard	Standard
Heated Front Seats	-	-	-	-	-	Standard
Floor Trim	Carpet w/Heel Mat	Carpet w/Heel Mat	Carpet w/Heel Mat	Carpet w/Heel Mat	Carpet w/Heel Mat	Carpet w/Heel Mat
Door Garnish (Outer)	Piano Black	Piano Black	Piano Black	Piano Black	Piano Black	Silver Metallic
Door Garnish (I/S Handle Surrounding)	Warm Silver Metallic	Warm Silver Metallic	Warm Silver Metallic	Warm Silver Metallic	Warm Silver Metallic	Piano Black
Door Garnish (Inner)	Very Dark Magnetite	Very Dark Magnetite	Very Dark Magnetite	Very Dark Magnetite	Very Dark Magnetite	Piano Black
Driver Footrest	Standard	Standard	Standard	Standard	Standard	Standard
Air Conditioner	Manual w/Rear Cabin Cooling Vents	Manual w/Rear Cabin Cooling Vents	Manual w/Rear Cabin Cooling Vents	Auto (Climate Control) w/Rear Cabin Cooling Vents	Auto (Climate Control) w/Rear Cabin Cooling Vents	Auto (Climate Control) w/Rear Cabin Cooling Vents
Rear Heater Ducts	Standard	Standard	Standard	Standard	Standard	Standard
Rearview Mirror, Inside	Day/Night	Day/Night	Day/Night	Auto Dimming	Auto Dimming	Auto Dimming
Sun visor	Driver w/Ticket Holder & Passenger w/ Vanity Mirror	Driver w/Ticket Holder & Passenger w/ Vanity Mirror	Driver w/Ticket Holder & Passenger w/ Vanity Mirror	Driver & Passenger w/Vanity Mirror Light	Driver & Passenger w/Vanity Mirror Light	Driver & Passenger w/Vanity Mirror Light
Overhead Console with Sunglass Holder	Standard	Standard	Standard	Standard	Standard	Standard
Digital Clock	Standard	Standard	Standard	Standard	Standard	Standard
Multi Information Display (MID)	Standard, 7" with Decoration	Standard, 7" with Decoration	Standard, 7" with Decoration	Standard, 7" with Decoration	Standard, 7" with Decoration	Standard, 7" with Decoration
Dashboard Illumination Control	Standard	Standard	Standard	Standard	Standard	Standard

SMOD	M250X90	M250X91	M250X97	M250X92	M250X95	M250X96
MODELS	1.9 LS A/T 4x2	3.0 LS A/T 4x2	3.0 LS A/T 4x4	3.0 LSE A/T 4x2	3.0 LSE A/T 4x4	3.0 ONYX XT A/T 4x4
INTERIOR FEATURES (CONT)						
Power Windows	All w/Driver One Touch, w/Jam Protection, w/Timer					
Power Socket, Auxiliary 12V	2	2	2	2	2	2
Front and Rear USB Charge Ports	Standard	Standard	Standard	Standard	Standard	Standard
Power Socket, Auxiliary 220V	-	-	-	-	-	Standard
Glove Box, Lockable	Standard w/Illumination	Standard w/Illumination	Standard w/Illumination	Standard w/lllumination	Standard w/lllumination	Standard w/Illumination
Door Trim with Storage Pockets & Integrated Cupholders	Standard	Standard	Standard	Standard	Standard	Standard
Floor Tunnel / Console with Integrated Cupholder	Standard	Standard	Standard	Standard	Standard	Standard
Centre Console Storage Box with Lid	Standard	Standard	Standard	Standard	Standard	Standard
Storage Box	Standard	Standard	Standard	Standard	Standard	Standard
Rear Privacy Windows	Standard	Standard	Standard	Standard	Standard	Standard
Fixed Rear Window, with Defogger	Standard	Standard	Standard	Standard	Standard	Standard
Rear Window Wiper	Standard	Standard	Standard	Standard	Standard	Standard
Ventilator Grille with Shutter (fin shut)	Standard	Standard	Standard	Standard	Standard	Standard

INFOTAINMENT						
Audio System:	9" Touch Screen with RDS, MP3, Bluetooth® Audio Streaming with Integrated Mobile Handsfree & Rear View Camera, Apple CarPlay® & Android Auto™, Wi-Fi	9" Touch Screen with RDS, MP3, Bluetooth® Audio Streaming with Integrated Mobile Handsfree & Rear View Camera, Apple CarPlay® & Android Auto™, Wi-Fi	9" Touch Screen with RDS, MP3, Bluetooth® Audio Streaming with Integrated Mobile Handsfree & Rear View Camera, Apple CarPlay® & Android Auto™, Wi-Fi	9" Touch Screen with RDS, MP3, Bluetooth® Audio Streaming with Integrated Mobile Handsfree & Rear View Camera, Apple CarPlay® & Android Auto™, Wi-Fi	9" Touch Screen with RDS, MP3, Bluetooth® Audio Streaming with Integrated Mobile Handsfree & Rear View Camera, Apple CarPlay® & Android Auto™, Wi-Fi	9" Touch Screen with RDS, MP3, Bluetooth® Audio Streaming with Integrated Mobile Handsfree & Rear View Camera, Apple CarPlay® & Android Auto™, Wi-Fi
Audio Input Terminal: USB, Auxiliary	Standard	Standard	Standard	Standard	Standard	Standard
Number of Speakers	6	6	6	8	8	8
Steering Wheel Audio Controls	Standard	Standard	Standard	Standard	Standard	Standard

WARRANTY / SERVICE INTERVALS								
Warranty & Roadside Assistance	5 Years /							
	120 000km							
Anticorrosion	5 Years /							
Warranty	Unlimited km							
Service Plan	5 Years / 90 000km							
Service Intervals	12 Months /							
	15 000km							

¹ Fuel economy and CO₂ data as per ECE R101 / SANS 20101 Regulation. Note that the actual fuel consumption will depend on many factors, including the driver's driving habits, prevailing conditions, and the vehicle's equipment, condition and use.

² Towing capacity subject to South African Road Traffic Act. The weight of the towing vehicle including trailer towball load must not exceed the Gross Vehicle Mass (GVM). The combined weight of the fully loaded vehicle and trailer must not exceed the Gross Combination Mass (GCM). Maximum individual axle loads (GA1 and GA2) must not be exceeded. (e.g.: if a 3.0L Diesel is towing 3.500kg its maximum Vehicle mass is 2.500kg in order to be within GCM).





MU-X LS A/T

ISUZU MU-X LS 1.9 Ddi A/T Colour: SPLASH WHITE







Partial Leather

18" Alloy wheels

The LS trim level comes standard with generous levels of spec. Herewith a summary of the noteworthy specifications:

INTERIOR

New Dash Upper Design, New Leather Seat Design, New Armrest and Door Trim Design, Dark Upper Trim, New Steering Wheel Horn Pad Design with Piano Black and Satin Silver Finish, Storage Box, Urethane Gear Knob Trim, Partial Leather Seat Trim, 8-Way Power Adjustable Driver Seat & Lumbar Support, 4-way Power Adjustable Front Passenger Seat, Rear Seat Centre Armrest with 2 Cupholders, Lockable Glove Box with Illumination, Front and Rear USB Charge Ports and Power Windows with Driver One-Touch.

EXTERIOR

Rear Privacy Window, Power Tailgate Hands-Free Function on 3.0L Models - Manual Tailgate on 1.9L Models, Auto Rain-Sensing Front Wipers, New Multi-spoke Lightweight 18" Alloy Wheels, Side-Steps and Roof Rails, New Tailgate Garnish, ISUZU Badge Change, New Spoiler, New Combination Lamps, Lower Bumper, New MU-X Badge Design, New LED Headlamps, New Bumper Grille, New Front Bumper Cladding, New Front Fog Lamp Bezel & Newly Designed Air Curtain.

Available in the following colours:



TECH

New 9" Touchscreen with RDS, New Colour 7" Driver's Display, MP3, Bluetooth® Audio Streaming with Integrated Mobile Hands-Free and Surround-View Camera, 6 Speakers, Apple CarPlay® and Android Auto, Wi-Fi and includes a Multi-Information Display.

SAFETY

7 x Airbags, Front & Rear Parking Distance Sensors, Trailer Sway Control, Hill-Descent Control, Hill-Start Assist, Electronic Stability Control, Cruise Control, Side-Impact Bars (Front & Rear), Brake-Override Accelerator, Brake-Assist System, Electronic Brake-Force Distribution and an Anti-lock Braking System.

PERFORMANCE

Available in 1.9 and 3.0-litre Turbo Diesel Engine Matched with a 6-speed Automatic Transmission.

1.9 Available in 4x2 and 3.0 Available in 4x2 or 4x4 Drive Configuration with Differential Lock and Low Range Transfer Case.

MU-X LSE A/T

ISUZU MU-X LSE 3.0 Ddi A/T 4x2 & 4x4 Colour: MERCURY SILVER





Partial leather



18" Alloy wheels

Available in the following colours:



The LSE trim level comes standard with LS features as well as the following additional specifications:

INTERIOR

Piano Black Leather Gear Knob Trim, Auto Dimming Rear-View Mirror, Overhead console with map lamps and sunglass holder, Automatic Shift Paddles and Auto Climate Control with Rear Cabin Cooling Vents.

EXTERIOR

Power Lift Gate With Step Sensor and Control Switch, LED Front Fog lamps Bezel Magnetite and Rear LED Combination Taillights.

TECH

9" Touchscreen with RDS, MP3, Bluetooth® Audio Streaming with Integrated Mobile Hands-Free and Surround-View Camera, 6 Speakers, Apple CarPlay® and Android Auto, Wi-Fi and includes a Multi-Information Display.

SAFETY

Electric Park Brake with Auto Hold Function, Emergency Stop Signal, Passive Entry Start System (PESS), Remote Start Engine, Walk-away Auto Door Lock, Transponder Immobiliser System, Speed Sensitive Door Lock and ISOFIX Child Seat Attachment.

THE ADAS SAFETY PACKAGE

Blind Spot Monitor, Rear Cross-Traffic Alert and Rear Radar.

PERFORMANCE

Available with a 3.0-litre Turbo Diesel Engine matched with 6-Speed Automatic Transmission and a 4x2 or 4x4 Drive Configuration with Differential Lock and Low Range Transfer Case.



MU-X DNYX XT A/T

ISUZU MU-X ONYX XT 3.0 Ddi A/T 4x4 Colour: EIGER GRAY



Available in the following colours:







20" Alloy XT Styling







with Red Stitching

The ONYX XT trim level comes standard with features from the LS and LSE trim levels, as well as the following additional specifications:

INTERIOR

Door Trim Ambient Lighting, 8-way Power Adjustable Driver Seat & 4-way Power Adjustable Front Passenger Seat, Heated Front Seats, Electric Power Assisted Steering (PAS) and a Power Socket with Auxiliary 220V.

Auto On/Off Headlamps, Automatic High Beam, Follow-Me-Home Headlamps, LED Daytime Running Lights (DRL) and 20" Alloy XT Styling Rims.

9" Touchscreen with RDS, MP3, Bluetooth® Audio Streaming with Integrated Mobile Hands-Free and Rear- View Camera, 8 Speakers, Apple CarPlay® and Android Auto, Wi-Fi and includes a Multi-Information Display.


SAFETY

Adaptive Cruise Control, Front Camera, Improved side pole impact, Passengers Occupant Detection Sensor, 8 Airbags, Multi Collision Brake, Height Adjustable 3 Point Seat Belts and Collapsible Steering Column.

THE ADAS SAFETY PACKAGE

Blind-Spot Monitor, Rear Cross-Traffic Alert, Rear Radar, Autonomous Emergency Brake, Forward-Collision Warning, Pedal Misapplication Mitigation, Manual Speed Limiter, Lane Departure Prevention, Lane Keep assist with emergency overtaking and oncoming (ELK), Lane Departure Warning and Driver Monitoring.

Available with a 3.0-litre Turbo Diesel Engine matched with 6-Speed Auto Transmission and a 4x4 Drive Configuration with Differential Lock and Low Range Transfer Case.













Disclaimer: The information contained in this brochure was accurate at the time of going to publication in May 2025. Specifications and equipment are subject to change without prior notice. Some illustrations in this brochure feature special equipment that is not included in standard delivery, and can be purchased at an additional cost. Printed colours may vary from actual. Errors and omissions excepted. Vehicles may differ from images. Terms and conditions apply. Please contact your ISUZU Dealer for exact information. Apple CarPlay® is a trademark of Apple Inc. Android Auto is a trademark of Google LLC. Not all devices will be compatible and functionality will vary depending on the device. Mobile Data and SMS rates may apply and are the responsibility of the user. Please check your local road rules before using these functions.