



LAMPU TAMAN HT210 5W

Color Temp : 3000K/6000K
Color Rendering Index : 85Ra
Input Voltage : 85 – 265 V
Total Power : 5 W
Beam Angle : 24°
Size : 72*80mm
Body : Polikarbonat



LAMPU TAMAN HT210 MR16

Size : 72*80mm
Body : Polikarbonat



Downlight COB 3W LENS

Color Temp : 3000K/4000k/6000K
Color Rendering Index : 85Ra
Input Voltage : 85 – 265 V
Total Power : 3 W
Beam Angle : 24°
Size : 74*25mm
Body : Polikarbonat

HOYT



Downlight COB 7W LENS

Color Temp : 3000K/4000K/6000K
Color Rendering Index : 85Ra
Input Voltage : 85 – 265 V
Total Power : 7W
Beam Angle : 24°
Size : 91*40mm
Body : Polikarbonat



Downlight COB 12W LENS

Color Temp : 3000K/4000K/6000K
Color Rendering Index : 85Ra
Input Voltage : 85 – 265 V
Total Power : 12W
Beam Angle : 24°
Size : 118*45mm
Body : Polikarbonat

HOYT



Downlight COB 3W FROSTED

Size : 74*25mm


Downlight COB 7W FROSTED

Size : 91*40mm

Downlight COB 12W FROSTED

Size : 118*45mm

3000K/4000K/6000K



02 ADJUSTABLE ANGLE

The lampshade can swipe up and down 30°, adjust according to the needs of light



03 PC LAMPSHADE

Light transmission is uniform and soft

HOYT



DOWNLIGHT PANEL IB BULAT HT-D620-6W
3000K/6000K
UKURAN BODY 119*20.5MM CUT 100MM

DOWNLIGHT PANEL IB BULAT HT-D620-12W
3000K/6000K
UKURAN BODY 168*20.5MM CUT 147MM

DOWNLIGHT PANEL IB BULAT HT-D620-18W
3000K/6000K
UKURAN BODY 223*20.5MM CUT 197MM





HOYT



DOWNLIGHT PANEL IB BULAT HT-D620K-6W
3000K/6000K
UKURAN BODY 117*20.5MM CUT 100MM

DOWNLIGHT PANEL IB BULAT HT-D620K-12W
3000K/6000K
UKURAN BODY 167*20.5MM CUT 147MM

DOWNLIGHT PANEL IB BULAT HT-D620K-18W
3000K/6000K
UKURAN BODY 218*20.5MM CUT 197MM



HOYT



DOWNLIGHT PANEL OB BULAT
HT-D620-6W 3000K/6000K
UKURAN BODY 117*20.5MM

DOWNLIGHT PANEL OB KOTAK
HT-D620K-6W 3000K/6000K
UKURAN BODY 117*20.5MM

DOWNLIGHT PANEL OB BULAT
HT-D620-12W 3000K/6000K
UKURAN BODY 168*20.5MM

DOWNLIGHT PANEL OB KOTAK
HT-D620K-12W 3000K/6000K
UKURAN BODY 168*20.5MM


DOWNLIGHT PANEL OB BULAT
HT-D620-18W 3000K/6000K
UKURAN BODY 219*20.5MM

DOWNLIGHT PANEL OB KOTAK
HT-D620K-18W 3000K/6000K
UKURAN BODY 219*20.5MM



HOYT

DOWNLIGHT PANEL 120X30



1200mm

300mm



VOLTAGE: AC 85-265V
LUMEN OUTPUT: 4800LM
POWER: 48W
CRI: 80
MATERIAL: ALUMINIUM + PS
CAHAYA: 6000K PUTIH

HOYT

DOWNLIGHT PANEL 60X60



VOLTAGE:AC 85-265V
LUMEN OUTPUT:4800LM
POWER:48W
CRI:80
MATERIAL:ALUMINIUM + PS
CAHAYA:6000K PUTIH



HOYT




LAMPU TAMAN HT215 MR16 SPIKE

Body Aluminium Black
Belum Termasuk Lampu Mr16




LAMPU Dinding HTW561 10W

Color Temp : 3000K
Input Voltage : 85 – 265 V
Total Power : 6W
Body : Polikarbonat



HOYT



LAMPU Dinding HTW565 2W

Color Temp : 3000K
Color Rendering Index : 85Ra
Input Voltage : 85 – 265 V
Total Power : 2W
Size : 76*80mm
Body : Polikarbonat



LAMPU Dinding HTW565 4W

Color Temp : 3000K
Color Rendering Index : 85Ra
Input Voltage: 85 – 265 V
Total Power : 4W
Size : 120*80mm
Body : Polikarbonat




LAMPU Dinding HTW565 6W


Color Temp : 3000K
Color Rendering Index : 85Ra
Input Voltage: 85 – 265 V
Total Power : 6W
Size : 170*80mm
Body : Polikarbonat

HOYT

HTW575-3W




HTW575-6W




Color Temp : 3000K
Color Rendering Index : 85Ra
Input Voltage : 85 – 265 V

WATERPROOF IP65




HOYT

HTW573-1 3W



HTW573-2 6W



HTW572-2 6W



HTW572-1 3W



HOYT

KAP JALAN E27 HT-S950

Body ABS

IP65

Fitting E27 MAX 1 X 45W

31.5CM X 15CM X12.5CM



LAMPU TAMAN HT213 MR16 SPIKE

Body Aluminium Black

Belum Termasuk Lampu Mr16



HOYT



LAMPU TAMAN K2529-MR16



FRONT



SIDE



BACK

HOYT

LAMPU TAMAN K-2506 MR16




CAN BE ROTATED BY 180 DEGREE

HOYT

LAMPU TAMAN HT212-7W HT212-MR16

7W 220V IP65
100LM/W
Body ABS



HOYT

LAMPU Belajar HT890 E27

1Dus 16pcs

Kabel on off

2in1 (duduk&jepit)

Body Hitam



HOYT

LAMPU Dinding HTW-571 IP65



B 款 - 关灯效果




B 款 - 开灯效果


HOYT

LAMPU DINDING HTW-571 IP65


30cm




40cm




60cm




80cm




100cm




120cm




150cm



200cm




240cm



HOYT

LAMPU Dinding HTW-570 IP65



HOYT

Bahan PVC

LAMPU Dinding HTPR581-2W

LAMPU Dinding HTPR581-1W




*Fitting E27
Belum Termasuk Lampu

*Fitting E27
Belum Termasuk Lampu

LAMPU Dinding HTPR582-2W

LAMPU Dinding HTPR582-1W



*Fitting E27
Belum Termasuk Lampu

*Fitting E27
Belum Termasuk Lampu

LAMPU Dinding HTPR580-2W

LAMPU Dinding HTPR580-1W




*Fitting E27
Belum Termasuk Lampu

*Fitting E27
Belum Termasuk Lampu

HOYT

Bahan ALUMINIUM



HOYT

Bahan ALUMINIUM

LAMPU Dinding HTPR590 BK



LAMPU Dinding HTPR590 AB




LAMPU Dinding HTPR591 BK



LAMPU Dinding HTPR591 AB




HOYT



LAMPU Dinding HTW560 6W

Color Temp : 3000K
Color Rendering Index : 85Ra
Input Voltage : 85 – 265 V
Total Power : 6W
Size : 100*100*100mm
Body : Polikarbonat



LAMPU Dinding HTW569 12W

Color Temp : 3000K
Color Rendering Index : 85Ra
Input Voltage : 85 – 265 V
Total Power : 12W
Size : 175*90*30mm
Body : Aluminium



LAMPUDindingHTW567-2W

2X1W
3000K
200LM
IP65
100-240V
Polikarbonat



LAMPUDindingHTW568-2W


2X1W
3000K
200LM
IP65
100-240V
Polikarbonat

HOYT



Lampu Dinding HTW562 12W

Color Temp : 3000K
Color Rendering Index : 85Ra
Input Voltage : 85 – 265 V
Total Power : 12W
Size : 160*75*130mm
Body : Polikarbonat



Lampu Tangga HT 310 WH/BK 1.5W

Color Temp : 3000K
Color Rendering Index : 85Ra
Input Voltage : 85 – 265 V
Total Power : 1.5W
Size : 86*86*86mm
Body : Polikarbonat



Wall Light EC 30018

Color Temp : 3000K
Power : 3W
LED Chip : EPISTAR
Input Voltage : 220V
Front Cover : Aluminium
Beam Angle : 120°
Protection : IP65
85*85MM


HOYT



Lampu Halogen
220V
90LM/W
CRI80

MR16 5.5W / 7.5W
3000K/4000K/6000K

E27 5.5W / 7.5W
3000K/4000K/6000K



Beam Angle: 24°



Lampu Halogen
MR16 12W
3000K 4000K 6000K
220V
1200LUMENS
CRI85+



Lampu Halogen
E27 12W
3000K 4000K 6000K
220V
1200LUMENS
CRI85+

HOYT



Lampu Jagung 3 Warna
E27 220V



Lampu Candle
E14 / E27
220v
3000K Kuning
6000K Putih




Lampu Halogen


MR16 RGB REMOT
6W 220V




HOYT



ECWL 301-1
Size:68*92*78MM
MR16




ECWL 301-2
Size:67*90*150MM
MR16



ECWL 302-2
Size:68*92*150MM

MR16



ECWL 302-1
Size:68*92*78MM
MR16

Lampu Kapal HTW576 E27 Black& White



HOYT

Kap MR16 1A PLAFON /RELL BLACK/WHITE



Kap E27 3A
PLAFON /RELL
BLACK/WHITE




HOYT



Kap MR16 TRACK K12 BK & WH
Body Aluminium



Kap MR16 TRACK K10 BK &
WH
Body Aluminium



HOYT

KAP PAR30 Rell ECHR 10012 (Black/White)



KAP PAR30 RELL ECHR 10018(Black/White)



KAP PAR30 RELL ECHR 9110 (Black/White)




HOYT

Housing PAR30 Rell TABUNG ECHR 10010 (Black/White)



Housing PAR30 Downlight ECHD 10015



HOYT

ECTL 5010 10W /5020 20W /5030 30W



Body:White/Black
10w /20w/30w
3000k/4000k/6000k
Bahan:Aluminium



ECTL5015 10W

Body:White/Black
10w
3000K
Bahan:Aluminium

HOYT



Lampu Track 5007 7W
Body:White/Black Aluminium
3000K/4000K/6000K 220V

YC-A38 WH



Kap MR16 K805 BK / WH



HOYT



K801B WHITE&BLACK
8.2*2.5CM
Body Alu+PC



K802 Bulat
K802 Oval
K802 Kotak
K802 Busur






9*3.6CM
Body Alu+PC



15° Tilted

HOYT

Kap MR16 Kotak HT605-1 /605-2



Body : White / Black
Include Fitting mr16



Kap MR16 K806 BK / WH

Buka Dari Depan

9.5CM

Aluminium



HOYT



Downlight OB MR16 Bulat
8*10cm
Body WHITE&BLACK
Buka Dari Depan



Kap MR16 K803 BK / WH
Body Iron+PC
8.5*3.5cm



HOYT



Kap MR16 K807 BK / WH
Body Iron
8.6*6.5CM
Buka Depan
Include Honeycomb



HOYT



Downlight OB

3,5IN Bulat Hitam&Putih
3,5IN Kotak Hitam&Putih
4IN Bulat Hitam&Putih
4IN kotak Hitam&Putih


3,5IN Bulat 10cmx12cm
3,5IN Kotak 11cmx16cm
4IN Bulat 13cmx15cm
4IN Kotak 14cmx18cm



HOYT




Led Strip 2835 120led 12V ip20
3000k 4000k 6000k



HOYT

Led Strip COB 12V 320LED/M CRI80 12W 5M

3000K/4000K/6000K/MERAH/BIRU/HIJAU/YELLOW/ICEBLUE/PINK




HOYT

SILICON LED STRIP HOYT 10*12



SILICON LED STRIP HOYT 10*12




SILICON LED STRIP HOYT 10*12 HITAM




SILICON LEDSTRIP HOYT 10*10




STEP 1



STEP 2



STEP 3



STEP 4



Langkah 1:

Buat alur atau lubang pada permukaan (tembok, plafon, atau furnitur) sesuai ukuran profil aluminium.

Langkah 2 :

Tempelkan atau pasang strip LED ke dalam alur yang sudah disiapkan.

Langkah 3 :

Pasang profil aluminium (frame penutup) ke atas LED strip agar terlindungi dan rapi.

Langkah 4:

Nyalakan lampu — hasilnya rapi, tersembunyi, dan menyala merata.

HOYT POWER SUPPLY



12V 3A
57*85*34MM
122G
90%



12V 8.5A
97*158*42MM
340G
90%



12V 5A
78*110*36MM
210G
90%



12V 10A
97*158*42MM
465G
90%




12V 20A
109*199*50MM
613G
90%



12V 30A
110*215*50MM
613G
90%

ECOCITY HANGING OFFICE LAMP EL1020 40W



Body : BLACK&WHITE


Color Temp :
3000K/4000K/6000K

Color Rendering Index : 85Ra


Input Voltage : 85 – 265 V

Total Power : 40W

SIZE :120*70*40



ECOCITY HANGING OFFICE LAMP EL7020 40W



Body : BLACK&WHITE


Color Temp :
3000K/4000K/6000K

Color Rendering Index : 85Ra


Input Voltage : 85 – 265 V

Total Power : 40W

SIZE :120*70*40



ECOCITY HANGING OFFICE LAMP EL5020 20W



Body : BLACK&WHITE

Color Temp :
3000K/4000K/6000K

Color Rendering Index : 85Ra

Input Voltage : 85 – 265 V


Total Power : 20W

SIZE :120*50*40




HOYT

HANGING OFFICE 6CM 120M T8 1X36



黑色单支款
BLACK SINGLE TYPE
L1233 x W60 x H53 mm





HOYT

Lampu Office LG5CM 18W

Body Hitam 3000k/4000k/6000k 220V


120x5x3cm Include Sling 2pcs



Lampu Office LG7CM 36W




Body Hitam 3000k/4000k/6000k 220V

120x7x3cm Include Sling 2pcs




HOYT

RELL Aluminium 1M 1.5M 2M Black&White



RELL PVC
0.5M
1M
1.5M
2M
Black&White



HOYT

IP67 Waterproof

-  High Brightness
-  Frost Resistance
-  Heat Resistance
-  Pressure Resistant

 Lumen: 300 lumen

 Color Temperature: 3000K-3500K



LAMPU Lantai HT280 3W

Body Aluminium

ip65 220v

65mm 70mm

3000k Kuning

65mm



75mm



LAMPU Lantai HT281/MR16 306

Body STAINLESS 306

IP65


100MM X 75MM

UNTUK MR16




100mm

75mm




Product

ECUG 3W 10165



Color Temp : 3000K
Power : 3W
LED Chip : CREE
Input Voltage : DC12V
Front Cover : Aluminium 316
Beam Angle : 120°
Protection : IP67

Kap lantai mr16 ECMR16 304



Diameter : 106mm*115mmm



MODUL xm120 12w 3000k/4000k/6000k



MODUL xm170 7w 3000k/4000k/6000k



Product



ECGL 60163


Color Temp : 3000K
 Color Rendering Index : 85Ra
 Input Voltage : 85 – 265 V
 Total Power : 10 W
 Beam Angle : 360°
 Chip : cree
 body : Black



Product

ECGL 20010

Color Temp : 3000K
 Color Rendering Index : 85Ra
 Input Voltage : 85 – 265 V
 Total Power : 5 W
 Beam Angle : 360°
 Chip : cree
 body : Black



HOYT

LAMPU TAMAN SOLAR

JS02-300

JS02-600



HOYT

LAMPU TAMAN SOLAR

JS02-300

JS02-600

IP65 WATERPROOF

SENSOR CAHAYA

NYALA 2-3HARI



1. Install the chassis



2. Tighten the screws



3. Chassis installation is complete



4. Install the cover

HOYT

HOYT

Modern
lawn lantern


SOLAR LED LAWN LIGHT

CORDLESS INSTALLATION

HOYT



HOYT



LAMPU TAMAN SOLAR
JS01-400
JS01-700
IP65 WATERPROOF
SENSOR CAHAYA
NYALA 2-3HARI



1. Install the chassis



2. Tighten the screws



3. Chassis installation is complete




4. Install the cover

HOYT



LAMPU TAMAN HT-16011
12W IP65 IRON
30CM
60CM
80CM
1 METER



LAMPU TAMAN HT-16021
12W IP65 IRON
30CM
60CM
80CM
1 METER



LAMPU TAMAN HT-16031
12W IP65 RION
30CM
60CM
80CM
1 METER

HOYT



LAMPU TAMAN HT-16041
12W IP65 IRON
30CM
60CM
80CM
1 METER



LAMPU TAMAN HT-16051
12W IP65 IRON
30CM
60CM
80CM
1 METER



LAMPU TAMAN HT-16061
12W IP65 IRON
30CM
60CM
80CM
1 METER

HOYT



FILAMENT ST64 2W/4W
KACA TEH / KACA CLEAR

FILAMENT G45 2W/4W


KACA TEH / KACA CLEAR



HOYT




FITTING GANTUNG E27
IP65 OUTDOOR
10M10F
10M20F



HOYT



FITTING GANTUNG A1 BK&WH




KOP ENGKEL 10CM BK&WH



HOYT

10W-LAMPU SOROT HOYT



Color temperature: 3000K/6500K
Voltage: AC85-265V
Luminous Flux: 100LM/W
Power factor: ≥ 0.95
Size: 10*8*2CM
Lamp Body Weight(G):58

20W-LAMPU SOROT HOYT



Color temperature: 3000K/6500K
Voltage: AC85-265V
Luminous Flux: 100LM/W
Power factor: ≥ 0.95
Size: 11.7*9.2*2.7CM
Lamp Body Weight(G):80

HOYT

50W-LAMPU SOROT HOYT



Color temperature: 3000K/6500K

Voltage: AC85-265V

Luminous Flux: 100LM/W

Power factor: ≥ 0.95

Size: 16*12.1*2.3CM

Lamp Body Weight(G):130

100W-LAMPU SOROT HOYT



Color temperature: 3000K/6500K

Voltage: AC85-265V

Luminous Flux: 100LM/W

Power factor: ≥ 0.95

Size: 20.6*16*2.9CM

Lamp Body Weight(G):200

HOYT

200W-LAMPU SOROT HOYT



Color temperature: 3000K/6500K

Voltage: AC85-265V

Luminous Flux: 100LM/W

Power factor: ≥ 0.95

Size: 27*21.4*3CM

Lamp Body Weight(G):400

300W-LAMPU SOROT HOYT



Color temperature: 3000K/6500K

Voltage: AC85-265V

Luminous Flux: 100LM/W

Power factor: ≥ 0.95

Size: 32*24*4CM

Lamp Body Weight(G):620

HOYT

500W-LAMPU SOROT HOYT



Color temperature: 3000K/6500K

Voltage: AC85-265V

Luminous Flux: 100LM/W

Power factor: ≥ 0.95

Size: 37.8*27.8*4CM

Lamp Body Weight(G):830

HOYT




HOYT

LAMPU JALAN COBRA HT-S970

IP65 WATERPROOF

◉ Waterproof ◉ Dustproof ◉ Anti-collision

Completely dust sealed and can withstand low pressure water jets from any direction. Safe to use on rainy days.



HOYT

LAMPU JALAN COBRA HT-S970

800MM

680MM

600MM

435MM



50W

100W

150W

200W

PRODUCT DETAILS



HOYT

LAMPU JALAN COBRA HT-S975




POWER	50 W	100 W	150 W
VOLTAGE	85V-265V	85V-265V	85V-265V
LUMENS	6000LM	12000LM	18000LM
LAMP SIZE	40*14*50CM	52.5*18.3*5.2CM	62.5*19*5.2CM
MATERIAL	DIECAST	DIECAST	DIECAST
IP RATINGS	IP65	IP65	IP65

HOYT


Highybay HT-S960 100W/150W/200W



100W



150W



200W

Tersedia Daya:

- 100W
- 150W
- 200W

Lumens:

- 100W: ± 12.000 lumens
- 150W: ± 18.000 lumens
- 200W: ± 24.000 lumens

Material:

- Bodi terbuat dari aluminium die-cast berkualitas tinggi
- Desain heat sink (pendingin) efisien untuk pembuangan panas maksimal
- Reflektor aluminium dengan efisiensi tinggi

Tegangan Input:


- AC 85-265V / 50-60Hz

Instalasi:

- Digantung dengan rantai atau bracket

HOYT

Lampu Selang 5050-60 100M 5soket




WARM WHITE
WHITE
RED
BLUE
GREEN
ICE BLUE
PINK



暖白光



白光



蓝光



红光



绿光




粉红光



HOYT

Lampu Neonflex 8*16 100M 5socket



WARM WHITE

WHITE

RED

BLUE




GREEN

ICE BLUE

PINK


PURPLE

YELLOW



HOYT

Lampu Neonflex 6*12 50M 5soket 8 Warna



UKURAN:6X12mm
1Dus 50M Dapat Dipotong
Per 1M


Voltase:220v
IP65 Outdoor
Soket Jepit
11Watt/M
120LED/M

HOYT

Lampu Selang 5280 52D 100M 5SOKET



MERAH



6500K



PINK



3000K




HIJAU



YELLOW



BIRU





HOYT





Lampu Selang COB 220V 280D CRI80 100M

INCLUDE 5 SOKET JEPIT

3000K 4000K 6000K MERAH HIJAU BIRU PINK GOLD



Dapat Dipotong Per 50CM




HOYT

Lampu Selang COB SUSU 220V 420D CRI80 100M



INCLUDE 5 SOKET JEPIT

3000K 4000K 6000K MERAH HIJAU BIRU PINK GOLD

ICEBLUE



DAPAT DIPOTONG PER 10CM




SUDAH AD DOUBLETAPE
MUDAH INSTAL

HOYT

Lampu Selang 2835 120D 5SLIM 100M

INCLUDE 5 SOKET JEPIT

3000K/6000K/MERAH/BIRU/HIJAU/ICEBLUE/YELLOW/PINK



HOYT

Lampu Selang 2850 120D 3M 100M


INCLUDE 5JEK

3000K/4000K/6000K/MERAH/BIRU/HIJAU/ICEBLUE/YELLOW/PINK



DAPET DIPOTONG PER 10CM

SUDAH AD DOUBLETAPE
MUDAH INSTAL



HOYT

Lampu Selang 2835 144D 100M

INCLUDE 5 SOKET JEPIT

3000K/6000K/MERAH/BIRU/HIJAU/4000K/PINK



Flexible Bendable

Environmentally Friendly PVC Material

Soft and Easy to Make Any Shape



warm white



white



pink



green



natural white



red



Waterproof IP65




blue

HOYT

Lampu Selang 5050 60D RGB 100M 3 SOKET



220V5050/60/RGB



HOYT
Selang RGB 5050 Jepit
1Roll 100M 3 Soket

HOYT

Lampu Selang Neonflex 8X16 RGB 100M 3 SOKET



HOYT

Lampu Selang 2835 48D 100M
5 SOKET



HOYT

Lampu Taman GLOBE



15cm / 20cm/25cm / 30cm / 40cm / 50cm / 60cm

PMMA

FITTING E27

TAHAN SINAR UV MATAHARI



Tiang Globe

PMMA

60cm

80cm

Dudukan Globe 12cm



HOYT

Part Dinding Globe 15CM W5 BK & SUSU



Part Dinding Globe 20CM W8 BK & SUSU



Part Globe Gantung




HOYT




Lampu Taman Jamur HT265



Color Temp : 3000K
Color Rendering Index : 85Ra
Input Voltage : 85 – 265 V
Total Power : 6 W
Beam Angle : 360°
Chip : cree
body : Black



EEC05A EMERGENCY ECOCITY 3W




FEATURE:

- Supply Voltage: 220-240VAC 50/60Hz
- 3W LED emergency lighting supply unit
- Super mini design with size W20mm H20.5mm
- Non-maintained mode
- Ingress Protection: IP20
- Ambient Temperature: 0°C-50°C
- Assembly indoors to recessed
- PC material pass the 850°C glow-wire test
- Reach and ROHS Certificate


MOUNTING DISTANCE

0.5 lx Open Area Lens




Open	2W	
	H (m)	a(m)
2.8	4.1	9.2
3	4.1	9.6
4	4.8	11.3
5	5.1	12.6


1 lx Corridor Lens




Corridor	2W			
	H (m)	a(m)	b(m)	c(m)
2.8	7.9	2.7	6	19
3	7.9	2.7	6	20
4	7.3	2.7	6	22
5	4.1	1.9	4.1	21.4




EAF 101A



EAF 101B





EAF 101C







EAF EL2020




EAF EL7609





EAF EL3535



EAF EL1514

