












ARTALUX



BRIGHTLITE



CENTROLUX









TABLE OF CONTENT

I. Downlight
II. Spotlight
III. Lampu Gantung
IV. Lampu TL
V. Lampu Dinding
VI. Lampu Taman
VII. Lampu Lantai
VIII. Lampu Kolam
IX. Kap Sorot
X. Lampu Jalan
XI. High Bay
XII. LED Strip
XIII. Bohlam
XIV. Emergency
XV. Trafo
XVI. Stop Kontak
XVII. Rel
XVIII. Spare Part



PT. ARTA AGUNG LESTARI




ARTALUX



BRIGHTLITE




CENTROLUX




I. Downlight

AR 123 + AR 009 (6000K)




Masuk bohlam dari belakang



Brand
Item No.
Description
Input Voltage
Size
Cut Size
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR I12
Downlight MR16
12-220V
Ø86 × 25mm
Ø75 × 25mm
Aluminum
IP20
100pcs




Brand
Item No.
Description
Input Voltage
Size
Cut Size
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR I33
Downlight MR16
12-220V
Ø86 × 26mm
Ø75mm
Aluminum
IP20
100pcs



Masuk bohlam dari depan




Brand
Item No.
Description
Input Voltage
Size
Cut Size
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR I19
Downlight MR16
max 50W
220V 50-60Hz
Ø93 × 36mm
Ø80mm
Aluminum
IP20
100pcs





AR 216/1L




Brand
Item No.
Description
Input Voltage
Material
IP Grade


ARTALUX Lighting 
AR 216
Downlight
220V / 50-60Hz
Aluminum
IP20



AR 216/2L



AR 216/3L



Body Color (1L/3L)

White




Item No.	Power	Size	Cut Size	QTY/CTN
AR 216/1L	G5.3 1*Max 30W	85 × 85 × 50mm	75 × 75mm	50pcs
AR 216/2L	G5.3 2*Max 30W	158 × 85 × 50mm	150 × 75mm	40pcs
AR 216/3L	G5.3 3*Max 30W	245 × 100 × 50mm	225 × 75mm	30pcs

Body Color (2L)

Black



White



Brand
Item No.
Description
Input Voltage
Size
Cut Size
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 777
Downlight MR16
12-220V
Ø75 × 50mm
Ø60mm
Aluminum
IP20
200pcs

Body Color

Silver




Gold






Tutup Rata





Tutup Corong



Masuk bohlam dari depan


Brand
Item No.
Description
Input Voltage
Size
Cut Size
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 123
Downlight MR16
12-220V 50/60Hz
Ø100 x 45mm
Ø90mm
Aluminum
IP20
100pcs



Brand
Item No.
Description
Input Voltage
Size
Cut Size
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 125
Downlight MR16
220V 50/60Hz
Ø92 x 45mm
Ø85mm
Aluminum
IP20
100pcs



Brand
Item No.
Description


Input Voltage
Size
Cut Size
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 131
Downlight MR16
Trimless Round Armour
Recessed Downlight
12-220V 50/60Hz
Ø86 x 63mm
Ø80mm
Aluminum
IP 20
100pcs







AR I44/1L




AR I44/2L



AR I44/3L



AR I44/4L



Body Color
(3L / 4L)

White



Body Color (1L / 2L)

Black

White




Item No.	Size	Cut Size	QTY/CTN
AR I44/1L	80 × 80 × 40mm	70 × 70mm	100pcs
AR I44/2L	155 × 80 × 40mm	145 × 70mm	40pcs
AR I44/3L	230 × 80 × 40mm	215 × 70mm	30pcs
AR I44/4L	155 × 155 × 40mm	140 × 140mm	20pcs

Brand
Item No.
Description
Input Voltage
Material
IP Grade

ARTALUX Lighting 

AR I44

Downlight
12-220V 50/60Hz
Aluminum
IP20



Brand
Item No.
Description
Input Voltage
Size
Cut Size
Material
IP Grade
QTY/CTN

ARTALUX Lighting 

AR I26

Downlight MR16
220V 50-60Hz
Ø110 × 50mm
Ø95mm
Aluminum
IP20
50pcs

Body Color

Black /
Black



White /
White




White /
Texture



White /
Silver





Brand
Item No.
Description
Input Voltage
Size
Cut Size
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 161
 Downlight MR16
 12-220V 50/60Hz
 Ø85 x 40mm
 Ø75mm
 White
 Aluminium
 IP20
 100pcs



Reflector Option



White



Black



Silver



Brand
Item No.
Description
Input Voltage
Size
Cut Size
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 181
 Downlight MR16
 12-220V 50/60Hz
 Ø85 x 30mm
 Ø75mm
 White
 Aluminum
 IP20
 100pcs

Reflector Option

White



Black



Silver




Gold







AR 117/1L




AR 117



AR 117/2L



AR 117/3L



Biasa

Pakai Corong



Body Color



Masuk bohlam dari depan


Item No.	Size	Cut Size	QTY/CTN
AR 117	Ø85 x 35mm	Ø75mm	100pcs
AR 117/1L	85 x 85 x 35mm	75 x 75mm	100pcs
AR 117/2L	170 x 85 x 35mm	155 x 75mm	40pcs
AR 117/3L	250 x 85 x 35mm	240 x 75mm	20pcs

Brand
Item No.
Description
Input Voltage
Material
IP Grade

ARTALUX Lighting 
AR 117
Downlight MR16
12-220V 50/60Hz
Aluminum
IP20



AR 11
lubang oval




AR 12
lubang bulat

Masuk bohlam dari belakang

Brand
Item No.
Description
Input Voltage
Size
Cut Size
Material
IP Grade
QTY/CTN


ARTALUX Lighting 
AR 11 / AR 12
Downlight MR16
12-220V 50/60Hz
Ø88 x 60-80mm
Ø65mm
Aluminum
IP20
50pcs



Brand
Item No.
Description


Input Voltage
Size
Cut Size
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 138
Downlight MR16
Trimless Round Armour
Recessed Downlight
12-220V 50/60Hz
Ø106 x 94mm
Ø100mm
Aluminum
IP20
50pcs



Brand
Item No.
Description
Input Voltage
Size
Cut Size
Material
IP Grade
QTY/CTN


ARTALUX Lighting 
AR 151
Downlight MR16
12-220V
Ø96 x 58mm
Ø90mm
Aluminum
IP20
100pcs




Brand
Item No.
Description
Input Voltage
Size
Cut Size
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 127
Downlight MR16
12-220V 50/60Hz
Ø85 x 36mm
Ø75mm
Aluminum
IP20
100pcs





AR 219/1L




Brand
Item No.
Description
Input Voltage
Material
IP Grade


ARTALUX Lighting 
AR 219
Downlight
220V/50-60Hz
Aluminum
IP20



AR 219/2L




AR 219/3L



Item No.	Power	Size	Cut Size	QTY/CTN
AR 219/1L	G5.3 1*Max 50W	130 x 130 x 45mm	100 x 100mm	50pcs
AR 219/2L	G5.3 2*Max 50W	225 x 130 x 45mm	200 x 100mm	30pcs
AR 219/3L	G5.3 3*Max 50W	320 x 130 x 45mm	290 x 100mm	20pcs





Brand
Item No.
Description


Input Voltage
Size
Cut Size
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 198
Downlight G5.3
Max 50W
220V / 50-60Hz
Ø86 x 60mm
Ø80mm
Aluminum
IP20
50pcs

Cahaya bisa putar 360°



Masuk bohlam dari belakang




Brand
Item No.
Description

Input Voltage
Size
Cut Size
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 196
Downlight G5.3
Max 50W
220V / 50-60Hz
Ø65 x 40mm
Ø58mm
Aluminum
IP20
100pcs

Masuk bohlam dari belakang




Brand
Item No.
Description

Input Voltage
Size
Cut Size
Material
IP Grade
QTY/CTN


ARTALUX Lighting 
AR 192
Downlight G5.3
Max 50W
220V / 50-60Hz
Ø60 x 42mm
Ø58mm
Aluminum
IP20
100pcs

Masuk bohlam dari belakang





Masuk bohlam dari depan




Brand
Item No.
Description
Input Voltage
Size
Cut Size
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 135
Downlight G5.3 / MR16
220V / 50-60Hz
Ø98 × 30mm
Ø85mm
Aluminum
IP20
100pcs

Body Color
Black **White**




Masuk bohlam dari depan



Brand
Item No.
Description
Input Voltage
Size
Cut Size
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 122
Downlight G5.3 / MR16
220V / 50-60Hz
Ø128 × 78mm
Ø110mm
Aluminum
IP20
100pcs

Body Color
Black **White**



Bisa diatur



Brand
Item No.
Description
Input Voltage
Size
Cut Size
Material
IP Grade
QTY/CTN


ARTALUX Lighting 
AR 191
Downlight MR16
AC220V 50/60Hz
Ø95 × 128mm
Ø75mm
Aluminum
IP20
50pcs

Body Color
Black **White**





AR 380A




Brand
Item No.
Description

ARTALUX Lighting 
AR 380A / AR 380B
Downlight Pinhole MR16
Max 50W
220V/12V/50/60Hz
Ø103 x 100mm
Ø93mm
Aluminum
IP20
50pcs

Input Voltage
Size
Cut Size
Material
IP Grade
QTY/CTN



AR 380B



AR 385
Reflector Bulat




AR 387
Reflector Oval



AR 388
Reflector Bulat Silver



AR 389
Kaca



Brand
Item No.

ARTALUX Lighting 
AR 385 / AR 387 /
AR 388 / AR 389



Description



Downlight Pinhole MR16
Max 50W
220V/12V 50/60Hz
Ø103 x 100mm
Ø93mm

Input Voltage
Size
Cut Size
Material
IP Grade
QTY/CTN

IP20
50pcs


Masuk bohlam dari depan

AR 381 Reflector Bulat 	AR 383 Reflector Silver 	AR 381 / AR 383 	Brand Item No. Description Input Voltage Size Cut Size Material IP Grade QTY/CTN	ARTALUX Lighting  AR 381 / AR 382 / AR 383 / AR 386 Downlight Pinhole MR16 220V/12V 50/60Hz AR 381 / AR 383 Ø88 x 120mm AR 382 / AR 386 Ø88 x 140mm Ø78mm Aluminum IP20 50pcs
AR 382 Reflector Oval 	AR 386 Reflector Putih 	AR 382 / AR 386 		

AR 17 Reflector Bulat Silver	AR 18 Reflector Oval Silver	AR 29 Reflector Oval Putih	Brand Item No. Description Input Voltage Size Cut Size Material IP Grade QTY/CTN	ARTALUX Lighting AR 17 / AR 18 / AR 29 Downlight Pinhole Trimless MR16 Max 50W 220V/12V 50/60Hz Ø83 x 110mm Ø83mm IP20 40pcs
				
				



AR 217/1L




Brand
Item No.
Description
Input Voltage
Body Color
Material
IP Grade


ARTALUX Lighting 
AR 217
Downlight
12-220V 50/60Hz
White
Aluminum
IP20



AR 217/2L




AR 217/3L




Item No.	Size	Cut Size	QTY/CTN
AR 217/1L	110 × 110 × 115mm	85 × 85mm	40pcs
AR 217/2L	200 × 110 × 115mm	180 × 85mm	20pcs
AR 217/3L	290 × 110 × 115mm	270 × 85mm	15pcs



AR 227/1L



AR 227/2L



Brand
Item No.
Description
Input Voltage
Body Color
Material
IP Grade

ARTALUX Lighting 
AR 227
Downlight Trimless MR16
12-220V
Black
Iron Plate (Plat Besi)
IP20

Size

1L 85 × 95 × 110mm
2L 85 × 185 × 110mm

Cut Size


1L 85 × 95mm
2L 85 × 185mm

QTY/CTN

1L 20pcs
2L 15pcs



AR 059/1L





Brand
Item No.
Description
Input Voltage
Body Color
Material
IP Grade



ARTALUX Lighting 
AR 059
Downlight
12-220V 50/60Hz
White
Aluminum
IP20



AR 059/2L



AR 059/3L



QR 111


PAR 30




Item No.	Size	Cut Size	QTY/CTN
AR 059/1L	180 × 180 × 55mm	160 × 160mm	40pcs
AR 059/2L	330 × 180 × 55mm	310 × 160mm	30pcs
AR 059/3L	480 × 180 × 55mm	460 × 160mm	24pcs



QR 111



PAR 30



Brand
Item No.
Description


Input Voltage
Size
Cut Size
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 019
Downlight
Par 30 / QR 111
Max 40W
220V / 50-60Hz
Ø170 × 45mm
Ø155mm

IP20
40pcs



AR 029/1L




Brand
Item No.
Description
Input Voltage
Body Color
Material
IP Grade


ARTALUX Lighting 
AR 029
Downlight
12-220V 50/60Hz
White
Aluminum
IP20



AR 029/2L




AR 029/3L



Item No.	Size	Cut Size	QTY/CTN
AR 029/1L	200 × 200 × 120mm	150 × 150mm	12pcs
AR 029/2L	325 × 200 × 120mm	285 × 150mm	6pcs
AR 029/3L	475 × 200 × 120mm	425 × 150mm	6pcs



PAR 30



Brand
Item No.
Description
Input Voltage
Size
Cut Size
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 168
Downlight
Par 30 / QR 111
220V / 50-60Hz
Ø170 × 93mm
Ø160mm
Aluminum
IP20
12 pcs




QR 111

Masuk bohlam dari depan





AR 089/1L




Brand
Item No.
Description

Input Voltage
Body Color
Material
IP Grade


ARTALUX Lighting 
AR 089
Downlight E27
MAX 60W
220V 50-60Hz
White
Aluminum
IP20



AR 089/2L




AR 089/3L



Item No.	Size	Cut Size	QTY/CTN
AR 089/1L	190 × 190 × 170mm	150 × 150mm	16pcs
AR 089/2L	355 × 190 × 170mm	315 × 150mm	8pcs
AR 089/3L	500 × 190 × 170mm	460 × 150mm	6pcs



CE 7125 (4000K)



12W 95mm
25W 105mm
35W 120mm

12W Ø110mm
25W Ø140mm
35W Ø160mm

Brand
Item No.

CENTROLUX
CE 7112 / CE 7125 /
CE 7133

Description
Chip
Input Voltage
Body Color
Material
IP Grade
CRI / PF
Beam Angle

Downlight LED
Bridgelux
220-240V 50/60Hz
White Sand
Aluminum
IP 20
CRI 90 / PF 0.9
24°

Item No.	Lumen	Size	Cut Size	QTY/CTN
CE 7112 12W	960lm	Ø110 x 95mm	Ø95mm	36pcs
CE 7125 25W	2000lm	Ø140 x 105mm	Ø125mm	24pcs
CE 7133 35W	3500lm	Ø160 x 120mm	Ø145mm	12pcs

3000K




4000K



6500K





Brand
Item No.
Description
Chip
Input Voltage
Body Color
Material
IP Grade
CRI / PF
Beam Angle

CENTROLUX
CE 7535
 Downlight LED
 Bridgelux
 AC220-240V 50/60Hz
 White

 IP20
 CRI 90 / PF 0.5
10W, 25W 24°
15W, 35W 36°





Item No.	Lumen	Size	Cut Size	QTY/CTN
CE 7535 10W	1000lm	Ø85 × 55mm	Ø75mm	50pcs
CE 7535 15W	1500lm	Ø105 × 70mm	Ø95mm	30pcs
CE 7535 25W	2500lm	Ø135 × 80mm	Ø120mm	40pcs
CE 7535 35W	3500lm	Ø167 × 95mm	Ø150mm	20pcs

3000K



6500K



Brand
Item No.
Description
Chip
Input Voltage
Body Color
Material
IP Grade
CRI / PF
Beam Angle

CENTROLUX
CE 906
 Downlight LED
 Bridgelux
 AC220-240V 50/60Hz
 White
 Aluminum
 IP20
 CRI 90 / PF 0.5
 24°



Item No.	Lumen	Size	Cut Size	QTY/CTN
CE 906 10W	1000lm	Ø83 × 81mm	Ø75mm	50pcs
CE 906 15W	1500lm	Ø100 × 105mm	Ø90mm	50pcs
CE 906 20W	2000lm	Ø130 × 116mm	Ø116mm	20pcs
CE 906 30W	3000lm	Ø160 × 125mm	Ø145mm	20pcs


3000K



4000K



6500K



Brand
Item No.
Description
Chip
Power / Lumen
Input Voltage
Size
Cut Size
Material
IP Grade
CRI / PF
Beam Angle
QTY/CTN

ARTALUX Lighting
AR 001
 Downlight LED
 Osram
 3W / 250lm
 180-265V 50/60Hz
 Ø52 × 18mm
 Ø45mm
 Aluminum
 IP20
 CRI 80
 24°
 100pcs



Body Color

White



Black



Silver



3000K




4000K



6500K





7W 45mm
9W 53mm
12W 55mm

7W Ø95mm
9W Ø117mm
12W Ø140mm

Brand
Item No.
Description
Input Voltage
Body Color
Material
IP Grade
CRI / PF
Beam Angle

BRIGHTLITE
BL 3305
Downlight LED
AC150-265V 50/60Hz
White
Fireproof PVC
IP20
CRI 80
38°



Item No.	Lumen	Size	Cut Size	QTY/CTN
BL 3305 7W	600lm	Ø95 x 45mm	Ø75mm	100pcs
BL 3305 9W	750lm	Ø117 x 53mm	Ø90mm	50pcs
BL 3305 12W	1000lm	Ø140 x 55mm	Ø120mm	50pcs

3000K



4000K



6500K



7W 52mm
12W 72mm
25W 80mm
35W 85mm

7W Ø95mm
12W Ø120mm
25W Ø145mm
35W Ø170mm


Brand
Item No.
Description
Chip
Input Voltage
Body Color
Material
IP Grade
CRI / PF
Beam Angle

ARTALUX Lighting
AR 588
Downlight LED
Bridgelux
AC220-240V 50/60Hz
White
Aluminum
IP20
CRI 90 / PF 0.5
24°



Item No.	Lumen	Size	Cut Size	QTY/CTN
AR 588 7W	700lm	Ø95 x 52mm	Ø75-85mm	50pcs
AR 588 12W	1200lm	Ø120 x 72mm	Ø95-105mm	40pcs
AR 588 20W	2000lm	Ø145 x 80mm	Ø120-130mm	40pcs
AR 588 30W	3000lm	Ø170 x 85mm	Ø140-160mm	30pcs

3000K



10W 70mm
15W 85mm
20W 105mm
30W 118mm

10W Ø85mm
15W Ø100mm
20W Ø140mm
30W Ø175mm

Brand
Item No.
Description
Chip
Input Voltage
Body Color
Material
IP Grade
CRI / PF
Beam Angle

ARTALUX Lighting
AR 568
Downlight LED COB
Bridgelux
AC220-240V 50/60Hz
White
IP20
CRI 90 / PF 0.6
10W/15W 24°
20W/30W 36°



Item No.	Lumen	Size	Cut Size	QTY/CTN
AR 568 10W	1000lm	Ø85 x 70mm	Ø75mm	50pcs
AR 568 15W	1500lm	Ø100 x 85mm	Ø90mm	50pcs
AR 568 20W	2000lm	Ø140 x 105mm	Ø120mm	36pcs
AR 568 30W	3000lm	Ø175 x 118mm	Ø140mm	36pcs

3000K




4000K



6500K





Brand CENTROLUX
Item No. CE 908
Description Downlight LED
Chip Bridgelux
Input Voltage AC220-240V 50/60Hz
Body Color White
Material Aluminum
IP Grade IP20
CRI / PF CRI 93 / PF 0.5
Beam Angle 24°
Adjustable Angle 30°
Merk Trafo Lifud





Item No.	Lumen	Size	Cut Size	QTY/CTN
CE 908 12W	1200lm	Ø84 x 101mm	Ø75 x 101mm	30pcs
CE 908 20W	3000lm	Ø105 x 122mm	Ø95 x 122mm	16pcs

Reflector Option (12W)



3000K



Brand ARTALUX Lighting
Item No. AR 518
Description Downlight LED
Chip Bridgelux
Power / Lumen 12W / 1200lm
Input Voltage AC220-240V 50/60Hz
Size Ø85 x 75mm
Cut Size Ø75mm
Body Color White
Material Aluminum
IP Grade IP20
CRI / PF CRI 93 / PF 0.5
Beam Angle 24°
Adjustable Angle 15°
QTY/CTN 100pcs



Reflector Color


Black




White



3000K



4000K




Brand CENTROLUX
Item No. CE 7525
Description Downlight LED
Chip Bridgelux
Power / Lumen 12W / 1200lm
Input Voltage AC220-240V 50/60Hz
Size Ø85 x 70mm
Cut Size Ø75mm
Body Color White
Material Aluminum
IP Grade IP20
QTY/CTN 50pcs



3000K









Brand
Item No.
Description
Chip
Power / Lumen
Input Voltage
Size
Cut Size
Material
IP Grade
CRI / PF
QTY/CTN

ARTALUX Lighting
AR 538-12W
Downlight LED
Bridgelux
12W / 1200lm
AC220-240V 50/60Hz
Ø80 x 80mm
Ø75mm


IP20
CRI 92 / PF. 0.6
50pcs




Brand
Item No.
Description
Chip
Trafo
Input Voltage
Material
IP Grade
CRI / PF
Beam Angle
QTY/CTN

ARTALUX Lighting
AR 548
Downlight LED
Bridgelux
Eaglcriste
AC220-240V 50/60Hz

IP20
CRI 92 / PF. 0.6
24°
50pcs



Item No.	Lumen	Size	Cut Size
AR 548 9W	1000lm	Ø62 x 75mm	Ø55mm
AR 548 12W	1200lm	Ø82 x 60mm	Ø75mm




Brand
Item No.
Description
Body Color
Material
IP Grade
PF
Beam Angle
CRI

ARTALUX Lighting
AR 1108
Downlight LED
White
Aluminum
IP20
PF 0.5
24°
90



Item No.	Lumen	Chip	Input Voltage	Size	Cut Size	QTY/CTN
AR 1108 7W	700lm	Epistar	220-240V 50/60Hz	Ø90 x 65mm	Ø75mm	50pcs
AR 1108 12W	1200lm	Bridgelux	165-265V 50/60Hz	Ø110 x 116mm	Ø90mm	50pcs
AR 1108 25W	2500lm	Bridgelux	165-265V 50/60Hz	Ø135 x 105mm	Ø110mm	18pcs
AR 1108 35W	3500lm	Bridgelux	165-265V 50/60Hz	Ø165 x 130mm	Ø145mm	12pcs





Brand
Item No.
Description
Chip
Power / Lumen
Input Voltage
Size
Cut Size
Material
IP Grade
CRI / PF
Beam Angle
QTY/CTN

CENTROLUX
CE 7508-10W
Downlight LED
Bridgelux
10W / 1000lm
AC220-240V 50/60Hz
Ø62 x 86mm
Ø55mm

IP20
CRI 92 / PF. 0.6
24°
60pcs



3000K




Brand
Item No.
Description
Chip
Input Voltage
Body Color
Material
IP Grade
CRI / PF
Beam Angle


CENTROLUX
CE 7508
Downlight LED
Bridgelux
AC220-240V 50/60Hz
White
Aluminum
IP20
CRI 90 / PF 0.5
24°



3000K



Item No.	Lumen	Size	Cut Size	QTY/CTN
CE 7508 12W	1200lm	Ø85 x 102mm	Ø75mm	20pcs
CE 7508 20W	2000lm	Ø105 x 130mm	Ø95mm	16pcs



Brand
Item No.
Description
Chip
Input Voltage
Body Color
Material
IP Grade
CRI / PF
Beam Angle




CENTROLUX
CE 7508
Downlight LED
Bridgelux
AC220-240V 50/60Hz
White
Aluminum
IP20
CRI 90 / PF 0.5
24°



3000K





Item No.	Lumen	Size	Cut Size	QTY/CTN
CE 7508 2x12W	2x1200lm	180 x 90 x 115mm	164 x 78mm	10pcs
CE 7508 2x20W	2x2000lm	225 x 110 x 140mm	208 x 140mm	8pcs



Brand
Item No.
Description
Input Voltage
Material
IP Grade
CRI / PF
Beam Angle
QTY/CTN

ARTALUX Lighting
AR 528
Downlight LED
AC 180-265V
Aluminum Alloy
IP20
CRI≥92
24°
30pcs


Item No.	Lumen	Size	Cut Size
AR 528 10W	1025lm	152 × 45 × 40mm	140 × 32mm
AR 528 20W	2045lm	282 × 45 × 40mm	272 × 33mm



Brand
Item No.
Description
Chip
Input Voltage
Material
IP Grade
CRI / PF
Beam Angle
QTY/CTN


ARTALUX Lighting
AR 338-10W/20W
Downlight LED
Bridgelux
AC 220-240V 50/60Hz
IP20
CRI 97 / PF. 0.6
24°
30pcs



Item No.	Lumen	Size	Cut Size
AR 338 10W	1000lm	145 × 45 × 40mm	135 × 35mm
AR 338 20W	2000lm	280 × 45 × 40mm	270 × 35mm



Brand
Item No.
Description
Chip
Power / Lumen
Input Voltage
Cut Size
Material
IP Grade
CRI / PF
Beam Angle
QTY/CTN

ARTALUX Lighting
AR 153
Spotlight LED
CREE
3W / 300lm
AC220-240V 50/60Hz
Ø40mm
Aluminum
IP20
CRI 80 / PF 0.5
24°
100pcs





Brand
Item No.
Description
Chip
Lumen
Input Voltage
Size
Cut Size
Body Color
Material
IP Grade
PF / CRI
QTY/CTN

ARTALUX Lighting 
AR 812
LED Gas Light
Bridgelux
15000lm
ACI 10-240V / 50-60Hz
350 x 325 x 110mm
315 x 245mm
White
Aluminum
IP66
PF≥0.9 / CRI≥70
1pc


6500K



50W



100W



Brand
Item No.
Description
Chip
Input Voltage
Body Color
Material
IP Grade
PF / CRI
QTY/CTN

ARTALUX Lighting 
AR 812
LED Gas Light
Bridgelux
ACI 10-240V / 50-60Hz
White
Aluminum
IP66
PF≥0.9
50W CRI≥80
100W CRI≥70
1pc

6500K



Item No.	Lumen	Size	Cut Size
AR 812 50W	10000lm	350 x 162 x 115mm	315 x 115mm
AR 812 100W	15000lm	350 x 325 x 110mm	315 x 245mm



AR 2520 24W



**AR 2540 36W
AR 430 25W**




**AR 2522 48W 72W
AR 448 48W**



**AR 2544 48W 72W
AR 348 48W**





Brand
Description
Chip
Input Voltage
Body Color
Material
IP Grade
CRI

ARTALUX Lighting 

Lampu Panel
Epistar
AC85-265V 50/60Hz
White
Aluminum, PVC
IP20
CRI > 80

AR 430
AR 348
AR 448
7mm

Tebal Panel



AR 2520
AR 2540
AR 2522
AR 2544
30mm

Frame Outbow: AR 2522 / 2544

Frame

Frame + Lampu




Item No.	Lumen	Size	Cut Size	Cahaya	QTY/CTN
AR 2520 24W	2400lm	300 x 300 x 30mm	290 x 290mm	6500K	20pcs
AR 2540 36W	3600lm	300 x 600 x 30mm	290 x 590mm	6500K	10pcs
AR 2522 48W	4800lm	600 x 600 x 30mm	590 x 590mm	4000K, 6500K	10pcs
AR 2522 72W	7200lm	600 x 600 x 30mm	590 x 590mm	4000K, 6500K	10pcs
AR 2544 48W	4800lm	300 x 1200 x 30mm	290 x 1190mm	4000K, 6500K	10pcs
AR 2544 72W	7200lm	300 x 1200 x 30mm	290 x 1190mm	4000K, 6500K	10pcs
AR 430 25W	2500lm	300 x 600 x 7mm	290 x 590mm	6500K	10pcs
AR 448 48W	4800lm	600 x 600 x 7mm	590 x 590mm	6500K	5pcs
AR 348 48W	4800lm	300 x 1200 x 7mm	290 x 1190mm	6500K	5pcs

4000K



6500K







Brand
Item No.
Description
Chip
LED Driver
Power / Lumen
Input Voltage
Size

CENTROLUX
CE 6506A/B
Downlight LED
SMD 2835 LED
Philips CertaDrive
42W / 6300lm
220-240V 50/60Hz
A 600 × 600 × 30mm
B 1200 × 300 × 30mm
White




Body Color
Material
IP Grade
CRI / PF
QTY/CTN


CRI 80 / PF>0.5



CE 903 18W



CE 903 12W





Brand
Item No.
Description
Chip
Input Voltage
Body Color
Material
IP Grade
CRI / PF
Beam Angle

CENTROLUX
CE 903
Downlight LED
Bridgelux
AC220-240V 50/60Hz
White
Aluminum
IP20
CRI 80 / PF 0.6
120°




Item No.	Lumen	Size	Cut Size	QTY/CTN
CE 903 12W	1200lm	Ø120 × 60mm	Ø110 × 60mm	30pcs
CE 903 18W	1800lm	Ø155 × 65mm	Ø145 × 65mm	30pcs






Brand
Item No.
Description
Power / Lumen
Input Voltage
Size
Material
IP Grade
CRI / PF
Beam Angle
QTY/CTN

ARTALUX Lighting
AR 210
Downlight LED Outbow
COB 12W / 1200lm
AC220-240V 50/60Hz
Ø75 x 65mm
Aluminum
IP20
CRI 80 / PF 0.5
24°
50pcs




Brand
Item No.
Description
Chip
Input Voltage
Material
IP Grade
CRI / PF
Beam Angle

ARTALUX Lighting
AR 258
Downlight LED Outbow
Bridgelux
AC220-240V 50/60Hz
IP20
CRI 90 / PF 0.5
24°



Item No.	Lumen	Size	QTY/CTN
AR 258 10W	1000lm	Ø80 x 100mm	50pcs
AR 258 15W	1500lm	Ø100 x 90mm	36pcs
AR 258 20W	2000lm	Ø120 x 85mm	20pcs



Brand
Item No.
Description
Chip
Input Voltage
Material
IP Grade
CRI / PF
Beam Angle

ARTALUX Lighting
AR 235
Downlight LED Outbow
Bridgelux
AC220-240V 50/60Hz
IP20
CRI 95 / PF 0.6
24°


Item No.	Lumen	Size	QTY/CTN
AR 235 7W	700lm	55 x 55 x 80mm	50pcs
AR 235 12W	1200lm	75 x 75 x 95mm	50pcs
AR 235 15W	1500lm	95 x 95 x 105mm	30pcs







12W Ø100mm
18W Ø120mm
25W Ø150mm
30W Ø170mm

12W 65mm
18W 70mm
25W 80mm
30W 90mm




Brand
Item No.
Description
Chip
Input Voltage
Material
IP Grade
CRI / PF
Beam Angle


ARTALUX Lighting
AR 259
Downlight LED Outbow
Bridgelux SMD
AC165-265V 50/60Hz
Aluminum, PVC
IP20
CRI 80 / P.F. 0.5
120°



Item No.	Lumen	Size	QTY/CTN
AR 259 12W	1200lm	Ø100 x 65mm	60pcs
AR 259 18W	1800lm	Ø120 x 70mm	30pcs
AR 259 25W	2500lm	Ø150 x 80mm	24pcs
AR 259 30W	3000lm	Ø170 x 90mm	18pcs




Bisa diatur



Brand
Item No.
Description
Chip
Power / Lumen
Input Voltage
Size
Material
IP Grade
CRI / PF
Beam Angle
QTY/CTN


ARTALUX Lighting
AR 233
Downlight LED Outbow
Bridgelux
12W / 1200lm
AC220-240V 50/60Hz
Ø72 x 108mm
IP20
CRI 95 / PF 0.6
24°
50pcs



Brand
Item No.
Description
Power / Lumen
Input Voltage
Size
Material
IP Grade
CRI / PF
Beam Angle
Adjustable Angle
QTY/CTN


ARTALUX Lighting
AR 313
Downlight LED Outbow
COB 12W / 1100lm
AC220-240V 50/60Hz
Ø90 x 90mm
Aluminum
IP20
CRI 80 / PF 0.5
24°
30°
50pcs





Brand	ARTALUX Lighting 
Item No.	AR 148
Description	Downlight LED Outbow
Chip	Bridgelux
Power / Lumen	3W / 300lm
Input Voltage	180-265V 50/60Hz
Size	Ø59 x 11mm
Material	
IP Grade	IP20
CRI / PF	CRI 80 / P.F. 0.9
QTY/CTN	100pcs






Brand
Item No.
Description
Input Voltage
Size
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 363
Downlight Outbow
GU 5.3 MAX 50W
12-220V
Ø60 x 154mm
Black

IP33
30pcs

Lampu Dinding

Bisa diatur



Brand
Item No.
Description
Input Voltage
Size
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 150
Downlight Outbow
GU 5.3 / MR16
12-220V 50/60Hz
Ø60 x 155mm
Aluminum
IP33
50pcs

Lampu Dinding


Bisa diatur



Body Color

Black

White



Brand
Item No.
Description
Input Voltage
Size
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
BL 3205
Downlight Outbow
GU 5.3 / MR16
220V 50/60Hz
Ø60 x 150mm

IP20
CRI 95
50pcs

Lampu Dinding

Bisa diatur




Body Color

Black



White





Brand
Item No.
Description
Input Voltage
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 208
Downlight MR16
220V
Aluminum
IP20
50pcs




Brand
Item No.
Description
Input Voltage
Material
IP Grade

ARTALUX Lighting 
AR 204
Downlight
12-220V 50/60Hz
Aluminum
IP20




Item No.	Size	QTY/CTN
AR 204/IL	85 × 85 × 110mm	50pcs
AR 204/2L	85 × 185 × 110mm	20pcs



Brand
Item No.
Description
Input Voltage
Size
Material
IP Grade
QTY/CTN



ARTALUX Lighting 
AR 207
Downlight Outbow
GX5.3 / MR16 max 50W
220V/50-60Hz
85 × 85 × 100mm
Aluminum
IP20
50pcs





Brand
Item No.
Description
Input Voltage
Size
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 209
Downlight Outbow MR16
12-220V 50/60Hz
Ø60 x 65mm
Aluminum
IP20
100pcs



Brand
Item No.
Description
Input Voltage
Size
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 027
Downlight Outbow E27
220V / 50-60Hz
Ø147 x 53mm
Steel
IP20
50pcs





II. Spotlight

AR 368 RO (bulat)



Rel

AR 368 SQ (kotak)



Plafon

AR 368 SQ (kotak)



Plafon

Input Voltage

Material

IP Grade

QTY/CTN

220V / 50-60Hz

Aluminum

IP20

50pcs

Brand

Item No.

Description

ARTALUX Lighting

AR 368 RO/SQ

Spotlight MR16

Max 50W

Body Color

RO

Black

RO / SQ


White




Ø60mm

65mm


80mm



60mm

65mm

80mm



Brand

Item No.

Description

Input Voltage

Material

IP Grade

QTY/CTN

ARTALUX Lighting

AR 360

Spotlight MR16

12-220V / 50-60Hz

Aluminum

IP20

40pcs

Body Color

Black

White




Rel

Plafon





100mm

30mm

85mm

55mm

95mm



Brand

Item No.

Description

Input Voltage

Material

IP Grade

QTY/CTN

BRIGHTLITE

BL 3308

Spotlight GU5.3

MAX 50W

220V / 50-60Hz

IP20

50pcs

Body Color

Black

White




Rel

Plafon





70mm

65mm

60mm

70mm




I | II. Spotlight



Plafon

Rel



Brand
Item No.
Description
Input Voltage
Size
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 366
Spotlight
12V/220V
Ø60 × 140mm
Aluminum
IP20
40pcs



Honeycomb



Body Color

Black



White



Plafon



Rel



Brand
Item No.
Description
Input Voltage
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 377
Spotlight MR16 / GU5.3
220-240V
Aluminum
IP20
50pcs



Body Color


Black

White



Dinding

Plafon



Brand
Item No.
Description
Input Voltage
Material
IP Grade
QTY/CTN


ARTALUX Lighting 
AR 215
Spotlight LED MR16
AC 220V 50/60Hz
Aluminum
IP20
20pcs



Body Color

Black


White



Brand
Item No.
Description
Input Voltage
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 393
Spotlight
175-265V 50/60Hz
Aluminum
IP20
30pcs


Body Color
Black **White**



Brand
Item No.
Description
Input Voltage
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 333
Spotlight Par 30
AC175-265V 50/60Hz
Aluminum
IP20
30pcs

Body Color
Black **White**




Brand
Item No.
Description
Input Voltage
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 378
Spotlight Par 30
AC175-265V 50/60Hz
Aluminum
IP20
30pcs

Body Color
Black **White**






Brand
Item No.
Description
Input Voltage
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 336
Spotlight E27 / PAR30
AC 175-265V 50/60Hz


30pcs



Brand
Item No.
Description

Input Voltage
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 71
Spotlight MR16
max 50W
220V/12V 50Hz
Black
Aluminum
IP20
100pcs




Brand
Item No.
Description
Chip
Input Voltage
Material
IP Grade
CRI / PF
Beam Angle
QTY/CTN

CENTROLUX
CE 7512
Spotlight LED
Bridgelux
AC180-265V 50/60Hz
Aluminum
IP20
CRI>90
24°
30pcs




Item No.	Lumen	Size
CE 7512 25W	2500lm	Ø70 x 135mm
CE 7512 35W	3500lm	Ø77 x 151mm



Plafon



Rel





Brand
Item No.
Description
Chip
Input Voltage
Material
IP Grade
CRI / PF
Beam Angle

ARTALUX Lighting
AR 317
Spotlight LED
Bridgelux
AC180-265V 50/60Hz
IP20
CRI>90
24°



Item No.	Lumen	Size	QTY/CTN
AR 317 7W	700lm	Ø50 x 110mm	50pcs
AR 317 12W	1200lm	Ø55 x 120mm	60pcs
AR 317 20W	2000lm	Ø65 x 131mm	60pcs
AR 317 30W	3000lm	Ø77 x 152mm	40pcs





Brand
Item No.
Description
Chip
Input Voltage
Material
IP Grade
CRI
Beam Angle
QTY/CTN

BRIGHTLITE
BL 952
Spotlight LED
Bridgelux
AC180-265V 50/60Hz
IP20
95
24°
40pcs




Item No.	Lumen	Size
BL 952 10W	1000lm	Ø55 x 120mm
BL 952 20W	2000lm	Ø65 x 130mm
BL 952 30W	3000lm	Ø70 x 150mm
BL 952 40W	4000lm	Ø75 x 150mm






Brand	ARTALUX Lighting 
Item No.	AR 315
Description	Spotlight LED
Chip	CREE
Power / Lumen	3W / 300lm
Input Voltage	AC220-240V 50/60Hz
Material	Aluminum
IP Grade	IP20
CRI / PF	CRI 80 / PF 0.5
Beam Angle	24°
QTY/CTN	50pcs



Brand	ARTALUX Lighting 
Item No.	AR 319
Description	Spotlight LED
Chip	Bridgelux
Power / Lumen	20W / 2000lm
Input Voltage	AC220-240V 50/60Hz
Material	
IP Grade	IP20
CRI / PF	CRI≥90 / PF. 0.9
Beam Angle	24°
QTY/CTN	20pcs



AR 355



AR 356



Brand
Item No.
Description
Power / Lumen
Input Voltage
Material
IP Grade
CRI / PF
Beam Angle
QTY/CTN

ARTALUX Lighting

AR 355 / AR 356

Spotlight LED

3W / 240lm

AC85-240V 50/60Hz

IP20

Ra 80 / PF>0.6

24°


50pcs

Body Color

Black

White

3000K



Brand
Item No.
Description
Chip
Power / Lumen
Input Voltage
Material
IP Grade
CRI / PF
Beam Angle
QTY/CTN

ARTALUX Lighting

AR 311

Spotlight LED

CREE

3W / 300lm

AC 220-240V 50/60Hz

Aluminum

IP20

CRI 80 / PF 0.5

24°


50pcs

Body Color

Black

White

3000K



Brand
Item No.
Description
Chip
Power / Lumen
Input Voltage
Size
Body Color
Material
IP Grade
CRI / PF
Beam Angle
QTY/CTN

ARTALUX Lighting

AR 163

Spotlight LED

CREE

3W / 300lm

AC220-240V 50/60Hz

Ø35 x 52mm

Black

IP20


CRI 80 / PF 0.5

10°

100pcs

3000K







Brand
Item No.
Description
Chip
Input Voltage
Body Color
Material
IP Grade
CRI / PF
Beam Angle
QTY/CTN

CENTROLUX
CE 6206A
 Lampu Rel Magnet
 Osram
 DC48V
 Black
 Aluminum Alloy
 IP20
 CRI≥90
 120°
 30pcs



Item No.	Lumen	Size
CE 6206A 10W	800lm	304 × 22 × 45mm
CE 6206A 20W	1600lm	604 × 22 × 45mm





Brand
Item No.
Description
Chip
Input Voltage
Body Color
Material
IP Grade
CRI / PF
Beam Angle
QTY/CTN

CENTROLUX
CE 6206B
 Lampu Rel Magnet
 Osram
 DC48V
 Black
 Aluminum Alloy
 IP20
 CRI≥90
 24°
 30pcs



Item No.	Lumen	Size
CE 6206B 6W	480lm	113 × 22 × 45mm
CE 6206B 12W	860lm	220 × 22 × 45mm
CE 6206B 18W	1440lm	328 × 22 × 45mm





Brand
Item No.
Description
Chip
Input Voltage
Body Color
Material
IP Grade
CRI / PF
Beam Angle
QTY/CTN

CENTROLUX
CE 6206C
 Lampu Rel Magnet
 Osram
 DC48V
 Black
 Aluminum Alloy
 IP20
 CRI≥90
 24°
 30pcs



Item No.	Lumen	Size
CE 6206C 6W	480lm	110 × 22 × 102mm
CE 6206C 12W	960lm	220 × 22 × 102mm







Brand
Item No.
Description
Chip
Input Voltage
Body Color
Material
IP Grade
CRI / PF
Beam Angle
QTY/CTN

CENTROLUX
CE 6206D
Lampu Rel Magnet
Osram
DC48V
Black
Aluminum Alloy
IP20
CRI≥90
24°
30pcs




Item No.	Lumen	Size
CE 6206D 7W	560lm	Ø50 x 154mm
CE 6206D 12W	960lm	Ø50 x 154mm
CE 6206D 18W	1440lm	Ø60 x 178mm



Brand
Item No.
Description
Chip
Power / Lumen
Input Voltage
Size
Cable Length
Body Color
Material
IP Grade
CRI / PF
Beam Angle
QTY/CTN

CENTROLUX
CE 6206E
Lampu Rel Magnet
Osram
12W / 960lm
DC48V
Ø40 x 300mm
700mm
Black
Aluminum Alloy
IP20
CRI≥90
24°
30pcs




Brand
Item No.
Description
Chip
Input Voltage
Body Color
Material
IP Grade
CRI / PF
Beam Angle
QTY/CTN

CENTROLUX
CE 6206H
Lampu Rel Magnet
Osram
DC48V
Black
Aluminum Alloy
IP20
CRI≥90
24°
30pcs




Item No.	Lumen	Size
CE 6206H 6W	480lm	123 x 33 x 74mm
CE 6206H 12W	960lm	231 x 33 x 74mm



III. Lampu Gantung

60cm 40cm



Brand
Item No.
Description

Input Voltage
Size

Cable Length

Material
IP Grade
QTY/CTN

ARTALUX Lighting 

AR I58A

Lampu Gantung
MR16 / G5.3

12-220V 50/60Hz

40cm Ø55 x 400mm

60cm Ø55 x 600mm

40cm 900mm

60cm 800mm


Aluminum

IP20

20pcs



60cm 40cm



Brand
Item No.
Description

Input Voltage
Size

Cable Length

Material
IP Grade
QTY/CTN

ARTALUX Lighting 

AR I58B

Lampu Gantung
MR16 / G5.3

12-220V 50/60Hz

40cm Ø55 x 400mm

60cm Ø55 x 600mm

40cm 900mm

60cm 800mm


Aluminum

IP20

20pcs



50cm



Brand
Item No.
Description

Input Voltage
Size

Cable Length

Material
IP Grade
QTY/CTN

ARTALUX Lighting 

AR I58C

Lampu Gantung
MR16 / G5.3

12-220V 50/60Hz

Ø55 x 500mm

800mm

Aluminum

IP20

20pcs



IV. Lampu TL



AR 2944 40W

AR 2922 24W

Brand
Item No.

Description
Chip
Input Voltage
Material
IP Grade
CRI
Beam Angle
QTY / CTN

ARTALUX Lighting 

AR 2922 24W

AR 2944 40W

Lampu TL LED

Epistar

AC165~260V 50/60Hz

Aluminum, PVC


IP 20

>80

120°

24W 15pcs

40W 10pcs



AR2922 50mm

AR2944 70mm



Body Color

White

Black



Item No.	Lumen	Size
AR 2922 24W	2400lm	50 x 40 x 1200mm
AR 2944 40W	4000lm	70 x 40 x 1200mm


3000K



4000K





6500K






Brand	ARTALUX Lighting 
Item No.	AR 0050
Description	Lampu TL LED
Input Voltage	AC 165-265V~50/60Hz
Material	PVC
IP Grade	IP20
QTY/CTN	50pcs

Item No.	Lumen	Size
AR 0050 5W	500lm	25 x 35 x 290mm
AR 0050 10W	1000lm	25 x 35 x 570mm
AR 0050 15W	1500lm	25 x 35 x 870mm
AR 0050 20W	2000lm	25 x 35 x 1070mm




Brand	ARTALUX Lighting 
Item No.	AR 2822 / AR 2844
Description	Lampu TL kosong
Input Voltage	AC 165~265V 50/60Hz
Body Color	White
Material	Aluminum, PVC
IP Grade	IP 20
QTY/CTN	10pcs

Item No.	Size
AR 2822	130 x 45 x 625mm
AR 2844	130 x 45 x 1235mm




Brand	ARTALUX Lighting 
Item No.	AR 2622 / AR 2644
Description	Lampu TL kosong
Input Voltage	AC 165~265V 50/60Hz
Body Color	Putih
Material	Aluminum, PVC
IP Grade	IP 20
QTY/CTN	10pcs

Item No.	Size
AR 2622	160 x 55 x 730mm
AR 2644	160 x 55 x 1340mm






Brand ARTALUX Lighting 
Item No. AR 0020 18W
Description Lampu TL LED Waterproof
Input Voltage AC175~265V 50/60Hz
Body Color White
Material Aluminum, PVC
IP Grade IP 65
Beam Angle 120°
QTY/CTN 20pcs



Item No.	Lumen	Size
AR 0020 18W	1400lm	75 x 24 x 650mm



6500K




AR 0050 batten 36W



AR 0050 batten 18W

Brand ARTALUX Lighting 
Item No. AR 0050 batten
Description Lampu TL LED batten
Input Voltage AC175~265V 50/60Hz
Body Color White
Material Aluminum, PVC
IP Grade IP 20
Beam Angle 120°
QTY/CTN 20pcs




Item No.	Lumen	Size
AR 0050 batten 18W	1400lm	75 x 22 x 600mm
AR 0050 batten 36W	2800lm	75 x 22 x 1200mm



3000K



6500K




AR 0030 36W



AR 0030 18W

Brand ARTALUX Lighting 
Item No. AR 0030
Description Lampu TL LED
Input Voltage AC175~265V 50/60Hz
Body Color White
Material Aluminum, PVC
IP Grade IP 20
Beam Angle Ra>70
QTY/CTN 20pcs



Item No.	Lumen	Size
AR 0030 18W	1400lm	50 x 35 x 613mm
AR 0030 36W	2800lm	50 x 35 x 1210mm




3000K




6500K






V. Lampu Dinding

AR 8049/2L



AR 8049/1L



Brand
Item No.
Description
Input Voltage
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 

AR 8049


Lampu Dinding E27
AC220-240V 50/60Hz
Black
Aluminum, Glass
IP65
10pcs

Size


1L 90 × 90 × 155mm

2L 90 × 90 × 255mm

AR 8027/2L



AR 8027/1L



Brand
Item No.
Description
Input Voltage
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 

AR 8027


Lampu Dinding E27
MAX 40W
AC220-240V 50/60Hz
Black
Aluminum, Glass
IP65
10pcs

Size


1L 90 × 90 × 200mm

2L 90 × 90 × 300mm

AR 8057/2L



AR 8057/1L



Brand
Item No.
Description
Input Voltage
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 

AR 8057


Lampu Dinding E27
MAX 40W
AC220-240V
Black
Aluminum, PVC
IP65
10pcs

Size

1L 90 × 90 × 200mm


2L 90 × 90 × 300mm

AR 8068/2L 	AR 8068/1L 	Brand Item No. Description Input Voltage Body Color Material IP Grade QTY/CTN Size	ARTALUX Lighting  AR 8068 Lampu Dinding E27 MAX 40W AC220-240V 50-60Hz Black Aluminum, Glass IP65 10pcs 1L Ø105 × 220mm 2L Ø105 × 320mm
--	--	--	---

AR 8070/2L 	AR 8070/1L 	Brand Item No. Description Input Voltage Body Color Material IP Grade QTY/CTN Size	ARTALUX Lighting  AR 8070 Lampu Dinding E27 MAX 40W AC220-240V Black Aluminum, PVC IP65 10pcs 1L 65 × 110 × 200mm 2L 65 × 110 × 300mm
---	---	--	---

	Brand Item No. Description Input Voltage Size Body Color Material IP Grade QTY/CTN	ARTALUX Lighting  AR 8087 Lampu Dinding E27 MAX 40W AC220-240V 90 × 90 × 300mm Black Aluminum, Glass IP65 10pcs
---	---	--

AR 8086/2L



AR 8086/1L



Item No.
Description

Input Voltage
Body Color
Material
IP Grade
QTY/CTN

Size


ARTALUX Lighting 

AR 8086

Lampu Dinding E27
MAX 40W
AC220-240V
Black

IP65
10pcs

1L 100 × 65 × 195mm
2L 100 × 65 × 300mm



Brand
Item No.
Description

Input Voltage
Material
IP Grade
QTY/CTN

ARTALUX Lighting 

AR 8083/2L

Lampu Dinding E27
max 40W
220V-240V
Aluminum, PVC, Glass
IP65
10pcs

AR 8095/2L



AR 8095/1L



Brand
Item No.
Description

Input Voltage
Material
IP Grade
QTY/CTN

ARTALUX Lighting 

AR 8095

Lampu Dinding E27
max 40W
220V-240V

IP65
10pcs

AR 8488/2L



AR 8488/1L

bisa atas /
bawah

Brand
Item No.
Description

Input Voltage
Body Color
Material
IP Grade

ARTALUX Lighting **AR 8488**

Lampu Dinding E27

MAX 40W

AC220-240V


Black

Aluminum, Glass

IP65

Item No.	Size	QTY/CTN
AR 8488/1L	Ø108 x 180mm	10pcs
AR 8488/2L	Ø108 x 360mm	20pcs

AR 8085/2L



Brand
Item No.
Description

Input Voltage
Size
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting **AR 8085/2L**

Lampu Dinding E27

MAX 40W

AC220-240V


Ø90 x 300mm

Black

Aluminum, Glass

IP65

10pcs



Brand
Item No.
Description

Input Voltage
Size
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting **AR 8187/2L**

Lampu Dinding GU10

MAX 40W

AC220-240V 50/60Hz

65 x 65 x 175mm

Black

Aluminum

IP65


10pcs



AR 8096/2L



AR 8096/1L



Brand
Item No.
Description

Input Voltage
Body Color
Material
IP Grade
QTY/CTN

Size

ARTALUX Lighting 

AR 8096

Lampu Dinding E27
MAX 40W
AC220-240V
Black


IP65

10pcs


1L 90 × 90 × 220mm

2L 90 × 90 × 330mm

AR 8097/2L



AR 8097/1L



Brand
Item No.
Description

Input Voltage
Body Color
Material
IP Grade
QTY/CTN

Size

ARTALUX Lighting 

AR 8097


Lampu Dinding E27
MAX 40W
AC220-240V
Black

IP65

10pcs

1L 90 × 90 × 220mm

2L 90 × 90 × 330mm



Brand
Item No.
Description

Input Voltage
Size
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 

AR 8388

Lampu Dinding E27
Max 40W
AC220-240V
150 × 100 × 200mm

Black

Aluminum + Glass

IP65

20pcs


AR 8059/IL
AR 8098/IL
AR 8099/IL



AR 8059/2L
AR 8098/2L
AR 8099/2L



AR8059/2L Ø65mm
AR8098/2L Ø105mm
AR8099/2L Ø90mm



AR8059/2L 260mm
AR8098/2L 300mm
AR8099/2L 300mm

Brand
Item No.

Description


Input Voltage
Body Color
Material
IP Grade

ARTALUX Lighting


AR 8059
AR 8098
AR 8099

Lampu Dinding E27
max 40W
AC220-240V 50/60Hz
Black
Aluminum, Glass
IP65

AR8059/IL Ø65mm
AR8098/IL Ø105mm
AR8099/IL Ø90mm



AR8059/IL 160mm
AR8098/IL 200mm
AR8099/IL 160mm



Item No.	Size	QTY/CTN
AR 8059/IL	Ø65 x 160mm	20pcs
AR 8059/2L	Ø65 x 260mm	20pcs
AR 8098/IL	Ø105 x 200mm	10pcs
AR 8098/2L	Ø105 x 300mm	10pcs
AR 8099/IL	Ø90 x 160mm	10pcs
AR 8099/2L	Ø90 x 300mm	10pcs


AR 8059AB/IL
AR 8099AB/IL



AR 8059AB/2L
AR 8099AB/2L



AR8059AB/2L Ø65mm
AR8099AB/2L Ø90mm



AR8059/2L 260mm
AR8099/2L 300mm

Brand
Item No.


Description
Input Voltage
Body Color
Material
IP Grade

ARTALUX Lighting


AR 8059AB
AR 8099AB

Lampu Dinding E27
100-240V
Aluminum-Textured
Aluminum, Glass
IP54

AR8059AB/IL Ø65mm
AR8099AB/IL Ø90mm



160mm



Item No.	Size	QTY/CTN
AR 8059AB/IL	Ø65 x 160mm	20pcs
AR 8059AB/2L	Ø65 x 260mm	20pcs
AR 8099AB/IL	Ø90 x 160mm	10pcs
AR 8099AB/2L	Ø90 x 300mm	10pcs

AR 8088/2L



AR 8088/IL





Brand
Item No.
Description


Input Voltage
Material
IP Grade
QTY/CTN

ARTALUX Lighting

AR 8088

Lampu Dinding GU 5.3 /
MR16 max 50W
220V
Aluminum, Glass
IP65
20pcs






Brand
Item No.
Description
Input Voltage
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 808I
Lampu Dinding MR16
12-220V / 50-60Hz

IP65
20pcs




Bisa Diputar 180°



Brand
Item No.
Description
Input Voltage
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 92D
Lampu Dinding G5.3
12-220V / 50-60Hz

IP65
20pcs



Brand
Item No.
Description
Input Voltage
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 8082
Lampu Dinding MR16
12-220V / 50-60Hz

IP65
20pcs



BL 959A/1L
AR 8051/1L



BL 959A/2L
AR 8051/2L



BL 959B/1L
AR 8061/1L



BL 959B/2L
AR 8061/2L



Brand
Item No.
Description
Input Voltage
Body Color
Material
IP Grade
QTY/CTN

BRIGHTLITE
BL 959

Lampu Dinding GU5.3
12-220V / 50-60Hz
Black
Die-casting Aluminum
IP54
1L 40pcs
2L 30pcs



Size

BL 959A/1L

65 × 75 × 77mm

BL 959A/2L

68 × 75 × 155mm

BL 959B/1L

65 × 75 × 77mm


BL 959B/2L

68 × 77 × 155mm

BL 959A

1L 65mm
2L 68mm 75mm


1L 77mm
2L 155mm



BL 959B

1L 65mm
2L 68mm 75mm 77mm


1L 77mm
2L 155mm



AR 8051

70mm 95mm


1L 80mm
2L 150mm



AR 8061

70mm 95mm

1L 80mm
2L 150mm



Brand
Item No.
Description
Input Voltage
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting
AR 8051 / AR 8061

Lampu Dinding GU5.3
12-220V / 50-60Hz
Black
Die-casting Aluminum
IP54
20pcs




Size

1L

70 × 95 × 80mm


2L

70 × 95 × 150mm




AR 8051 / AR 8061
Ada Karet Belakang



AR 8182A	AR 8182B	AR 8182C	Brand	ARTALUX Lighting 
			Item No.	AR 8182 A/B/C
			Description	Lampu Dinding E27
			Input Voltage	AC 220-240V 50/60Hz
			Size	215 x 130 x 60mm
			Body Color	Black
			Material	Die-casting Aluminum
			IP Grade	IP54
			QTY/CTN	20pcs




AR 8182D	AR 8182E	AR 8182F	Brand	ARTALUX Lighting 
			Item No.	AR 8182 D/E/F
			Description	Lampu Dinding E27
			Input Voltage	AC 220-240V 50/60Hz
			Size	Ø220 x 75mm
			Body Color	Black
			Material	Die-casting Aluminum
			IP Grade	IP54
			QTY/CTN	20pcs



AR 8182G	AR 8182L	Brand	ARTALUX Lighting 
		Item No.	AR 8182 G/L
		Description	Lampu Dinding E27
		Input Voltage	AC 220-240V 50/60Hz
		Size	G 165 x 165 x 190mm L 125 x 125 x 260mm
		Body Color	Black
		Material	
		IP Grade	IP65
		QTY/CTN	10pcs



AR 8182H




Brand
Item No.
Description
Input Voltage
Size
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 8182 H
Lampu Dinding E27
AC 220-240V 50/60Hz
125 x 120 x 260mm
Black

IP65
10pcs


AR 8182K



Brand
Item No.
Description
Input Voltage
Size
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 8182 K
Lampu Dinding E27
AC220-240V 50/60Hz
220 x 135 x 60mm
Black
Aluminum, Acrylic
IP54
10pcs


AR 8182M



Brand
Item No.
Description
Input Voltage
Size
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 8182 M
Lampu Dinding E27
AC220-240V 50/60Hz
115 x 115 x 250mm
Black

IP65
10pcs




Brand
Item No.
Description


Input Voltage
Size
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 8018
Lampu Dinding E27
MAX 40W
AC220-240V 50/60Hz
205 x 155 x 90mm
Black
Iron, Glass
IP65
20pcs

AR 3114




AR 3115



Brand
Item No.
Description
Input Voltage
Size
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 3115
Lampu Dinding E27
100-240V
245 x 120 x 80mm
Black


IP54
10pcs




Brand
Item No.
Description
Input Voltage
Size
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
G 0838
Lampu Dinding E27
AC 220-240V 50/60Hz
240 x 240 x 105mm
Black

IP65
10pcs



Sebaran cahaya bisa diatur




Brand	ARTALUX Lighting 
Item No.	AR 6A
Description	Lampu Dinding LED
Chip	Epistar
Power / Lumen	2x3W
Input Voltage	220V 50-60Hz
Size	100 x 100 x 100mm
Material	Aluminum
IP Grade	IP54
	Ra≥80
QTY/CTN	30pcs



Body Color

Black

White

3000K






Brand
Item No.
Description
Power
Input Voltage
Size
Material
IP Grade

ARTALUX Lighting 
AR 4815
Lampu Dinding LED
6W
100-240V
100 x 100 x 80mm

QTY/CTN

IP65
Ra≥80
50pcs




Brand
Item No.
Description
Chip
Power / Lumen
Input Voltage
Size
Body Color
Material
IP Grade

ARTALUX Lighting 
AR 4185
Lampu Dinding LED
CREE
2x3W
220V 50-60Hz
63 x 110 x 175mm
Black

QTY/CTN

Aluminum
IP65
Ra≥80
50pcs

3000K





Brand
Item No.
Description
Chip
Power
Input Voltage
Size
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 4217
Lampu Dinding LED
Epistar
2 x 3W LED
100-240V
97 x 55 x 38mm
Black


IP65
100pcs

3000K








Brand	BRIGHTLITE
Item No.	BL 958
Description	Lampu Dinding LED
Chip	Bridgelux
Power / Lumen	2x1W / 250lm 4x1W / 500lm
Input Voltage	100-240V / 50-60Hz
Size	60 x 60 x 45mm
Material	Aluminum, Glass
IP Grade	IP54
	CRI>80 / PF>0.5
QTY/CTN	100pcs



Brand	ARTALUX Lighting
Item No.	AR 4176
Description	Lampu Dinding LED
Power / Lumen	2x1W / 250lm / Cree XP
Chip	4x1W / 500lm / Osram
Input Voltage	100-240V / 50-60Hz
Size	65 x 65 x 55mm
Material	Aluminum, Glass
IP Grade	IP54
	CRI>80 / PF>0.5
QTY/CTN	100pcs




Brand	BRIGHTLITE
Item No.	BL 956
Description	Lampu Dinding LED
Chip	Bridgelux
Power / Lumen	2 x 1W / 250lm
Input Voltage	100-240V / 50-60Hz
Size	65 x 65 x 55mm
Material	Aluminum, Glass
IP Grade	IP54
CRI / PF	CRI> 80 / PF>0.5
QTY/CTN	100pcs






AR 4288/1L



AR 4288/2L



Brand
Item No.
Description
Power / Lumen

Input Voltage
Size

Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting

AR 4288

Lampu Dinding LED

1L 5W

2L 2 x 5W

85-265V / 50-60Hz

1L 75 x 80 x 60mm

2L 140 x 80 x 60mm

Black


Die-Casting Aluminum

IP65

1L 50pcs

2L 20pcs

3000K



AR 4133 2*3W



Brand
Item No.
Description
Power / Lumen

Input Voltage
Size

Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting

AR 4133

Lampu Dinding LED

2*3W

2*6W

220V

2*3W 115x90x28mm

2*6W 175x90x28mm


Black

IP65


2*3W 50pcs

2*6W 20pcs

3000K



AR 4133 2*6W




2*3W 115mm
2*6W 175mm

AR 4199/1L

AR 4199/2L

AR 4199/3L



Brand
Item No.
Description
Power / Lumen

Input Voltage
Size

Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting

AR 4199

Lampu Dinding LED

1L 2W

2L 4W

3L 6W

AC 100-240V

1L 80 x 70 x 40mm

2L 115 x 75 x 35mm

3L 165 x 80 x 40mm

Black

IP65

Ra≥80



1L 50pcs

2L 40pcs

3L 30pcs

3000K







Brand	ARTALUX Lighting 
Item No.	AR 8A D
Description	Lampu Dinding LED
Chip	CREE
Power	12W
Input Voltage	100-240V
Size	114 x 62 x 130mm
Body Color	Black
Material	Aluminum
IP Grade	IP 54
	Ra≥80
QTY/CTN	20pcs




3000K



AR 4179A




AR 4179B



Brand	ARTALUX Lighting 
Item No.	AR 4179
Description	Lampu Dinding LED
Chip	Bridgelux
Power / Lumen	2x3W LED
Input Voltage	220V 50-60Hz
Body Color	Black
Material	
IP Grade	IP65
	Ra≥80
QTY/CTN	30pcs

Size	A 95 x 55 x 165mm
	B 95 x 58 x 165mm

3000K




Brand	ARTALUX Lighting 
Item No.	AR 4155
Description	Lampu Dinding LED
Chip	Epistar
Input Voltage	220V 50-60Hz
Body Color	Black
Material	Aluminum, Glass
IP Grade	IP54
	Ra≥80



3000K



Item No.	Power	Size	QTY/CTN
AR 4155A	7W	Ø135 x 30mm	50pcs
AR 4155B	12W	Ø180 x 30mm	30pcs





Brand
Item No.
Description
Chip
Power
Input Voltage
Size
Body Color
Material
IP Grade

QTY/CTN

ARTALUX Lighting 
AR 4218
Lampu Dinding LED
Bridgelux
LED2*3W
220V / 50-60Hz
60 x 40 x 120mm
Black
Aluminum
IP65
Ra≥80
50pcs



3000K



Brand
Item No.
Description
Chip
Power
Input Voltage
Size
Body Color
Material
IP Grade

QTY/CTN



ARTALUX Lighting 
AR 4215
Lampu Dinding LED
CREE
2x3W
100-240V
180 x 60 x 60mm
Black
Black
Ra≥80
50pcs

3000K



Brand
Item No.
Description
Chip
Power
Input Voltage
Size
Material
IP Grade
QTY/CTN


ARTALUX Lighting 
AR 4258
Lampu Dinding LED
CREE
3*3W
220V 50-60Hz
140 x 135 x 58mm
IP65
50pcs




Body Color
Black **White**



3000K






Brand
Item No.
Description
Chip
Power
Input Voltage
Body Color
Material
IP Grade

ARTALUX Lighting 
AR 4156
Lampu Dinding LED
Osram
6W
85-265V 50/60Hz
Gray

IP65
Ra≥80
30pcs

QTY/CTN


3000K



AR 4186/1L



AR 4186/2L



Brand
Item No.
Description
Chip
Power / Lumen

ARTALUX Lighting 
AR 4186
Lampu Dinding LED
CREE
1L 1 × 3W / 255lm
2L 2 × 3W / 510lm

Input Voltage
Size


85-265V 50/60Hz
1L 67 × 90 × 65mm
2L 67 × 90 × 80mm

Body Color
Material
IP Grade
CRI
QTY/CTN

Black

IP65
CRI>8580
40pcs


3000K



Brand
Item No.
Description
Chip
Power
Input Voltage
Size
Body Color
Material
IP Grade





ARTALUX Lighting 
AR 4182
Lampu Dinding LED
CREE
5W LED
100-240V
50 × 40 × 100mm
Black
Aluminum
IP54
Ra≥80
50pcs

QTY/CTN



3000K





BL 4289A**BL 4289B****BL 4289C****BL 4289D**

Item No.	Size
BL 4289A	Ø105 x 80mm
BL 4289B	Ø105 x 100mm
BL 4289C	105 x 105 x 80mm
BL 4289D	105 x 105 x 100mm

Brand
Item No.
Description
Chip
Power / Lumen
Input Voltage
Body Color
Material
IP Grade
CRI / PF
QTY/CTN

BRIGHTLITE
BL 4289
 Lampu Dinding LED
 Epistar
 LED 5W / 600lm
 100-240V / 50-60Hz
 Black
 Aluminum, PVC
 IP65
 CRI > 80 / PF > 0.5
 30pcs

**3000K****AR 8031A****AR 8031B**

Brand
Item No.
Description
Power / Lumen
Input Voltage
Body Color
Material
IP Grade

ARTALUX Lighting

AR 8031
 Lampu Dinding LED
 2x5W
 100-240V
 Black
 Aluminum, Acrylic
 IP65
 Ra≥80
 50pcs

QTY/CTN**Size**



A 103 x 83 x 135mm
B 105 x 80 x 135mm

3000K

AR 4298A



AR 4298B




AR4298A Ø117mm
AR4298B Ø150mm

AR 4299A



AR 4299B



AR4299A 117mm
AR4299B 150mm

Item No.	Power	Size
AR 4298A	3W	Ø117 x 33mm
AR 4298B	7W	Ø150 x 33mm
AR 4299A	3W	117 x 117 x 33mm
AR 4299B	7W	150 x 150 x 33mm

Brand
Item No.
Description
Chip
Input Voltage
Body Color
Material
IP Grade

ARTALUX Lighting 

AR 4296 / AR 4297

Lampu Dinding LED

Epistar

220V 50-60Hz

Black

Aluminum


IP65

Ra≥80

50pcs

QTY/CTN



3000K



AR 4296



AR 4297



Item No.	Power	Size
AR 4296	7W	200 x 90 x 32mm
AR 4297	3W	85 x 85 x 32mm

Brand
Item No.
Description
Chip
Input Voltage
Body Color
Material
IP Grade

ARTALUX Lighting 

AR 4296 / AR 4297

Lampu Dinding LED

Epistar

220V 50-60Hz

Black

Aluminum

IP54

Ra≥80



50pcs

QTY/CTN


3000K



AR 4166



AR 4177




Brand
Item No.
Description
Chip
Power / Lumen
Input Voltage
Body Color
Material
IP Grade
PF / CRI
QTY/CTN

ARTALUX Lighting 
AR 4166 / AR 4177
Lampu Dinding LED
Bridgelux
3W / 200lm
ACI 10-260V / 50-60Hz
Gray
Aluminum
IP65
PF 0.6 / CRI 0.75
30pcs

Size

AR 4166
Ø110 x 20mm


AR 4177
105 x 105 x 25mm **3000K**



AR 4177L



AR4177S 105mm
AR4177L 160mm 25mm



AR 4177S



AR4177S 105mm
AR4177L 160mm

Brand
Item No.
Description
Chip
Power


Input Voltage
Size

Body Color
Material
IP Grade

QTY/CTN

ARTALUX Lighting 
AR 4177
Lampu Dinding LED
Epistar
AR 4177S 2W
AR 4177L 5W
220V 50-60Hz
AR 4177S
105 x 105 x 25mm
AR 4177L
160 x 160 x 25mm
Black

IP54
Ra≥80
50pcs

3000K

AR 4825A






AR 4825B



Brand
Item No.
Description
Power
Input Voltage
Size
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 4825
Lampu Dinding LED
LED MAX 7W
AC220-240V
225 x 81 x 30mm
Black
Aluminum
IP65
20pcs

**3000K**



Brand	ARTALUX Lighting 
Item No.	AR 4284
Description	Lampu Dinding LED
Chip	Epistar
Power	3W
Input Voltage	220V
Size	65 x 70 x 55mm
Material	Aluminum, Glass
IP Grade	IP65
QTY/CTN	50pcs






Brand	BRIGHTLITE
Item No.	BL 951
Description	Lampu Dinding LED
Chip	Epistar
Power / Lumen	3W / 240lm
Input Voltage	AC220V/50-60Hz
Size	85 × 85 × 47mm
Open	70 × 70 × 46mm
Material	Die-casting aluminum
IP Grade	IP54
CRI	CRI≥54
QTY/CTN	50pcs




BL951 47mm
AR4187 55mm



BL951 85mm
AR4187 90mm


BL951 85mm
AR4187 90mm

Body Color	Black	White	3000K
			

Brand	ARTALUX Lighting
Item No.	AR 4187
Description	Lampu Dinding LED
Chip	Epistar
Power / Lumen	3W / 240lm
Input Voltage	AC220V
Size	90 × 90 × 55mm
Material	Die-casting aluminum
IP Grade	IP54
QTY/CTN	50pcs



Body Color	Black	White	3000K
			




Brand	ARTALUX Lighting
Item No.	AR 4255
Description	Lampu Dinding LED
Power	3W
Input Voltage	220V
Size	60 × 105 × 55mm
Body Color	Black
Material	Aluminum Alloy
IP Grade	IP65
QTY/CTN	50pcs



3000K






Brand
Item No.
Description
Power
Input Voltage
Size
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 4210
Lampu Dinding LED
3W
220V
100 x 160 x 60mm
Black
Aluminum Alloy
IP54
30pcs

3000K



Brand
Item No.
Description
Power
Input Voltage
Material
IP Grade

ARTALUX Lighting 
AR 4213 / AR 3A
Lampu Dinding LED
6W
100-240V
Aluminum
IP65
Ra≥80
50pcs

QTY/CTN

Size


AR 4213
180 x 85 x 50mm
AR 3A
205 x 85 x 50mm



AR 4186 T



AR 4189




Brand
Item No.
Description
Input Voltage
Body Color
Material
IP Grade

ARTALUX Lighting 
AR 4186 T / AR 4189
Lampu Dinding LED
100-240V
Black
Aluminum
IP54
Ra≥80

Item No.	Power	Size	QTY/CTN
AR 4186	5W	160 x 100 x 60mm	50pcs
AR 4189	3W	145 x 70 x 53mm	50pcs


3000K





Brand	ARTALUX Lighting 
Item No.	AR 4266
Description	Lampu Dinding LED
Power	6W
Input Voltage	220V 50-60Hz
Size	210 x 60 x 55mm
Body Color	Black
Material	Aluminum
IP Grade	IP54
	Ra≥80
QTY/CTN	30pcs

3000K






AR 033



AR 035



Brand
Item No.
Description
Power

Input Voltage
Size

Material
IP Grade
QTY/CTN

ARTALUX Lighting

AR 033 / AR 035

Lampu Dinding LED

AR 033 3W

AR 035 5W

220V

AR 033 85x55x60mm

AR 035 137x55x60mm

Aluminum, Acrylic

IP65

AR 033 30pcs


AR 035 20pcs

Body Color

Black

White

3000K



Brand
Item No.
Description
Chip
Power / Lumen
Input Voltage
Size
Body Color
Material
IP Grade
CRI / PF
QTY/CTN

ARTALUX Lighting

AR 4180

Lampu Dinding LED

Bridgelux

3W / 250lm

AC 110-260V 50/60Hz

145 x 70 x 45mm

Gray

Aluminum

IP65

CRI 80 / PF 0.6


50pcs

3000K



AR 038

AR 039



Brand
Item No.
Description
Power
Input Voltage
Size
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting

AR 038 / AR 039

Lampu Dinding LED

3W

AC 85-265V

110 x 45 x 55mm

Black


Stainless

IP65

100pcs

3000K





Brand
Item No.
Description
Power
Input Voltage
Size
Cut Size
Body Color
Material
IP Grade

QTY/CTN

ARTALUX Lighting 
AR 037
Lampu Dinding LED
3W
AC85-265V 50/60Hz
50 x 50 x 65mm
Ø45mm
Black
IP54
Ra≥80
50pcs




3000K



AR 4A



AR 23A



Brand
Item No.
Description
Power
Input Voltage
Size
Material
IP Grade

QTY/CTN



ARTALUX Lighting 
AR 4A / AR 23A
Lampu Dinding LED
3W
AC85-265V 50/60Hz
45 x 45 x 65mm
IP20
Ra≥80
50pcs



Body Color
Black White



3000K








Brand
Item No.
Description
Chip
Power / Lumen
Input Voltage
Size
Cut Size
Body Color
Material
IP Grade
CRI
QTY/CTN


ARTALUX Lighting 
AR 4282
Lampu Dinding LED
CREE
3W / 300lm
AC100-240V 50/60Hz
185 x 40 x 44mm
168 x 33 x 39mm
Black
IP65
CRI≥80
50pcs

3000K




AR 30A	AR 30B	AR 30C	Brand	ARTALUX Lighting 
			Item No.	AR 30 A/B/C
			Description	Lampu Dinding LED
			Chip	Bridgelux
			Power	3W
			Input Voltage	85-265V
			Body Color	Black
			Material	IP54
			IP Grade	Ra>80
			QTY/CTN	50pcs
			Size	A Ø50 × 65mm B Ø55 × 65mm C Ø60 × 55mm
				3000K


AR 021A	AR 021B	AR 021C	Brand	ARTALUX Lighting 
			Item No.	AR 021 A/B/C
			Description	Lampu Dinding LED
			Chip	A Bridgelux B Cree C Cree
			Power	3W
			Input Voltage	85-265V 50/60Hz
			Size	Ø50 × 65mm
			Material	A IP20 B IP54 C IP
			IP Grade	Ra≥80
			QTY/CTN	50pcs
				3000K
				

AR 026A	AR 026B	AR 026C	Brand	ARTALUX Lighting 
			Item No.	AR 026
			Description	Lampu Dinding LED
			Chip	CREE
			Power	3W
			Input Voltage	85-265V
			Body Color	Sandy Black
			Material	Aluminum
			IP Grade	IP54
			QTY/CTN	Ra>80
			Size	50pcs
				A Ø69 × 30mm B Ø55 × 27mm C 55 × 55 × 27mm
				3000K

AR 4223A



AR 4223B



Brand
Item No.
Description
Power
Input Voltage
Body Color
Material
IP Grade

ARTALUX Lighting 
AR 4223A/B
Lampu Dinding LED
3W
AC85-265V 50/60Hz
Milky White

QTY/CTN

IP20
ta 45°C
100pcs

Size


A 60 × 60 × 55mm
B Ø60 × 55mm

3000K



Brand
Item No.
Description
Power / Lumen
Input Voltage
Size
Cut Size
Material
IP Grade
CRI / PF
QTY/CTN

ARTALUX Lighting 
AR 4181
Lampu Dinding LED
3W / 180lm
AC85-265V
Ø85 × 45mm
Ø80mm
Aluminum
IP65
CRI>70 / PF>0.5
50pcs




Body Color

Black

White

3000K





Brand
Item No.
Description
Input Voltage
Size
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 448I
Lampu Dinding E27
AC220-240V 50/60Hz
260 x 245 x 90mm
Black
Aluminum
IP65
10pcs


AR 4224A



AR 4224B



AR 4224C





Brand
Item No.
Description
Input Voltage
Size
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 4224
Lampu Dinding E27
AC220V / 50-60Hz
233 x 101 x 83mm
Black
Aluminum, Glass
IP54
40pcs



VI. Lampu Taman


AR 97**AR 303A**

Item No.	Size	IP Grade	QTY/CTN
AR 97	90 x 90 x 1000mm	IP 65	10pcs
AR 303A	90 x 90 x 300mm	IP 54	10pcs

Brand
Item No.
Description

Input Voltage
Body Color
Material

ARTALUX Lighting 
AR 97 / AR 303A
Lampu Taman E27
Max 40W
220-240V
Black
Aluminum + Glass



80cm**30cm**

Brand
Item No.
Description

Input Voltage
Size

Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 759
Lampu Taman E27
Max 40W
220-240V
Ø90 x 300mm
Ø108 x 800mm
Black
IP65
10pcs

80cm**30cm**

Item No.	Size
AR 757 30cm	90 x 90 x 300mm
AR 757 80cm	90 x 90 x 800mm

Brand
Item No.
Description


Input Voltage
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 757
Lampu Taman E27
Max 40W
100-240V
Black
Aluminum + Glass
IP65
10pcs

**AR 5707A
80cm**




**AR 5707A
18cm**



**AR 5707B
80cm**



**AR 5707B
18cm**




Brand
Item No.
Description
Body Color
Material


ARTALUX Lighting 
AR 5707 A/B
Lampu Taman E27
Black
Aluminum, Acrylic

Item No.	Input Voltage	Size	IP Grade	QTY/CTN
AR 5707A 18cm	100-240V	85 x 85 x 180mm	IP54	20pcs
AR 5707A 80cm	100-240V	85 x 85 x 800mm	IP54	10pcs
AR 5707B 18cm	220-240V	Ø85 x 180mm	IP65	20pcs
AR 5707B 80cm	220-240V	Ø85 x 800mm	IP65	10pcs

AR 779 80cm



AR 779 30cm




Brand
Item No.
Description
Input Voltage
Body Color
Material
IP Grade
QTY/CTN


ARTALUX Lighting 
AR 779
Lampu Taman E27
220V
Black
Aluminum, Acrylic
IP65
10pcs

Item No.	Size
AR 779 30cm	90 x 90 x 300mm
AR 779 80cm	90 x 90 x 800mm

80cm




20cm



Brand
Item No.
Description

Input Voltage
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 5708
Lampu Taman E27
max 40W
AC 220-240V
Black
Aluminum, Acrylic Crystal
IP65
10pcs




Brand
Item No.
Description

Input Voltage
Size
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 996
Lampu Taman E27
Max 40W
220-240V
120 x 120 x 800mm
Black

IP65
4pcs




Brand
Item No.
Description

Input Voltage
Size
Body Color
Material
IP Grade
QTY/CTN


ARTALUX Lighting 
AR 785
Lampu Taman E27
Max 40W
220-240V
150 x 120 x 800mm
Black

IP54
4pcs

AR 998A



AR 998B




Brand
Item No.
Description
Input Voltage
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 998
Lampu Taman E27
220-240V
Black
Aluminum
IP65
6pcs



1L

2L



Brand
Item No.
Description
Input Voltage
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 

AR 92T

Lampu Taman G5.3

220-240V

Black



IP65

1L 10pcs

2L 6pcs

Bisa Diputar 360°



AR 109A**AR 109K**

Brand
Item No.
Description

Input Voltage
Size

Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 

AR 109A / AR 109K

Lampu Taman E27

Max 40W

220-240V

A 110 x 110 x 1000mm

K Ø115 x 1000mm


Stainless

Stainless Steel

IP65

A 8pcs

K 10pcs



Brand
Item No.
Description

Input Voltage
Size

Material
IP Grade
QTY/CTN

ARTALUX Lighting 

AR 109B

Lampu Taman E27

Max 40W

220-240V

Ø76 x 1000mm


IP65

10pcs

Body Color

Black

Stainless



Brand
Item No.
Description

Input Voltage
Size

Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 

AR 789

Lampu Taman E27

Max 40W

220-240V

Ø90 x 800mm

Black

Iron + PVC

IP65

10pcs

AR 106 100cm



AR 106 30cm



Brand
Item No.
Description
Power
Input Voltage
Body Color
Material
IP Grade

ARTALUX Lighting 
AR 106
Lampu Taman E27
Max 40W
AC220-240V
Silver
Stainless Steel, Acrylic
IP65


Item No.	Size	QTY/CTN
AR 106 30cm	Ø250 × 300mm	20pcs
AR 106 100cm	Ø250 × 1000mm	10pcs



AR 084
(kaca susu)

AR 084
(kaca bening)

AR 085



Brand
Item No.
Description

Input Voltage
Body Color
Material
IP Grade
QTY/CTN

Size

ARTALUX Lighting 

AR 084 / AR 085



Lampu Taman E27
Max 40W
220-240V 50/60Hz
Black
Aluminum, Glass
IP65
6pcs


AR 084


Ø190 x 235mm


AR 085

195 x 195 x 260mm

		Brand Item No. Description Input Voltage Body Color Material IP Grade QTY/CTN	ARTALUX Lighting  AR 8588A / AR 8588B Lampu Taman E27 220-240V Black Aluminum + Acrylic IP54 8pcs
		Size	AR 8588A 145 x 145 x 220mm AR 8588B Ø160 x 220mm

AR 8021L 	AR 8021M   AR8021L 270mm AR8021M 210mm AR8021L 220mm AR8021M 150mm AR8021L 220mm AR8021M 150mm	Brand Item No. Description Input Voltage Body Color Material IP Grade	ARTALUX Lighting  AR 8021 Lampu Taman E27 Max 40W 220-240V 50/60Hz Black Aluminum, Acrylic IP65
Size	AR 8021L 220 x 220 x 270mm AR 8021M 150 x 150 x 210mm	QTY/CTN	AR 8021L 6pcs AR 8021M 10pcs

AR 8031L 	AR 8031M   AR8031L 120mm AR8031M 80mm AR8031L 120mm AR8031M 80mm AR8031L 140mm AR8031M AR8031L 260mm AR8031M 190mm AR8031L 220mm AR8031M 150mm AR8031L 220mm AR8031M 150mm	Brand Item No. Description Input Voltage Body Color Material IP Grade	ARTALUX Lighting  AR 8031 Lampu Taman E27 220-240V 50-60Hz Black Aluminum, Acrylic IP65
Size	AR 8021L 220 x 220 x 260mm AR 8021M 150 x 150 x 190mm	QTY/CTN	AR 8021L 6pcs AR 8021M 10pcs



Brand ARTALUX Lighting 

Item No. AR 87

Description Lampu Taman

Power 12W LED

Input Voltage 220V

Body Color Black


Material Aluminum

IP Grade IP54

Item No.	Size	QTY/CTN
AR 87 30cm	Ø135 x 300mm	10pcs
AR 87 80cm	Ø135 x 800mm	4pcs

3000K





Brand ARTALUX Lighting 

Item No. AR 85

Description Lampu Taman

Input Voltage 100-240V

Body Color Black


Material Aluminum

IP Grade IP54

Item No.	Power	Size	QTY/CTN
AR 85 18cm	9W	Ø90 x 180mm	20pcs
AR 85 80cm	12W	Ø90 x 800mm	4pcs

3000K





Brand ARTALUX Lighting 

Item No. AR 95

Description Lampu Taman

Chip Bridgelux

Power 9W

Input Voltage 100-240V

Size 30cm 300 x 50 x 160mm
80cm 800 x 55 x 160mm

Body Color Black


Material Aluminum

IP Grade IP54

Item No.	Power	Size	QTY/CTN
AR 95 30cm	9W	300 x 50 x 160mm	20pcs
AR 95 80cm	9W	800 x 55 x 160mm	8pcs

3000K






Brand
Item No.
Description
Power
Input Voltage
Size
Body Color
Material
IP Grade

ARTALUX Lighting 
AR 86
Lampu Taman
9W LED
220V
105 x 105 x 195mm
Black
Aluminum
IP54
Ra≥80
20pcs

QTY/CTN


3000K



Brand
Item No.
Description
Power
Input Voltage
Size
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 86 80cm
Lampu Taman
10W
220V
120 x 120 x 800mm
Black
Aluminum
IP54
4pcs

3000K





Brand
Item No.
Description
Power
Input Voltage
Size
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 755
Lampu Taman
12W
220V
110 x 110 x 800mm
Black
Aluminum
IP65
10pcs

3000K





AR 797 100cm AR 797 60cm AR 797 12cm



Brand
Item No.
Description
Input Voltage
Body Color
Material
IP Grade


ARTALUX Lighting
AR 797
Lampu Taman
220-240V
Black
Aluminum
IP65

Item No.	Power	Size	QTY/CTN
AR 797 12cm	3W	Ø50 x 120mm	50pcs
AR 797 60cm	3W	Ø50 x 600mm	9pcs
AR 797 100cm	6W	Ø50 x 1000mm	9pcs



Brand
Item No.
Description
Power
Input Voltage
Size
Body Color
Material
IP Grade
QTY/CTN


ARTALUX Lighting
AR 788 80cm
Lampu Taman
12W
220V
Ø108 x 800mm
Black
IP54
4pcs



Brand
Item No.
Description
Power
Input Voltage
Size
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting
AR 81
Lampu Taman
10W
220V
120 x 800mm
Black
IP54
4pcs





Brand
Item No.
Description
Power
Input Voltage
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting

AR 91

Lampu Taman

12W

220V

Black


IP54

Ra≥80

4pcs

3000K







Brand
Item No.
Description
Power
Input Voltage
Size
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 717 80cm
Lampu Taman
12W
220-240V 50/60Hz
Ø120 x 800mm
Black
IP65
10pcs

3000K



Brand
Item No.
Description
Chip
Power
Input Voltage
Size
Body Color
Material
IP Grade
QTY/CTN


ARTALUX Lighting 
AR 767 80cm
Lampu Taman
Epistar
7W LED
220V
140 x 100 x 800mm
Black
Aluminum Alloy
IP65
Ra≥80
6pcs

3000K



80cm

50cm




Brand
Item No.
Description
Power
Input Voltage
Size
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 787 50cm
Lampu Taman
7W
220-240V 50/60Hz
50cm 80 x 66 x 500mm
80cm 80 x 66 x 800mm
Black
IP54
10pcs


3000K



AR 88A



AR 88B




Brand
Item No.
Description
Input Voltage
Body Color
Material
IP Grade

ARTALUX Lighting 
AR 88
Lampu Taman
220-240V 50/60Hz
Black
IP65





AR 88C



Item No.	Power	Size	QTY/CTN
AR 88A	12W	Ø180 x 800mm	10pcs
AR 88B	7W	Ø160 x 800mm	10pcs
AR 88C	7W	Ø138 x 800mm	10pcs

3000K




Brand
Item No.
Description
Power
Input Voltage
Size
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 82
Lampu Taman
12W
220-240V 50/60Hz
60 x 100 x 600mm
Black
IP65
10pcs

3000K






Brand
Item No.
Description
Chip
Power
Input Voltage
Size
Body Color
Material
IP Grade

QTY/CTN

ARTALUX Lighting 
AR 94
Lampu Taman
Osram COB
7W
100-240V
100 x 100 x 800mm
Black

IP54
Ra≥80
10pcs

3000K





Brand
Item No.
Description
Power
Input Voltage
Size
Body Color
Material
IP Grade

QTY/CTN

ARTALUX Lighting 
AR 93
Lampu Taman
12W
220-240V 50-60Hz
Ø180 x 800mm
Black

IP54
Ra≥80
4pcs

3000K



Brand
Item No.
Description
Power
Input Voltage
Size
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 98
Lampu Taman
10W
220-240V 50-60Hz
Ø155 x 800mm
Black


IP65
6pcs

3000K



Bisa Diputar






Brand
Item No.
Description
Input Voltage
Size
Body Color
Material
IP Grade
QTY / CTN

ARTALUX Lighting 
AR 5606
Lampu Taman MR16
12-220V
Ø65 x 90 x 300
Black
Aluminum, Glass
IP65
30pcs

AR 758A

AR 758B





Brand
Item No.
Description
Input Voltage
Size
Body Color
Material
IP Grade
QTY / CTN

ARTALUX Lighting 
AR 758
Lampu Taman MR 16
Max 50W
12-220V
Ø60 x 350mm
Black
IP65
20pcs

AR 718

AR 716




Brand
Item No.
Description
Input Voltage
Body Color
Material
IP Grade
QTY / CTN

ARTALUX Lighting 
AR 716 / AR 718
Lampu Taman MR16
Max 50W
12-220V 50/60Hz
Black
Aluminum, Glass
IP65
20pcs


Size

AR 716
Ø100 x 340mm
AR 718
Ø100 x 310mm




Brand
Item No.
Description
Input Voltage
Size
Body Color
Material
IP Grade
QTY / CTN

ARTALUX Lighting 
AR 728
Lampu Taman GU5.3
12-220V 50-60Hz
Ø60 x 330mm
Black
Aluminum, Glass
IP65
50pcs




Brand
Item No.
Description
Input Voltage
Size
Body Color
Material
IP Grade
QTY / CTN



ARTALUX Lighting 
AR 560I
Lampu Taman MR 16
Max 50W
12-220V
Ø62 x 380mm
Black
IP65
20pcs





Brand
Item No.
Description
Input Voltage
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 561I
Lampu Taman E27
12-220V
Black
Aluminum
IP65
40pcs

AR 5502 	AR 5503 	Brand Item No. Description Input Voltage Body Color Material IP Grade QTY / CTN	ARTALUX Lighting  AR 5502 / AR 5503 Lampu Taman GX5.3 12-220V / 50-60Hz Black PVC + Glass IP65 40pcs
			

AR 5607S 	AR 5607W 	Brand Item No. Description Input Voltage Body Color Material IP Grade QTY / CTN	ARTALUX Lighting  AR 5607S / AR 5607W Lampu Taman MR16 Max 50W 12-220V / 50-60Hz Black IP65 20pcs
 			

AR 5602 	AR 5603 	Brand Item No. Description Input Voltage Body Color Material IP Grade QTY/CTN	ARTALUX Lighting  AR 5602 / AR 5603 Lampu Taman MR16 Max 50W 12-220V Black IP65 30pcs
			

AR 5116T**AR 5126P**

Brand
Item No.
Description

Input Voltage
Body Color
Material
IP Grade
QTY / CTN

Size

ARTALUX Lighting 

AR 5116T / AR 5126P

Lampu Taman MR16
Max 50W

12-220V

Black

Aluminum, Glass

IP65


20pcs

AR 5116T

Ø60 × 330mm

AR 5126P

Ø58 × 180mm



Brand
Item No.
Description

Input Voltage
Size
Body Color
Material
IP Grade
QTY / CTN

ARTALUX Lighting 

AR 5613

Lampu Taman MR16
Max 50W

12-220V


Ø82.5 × 370mm

Black

Aluminum

IP65

30pcs



Brand
Item No.
Description


Input Voltage
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 572I
Lampu Taman E27
Max 60W
AC12-220V / 50-60Hz
Black
Aluminum, Glass
IP65
20pcs

AR 550IT



AR 550IB




Brand
Item No.
Description
Input Voltage
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 550I
Lampu Taman Par38 E27
AC220V/50-60Hz
Black
Plastic, Rubber
IP54
40pcs

AR 5328




AR 5338



Brand
Item No.
Description

Input Voltage
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 5328 / AR 5338
Lampu Taman Par38 E27
80W
12-220V
Black
IP65
10pcs



Brand	ARTALUX Lighting 
Item No.	AR 89
Description	Lampu Tancap Taman
Power	7W
Input Voltage	AC220V
Material	
IP Grade	IP65
QTY / CTN	20pcs





Brand
Item No.

ARTALUX Lighting 
AR 703
AR 715
AR 735

Description
Size
Body Color
Material
IP Grade
QTY / CTN

Lampu Taman
Ø60 × 75 × 280mm
Black
Aluminum, Glass
IP65
100pcs

3000K



6500K



Item No.	Chip	Power	Input Voltage	Beam Angle	CRI	CCT
AR 703	Epistar	3W	110-260V 50-60Hz	38°	CRI>70	3000K, 6500K
AR 715	Epistar	5W	110-260V 50-60Hz	38°	CRI>70	3000K, 6500K
AR 735	-	MR16	12-220V 50-60Hz	-	-	-



Brand
Item No.

ARTALUX Lighting 
AR 771

Description
Power / Lumen
Input Voltage
Body Color
Material
Beam Angle
IP Grade
CRI
QTY / CTN

Lampu Tancap Taman
10W / 1000lm
AC 160-260V / 50-60Hz
Black
Aluminum, Glass
60°
IP65
80
50pcs

RGB
Automatic




Brand
Item No.

ARTALUX Lighting 
AR 775

Description
Power / Lumen
Input Voltage
Body Color
Material
Beam Angle
IP Grade
CRI
QTY / CTN


Lampu Tancap Taman
7W / 700lm
AC 160-265V / 50-60Hz
Black
Aluminum, Glass
60°
IP65
80
50pcs

3000K



RGB






Brand
Item No.
Description
Chip
Power / Lumen
Input Voltage
Body Color
Material
Beam Angle
IP Grade
CRI
QTY / CTN

ARTALUX Lighting 
AR 725A
Lampu Tancap Taman
CREE
5W / 500lm
AC 160-260V / 50-60Hz
Black
Aluminum, PVC
38°
IP65
80
100pcs

3000K




bisa diputar



Brand
Item No.
Description
Chip
Power
Input Voltage
Size
Body Color
Material
IP Grade
QTY / CTN

ARTALUX Lighting 
AR 705
Lampu Taman
Epistar
5W LED
220V 50-60Hz
41 x 70 x 280mm
Black
Aluminium
IP65
RA≥80
50pcs

3000K



Brand
Item No.
Description
Chip
Power
Input Voltage
Size
Body Color
Material
IP Grade
QTY / CTN

ARTALUX Lighting 
AR 725
Lampu Taman
Epistar
5W
85-265V
Ø43 x 85 x 240mm
Black
Aluminum
IP65
50pcs

3000K





AR 770A 12W

AR 770B 12W

AR 770 25W

Brand
Item No.

ARTALUX Lighting 

AR 770A-12W 220V

AR 770B-12W 12V

AR 770B-12W 220V

AR 770-25W 220V

Lampu Tancap Taman

Bridgelux

100-240V / 50-60Hz

Black



Aluminum, Glass

30°

IP65

CRI 80


Description
Chip
Input Voltage
Body Color
Material
Beam Angle
IP Grade
CRI



Item No.	Lumen	Size	QTY/CTN
AR 770A 12W	1200lm	Ø80 x 330mm	20pcs
AR 770B 12W	1200lm	Ø85 x 330mm	20pcs
AR 770 25W	2000lm	Ø105 x 330mm	10pcs

3000K





Bisa diatur





Brand
Item No.
Description
Chip
Power
Input Voltage
Body Color
Material
IP Grade
Beam Angle

QTY / CTN

ARTALUX Lighting 
AR 776
Lampu Tancap Taman
Bridgelux
12W
85-265V
Black
Aluminum Alloy
IP65
36°
Ra>90
10pcs

3000K



Brand
Item No.
Description
Chip
Input Voltage

Body Color
Material
IP Grade
CRI

CENTROLUX 
CE 922
Lampu Taman Tancep
CREE
220V
12-24V
Black
Aluminum
IP65
CRI≥80



3000K



Item No.	Size	QTY/CTN
CE 906T 7W	50 x 125mm	20pcs
CE 906T 12W	64 x 138mm	20pcs
CE 906T 20W	76 x 185mm	10pcs

AR 707A

AR 707B



bisa diputar



Brand
Item No.


Description
Chip
Power / Lumen
Body Color
Material
Beam Angle
IP Grade
CRI
QTY / CTN

ARTALUX Lighting 
AR 707A 220V
AR 707B 12-24V
AR 707B 220V
Lampu Tancap Taman
Bridgelux
7W / 700lm
Black
Aluminum, Glass
30°
IP65
CRI 80
50pcs

3000K



VII. Lampu Lantai




Brand
Item No.
Description

Input Voltage
Size
Body Color
Material

IP Grade
QTY / CTN

ARTALUX Lighting 
AR 0437
Lampu Lantai MR16
max 50W
12-220V / 50-60Hz
Ø100 × 85mm
Silver
Stainless Steel, Aluminum,
Glass
IP67
20pcs



Brand
Item No.
Description
Input Voltage
Size
Body Color
Material
IP Grade
QTY / CTN


ARTALUX Lighting 
AR 0417
Lampu Lantai MR16
12-220V / 50-60Hz
Ø90 × 90mm
Silver
Stainless Steel, Glass
IP67
20pcs

AR 041/1L

AR 041/2L

AR 048/1L

AR 048/2L



Brand
Item No.
Description

Input Voltage
Size
IP Grade
QTY / CTN

ARTALUX Lighting 
AR 041 / AR 048
Lampu Lantai MR16
MAX 50W
100-240V 50-60Hz
Ø100 × 105mm
IP65
20pcs

Body Color

AR 041 Stainless
AR 048 Black

Material

AR 041
Stainless Steel, Glass
AR 048
Die-casting, Glass



Brand
Item No.
Description

ARTALUX Lighting 

AR 0478

Lampu Lantai MR16
MAX 50W

Input Voltage
Size

12-220V

Ø110 x 155mm

Body Color
Material


Silver

Stainless Steel, Aluminum,
Glass

IP Grade
QTY / CTN

IP65

20pcs



Bisa diatur arah



Brand
Item No.
Description

ARTALUX Lighting 

AR 0447

Lampu Lantai MR16
max 50W

Input Voltage
Size

12-220V

Ø120 x 130mm

Body Color
Material


Silver


Stainless Steel, Glass,
Aluminum, PVC

IP Grade
QTY / CTN

IP67

20pcs





AR4178A 100mm
AR4178B 120mm

Brand
Item No.
Description
Chip
Input Voltage
Body Color
Material
IP Grade
QTY/CTN


ARTALUX Lighting 
AR 4178
Lampu Lantai
Bridgelux
220V 50-60Hz
Black
Aluminum
IP54
Ra≥80
50pcs



3000K




Item No.	Power	Size
AR 4178A	3W	Ø100 × 35mm
AR 4178B	5W	Ø120 × 35mm



Brand
Item No.
Description
Chip
Power
Input Voltage
Size
Body Color
Material
IP Grade
Beam Angle
QTY / CTN

ARTALUX Lighting
AR 0477
Lampu Lantai
Bridgelux
12W
AC100-240V 50/60Hz
Ø160 x 90mm
Silver
Stainless, Aluminum, Glass
IP65
30°
12pcs


3000K



Brand
Item No.
Description
Chip
Power
Input Voltage
Size
Body Color
Material
IP Grade
QTY / CTN



ARTALUX Lighting
AR 5205
Lampu Lantai
Epistar
3W
AC85-265V
Ø65 x 80mm
Silver
Stainless, Aluminum, Glass
IP65
50pcs

3000K



AR 420I 220V
AR 520I 220V/12V

AR 420I 12V/24V
AR 520I 24V




Item No.	Size	QTY/CTN
AR 420I 12V	Ø42 X 45mm	50pcs
AR 420I 24V	Ø42 X 45mm	100pcs
AR 420I 220V	Ø42 x 70mm	50pcs
AR 520I 24V	Ø52 x 45mm	100pcs
AR 520I 12V	Ø52 x 80mm	50pcs
AR 520I 220V/12V	Ø52 x 80mm	50pcs

Brand
Item No.
Description
Chip
Power
Material
IP Grade


ARTALUX Lighting
AR 420I / AR 520I
Lampu Lantai
Epistar
3W
Stainless Steel 304
IP65

3000K






Brand	ARTALUX Lighting 
Item No.	AR 5202
Description	Lampu Lantai
Chip	Bridgelux
Power / Lumen	3W / 240lm
Input Voltage	100-240V 50-60Hz
Size	Ø27.5 x 67mm
Body Color	Black
Material	Aluminum, Glass
IP Grade	IP65
Beam Angle	30°
QTY/CTN	100pcs





Brand	ARTALUX Lighting 
Item No.	AR 5206
Description	Lampu Lantai
Chip	Epistar
Power	7WCOB
Input Voltage	AC85-265V
Size	Ø65 x 85mm
Material	Aluminum
IP Grade	IP65
QTY / CTN	50pcs




AR 044  1 Arah AR 045  2 Arah  		Brand Item No. Description Chip Power / Lumen Input Voltage Size Body Color Material IP Grade Beam Angle QTY / CTN	ARTALUX Lighting AR 044 / AR 045 Lampu Lantai Bridgelux AR 044 3W / 240lm AR 045 6W / 480lm AC 100-240V / 50-60Hz AC/DC 12/24V Ø85 x 90mm Black Aluminum, Glass IP65 30° 50pcs
--	---	---	---


3000K




AR 011A  1 Arah AR 011B  2 Arah AR 011D  4 Arah   		Brand Item No. Description Chip Power / Lumen Input Voltage Size Body Color Material IP Grade Beam Angle QTY / CTN	ARTALUX Lighting AR 011 Lampu Lantai Bridgelux 3W / 240 lm AC 100-240V / 50-60Hz Ø42 x 83mm Black Aluminum, PVC IP65 30° CRI 80 100pcs
---	--	---	--


3000K




AR 4205A  1 Arah AR 4205B  2 Arah AR 4205C  3 Arah AR 4205H     		Brand Item No. Description Chip Power Body Color Material IP Grade QTY / CTN Size Input Voltage	ARTALUX Lighting AR 4205 Lampu Lantai CREE 3W Silver Aluminum IP65 50pcs A/B/C Ø52 x 90mm H Ø52 x 80mm A/B 12V, 220V C/H 220V
--	---	--	---

3000K






VIII. Lampu Kolam




Brand
Item No.
Description
Input Voltage
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 0526
Lampu Kolam MR16
12-24V
Silver
Stainless Steel
IP68
20pcs




Brand
Item No.
Description
Input Voltage
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 0515
Lampu Kolam MR 16
Max 50W
12-24V
Silver
Stainless Steel, Glass
IP68
20pcs



Brand
Item No.
Description
Input Voltage
Size
Cable Length
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 0585
Lampu Kolam MR 16
Max 50W
12-24V
Ø85 x 127mm
1 meter
Silver
Stainless Steel 316
IP68
30pcs




Brand
Item No.
Description

Input Voltage
Size
Body Color
Material
IP Grade
QTY/CTN


ARTALUX Lighting 
AR 0575

Lampu Kolam MR16
Max 50W
12-24V/220V
Ø100 x 100mm
Silver Satin
Stainless 316
IP68
48pcs

AR 0525 18W

AR 0525 12W

Brand ARTALUX Lighting 

Item No. AR 0525

Description Lampu Kolam LED

IP Grade IP68

Cable Size 2x0.75mm x 2000mm

Body Color Silver

Material Stainless Steel, Acrylic

QTY/CTN 10pcs

Input Voltage 3000K AC/DC 12-24V
6000K AC/DC 12-24V
RGB AC12V

Size

12W Ø230 x 50mm
18W Ø290 x 50mm


3000K 6000K RGB



AR 0516 16W



AR 0509 9W

Brand ARTALUX Lighting 

Item No. AR 0509 9W
AR 0516 16W

Description Lampu Kolam LED

Input Voltage AC/DC 12-24V

Size 9W Ø250 x 50mm
16W Ø300 x 60mm

Cable Size 2x0.75mm x 1900mm

IP Grade IP68


Body Color White Sand

Material PVC, Acrylic

QTY/CTN 10pcs

CCT 9W 3000K, 6500K
16W 3000K


3000K 6500K



AR 0518 18W



AR 0513 / AR 0517 13W

Brand ARTALUX Lighting 

Item No. AR 0513 13W
AR 0517 13W
AR 0518 18W

Description Lampu Kolam LED

Chip Epistar SMD

IP Grade IP68

Body Color Silver

Material Stainless Steel, Acrylic


QTY/CTN 10pcs

Input Voltage 3000K AC/DC 12-24V
RGB AC12V

Item No.	Size	Cable Size	CCT
AR 0513 13W	Ø220 x 65mm	2 x 1 x 1900mm	3000K / 6500K / RGB
AR 0517 13W	Ø220 x 65mm	4 x 0.75 x 1900mm	RGB Remotable
AR 0518 18W	Ø280 x 65mm	2 x 1 x 1900mm	3000K / RGB

3000K RGB



AR 0487**AR 0497**



Brand
Item No.
Description
Chip
Cable Length
Body Color
Material
IP Grade
QTY / CTN

ARTALUX Lighting 
AR 0487, AR 0497
Lampu Kolam
Epistar
1000mm
Silver
Stainless Steel, Glass
IP68
20pcs

Input Voltage


3000K AC/DC 12-24V
RGB AC12V

Item No.	Power	Size	CCT
AR 0487	6W	Ø130 x 80mm	RGB
AR 0497	12W	Ø160 x 80mm	3000K, RGB



Brand
Item No.
Description
Power
Input Voltage
Size
Body Color
Material
IP Grade
QTY / CTN

ARTALUX Lighting 
AR 0510
Lampu Kolam
9W
AC/DC 12V
Ø190 x 50mm
Silver/White
IP68
10pcs




Brand
Item No.
Description
Power
Chip
Cable Length
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 780
Lampu Kolam
10W
Epistar COB
1,5meter
Black
Stainless, Glass
IP68
50pcs

Input Voltage

3000K AC/DC 12V
6500K AC/DC 12V
RGB DC12V






Brand
Item No.
Description
Chip
Power
Input Voltage
Body Color
Material
IP Grade
CRI
Beam Angle
QTY / CTN



ARTALUX Lighting
AR 052 I
Lampu Kolam
SMD XPE CREE
5W
AC/DC 12V-24V
Silver
Stainless Steel 304
IP68
CRI≥80
10°
50pcs

3000K



12W


18W



Brand
Item No.
Description
Chip
Power / Lumen
Input Voltage
Body Color
Material
IP Grade
CRI
Beam Angle
QTY / CTN

ARTALUX Lighting
AR 051 I
Lampu Kolam
SMD 3030 Osram
12W / 1200lm
18W / 1800lm
AC/DC 12V-24V
Black
6063 Aluminum
IP68
CRI≥80
24°
30pcs


3000K



Brand
Item No.
Description
Power
Input Voltage
Size
Cable
Body Color
Material
IP Grade
QTY / CTN


ARTALUX Lighting
AR 0467
Lampu Kolam
12W
AC12V
Ø145mm
1000mm
Silver
Stainless Steel, Glass
IP68
20pcs

3000K



RGB







Brand
Item No.
Description
Chip
Power
Input Voltage
Size
Cable
Body Color
Material
IP Grade
Beam Angle
QTY / CTN

ARTALUX Lighting
AR 0514
Lampu Kolam
CREE
10W
DC/AC 12V
Ø75 x 90mm
1500x2x0.75mm
Silver
Stainless Steel, Glass
IP68
30°
20pcs

3000K



6500K



Brand
Item No.
Description
Chip
Power
Input Voltage
Size
Body Color
Material
IP Grade
QTY / CTN

ARTALUX Lighting
AR 5305
Lampu Kolam
CREE
7W
DC12V
Ø62 x 45mm
Silver
IP68
100pcs

3000K




Brand
Item No.
Description
Power
Input Voltage
Size
Cable
Body Color
Material
IP Grade
Beam Angle
QTY / CTN

ARTALUX Lighting
AR 0519
Lampu Kolam LED
10W
RGB AC 12V
3000K AC/DC 12V
Ø150 x 100mm
1500mm
Silver
IP68
45°
20pcs

3000K

RGB






IX. Kap Sorot



10W 82.88mm
20W 95.2mm
30W 121.8mm
50W 159.9mm
100W 210mm
150W
200W 270.1mm

10W 24mm
20W 26.5mm
30W 30.1mm
50W 30.1mm
100W 30mm
150W
200W 31.5mm

10W 102.85mm
20W 120.7mm
30W 159.8mm
50W 205.9mm
100W 270mm
150W
200W 370.1mm



Brand
Item No.
Description
Chip
Input Voltage
Body Color
Material
IP Grade
CRI / PF
Beam Angle

ARTALUX Lighting
AR 821 I
Kap Sorot
SMD2835
AC220-240V 50/60Hz
Black
Aluminum, Glass
IP66
CRI≥80 / PF≥0.9
120°


Item No.	Lumen	Size	QTY/CTN
AR 821 I 10W	900lm	102.85 × 82.88 × 24mm	50pcs
AR 821 I 20W	1800lm	120.7 × 95.2 × 26.5mm	50pcs
AR 821 I 30W	2700lm	159.8 × 121.8 × 30.1mm	20pcs
AR 821 I 50W	4500lm	205.9 × 159.9 × 30.1mm	20pcs
AR 821 I 100W	9000lm	270 × 210 × 30mm	10pcs
AR 821 I 150W	13500lm		5pcs
AR 821 I 200W	18000lm	370.1 × 270.1 × 31.5mm	5pcs

6500K



Brand
Item No.
Description
Power
Input Voltage
Size
Body Color
Material
IP Grade
QTY / CTN


BRIGHTLITE
BL 957
Kap Sorot
50W
180-240V 50/60Hz
200 × 95 × 20mm
IP65
50pcs




3000K



6500K





50W	170mm
100W	203mm
200W	270mm
400W	320mm
500W	380mm
1000W	490mm

50W	130mm
100W	158mm
200W	200mm
400W	230mm
500W	283mm
1000W	330mm

50W	170mm
100W	205mm
200W	275mm
400W	324mm
500W	385mm
1000W	495mm

50W	95mm
100W	120mm
200W	145mm
400W	160mm
500W	220mm
1000W	255mm

50W	17mm
100W	17mm
200W	17mm
400W	17mm
500W	20mm
1000W	20mm

Brand
Item No.
Description
Input Voltage
Body Color
Material
IP Grade
CRI / PF

BRIGHTLITE
BL 918
Kap Sorot
185-265V 50/60Hz
Gray

IP66
CRI≥80 / PF≥0.9



Item No.	Lumen	Size	QTY/CTN
BL 918 50W	6000lm	170 x 130 x 28mm	40pcs
BL 918 100W	12000lm	203 x 158 x 28mm	30pcs
BL 918 200W	24000lm	270 x 200 x 28mm	20pcs
BL 918 400W	48000lm	320 x 230 x 28mm	20pcs
BL 918 500W	60000lm	380 x 283 x 28mm	10pcs
BL 918 1000W	120000lm	490 x 330 x 28mm	10pcs

6500K



200W	255mm
300W	310mm
400W	370mm

200W	285mm
300W	345mm
400W	420mm

200W	55mm
300W	60mm
400W	60mm

Brand
Item No.
Description
Chip
Input Voltage
Body Color
Material
IP Grade
CRI / PF

BRIGHTLITE
BL 953
Kap Sorot
Epistar
185-265V 50/60Hz
Black

IP66
CRI≥80 / PF≥0.9




Item No.	Lumen	Size	QTY/CTN
BL 953 200W	24000lm	285 x 255 x 55mm	5pcs
BL 953 300W	36000lm	345 x 310 x 60mm	5pcs
BL 953 400W	48000lm	420 x 370 x 60mm	1pc


6500K



AR 8219 400W



AR 8219 200W



Brand
Item No.
Description
Chip
Input Voltage
Body Color
Material
IP Grade
PF / CRI
QTY / CTN

ARTALUX Lighting
AR 8219
Kap Sorot
Bridgelux
110-240V 50/60Hz
Gray
Aluminum
IP65
PF≥0.9 / CRI≥80
1pc

Bisa Diputar



6500K



Item No.	Lumen	Size
AR 8219 200W	24000lm	287 x 403 x --mm
AR 8219 400W	48000lm	495 x 403 x --mm

Model B 200W



+

Model A 200W



=

Model A+B 400W




Model A+2B 600W



Model A+3B 800W



Model A+4B 1000W



Brand
Item No.
Description
Chip
LED Driver

ARTALUX Lighting
AR 8216
Kap Sorot
SMD 2835 Lumileds Chip
Philips Xitanium Xi
EP 200W

Input Voltage
Size
Body Color
Material
IP Grade
CRI / PF

AC 100-277V 50/60Hz
400 x 45 x 150mm
Gray
Aluminum
IP66
CRI≥80 / PF≥0.9
Ra≥70

Beam Angle
Rated Current
Ambient Temp.
Withstand V
Grounding
Insulation
QTY / CTN

80°
0.91A
-30°+40°
AC1500V
<500Ω
500V
1pc


6500K



Model	Power	Lumen
Model A	200W	4000lm
Model B	200W	4000lm
Model A + B	400W	8000lm
Model A + 2B	600W	12000lm
Model A + 3B	800W	16000lm
Model A + 4B	1000W	20000lm



AR 8215 200W




AR 8215 300W



AR 8215 500W



500W 672mm
1000W 750mm



AR 8215 1000W



Brand
Item No.
Description
Chip
Input Voltage
LED Driver
Body Color
Material
IP Grade
CRI / PF
QTY/CTN

ARTALUX Lighting
AR 8215
Kap Sorot
Bridgelux
ACI 10-240V50/60Hz
Philips Xitanium Xi EP LV
Black
Aluminum
IP66
CRI>80 / PF>0.9
1pc

Item No.	Lumen	LED Driver	Size
AR 8215 200W	24000lm	200W	355 x 330mm
AR 8215 300W	30000lm	150W*2	358 x 429mm
AR 8215 500W	60000lm	250W*2	672 x 397mm
AR 8215 1000W	150000lm	200W*5	750 x 520mm

Bisa Diputar




6500K



400W



300W





Brand
Item No.
Description
Chip
Driver
Input Voltage
Body Color
Material
IP Grade
CRI / PF
QTY/CTN

ARTALUX Lighting
AR 8217
Kap Sorot
SMD2835 Lumileds
Philips Xitanium Xi Ep LV
ACI 10-240V 50-60Hz
Gray
CRI≥80 / PF≥0.9
1pc

Item No.	Lumen	Size
AR 8217 300W	45000lm	610 x 396 x 55mm
AR 8217 400W	60000lm	415 x 396 x 55mm

6500K





Brand
Item No.
Description
Lumen
Battery Type

ARTALUX Lighting 
AR 5855

Kap Sorot Solar
100 lm/W
Lithium-Ion 3.2V

100W 10AH
200W 15AH
300W 20AH
400W 25AH

Body Color
Material


Black
Aluminum (Lamp)
Polycrystalline (Panel)

IP Grade
Charging Time
Working Time
Install Height
Cable Length

IP66
5-6 hours
8-12 hours
5-8m
2m

6500K

Item No.	LED Lamp	Solar Panel	Size Lampu	Size Panel	QTY/CTN
AR 5855 100W	40pcs 5050SMD	5V10W	230 x 195 x 45mm	205 x 310 x 16mm	8pcs
AR 5855 200W	60pcs 5050SMD	5V15W	275 x 235 x 45mm	230 x 390 x 17mm	6pcs
AR 5855 300W	84pcs 5050SMD	5V 20W	330 x 280 x 45mm	300 x 390 x 17mm	5pcs
AR 5855 400W	105pcs 5050SMD	5V 25W	360 x 310 x 45mm	360 x 390 x 17mm	5pcs




Brand
Item No.
Description
Chip
Power
Input Voltage
Size
Body Color
Material
IP Grade
Beam Angle

ARTALUX Lighting
AR 4110
Kap Sorot
SMD2835 Lumileds
7W
DC 24V
165 x 45 x 32mm
Black
IP65
15°
Ra≥80
50pcs

QTY / CTN

3000K




Brand
Item No.
Description
Chip
Power
Input Voltage
Size
Body Color
Material
IP Grade
QTY / CTN

ARTALUX Lighting
AR 820
Kap Sorot
Bridgelux SMD3535
12W
100-240V
246 x 76 x 50mm
Gray
Aluminum, Acrylic
IP65
20pcs

Bisa Disambung




3000K



RGB





Brand
Item No.
Description
Chip
Power
Input Voltage
Size
Body Color
Material
IP Grade

ARTALUX Lighting 

AR 810


Kap Sorot
SMD2835 Philips
72W
100-240V
Ø190 x 135mm
Gray

IP 65
Ra ≥80
30°
6pcs

QTY / CTN

6500K





Brand
Item No.
Description
Chip
Power
Input Voltage
Body Color
Material
IP Grade
Beam Angle
Distance
Trafo
QTY/CTN

ARTALUX Lighting
AR 8550
Kap Sorot
CREE
500W
AC220-240V 50/60Hz
Gray
Aluminum
IP65
10°
50m
Meanwell
1pc

6500K




Brand
Item No.
Description
Chip
Input Voltage
Body Color
Material
IP Grade
Beam Angle
QTY/CTN

ARTALUX Lighting
AR 855
Kap Sorot
Bridgelux
AC220-240V 50/60Hz
Gray
IP67
24°
CRI≥80
10pcs

3000K



Item No.	Lumen	Size
AR 855 18W	2700lm	154 × 119 × 200mm
AR 855 36W	5400lm	204 × 140 × 225mm
AR 855 50W	7500lm	232 × 242 × 275mm




Brand
Item No.
Description
Chip
Power
Input Voltage
Size
Cable Size
Body Color
Material
IP Grade
Beam Angle
QTY / CTN

ARTALUX Lighting
AR 772
Kap Sorot
Bridgelux
25W
85-265V
Ø115 × 245mm
1m × 7.5mm
Grey
Aluminum
IP66
PF>0.5
24°
20pcs

3000K

6500K





12W 345cm
18W-50cm 500mm
18W-1m 1000mm
24W-1m 1000mm
36W-1m 1000mm

12W 45cm
18W-50cm 45mm
18W-1m 35mm
24W-1m 35mm
36W-1m 40mm

12W 30cm
18W-50cm 30mm
18W-1m 25mm
24W-1m 25mm
36W-1m 30mm

12W 50cm
18W-50cm 50mm
18W-1m 35mm
24W-1m 35mm
36W-1m 50mm



Sparepart



Brand
Item No.
Description
Body Color
Material
IP Grade
QTY/CTN


ARTALUX Lighting
AR 821 I
Kap Sorot (Wall Washer)
Gray
Aluminum, Glass
IP66
10pcs


Item No.	Input Voltage	Size	Cahaya
AR W49 12W	220V / 24V	345 x 45 x 30+50mm	3000K
AR W49 18W-50cm	220V	500 x 45 x 30+50mm	3000K
AR W49 18W-1m	220V	1000 x 35 x 25+35mm	3000K
AR W49 24W-1m	220V	1000 x 35 x 25+35mm	3000K
AR W49 36W-1m	220V	1000 x 45 x 30 + 50mm	3000K
AR W49 36W-1m	220V	1000 x 45 x 30 + 50mm	RGB
AR W49 36W-1m	24V	1000 x 45 x 30 + 50mm	RGB DMX



Brand
Item No.
Description
Chip
Power
Input Voltage
Size
Body Color
Material
IP Grade
Beam Angle
PF
QTY / CTN

ARTALUX Lighting
AR 933
Kap Sorot
CREE
30W
85-265V
150 x 140 x 90mm
Gray Leopard
Aluminum
IP65
10°
PF > 0.5
12pcs







Brand
Item No.
Description
Chip
Power / Lumen
Input Voltage
Body Color
Material
IP Grade
Beam Angle
CRI
QTY / CTN

ARTALUX Lighting 
AR 725D
Kap Sorot
CREE
5W / 500lm
AC 160-265V / 50-60Hz
Black
Aluminum, PVC
IP65
5°
80
100pcs


3000K



Brand
Item No.
Description
Chip
Power / Lumen
Input Voltage
Body Color
Material
IP Grade
Beam Angle
CRI
QTY / CTN

ARTALUX Lighting 
AR 726
Kap Sorot
CREE
10W / 1000lm
AC 160-265V / 50-60Hz
Black
Aluminum, PVC
IP65
5°
80
20pcs

3000K




Brand
Item No.
Description
Chip
Power / Lumen
Input Voltage
Body Color
Material
IP Grade
Beam Angle
CRI
QTY / CTN

ARTALUX Lighting 
AR 935
Kap Sorot
CREE
10W / 1100lm
AC 160-265V / 50-60Hz
Black
Aluminum, PVC
IP65
5°
80
20pcs

3000K




X. Lampu Jalan



Brand
Item No.
Description
Chip
Power
Input Voltage
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 950
Lampu Jalan
Bridgelux
50W
100-240V 50/60Hz
Gray

IP65
1pc



Brand
Item No.
Description
Chip
Power / Lumen
Input Voltage
Size
Pipe Size
Body Color
Material
IP Grade
CRI / PF
QTY/CTN

BRIGHTLITE 
BL 912-50W
Lampu Jalan
3030SMD
50W / 5000lm
100-240V 50/60Hz
400 x 140 x 45mm
1.5inch
Gray

IP66
CRI≥70 / PF≥0.95
10pcs

6500K



200W


150W

100W

50W



50W 160mm
100W 188mm
150W 213mm
200W 238mm



Brand
Item No.
Description
Chip
Input Voltage
Body Color
Material
Pipe Size
IP Grade
CRI / PF

BRIGHTLITE 
BL 913
Lampu Jalan
Epistar
AC 185-265V 50/60Hz
Black
Iron Plate
Ø40mm / 1.5in
IP66
CRI≥80 / PF≥0.9

6500K



Item No.	Lumen	Size	QTY/CTN
BL 913 50W	6000lm	320 x 160 x 20mm	40pcs
BL 913 100W	12000lm	395 x 188 x 20mm	30pcs
BL 913 150W	18000lm	430 x 213 x 20mm	20pcs
BL 913 200W	24000lm	455 x 238 x 20mm	20pcs

150W 100W 50W



50W 210mm
100W 270mm
150W 320mm

50W 490mm
100W 730mm
150W 850mm

50W 45mm
100W 60mm
150W 60mm

50W 50mm
100W 65mm
150W 65mm

Brand
Item No.
Description
Chip
Input Voltage
Body Color
Material
IP Grade
CRI / PF
QTY/CTN

BRIGHTLITE
BL 911
Lampu Jalan
Epistar
AC 100-265V 50/60Hz
Black

IP66
CRI≥80 / PF≥0.95
1 pc

Item No.	Lumen	Size
BL 911 50W	5000lm	490 × 210 × 50mm
BL 911 100W	10000lm	730 × 270 × 65mm
BL 911 150W	15000lm	850 × 320 × 65mm

200W 150W 100W 50W



50W 210mm
100W 230mm
150W 240mm
150W 300mm

50W 490mm
100W 620mm
150W 720mm
150W 850mm

50W 40mm
100W 50mm
150W 50mm
150W 50mm

50W 55mm
100W 65mm
150W 65mm
150W 65mm

Brand
Item No.
Description
Chip
Input Voltage
Body Color
Material
IP Grade
CRI / PF
QTY/CTN

BRIGHTLITE
BL 930
Lampu Jalan
Epistar
185-265V 50/60Hz
Black

IP65
CRI≥80 / PF≥0.9
1 pc

Item No.	Lumen	Size
BL 930 50W	6000lm	490 × 210 × 55mm
BL 930 100W	12000lm	620 × 230 × 65mm
BL 930 150W	18000lm	720 × 240 × 65mm
BL 930 200W	24000lm	850 × 300 × 65mm

100W 50W 30W



30W 130mm
50W 150mm
100W 180mm

30W 260mm
50W 320mm
100W 390mm

180mm
50mm


Brand
Item No.
Description
Pipe Size
Body Color
Material
IP Grade

ARTALUX Lighting
AR 9118
Lampu Jalan
2inch
Gray

IP66
PF 0.95 / CRI≥80

Item No.	Lumen	Voltage	Size	QTY/CTN
AR 9118 30W	3000lm	180-265V 50/60Hz	330 × 130 × 50mm	20pcs
AR 9118 50W	5000lm	180-265V 50/60Hz	500 × 150 × 50mm	10pcs
AR 9118 100W	10000lm	220-240V 50/60Hz	570 × 180 × 50mm	6pcs





Brand ARTALUX Lighting 

Item No. AR 836

Description Lampu Jalan

Chip Bridgelux

Input Voltage 110-240V 50/60Hz

Body Color Gray

Material Aluminum, Polycarbonate


IP Grade IP66

CRI / PF CRI 80 / P.F. ≥0.9

Adjustable Angle 70° 140°

QTY/CTN Hex socket set crews
50W 20pcs **100W** 10pcs
150W 10pcs **200W** 5pcs

Item No.	Lumen	Size
AR 836 50W	6000lm	445 x 113 x Ø64mm
AR 836 100W	12000lm	500 x 128 x Ø64mm
AR 836 150W	18000lm	565 x 166 x Ø64mm
AR 836 200W	24000lm	682 x 198 x Ø64mm



Brand ARTALUX Lighting 

Item No. AR 9115

Description Lampu Jalan

Chip 3030SMD

Input Voltage 100-240V 50/60Hz

Pipa 2inch


Body Color Black

Material

IP Grade IP66

CRI / PF PF≥0.9 CRI≥70

Item No.	Size	QTY/CTN
AR 9115 30W	390 x 120 x Ø85mm	15pcs
AR 9115 50W	475 x 155 x Ø85mm	10pcs
AR 9115 100W	540 x 175 x Ø85mm	8pcs
AR 9115 150W	600 x 200 x Ø85mm	8pcs



Brand ARTALUX Lighting 

Item No. AR 9110

Description Lampu Jalan

Chip Bridgelux

Input Voltage 110-240V 50-60Hz

Body Color Black


Material

IP Grade IP66

CRI / PF CRI≥70 / PF≥0.9

Item No.	Lumen	Size	QTY/CTN
AR 9110 50W	5500lm	424 x 173mm	10pcs
AR 9110 100W	11000lm	506 x 212mm	1pc
AR 9110 150W	165000lm	601 x 226mm	1pc

6500K



Brand
Item No.
Description
Chip
Input Voltage
Body Color
Material
IP Grade
CRI / PF
QTY / CTN

ARTALUX Lighting 
AR 898
Lampu Jalan
Bridgelux
ACI 10-240V 50-60Hz
Gray


IP66
CRI≥80 / PF≥0.9
1pc



6500K



Item No.	Lumen	LED Lamp	Size
AR 898 50W	6000lm	100pcs SMD2835	500 x 160 x Ø60mm
AR 898 100W	12000lm	200pcs SMD2835	636 x 211 x Ø60mm
AR 898 150W	18000lm	300pcs SMD2835	676 x 255 x Ø60mm




Brand
Item No.
Description
Chip
Power / Lumen
Input Voltage
Size
Body Color
Material
IP Grade
CRI / PF
QTY/CTN

ARTALUX Lighting 
AR 856
Lampu Jalan
Bridgelux
50W / 600lm
100W / 12000lm
ACI 10-240V 50-60Hz
Ø466 x 565mm
Gray
Aluminum, Glass
IP66
CRI≥90 PF.≥0.9
1pc

3000K



6500K




Brand
Item No.
Description
Chip
Power / Lumen
Input Voltage
Size
Body Color
Material
IP Grade
CRI / PF
QTY/CTN

ARTALUX Lighting 
AR 870
Lampu Jalan
Bridgelux
100W / 1000lm
ACI 10-240V 50-60Hz
Ø458 x 150mm
Gray
Aluminum, Acrylic
IP66
CRI≥90 PF.≥90
1pc

3000K







100W 505mm
200W 550mm
300W 595mm

100W 200mm
200W 220mm
300W 240mm



Brand ARTALUX Lighting 

Item No. AR 884

Description Lampu Jalan Solar

Lumen 100 lm/W

Battery Type Lithium-Ion 3.2V

100W 45AH

200W 55AH

300W 70AH

Material Aluminum (Lamp)
Polycrystalline (Panel)

Body Color Gray

IP Grade IP66

Charging Time 5-6 hours

Working Time 8-12 hours

6500K




Item No.	LED Lamp	Solar Panel	Size Lampu	Size Panel	QTY/CTN
AR 884 100W	60pcs 2240 SMD	6V 40W	505 x 200 x ---mm	670 x 445 x 25mm	1pc
AR 884 200W	120pcs 2240 SMD	6V 50W	550 x 220 x ---mm	670 x 540 x 25mm	1pc
AR 884 300W	150pcs 3030 SMD	6V 70W	595 x 240 x ---mm	670 x 760 x 25mm	1pc

400W



200W





200W 212mm
400W 226mm

200W 506mm
400W 601mm

Ø60mm



Brand ARTALUX Lighting 

Item No. AR 9755

Description Lampu Jalan Solar

Lumen 150 lm/W

Battery Type Lithium-Ion 3.2V

200W 20AH

400W 30AH

Body Color Aluminum (Lamp)
Polycrystalline (Panel)

IP Grade IP66

Charging Time 5-6 hours

Working Time 8-12 hours

6500K



Item No.	LED Lamp	Solar Panel	Size Lampu	Size Panel	QTY/CTN
AR 9755 200W	114pcs 5050SMD	5V 20W	506 x 212mm	390 x 300mm	1pc
AR 9755 400W	174pcs 5050SMD	5V 30W	601 x 226mm	430 x 390mm	1pc

300W




200W



100W





100W 550mm
200W 660mm
300W 855mm

100W 288mm
200W 332mm
300W 350mm

60mm
170mm



Brand ARTALUX Lighting 

Item No. AR 9223

Description Lampu Jalan Solar

Lumen 100 lm/W

Body Color Gray

Material Aluminum, Polycrystalline

IP Grade IP66

Charging Time 5-6 hours

Working Time 8-12 hours

6500K



Tiang L




Tiang I



Item No.	LED Lamp	Solar Panel	Battery	Size	QTY/CTN
AR 9223 100W	100pcs 3030 SMD	6V 14W	3.2V 12AH	550 x 288mm	1pc
AR 9223 200W	180pcs 3030 SMD	6V 24W	3.2V 20AH	660 x 332mm	1pc
AR 9223 300W	240pcs 3030 SMD	6V 36W	3.2V 36AH	855 x 350mm	1pc

XI. High Bay



Brand
Item No.
Description
Chip
Power / Lumen

ARTALUX Lighting 
AR 7112 / AR 7113
High Bay
3030SMD
AR 7112 150W 15000lm
AR 7113 200W 20000lm


Input Voltage
Size
Body Color
Material
IP Grade
CRI / PF
QTY/CTN

100-240V 50/60Hz
Ø450 x 295mm
Silver
IP65
CRI≥70 / PF≥0.9
1pc

6500K



100W Ø200mm
150W, 200W Ø265mm



100W 270mm
150W, 200W 280mm

100W Ø450mm
150W, 200W Ø490mm


Brand
Item No.
Description
Chip
Body Color
Material
IP Grade
CRI / PF
QTY/CTN

ARTALUX Lighting 
AR 7100
High Bay
Bridgelux
Silver
Aluminum
IP44
CRI≥80 / PF≥0.9
1pc

6500K



Item No.	Lumen	Input Voltage	Size
AR 7100 100W	11000lm	AC110-240V / 50-60Hz	Ø450 x 270mm
AR 7100 150W	16500lm	AC100-240V / 50-60Hz	Ø490 x 280mm
AR 7100 200W	22000lm	AC100-240V / 50-60Hz	Ø490 x 280mm



Brand
Item No.
Description
Chip
Power / Lumen
Input Voltage
Size
Body Color
Material
IP Grade
CRI / PF
QTY/CTN

ARTALUX Lighting
AR 7505
High Bay
Bridgelux
50W / 6000lm
AC110-240V 50/60Hz
Ø230 x 150mm
Black
Aluminum
IP66
PF≥0.9 CRI≥80
1pc

6500K



Brand
Item No.
Description
LED Driver
LED Chip
Power / Lumen


Input Voltage
Body Color
Material
IP Grade
CRI / PF
QTY/CTN

ARTALUX Lighting
AR 7510
High Bay
Philips Xitanium Xi 100W
SMD2835 Lumileds Chip
100W / 15000lm
150W
200W
100-277V / 50-60Hz
Black
Aluminum
IP66
CRI≥80 / PF≥0.9
1pc

6500K



100W 150mm
150W 160mm
200W 170mm



100W 265mm
150W 290mm
200W 350mm




AR 7515

AR 7520


Brand
Item No.
Description
Chip
Body Color
Material
IP Grade
CRI / PF
QTY/CTN

ARTALUX Lighting
AR 7515 / AR 7520
High Bay
Bridgelux
Black
Aluminum, Acrylic
IP66
CRI≥85 PF≥0.95
1pc

6500K



Ø333mm




Ø420mm

Item No.	Lumen	Input Voltage	Size
AR 7515 150W	18000lm	AC110-240V 50-60Hz	Ø333 x 152mm
AR 7520 200W	22000lm	AC100-240V 50-60Hz	Ø420 x 152mm



100W 110mm
150W 120mm
200W 120mm



100W 237mm
150W 277mm
200W 316mm



Brand
Item No.
Description
Chip
Driver
Input Voltage
Body Color
Material
IP Grade
CRI / PF
Beam Angle

CENTROLUX
CE 6518
High Bay
SMD 2835 Lumileds
Philips Xitanium Xi Ep
AC110-240V 50-60Hz
Black

IP66
CRI≥80 / PF≥0.9
90°




Item No.	Lumen	Size	QTY/CTN
CE 6518 100W	15000lm	Ø237 x 110mm	8pcs
CE 6518 150W	22500lm	Ø277 x 120mm	6pcs
CE 6518 200W	30000lm	Ø316 x 120mm	6pcs

6500K



100W 91.1mm
200W 103.2mm



100W Ø270mm
200W Ø330mm

100W 56.1mm
200W 68.2mm


Brand
Item No.
Description
Input Voltage
Body Color
Material
IP Grade
CRI / PF
Beam Angle

BRIGHTLITE
BL 655
High Bay
160-265V 50/60Hz
Black
Aluminum
IP66
CRI≥80
90°



Item No.	Lumen	Size	QTY/CTN
BL 655 100W	15000lm	Ø270 x 91.1mm	10pcs
BL 655 200W	30000lm	Ø330 x 103.2mm	5pcs

6500K



Ø358mm



Brand
Item No.
Description
Chip
Power / Lumen

Input Voltage
Size
Body Color
Material
IP Grade
CRI / PF
Beam Angle
QTY/CTN

BRIGHTLITE
BL 955
High Bay
Epistar
200W / 24000lm
150W / 18000lm
AC100-265V 50/60Hz
Ø358 x 76mm
Black
Aluminum
IP65
CRI≥90 PF≥0.95
90°
1pc



6500K






Gantung di Plafon



Pasang di Tiang

400W 250mm
600W 250mm
1000W 310mm




Brand
Item No.
Description
Chip
Power / Lumen

BRIGHTLITE
BL 919
High Bay
3030SMD
400W / 48000lm
600W / 72000lm
1000W / 90000lm
85-265V 50/60Hz
Black
Aluminum, Glass
IP65
PF≥0.9 CRI≥85
1pc




6500K



120W 295mm
200W 250mm
300W 250mm

120W 320mm
200W 285mm
300W 285mm



Brand
Item No.
Description
Chip
Trafo
Power


ARTALUX Lighting
AR 7120
High Bay
CREE
Meanwell
120W
200W
300W
Black

Body Color
Material
IP Grade
Angle
LED Life
QTY/CTN

IP65
90°
50000 hours
1pc


6500K





XII. LED Strip

AR 2835-220V-50m


6000K 10000K			Brand Item No. Description LED Chip LED QTY Length Size Cut Input Voltage Power Lumen IP Grade CRI QTY/CTN	CENTROLUX CE 2835-60LED-IP33- 5m LED Strip 2835 60LED/m 5m 8mm per 50mm DC12V 7W/m 55-60lm/LED IP33 Ra 90 100pcs
				


2700K 3000K 4000K			Brand Item No. Description LED Chip LED QTY Length Size Cut Input Voltage Power Lumen IP Grade CRI Beam Angle SDCM QTY/CTN	CENTROLUX CE LED Lumileds Strip Light LED Strip Lumileds 120LED/m 5m 8mm per 50mm DC12V / DC24V 12W/m 1200lm/m IP33 CRI≥95 180° ≤3 100pcs
  				



CUT per 50mm

8mm

2700K 		3000K 			Brand Item No. Description LED Chip LED QTY Length Size Cut Input Voltage Power Lumen IP Grade CRI Beam Angle SDCM QTY/CTN	ARTALUX Lighting  AR2835-120LED-5m-12V LED Strip 2835 120LED/m 5m 8mm per 25mm 12V 12W/m 1200lm/m IP33 CRI≥85 180° ≤3 100pcs
4000K 		10000K 				
						



Brand
Item No.

CENTROLUX
CE 5050-60LED-12V-5m

Description
LED Chip
LED QTY
Length
Size
Cut
Input Voltage
Power
Lumen
IP Grade
CRI
QTY/CTN

LED Strip
5050
60LED/m
5m
10 x 3mm
per 50mm
DC12V
14.4W/m
22lm/m
IP33
Ra 80
50pcs



Brand
Item No.

CENTROLUX
CE 2835-120LED-IP67-5m-12V

Description
LED Chip
LED QTY
Length
Size
Cut
Input Voltage
Power
Lumen
IP Grade
CRI
QTY/CTN


LED Strip
2835
120LED/m
5m
9 x 4mm
per 25mm
DC12V
12W/m
55-60lm
IP67
Ra 90
20pcs



3000K



10000K






Brand
Item No.




CENTROLUX
CE COB 512-12V-5m




Description
LED QTY
Length
Size
Cut
Input Voltage
Power
Lumen
IP Grade
CRI
QTY/CTN




LED Strip
512LED/m
5m
10 x 2.2mm
per 30mm
DC12V
12W/m
>1000lm
IP33
Ra 90
50pcs



2700K	3000K		Brand Item No.	ARTALUX Lighting 
				
4000K	6500K		Description LED QTY Length Size Cut Input Voltage Power	AR COB 320LED / 480LED-12V LED Strip 320LED/m / 480LED/m 5m 8 x 2.2mm per 25mm 12V 320LED 12W/m 480LED 14W/m 320LED 1000lm/m 480LED 1200lm/m
				
			Lumen IP Grade CRI QTY/CTN	IP 33 CRI≥80 100pcs
				

2700K	3000K	4000K	Brand Item No.	CENTROLUX 
				
			Description LED QTY Length Size Cut	CE COB 480LED-12/24V LED Strip 480 LED/m 5m 8 x 2.2mm 12V per 25mm 24V per 50mm
12V				
24V			Input Voltage Power Lumen IP Grade CRI Beam Angle QTY/CTN	12V / 24V 14W/m 1200lm/m IP33 CRI≥90 180° 100pcs

2700K	3000K	4000K	Brand Item No.	CENTROLUX 
				
			Description LED QTY Length Size Cut	CE COB 320LED-12/24V LED Strip 320 LED/m 5m 8 x 2.2mm 12V per 25mm 24V per 50mm
12V				
24V			Input Voltage Power Lumen IP Grade QTY/CTN	12V / 24V 12W/m 1000lm/m IP33 100pcs



5x Tutup Selang
5x Socket Sambungan Lurus



Socket Putar






Brand
Item No.

Description
LED Chip
LED QTY
Length
Size
Cut
Input Voltage
Power
IP Grade
QTY/CTN
Include

ARTALUX Lighting
AR 2835-120LED-8mm-220V-100m-cut 20cm

LED Strip
SMD 2835
120LED/m
100m
12 x 5mm
per 20cm
AC220-240V 50/60Hz
12W/m
IP65
1pc
5 sockets/dus



Brand
Item No.




Description
LED Chip
LED QTY
Length
Size
Cut
Input Voltage
Power
IP Grade
QTY/CTN
Include

BRIGHTLITE
BL 5050-60LED-220V-100m

LED Strip
SMD5050
60LED/m
100m
12 x 5mm / 8mmPCB
per 1000mm
AC220-240V 50/60Hz
7W/m
IP65
1pc
5 sockets/dus

5x Socket Sambungan Lurus
5x Tutup Selang
4x Jarum





5x Tutup Selang
5x Socket Sambungan Lurus



Socket Jepit



Brand
Item No.

Description
Chip

LED QTY

Length

Size

Cut

Input Voltage

Output

Power

IP Grade

QTY/CTN

Include

BRIGHTLITE

BL 2835-120LED-6,8mm-220V-100m

LED Strip

SMD 2835

120LED/m

100m

10 x 5mm / PCB 6.8mm

per 1m

110-240V 50/60Hz




DC98-198-216V 50/60Hz

7W/m

IP65

1pc

5 sockets/dus



Brand
Item No.

Description
Chip

LED QTY

Length

Size

Cut

Input Voltage

Power

IP Grade

QTY/CTN

Include

ARTALUX Lighting

AR 2835-120LED-8mm-220V-100m-cut 10cm

LED Strip

SMD 2835

120LED/m

100

8 x 5mm / PCB 8mm

per 10cm

AC220-240V 50/60Hz

12W/m

IP65

1pc


5 Power Cord/dus

(max capacity 50m)



Socket Jepit





Brand
Item No.
Description
Power
Voltage

ARTALUX Lighting
AR 5050-60LED-220V-100m-RGB
Strip IR Controller
15000W
AC 110-240V 50/60Hz

Brand
Item No.
Description
Chip
LED QTY
Length
Size
Cut
Input Voltage
Power
IP Grade
QTY/CTN
Include

ARTALUX Lighting
AR 5050-60LED-220V-100m-RGB
with IR Remote
LED Strip
5050 RGB
60LED/m
100m
12mmPCB
per 1000mm
AC220-240V 50/60Hz
10.5W/m
IP65
1pc
2 Remote IR/dus



Brand
Item No.
Description
Chip
LED QTY
Length
Cut
Input Voltage
Power
IP Grade
QTY/CTN

ARTALUX Lighting
AR 2835-120LED-220V-6warna-6m
LED Strip
SMD 2835
120LED/m
6m (1m/warna)
1m
AC220V 50/60Hz
8W/m
IP65
30pcs

3000K



photo: 100m

4000K




photo: 50m

6500K



photo: 50m



Brand ARTALUX Lighting 

Item No. AR-COB-320LED-8mm-220V

Description LED Strip

LED Chip COB 320LED

LED QTY 320 LED/m

Length 50m / 100m

Size 11 x 5mm / 8mm PCB

Cut per 100mm

Input Voltage AC220-240V 50/60Hz

Socket Output DC195-215V

Max Power 500W

IP Grade IP65

QTY/CTN 1pc

Include 5 sockets/dus

Socket Jepit



3000K



4000K



6500K





Brand ARTALUX Lighting 

Item No. AR Neon COB-320LED-8mm-220V

Description LED Strip

LED Chip COB 320LED

LED QTY 320 LED/m

Length 100m

Size / 8mm PCB

Cut per 100mm

Input Voltage AC220-240V 50/60Hz

IP Grade IP65

QTY/CTN 1pc

Include 5 sockets/dus

Socket Jepit







Brand ARTALUX Lighting 

Item No. Silicon Cover Strip


Description Silicon Cover Strip


Length 100m per roll




Size 20 x 10mm
15 x 10mm

Body Color White (Susu)

QTY/CTN 1pc





Blue 	Cool White 	Green 	Brand Item No. Description Chip LED QTY Length Size Cut Input Voltage Power IP Grade QTY/CTN	BRIGHTLITE  Neon Flex BL 2835-12V LED Strip - Neon Flexible 2835 120LED/m 5m, 50m 12 x 6mm per 25mm DC12V 7W/m IP65 5m 20pcs 50m 1pc
Ice Blue 	Golden Yellow 	Lemon 		
Pink 	Purple 	Red 		
Warm White 				

5m




25m



50m



Brand Item No. Description Chip LED QTY Length Size Cut Input Voltage Power IP Grade QTY/CTN	ARTALUX  Neon Flex AR 2835-12V LED Strip - Neon Flexible 2835 120LED/m 5m, 10m, 25m 12 x 6mm per 25mm DC12V 9W/m IP67 5m 20pcs 10m 20pcs 25m 1pc
---	---

3000K  	Brand Item No. Description LED Chip LED QTY Length Size Cut Input Voltage Power IP Grade QTY/CTN	ARTALUX Lighting  Neon AR 2835-120LED -50m-24V LED Strip - Neon 2835 120LED/m 50m 18 x 10mm per 500mm 24V 9W/m IP65 1pc
--	--	--

3000K



SINGLE WARNA

4000K



6500K



Blue



Golden Yellow



Green



Ice Blue



Pink



Purple



Red



RGB




Socket Jarum (Single Warna)



Socket Jarum (RGB)



Brand

Item No.

Description

Chip

LED QTY

Length

Size

Input Voltage

Power

IP Grade

QTY/CTN

Include

BRIGHTLITE

Neon Flex BL 2835-120LED

LED Strip - Neon Flexible

Single 2835

RGB 5050

120LED/m

50m

Single 18 x 10mm

RGB 16 x 8mm

220-240V 50/60Hz

7W/m


IP65

1pc

Single 5 sockets/dus



RGB 3 sockets/dus

XIII. Bohlam





Brand
Item No.
Description
Chip
Power / Lumen
Input Voltage
Size
Body Color
Material
IP Grade
CRI / PF
Beam Angle
QTY/CTN

BRIGHTLITE
BL 910
Bohlam MR16
Bridgelux
7W / 600lm
110-240V 50/60Hz
Ø49 x 50mm
White
Aluminum, PVC
IP20
CRI≥80 / PF 0.6
15°, 24°, 36°
100pcs



Brand
Item No.
Description
Chip
Power / Lumen
Input Voltage
Size
Body Color
Material
IP Grade
CRI / PF
Beam Angle
QTY/CTN

BRIGHTLITE
BL 910
Bohlam GU10
Bridgelux
7W / 600lm
110-240V 50/60Hz
Ø49 x 56mm
White
Aluminum, PVC
IP20
CRI>80 / P.F. 0.6
36°
100pcs




Brand
Item No.
Description
Chip
Power
Input Voltage
Size
Body Color
Material
IP Grade
CRI / PF
Beam Angle
QTY/CTN

ARTALUX Lighting
AR 007
Bohlam MR16 Dimmable
Bridgelux
7.5W
220-240V 50/60Hz
Ø49 x 58mm
White
Aluminum
IP20
CRI≥80 / PF 0.6
38°
50pcs




MR16

Ø49mm
63mm

E27

Ø49mm
65mm

Brand ARTALUX Lighting 

Item No. AR 002

Description Bohlam

Chip Bridgelux

Power / Lumen 10W / 1000lm

Input Voltage 110-240V 50/60Hz

Body Color White

Material Aluminum

IP Grade IP20

CRI / PF CRI≥80 / PF 0.5

Beam Angle 24°

QTY/CTN 100pcs


Size MR16 Ø49 × 63mm
E27 Ø49 × 65mm

3000K 

4000K 

6500K 

MR16

Ø49mm

AR005 45mm
AR008 50mm
AR009 50mm

E27




Ø49mm
58mm

Item No.	Power	Size	Cahaya
AR 005 MR16	3.5W	Ø49 × 45mm	3000K, 4000K
AR 005 E27	3.5W	Ø49 × 58mm	3000K, 4000K
AR 008 MR16	5.5W	Ø49 × 50mm	3000K, 4000K, 6500K
AR 008 E27	5.5W	Ø49 × 58mm	3000K, 4000K, 6500K
AR 009 MR16	7W	Ø49 × 50mm	3000K, 4000K, 6500K
AR 009 E27	7W	Ø49 × 58mm	3000K, 4000K, 6500K

Brand ARTALUX Lighting 

Item No. AR 005 / AR 008 / AR 009

Description Bohlam MR16 / E27

Chip Bridgelux

Input Voltage AC100-240V 50-60Hz

Body Color White


Material Aluminum

IP Grade IP20


CRI / PF CRI≥80 / PF 0.5


Beam Angle 36°

QTY/CTN 50pcs

3000K 

4000K 

6500K 

50mm
Ø50mm

Brand ARTALUX Lighting 

Item No. AR 006

Description Bohlam Modul

Chip Bridgelux

Power / Lumen 10W / 1000lm

Input Voltage AC110-240V 50/60Hz

Size Ø50 × 50mm

Body Color White

Material Aluminum

IP Grade IP20

CRI / PF CRI>90 / PF 0.7


Beam Angle 38°

QTY/CTN 100pcs

3000K 

4000K 

6500K 


Item No. **ARTALUX Lighting**

Description **AR 0210**

Chip Bohlam Modul

Power Bridgelux

Input Voltage 10.5W / 1050lm

Size 220-240V 50/60Hz

Body Color Ø50 x 75mm

Material Black

IP Grade Aluminum

CRI / PF IP20

Beam Angle CRI 90 / PF 0.5

QTY/CTN 24°

50pcs


3000K



12W



12W Ø50mm
18W Ø60mm



18W



Brand

Item No. **ARTALUX Lighting**

Description **AR 021 I**

Chip Bohlam Modul

Power / Lumen Bridgelux

12W / 1080lm

18W / 1350lm

Input Voltage AC220-240V 50/60Hz

Size 12W Ø50 x 70mm

18W Ø60 x 75mm

Body Color Black

Material Aluminum

IP Grade IP20

CRI / PF CRI 90 / PF 0.5

Beam Angle 12W 30°

18W 24°


QTY/CTN 50pcs

3000K



4000K




Brand

Item No. **ARTALUX Lighting**

Description **AR 0216**

Chip Bohlam Modul

Power / Lumen Bridgelux

12W / 1200lm

Input Voltage AC220-240V 50/60Hz

Size Ø50 x 65mm

Body Color Gray

Material Aluminum

IP Grade IP20

CRI / PF CRI 90 / PF 0.5

Beam Angle 24°


QTY/CTN 50pcs

3000K



4000K






Brand	BRIGHTLITE
Item No.	BL 06
Description	Bohlam Modul
Chip	SMD 2835 Epistar
Power / Lumen	12W / 1440lm
Input Voltage	AC180-240V 50/60Hz
Size	Ø50 x 45mm
Body Color	Gray
Material	
IP Grade	IP20
CRI / PF	CRI>80 / PF 0.98
Beam Angle	38°
QTY/CTN	100pcs




3000K 4000K 6500K



Brand	ARTALUX Lighting
Item No.	AR 0217
Description	Bohlam QRI I I
Chip	Bridgelux
Power / Lumen	15W / 1500lm 25W / 2500lm
Input Voltage	AC180-265 50/60Hz
Size	Ø110 x 45mm
Body Color	Black
Material	Aluminum
IP Grade	IP20
CRI / PF	CRI>90
Beam Angle	24°
QTY/CTN	60pcs




3000K 4000K 6500K




Brand	ARTALUX Lighting
Item No.	AR 0124
Description	Bohlam
Chip	Epistar
Input Voltage	AC180-260V
Size	Ø110 x 70mm
Body Color	Black
Material	
IP Grade	IP20
Beam Angle	15°
QTY/CTN	50pcs



3000K






Brand	ARTALUX Lighting 
Item No.	AR 332-15W
Description	Bohlam Par 30
Chip	Bridgelux
Power / Lumen	15W / 1500lm
Input Voltage	AC180-265 50/60Hz
Size	Ø95 x 120mm
Body Color	White
Material	Aluminum
IP Grade	IP20
CRI / PF	CRI≥90
Beam Angle	24°
QTY/CTN	20pcs


3000K




4000K



6500K




Brand	ARTALUX Lighting 
Item No.	AR 340-35W
Description	Bohlam Par 30
Chip	Bridgelux
Power / Lumen	35W / 3500lm
Input Voltage	AC180-265 50/60Hz
Size	Ø95 x 120mm
Body Color	White
Material	Aluminum
IP Grade	IP20
CRI / PF	CRI≥90
Beam Angle	24°
QTY/CTN	20pcs



Brand	BRIGHTLITE 
Item No.	BL 020
Description	Bohlam Par 30
Chip	Epistar
Power / Lumen	35W / 3500lm
Input Voltage	160-240V 50/60Hz
Size	Ø95 x 120mm
Body Color	White
Material	
IP Grade	IP20
CRI	CRI≥90
Beam Angle	24°
QTY/CTN	50pcs


3000K




4000K





6500K








Brand	ARTALUX Lighting 
Item No.	AR 337
Description	Bohlam PAR 30
Power	35W
Input Voltage	AC 160-240V 50/60Hz
Size	Ø93 x 120mm
Body Color	Silver/Gray
Material	
IP Grade	IP20
QTY/CTN	20pcs




Brand	ARTALUX Lighting 
Item No.	AR 331
Description	Bohlam Par 30
Chip	Epistar
Power	25W 45W
Input Voltage	180-265V 50/60Hz
Size	Ø95 x 120mm
Body Color	Black
Material	
IP Grade	IP20
QTY/CTN	20pcs




Brand	BRIGHTLITE 
Item No.	BL 010
Description	Bohlam Par 30
Chip	Epistar
Power / Lumen	35W / 3500lm
Input Voltage	180-265V 50/60Hz
Size	Ø95 x 120mm
Body Color	Silver/Gray
Material	
IP Grade	IP20
CRI	CRI≥90
Beam Angle	24°
QTY/CTN	50pcs





Brand
Item No.
Description
Chip
Power / Lumen
Input Voltage
Size
Body Color
Material
IP Grade
CRI / PF
QTY/CTN

ARTALUX Lighting 
AR 327
Bohlam Par20
Epistar
9W / 700lm
180-265V 50/60Hz
Ø63 x 85mm
Gray
IP20
CRI>80 / PF 0.85
100pcs



TL Ring 12W



TL Ring 18W



TL Ring 24W



TL Ring 36W




TL Ring 48W




TL Ring 72W



TL Ring 96W




12W Ø130mm
18W Ø155mm




24W Ø145mm
36W Ø195mm


48W Ø265mm
72W Ø305mm
96W Ø310mm



48W Ø155mm
72W Ø195mm
96W Ø145mm



Item No.	Input Voltage	Size	Cahaya	QTY/CTN
TL Ring 12W	180-265V 50/60Hz	Ø130 x 25mm	3000K	100pcs
TL Ring 18W	AC220V 50/60Hz	Ø155 x 25mm	3000K	100pcs
TL Ring 24W	AC220V 50/60Hz	Ø145 x 25mm	3000K	50pcs
TL Ring 36W	AC220V 50/60Hz	Ø195 x 25mm	3000K	50pcs
TL Ring 48W	AC220V 50/60Hz	Ø265 x 25mm	3000K, 6500K	50pcs
TL Ring 72W	AC220V 50/60Hz	Ø305 x 25mm	3000K, 6500K	50pcs
TL Ring 96W	AC220V 50/60Hz	Ø310 x 25mm	3000K, 6500K	50pcs







Brand
Item No.
Description
Chip
Power / Lumen
Input Voltage
Size
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting
AR 328-20W
Bohlam Par 38
Epistar
20W
85-265V 50/60Hz
Ø120 x 140mm
Silver
Aluminum, Glass
IP65
20pcs



Brand
Item No.
Description
Chip
Power / Lumen
Input Voltage
Size
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting
AR 500
Bohlam Modul
Samsung
3W
AC 110/220V
103 x 21 x 11mm
White
IP65
100pcs




Brand
Item No.
Description
Chip
Power
Input Voltage
Size
Body Color
Material
IP Grade
View Degree
QTY/CTN

ARTALUX Lighting
AR 900
Bohlam Modul
Samsung
1.5W
DC12V
68 x 20 x 9mm
White
IP67
120°
100pcs




XIV. Emergency



Brand
Item No.
Description
Input Voltage
Size
Charging Time
Emergency Time
Body Color
Material
IP Grade
QTY/CTN


ARTALUX Lighting
AR 308
Downlight Emergency
Outbow
AC85-265V 50/60Hz
Ø120 x 30mm
24hours
180mins
White
IP30
60pcs



Brand
Item No.
Description
Chip
Power
Input Voltage
Size
Cut size
Charging Time
Emergency Time
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting
AR 99
Downlight Emergency
CREE
3W
AC220V 50/60Hz
Ø95 x 30mm
Ø75 x 30mm
>24 hours
230 min
White
Fireproof PVC
IP30
50pcs

6500K




Brand
Item No.
Description
Power
Input Voltage
Size
Cut size
Battery
Emergency Time
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting
AR 22
Downlight Emergency
3W LED
AC220-240V 50/-60Hz
Ø90 x 85mm
60 x 50mm
3.7V
>3 hours
White
Aluminium
IP 33
30pcs

6500K






Brand	ARTALUX Lighting 
Item No.	AR 860
Description	Lampu Emergency
Power	2 x 5W
Input Voltage	AC85-265V 50/-60Hz
Size	300 x 100 x 140mm
Battery	Sealed Acid (4V4.0AH)
Charging Time	<24hours
Body Color	White
Material	Fireproof PVC
IP Grade	IP20
QTY/CTN	10pcs

Lampu bisa diputar



6500K



Brand	ARTALUX Lighting 
Item No.	AR 1006
Description	Lampu Emergency
Power	2 x 3W LED
Input Voltage	AC220V 50/-60Hz
Size	275 x 80 x 290mm
Battery	6V 4.0AH
Recharging Time	>30 hours
Body Color	White
Material	Aluminum, Fireproof PVC
IP Grade	IP20
QTY/CTN	10pcs

Lampu bisa diputar




6500K



AR 20




AR 33



AR 22





AR 50




Item No.	Power	Size	Emergency Time
AR 20	5W 12LED	366 x 200 x 22mm	>3 hours
AR 22	3W 8LED	366 x 200 x 22mm	>3 hours
AR 33	3W 8LED	366 x 200 x 22mm	>3 hours
AR 50	5W 8LED	366 x 200 x 22mm	>3 hours

Brand	ARTALUX Lighting 
Description	Emergency Sign
Input Voltage	AC220-240V 50/-60Hz
Cable Length	260mm
Body Color	Silver
Material	Aluminium + Acrylic
QTY/CTN	10pcs



Brand
Item No.
Description
Power
Input Voltage
Charging Time
Used Batteries
Material
IP Grade
QTY/CTN


ARTALUX Lighting
AR 865
Emergency Power Kit
3-50W
AC220-240V 50/60Hz
≥30 hours
11.1V Li
Fireproof PVC
IP30
30pcs




Brand
Item No.
Description
Power
Charge Voltage
Charging Time
Standard
DC
Material
IP Grade
QTY/CTN

ARTALUX Lighting
AR 863
Emergency Power
PL18W
220V 50/60Hz
24 hours
GB17945-2000
7.2V
Aluminum
IP30
25pcs

(1) Power: ESL≤18



(2) Power: 8-40W Fluorescent




Brand
Item No.
Description



Power

Input Voltage
Charging Time
Material
IP Grade
QTY/CTN


ARTALUX Lighting
AR 862
Automatic Emergency
Power
(1) ESL≤18W
(2) 8-40W Fluorescent
AC220V / 50Hz
≥40 hours
Aluminum
IP30
25pcs



Brand	BRIGHTLITE
Item No.	BL 083
Description	Emergency LED Driver
Power	3-48W
Input Voltage	AC220V 50Hz
Light Source	Less than 48W LED Lamp
Emergency Out-put Flux	>50lm
Emergency Time	180mins
Material	
IP Grade	IP30
QTY/CTN	50pcs




Brand	BRIGHTLITE
Item No.	BL 022
Description	Fire Emergency Power Supply
Power	LED 220V 20W
Input Voltage	AC220V 50/60Hz
Charging Time	≥24 hours
Emergency Time	≥90 min
Material	Fireproof PVC
IP Grade	IP30
QTY/CTN	50pcs




Item No.	PW 088
Description	Emergency Power
Light Source	LED 220V 3-50W
Charge Voltage	AC 220V-240V 50/60Hz
Charging Time	≥30 hours
Emergency Time	≥1.5 hours
Material	Aluminum
IP Grade	IP30
QTY/CTN	100pcs

AR 8133 200W



AR 8133 100W



Brand
Item No.
Description
Chip
Input Voltage
Working Time
IP Grade
CRI
QTY/CTN

ARTALUX Lighting 
AR 8133
Lampu Emergency
Bridgelux
AC110-240V 50-60Hz
6-12 Hours
IP 66
CRI≥90
10pcs

Item No.	Lumen	Size
AR 8133 100W 5V	10000LM	220 x 185 x 330mm
AR 8133 200W 9V	20000LM	275 x 220 x 330mm

Putar ke segala arah




Biru/Merah



6000K




XV. Trafo



Brand
Description
Body Color
Material
IP Grade
QTY/CTN


ARTALUX Lighting 
Trafo
Black
Aluminum
IP44
50pcs

Item No.	Input	Output	Size
AR 0101-60W-12V	180-240Ac 50Hz 0.6A max	12V 5A	147 x 50 x 20mm
AR 0101-120W-12V	180-240Ac 50Hz 1.2A max	12V 10A	191 x 61 x 29mm
AR 0101-180W-12V	180-240Ac 50Hz 1.8A max	12V 15A	191 x 61 x 29mm
AR 0101-250W-12V	180-240Ac 50Hz 2.5A max	12V 20A	220 x 61 x 29mm
AR 0101-360W-12V	180-240Ac 50Hz 3.6A max	12V 30A	220 x 61 x 29mm
AR 0101-60W-24V	180-240Ac 50Hz 0.6A max	24V 2.5A	147 x 50 x 20mm
AR 0101-120W-24V	180-240Ac 50Hz 1.2A max	24V 5A	191 x 61 x 29mm
AR 0101-250W-24V	180-240Ac 50Hz 2.5A max	24V 10.4A	220 x 61 x 29mm
AR 0101-360W-24V	180-240Ac 50Hz 3.6A max	24V 15A	220 x 61 x 29mm



Brand
Item No.
Description
Input Voltage
Output
Size
Body Color
Material
IP Grade
QTY/CTN


ARTALUX Lighting 
AR 0101-400W-12V
Trafo
180-240Ac 50Hz 4.0Amax
12V 33.3A
225 x 62 x 30mm
Gray
Aluminum
IP44
50pcs



Item No.	Output	Size	QTY/CTN
BL 1101 36W	DC 12V=3A	100 x 40 x 22mm	200pcs
BL 1101 60W	DC 12V=5A	115 x 50 x 22mm	120pcs
BL 1101 60W	DC 24V=2.5A	115 x 50 x 22mm	120pcs
BL 1101 120W	DC 12V=10A	138 x 50 x 22mm	120pcs
BL 1101 120W	DC 24V=5A	138 x 50 x 22mm	120pcs
BL 1101 180W	DC 12V=15A	178 x 50 x 22mm	80pcs
BL 1101 250W	DC 12V=20A	205 x 50 x 22mm	80pcs
BL 1101 250W	DC 24V=10A	205 x 50 x 22mm	80pcs
BL 1101 360W	DC 12V=20A	238 x 50 x 22mm	60pcs
BL 1101 360W	DC 24V=15A	238 x 50 x 22mm	60pcs

Brand
Description
Input Voltage
Body Color
Material
IP Grade
Temperature

BRIGHTLITE
Trafo Slim
I 60-265V 50/60Hz
Gray
Aluminum
IP33
ta 40°C / tc 85°C



Brand
Item No.
Description
Input Voltage
Body Color
Material
IP Grade
QTY/CTN

CENTROLUX
CE 36-12 / CE 60-12
Trafo
AC 100-240V 50/60Hz
White/Blue
IP44
40pcs



Item No.	Power	Output	Size	QTY/CTN
CE 36	36W	DC 12V 3A	140 x 46 x 30mm	150pcs
CE 60	60W	DC 12V 5.0A	165 x 46 x 30mm	105pcs

AR 240



AR 280



AR 2150



AR 2250




AR 2400



40W 123mm
80W 180mm
150W 215mm
250W 230mm
400W 260mm

40W 35mm
80W 43mm
150W 55mm
250W 73mm
400W 100mm



40W 22mm
80W 22mm
150W 25mm
250W 33mm
400W 38mm

Brand
Description
Input Voltage
Body Color
Material
IP Grade

ARTALUX Lighting 
Trafo Waterproof
175~264V AC 50/60Hz
Gray
Aluminum
IP67

Item No.	Power	Output	Size	QTY/CTN
AR 240	40W	DC 12V=3.5A	140 x 35 x 22mm	50pcs
AR 240	40W	DC 24V=1.6A	140 x 35 x 22mm	50pcs
AR 280	80W	DC 12V=6.66A	180 x 43 x 22mm	50pcs
AR 280	80W	DC 24V=3.33A	180 x 43 x 22mm	50pcs
AR 2150	150W	DC 12V=12.5A	215 x 55 x 25mm	35pcs
AR 2150	150W	DC 24V=6.25A	215 x 55 x 25mm	35pcs
AR 2250	250W	DC 12V=21A	230 x 73 x 33mm	10pcs
AR 2250	250W	DC 24V=10.41A	230 x 73 x 33mm	10pcs
AR 2400	400W	DC 12V=33.4A	260 x 100 x 38mm	10pcs




Brand
Item No.
Description
Input Voltage
Output
Watt
Size
Brand
Body Color
Material
IP Grade
QTY/CTN

ELG-150-48A
Trafo Waterproof 48V
100-240V~1.7A 50/60Hz
+48V
150.2W (3.13A)
220 x 60 x 35mm
Mean Well
Gray
Aluminum
IP65
12pcs

Belakang Trafo



Lubang untuk atur Vo/Lo



AR 3250




AR 3400



AR 3100





AR3100 135mm
AR3250 192mm
AR3400 170mm

AR3100 40mm
AR3250 50mm
AR3400 45mm

AR3100 75mm
AR3250 117mm
AR3400 115mm

Brand ARTALUX Lighting 

Item No. AR 3100 / AR 3250 / AR 3400

Description Trafo Rainproof

Input Voltage 180-240V AC 50/60Hz

Body Color Silver / Gray

Material Aluminum

IP Grade IP65

QTY/CTN 40pcs

Item No.	Power	Output	Size
AR 3100	100W	DC 12V=8.3A	135 x 75 x 40mm
AR 3250	250W	DC 12V=20A	192 x 117 x 50mm
AR 3400	400W	DC 12V=33A	170 x 115 x 45mm

60W



120W



250W



360W




500W



60W 46mm
120W 67mm
180W 76mm
250W 76mm
360W 88mm

60W 167mm
120W 207mm
180W 246mm
250W 266mm
360W 288mm



60W 22mm
120W 32mm
180W 36mm
250W 36mm
360W 38mm

Brand

Description

Body Color

Material

IP Grade

BRIGHTLITE 

Trafo Waterproof


Gray

Aluminum


IP67

Item No.	Power	Input	Output	Size	QTY/CTN
BL 08-60-12V	60W	180-240Ac 50/60Hz 0.6Amax	DC 12V=5A	167 x 46 x 22mm	50pcs
BL 08-120-12V	120W	180-240Ac 50/60Hz 1.2Amax	DC 12V=10A	207 x 67 x 32mm	20pcs
BL 08-250-12V	250W	180-240Ac 50/60Hz 2.5Amax	DC 12V=20A	246 x 76 x 36mm	10pcs
BL 08-360-12V	360W	180-240Ac 50/60Hz 3.5Amax	DC 12V=30A	266 x 76 x 36mm	10pcs
BL 08-500-12V	500W	180-240Ac 50/60Hz 5.0Amax	DC 12V=41.6A	288 x 88 x 38mm	10pcs

AR 2230VA 30W
AR 2260VA 60W



AR 22160VA 160W
AR 22300VA 300W




Item No.	Power	Size	QTY/CTN
AR 2230VA	30W	95 x 55 x 70mm	20pcs
AR 2260VA	60W	115 x 75 x 80mm	20pcs
AR 22160VA	160W	200 x 130 x 65mm	4pcs
AR 22300VA	300	200 x 145 x 75mm	4pcs

Brand	ARTALUX Lighting
Desvcription	Trafo
Input Voltage	AC 220-240V 50/60Hz
Output	AC12V
Body Color	Black
Material	
IP Grade	IP68




Brand	ARTALUX Lighting
Item No.	Trafo Kolam IP33 30W
Description	Trafo Kolam
Input Voltage	AC 220-240V 50/60Hz
Size	60 x 50 x 50mm
Body Color	Gold
Material	
IP Grade	IP33
QTY/CTN	30pcs



100W

200W




Brand	CENTROLUX
Item No.	CE-48V100W CE-48V200W
Description	Trafo Rel Magnet
Input Voltage	180-265V
Body Color	Black
Material	
IP Grade	IP20
QTY/CTN	50pcs

Item No.	Output	Size
CE 48V 100W	DC 48V=2.1A	188 x 22 x 45mm
CE 48V 200W	DC 48V=3.6A	235 x 22 x 45mm

AR 7

AR 16

AR 20



AR7 90mm

AR16 110mm

AR20 130mm

Brand
Item No.
Description
Input Voltage
Output
Body Color
Material
IP Grade
Temperature

ARTALUX Lighting 

AR 7 / AR 16 / AR 20

Trafo Dimmer

AC 220-240V 50/60Hz


DC15-40V

White

IP20

Ta 45°C / Tc 75°C

Item No.	Power	Size	QTY/CTN
AR 7	7-12W	90 x 40 x 25mm	200pcs
AR 16	16-25W	110 x 40 x 25mm	150pcs
AR 20	20-35W	130 x 40 x 25mm	120pcs



Item No.
Description

PE30AA42

Trafo 0/I-10V Dimming

LED Driver

PRI

100-250V

SEC

AC~0.15A 50/60Hz

Size

23-42V DC 600mA±2%

Body Color

155 x 45 x 30mm

Material

White/Gray

IP Grade

IP20

PF

PF 0.9

ta=-20...+45°C tc=85°C

Dimming Interface

1 DIM: 0/I-10V

2 DIM: PWM 10V

3 DIM: Resistor 100K

QTY/CTN

100pcs

Brand
Item No.
Description
Input

CENTROLUX 

CE 0-10V Dimming

Trafo Dimmer

100-240V 50/60Hz

0.55A@120Vac

Size

>0.95@full power output

Body Color

White

Material

IP Grade



IP20

Ta -20°C---+50°C

Tc <85°C

QTY/CTN

100pcs






CE100



CE200



CE100 230mm

CE200 285mm

Brand
Description

CENTROLUX



Trafo
Dimmable LED Driver
(0-10V & Push Dimming
2-in-1)

Input Voltage
Body Color
Material
IP Grade
Temperature

165-265V 50/60Hz
Gray
Aluminum
IP20
Ta: 40°C / Tc: 85°C

Item No.	Power	Output	Size	QTY/CTN
CE 100-12V	100W	100W = 8.33A-12V	230 x 50 x 30mm	62pcs
CE 100-24V	100W	100W = 4.16A-24V	230 x 50 x 30mm	62pcs
CE 200-12V	200W	200W = 16.66A-12V	285 x 50 x 30mm	48pcs
CE 200-24V	200W	200W = 8.33A-24V	285 x 50 x 30mm	48pcs



Brand
Item No.
Description

CENTROLUX





CE 200-12

Trafo Waterproof
0/1-10V Dimming
200W

Power
Input
Output
Size
Body Color
Material
IP Grade
QTY/CTN

AC 160-265V 50/60Hz
200W=16.6A-12V
300 x 50 x 35mm
Gray
Aluminum
IP67
30pcs



Brand
Item No.
Description
Input
Size
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting



AR 82

Trafo Dimmer
DC12-24V 8A
60 x 90 x 60mm
White
Plastic
IP20
200pcs

XVI. Stop Kontak


Sliding Table Socket A



Sliding Table Socket B



Sliding Table Socket C



Brand
Type
Description
Current
Input Voltage
Body Color
Material
QTY/CTN

ARTALUX Lighting 
Sliding Table Socket
Stop Kontak
16A
ACI 10-250V
Black
Aluminum Alloy
20pcs

Sliding Table Socket A
3 EU Socket
Sliding Table Socket B
2 EU Socket + 2 USB
Sliding Table Socket C
2 EU Socket + 2 USB +
TEL + NET


Pop-up Table Socket A



Pop-up Table Socket B




Pop-up Table Socket C



Brand
Type
Description
Current
Input Voltage
Size
Cut Size
Body Color
Material
QTY/CTN

ARTALUX Lighting 
Pop-up Table Socket
Stop Kontak
16A
ACI 10-250V
265 x 120 x 65mm
220 x 110mm
Black
Zinc Alloy
10pcs

Pop-up Table Socket A
3 EU Socket
Pop-up Table Socket B
2 EU Socket + 2 USB
Pop-up Table Socket C
2 Universal + HDMI +
VGA + 3.5mm audio +
USB + CAT6x2




XVII. Rel




Brand
Type
Description
Body Color
Length
Material
QTY/CTN

CENTROLUX
CE Rel 3 Jalur
Rel
Black, White
1m, 1,5m, 2m
20pcs




Brand
Type
Description
Body Color
Length
Material
QTY/CTN

ARTALUX Lighting
AR Rel Tebal
Rel
Black, White
1m, 1,5m, 2m
20pcs



Brand
Type
Description
Body Color
Length
Material
QTY/CTN

ARTALUX Lighting
AR Rel Recessed
Rel
Black, White
1m, 1,5m, 2m
12pcs






Brand
Type
Description
Body Color
Length
Material
QTY/CTN

BRIGHTLITE
BL Rel Plastik
Rel
Black, White
0,5m, 1m, 1,5m, 2m



0,5m 60pcs
1m, 1,5m, 2m 30pcs




Brand
Type
Description
Body Color
Length
Material
QTY/CTN

BRIGHTLITE
BL Rel Tebal
Rel
Black, White
1m, 1,5m, 2m



20pcs




Brand
Type
Description
Body Color
Length
Material
QTY/CTN

ARTALUX Lighting
AR Rel Biasa
Rel
Black, White
1m, 1,5m, 2m



20pcs



Socket Rel 2 Way
Model L



Socket Rel 2 Way
Model Lurus



Socket Rel 2 Way
Model T



Socket Rel 2 Way
Model +



Brand
Type
Description
Body Color
Material
QTY/CTN

ARTALUX Lighting 
Socket Rel 2 Way
Socket Rel 2 Way
Black, White

100pcs

Socket Rel 3 Way
Model L



Socket Rel 3 Way
Model Lurus




Socket Rel 3 Way
Model T



Brand
Type
Description
Body Color
Material
QTY/CTN

CENTROLUX 
Socket Rel 3 Way
Socket Rel 3 Way
Black, White



100pcs



Inbow



Outbow



Item No.	Length	QTY/CTN
Rel Magnet CE Inbow	1m	5pcs
Rel Magnet CE Inbow	2m	5pcs
Rel Magnet CE Inbow	3m	5pcs
Rel Magnet CE Outbow	1m	8pcs
Rel Magnet CE Outbow	2m	8pcs
Rel Magnet CE Outbow	3m	8pcs

Socket Sambungan Hard



Socket Sambungan Soft



Socket Sambungan Listrik




Socket Sambungan Listrik



Sambungan Inbow Sikut



Sambungan Inbow L



Sambungan Outbow Sikut



Sambungan Outbow L





XVIII. Spare Part




Bisa untuk Dinding / Tiang

Brand
Item No.
Description
Size
Body Color
Material
IP Grade
QTY/CTN

ARTALUX Lighting 
AR 837
Spare Part Lampu Jalan
Ø44 x 460mm
Black
20pcs



Item No.
QTY/CTN Fitting Lampu G9
1000pcs



Item No.
QTY/CTN Fitting Lampu MR16
1000pcs



PT. ARTA AGUNG LESTARI



ARTALUX



BRIGHTLITE



CENTROLUX