

ARCHITECTURAL & DESIGNER PRODUCTS

CONTENTS

THIS CATALOG INCLUDES QR CODES FOR EASY REFERENCE ON MOBILE DEVICES.

HOW TO SCAN QR CODES:


WEBSITE OR CODE

. To a 🔳

1. Open your smartphone camera.

2. Point your camera at the QR Code until the viewfinder recognizes the code and a link appears on your screen.

3. Click the link that appears on your screen and you will be directed to the webpage.



- 03 ABOUT TRIMCO
- 04 IDENTITY HARDWARE
- 05 HEALTHY HARDWARE
- 06 LOCKDOWN HARDWARE
- 07 CUSTOM HARDWARE
- 08 HANDS-FREE SOLUTIONS
- 09 UHF210 SERIES SLIDE-LOCK
- 10 ARCHITECTURAL PULLS
- 26 PULLS + GRIPS
- 34 PUSH BARS + PUSH/PULL SETS
- 42 FLUSH PULLS
- 44 SLIDING DOOR SOLUTIONS
- 50 MOUNTING METHODS
- 51 FINISHES

ABOUT TRIMCO

We make a difference by innovating, designing, and manufacturing products that make our world healthier, safer, more accessible, and more fashionable.

From its humble beginnings in Los Angeles in 1949, Trimco continues to operate as a family-owned and operated, independent business. Trimco has a team of more than 100 dedicated professionals focused on providing a remarkable customer experience.

Trimco continues to be a trusted leader in developing products for the most demanding environments. Our expansive portfolio has many unique, patented solutions designed to address real life problems. Most of our products are manufactured in North America to the highest quality standards while maintaining competitive prices. With multiple, convenient distribution points across the U.S., you can get your Trimco products quickly.

Our foundry in Tijuana, Mexico gives us the flexibility to pour stock and custom products with short lead times, as well as local quality control. With our master craftsmen and domestic manufacturing, Trimco is uniquely positioned to expertly manage and deliver custom product solutions in an easy, painless process.

Our internationally recognized line of products are trusted by a significant number of specification writers and experienced independent sales agencies that represent us globally.





BRINGING YOUR BRAND IDENTITY TO YOUR CUSTOMERS' FINGERTIPS



Oakland University 'Golden Grizzlies'



KIA North America



Creighton University 'Billy Bluejay'





Dimensionalized Protection Plate

FedEx

Customized Ladder Pulls

WHAT IS IDENTITY HARDWARE?

Trimco Identity Hardware transforms your doorways into a powerful reflection of your brand's identity. Customers, employees, fans, and vendors will be greeted by your brand with quality that they can feel as they enter the building.

HOW IT WORKS

- Contact us at: IdentityHardware@TrimcoHardware.com to receive a product Concept Request Form.
- 2. Trimco industrial designers create design concepts for you.
- 3. Select your favorite concept(s).
- 4. Trimco will provide you with a quote via an authorized Identity Hardware partner.



MINIMIZING INFECTIOUS BACTERIA




RIMCOHARDWARE.COM

Trimco can help minimize the infectious bacteria* in your facility through our Healthy Hardware* portfolio of products made with CuVerro[®] bactericidal copper alloy surfaces. Registered with the U.S. Environmental Protection Agency, CuVerro[®] surfaces have been proven to kill 99.9% of the most virulent bacteria* like e-Coli, MRSA, and Staph when properly cleaned. CuVerro* is not a coating, but a solid copper-based alloy with inherent bactericidal properties that will last for the lifetime of the product.



Ultimate Restroom Pull

How Does Copper Kill Bacteria?



1. Copper ions on the surface are recognized as an essential nutrient and enter the cell.



2. A lethal dose of copper ions interferes with normal cell functions and membrane integrity.



3. Copper ions impede cell respiration/metabolism, sometimes causing DNA damage.

*Laboratory testing shows that, when cleaned regularly, CuVerro surfaces kill greater than 99.9% of the following bacteria within 2 hours of exposure: Methicillin-Resistant Staphylococcus aureus (MRSA), Staphylococcus aureus, Enterobacter aerogenes, Pseudomonas aeruginosa, E. coli O157:H7, and Vancomycin-Resistant Enterococcus faecalis (VRE). The use of CuVerro® bactericidal copper products is a supplement to and not a substitute for standard infection control practices; users must continue to follow all current infection control practices, including those practices related to cleaning and disinfection of environmental surfaces. This surface has been shown to reduce microbial contamination, but it does not necessarily prevent cross contamination. CuVerro® is a registered trademark of GBC Metals, LLC and is used with permission (TR-0002-1509). See www.CuVerro.com for more details.









LDH100 SERIES PROVIDING SAFETY SOLUTIONS TO MAKE OUR COMMUNITIES SAFER

The LDH100 Series is a patented, cost-effective solution for one-touch mechanical lockdown of exit devices. In the event of an emergency, the LDH100 does not require a key or hex-wrench to lockdown the doors from the inside; simply push the button on the end cap and the exit device locks. The mechanism has durable die-cast construction and is easily installed without special tools or removal of the exit device from the door.

FEATURES AND BENEFITS

- · Simple, one-touch mechanical lockdown for exit devices
- Cost-effective, aftermarket or new construction solution
- · Does not require a key or hex-wrench to lock down doors
- Durable die-cast construction
- ADA compliant
- · Easy installation requires no special tools or removal of the panic device from the door
- Works with hex or cylinder dogging devices

APPI ICATIONS

Colleges & Universities

K-12 Schools

Healthcare

- Government Facilities
- Public Buildings
- Hospitality

LDH100-VD.626

DESCRIPTION	AVAILABLE FOR	FINIS	FINISHES		
LDH100 - LOCKDOWN PANIC BUTTON	VD – VON DUPRIN 98/99 & 33/35 DM – DORMA 9000 SERIES PHI – PRECISION APEX 2000 SERIES <i>ALSO ASK ABOUT:</i> MK – MARKS M9900 SERIES PHI – DS PREPPED FOR DOOR MONITORING SWITCH	605 606 625 626 690	SATIN BRASS		

Take your brilliant design ideas to the next level, with Trimco Custom Hardware. Trimco designs and manufactures our custom products with the finest high performance architectural hardware materials, in order to help make a lasting impression of your organization.

CUSTOM HARDWARE









HOW IT WORKS

- Contact us at: Custom@TrimcoHardware.com to receive a product Concept Request Form.
- 2. Trimco industrial designers create design concepts for you.
- 3. Select your favorite concept(s).
- 4. Trimco will provide you with a quote via an authorized partner.

HANDS-FREE SOLUTIONS

Part of Trimco's Mission is to innovate, design, and manufacture products that make our world safer and healthier. Trimco Hands-Free Solutions are designed to help minimize the need to grip door pulls with your hands.



UHF210 Series Ultimate Hands-Free Slide Lock



New Hands-Free Signage



AP330 Series Adjustable Hands-Free Pulls





UFP Ultimate Foot Pulls





The UHF210 Series Ultimate Hands-Free Slide Lock is an ideal solution for single occupancy restrooms. The Patent Pending design is ADA compliant with internal and external indicators to display if the door is locked or unlocked.

UHF210 SERIES ULTIMATE SLIDE LOCK



RIMCOHARDWARE.COM







FEATURES AND BENEFITS

- Ultra heavy-duty material for high-traffic openings
- Emergency release function
- Easy retrofit covers most standard door preps
- Interior and exterior lock/unlock indicators
- Patent pending design
- ADA compliant

NOTES

- Only compatible with 1-3/4" thick doors
- UHF212 available for outswing doors

UHF211-51.630

UHF211 base part number			L LENGTH	.630 Finishes		
UHF211	ULTIMATE HANDS-FREE SLIDE LOCK (INSWING)	51 52	T-STRIKE ASA/ANSI STRIKE	630	SATIN STAINLESS STEEL	
UHF212	ULTIMATE HANDS-FREE SLIDE LOCK (OUTSWING)			613E 622 710CU	COMING SOON: OIL RUBBED BRONZE EQUIVALENT MATTE BLACK HEALTHY HARDWARE	

BEAUTY WITH LONG-LASTING DURABILITY

RCHITECTURAL




ARCHITECTURAL PULLS

Trimco Architectural Pulls add style and sophistication to any opening. A multitude of options enable customization and flexibility to enhance surrounding building aesthetics. Options include square, radius, or angled ends, offset or straight posts, engraving, and center-to-center dimensions from 12" to beyond 10'. The AP Series are manufactured from stainless steel, bronze, brass, or aluminum, and offered in most architectural finishes.



AP100 SERIES ARCHITECTURAL STRAIGHT PULLS



AP121G-48-2B-B.629

Trimco AP100 Series Straight Pulls offer a wide variety of products to fit most applications. Material options include 3/4", 1", and 1-1/4" diameter, and are offered from 8" to 48", center-to-center. The AP100 Pull Series is ADA compliant.

FEATURES AND BENEFITS

- Wide array of material sizes and dimensions to meet any design specification
- Manufactured from stainless steel, bronze, brass, and aluminum for durability and long life
- Large range of center-to-center dimensions: 8" to 48"
- Material options include 3/4", 1", and 1-1/4" diameter
- ADA compliant

NOTES

- Leather wrapped options available
- Leather wrap coverage stops 0.5" +/- 0.25" from the pull bend radius
- Additional finish options—contact customer service

*For J & M mounting options, specify Riv-Nut for metal doors or bushings for wood doors, if required **Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit

AP121	G	* (OPTIONAL)	-48	-2	B * (OPTIONAL)	-B	.629
BASE PART NUMBER	MOUNTING TYPE	CONCEALED MOUNTING	SIZE (CTC)	DOOR THICKNESS	HOLE DIA. FOR GLASS	OPTIONS	FINISHES
3/4" DIAMETER API11 STRAIGHT BENT PULL API12 STRAIGHT MITERED PULL 1" DIAMETER API21 STRAIGHT BENT PULL API22 STRAIGHT MITERED PULL API32 STRAIGHT BENT PULL API32 STRAIGHT MITERED PULL 11/2" DIAMETER API42 STRAIGHT MITERED PULL	 E THRU-BOLT & FINISH WASHER G BACK TO BACK THREADED SHOULDER BOLT & SET SCREWS J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS L BACK-TO-BACK CONCEALED SPANNER TURNING WASHER & STUD M* CONCEALED-SPANNER TURNING WASHER N THRU-BOLT W/ FLOW-THRU BUTTON 	R RIV NUT (ALUMINUM DOORS) B BUSHING (WOOD DOORS) * FOR J AND M MOUNTING METHODS, SPECIFY RIV NUT OR BUSHING	12 12" 18 18" 24 24" 36 36" 48 48" OR SPECIFY CTC	0 CUSTOM 1** 3/8" 2** 1/2" 3 1-3/8" 4 1-3/4" 5 2" 6 2-1/4" 7 2-1/2" 8 3"	 A 3/8" B 1/2" C 5/8" D 3/4" E 7/8" F 1" * FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS 	LEATHER B BLACK D DARK BROWN T LIGHT BROWN ENGRAVING - SINGLE PULL U PUSH V PULL W OTHER - CUSTOMIZE ENGRAVING - BTB PULLS X PUSH/INTERIOR & PULL/EXTERIOR Y PULL/INTERIOR & PUSH/EXTERIOR Z OTHER - CUSTOMIZE	313 SATIN ANODIZED DARK BRON 316S MARINE DUTY SATIN STAINLESS STEEL 316P 316P MARINE DUTY POLISHED STAINLESS STEEL 335 335 SATIN ANODIZED BLACK 605 POLISHED BRASS 606 SATIN BRASS 607 ANTIQUE BRASS 618 OIL RUBBED BRONZE 6130 OIL RUBBED BRONZE (EQUIVALENT) 622 622 MATTE BLACK 628 SATIN ANODIZED ALUMINUM 629 POLISHED STAINLESS STEEL 630 SATIN STAINLESS STEEL 710 HEALTHY HARDWARE, SATIN

TRIMCOHARDWARE.COM

Trimco AP200 Series Architectural Offset Bent Pulls are a great complement to any building design. Trimco Offset Pulls are ADA compliant.

AP200 SERIES ARCHITECTURAL OFFSET PULLS

AP221 Pull

FEATURES AND BENEFITS

- Wide array of material sizes and dimensions to meet any design specification
- Manufactured from stainless steel, bronze, brass, and aluminum for durability and long life
- Large range of center-to-center dimensions: 8" to 48"
- Material options include 3/4", 1", and 1-1/4" diameter
- ADA compliant

NOTES

- Leather wrapped options available
- Leather wrap coverage stops 0.5" +/- 0.25" from the pull bend radius
- Additional finish options—contact customer service
- Specify for custom CTC length

*For J & M mounting options, specify Riv-Nut for metal doors or bushings for wood doors, if required **Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit

	AP23′	IJR-18-3-B.613						
-	P231 se part number		(OPTIONAL)	-18 size (ctc)	-3 DOOR THICKNESS	* (OPTIONAL)	-B options	.613 Finishes
АР: АР: АР:	BENT PULL	 E THRU-BOLT & FINISH WASHER G BACK TO BACK THREADED SHOULDER BOLT & SET SCREWS J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS L BACK-TO-BACK CONCEALED SPANNER TURNING WASHER & STUD M* CONCEALED-SPANNER TURNING WASH N THRU-BOLT W/ FLOW-THRU BUTTON 	MOUNTING METHODS	12 12" 18 18" 24 24" 36 36" 48 48" OR SPECIFY CTC	0 CUSTOM 1** 3/8" 2** 1/2" 3 1-3/8" 4 1-3/4" 5 2" 6 2-1/4" 7 2-1/2" 8 3"	A 3/8" B 1/2" C 5/8" D 3/4" E 7/8" F 1" * FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS	LEATHER B LEATHER - BLACK D LEATHER - DARK BROWN T LEATHER - LIGHT BROWN ENGRAVING - SINGLE PULL U U PUSH V PULL W OTHER - CUSTOMIZE ENGRAVING - BTB PULLS X PUSH/INTERIOR & PULL/EXTERIOR Y PULL/INTERIOR & PUSH/EXTERIOR Z OTHER - CUSTOMIZE HANDING "REQUIRED FOR ENGRAVING ONLY LH LEFT HAND RH RIGHT HAND	 313 SATIN ANODIZED DARK BRONZE 3165 MARINE DUTY SATIN STAINLESS STEEL 316P MARINE DUTY POLISHED STAINLESS STEEL 335 SATIN ANODIZED BLACK 605 POLISHED BRASS 606 SATIN BRASS 609 ANTIQUE BRASS 612 SATIN BRONZE 613 OIL RUBBED BRONZE 614 OIL RUBBED BRONZE 615 OIL RUBBED BRONZE 616 OIL RUBBED BRONZE 617 OIL RUBED STAINLESS STEEL 628 SATIN ANODIZED ALUMINUM 629 POLISHED STAINLESS STEEL 630 SATIN STAINLESS STEEL 630 SATIN STAINLESS STEEL 710 HEALTHY HARDWARE, SATIN



AP300 SERIES ADJUSTABLE PULLS



Trimco AP300 Series Pulls are uniquely designed to make the world healthier, while being durable, flexible, and highly customizable. The AP320 Series is an alternative, more cost-effective aluminum option.

FEATURES AND BENEFITS

- AP310 Series is available with Healthy Hardware® Copper Nickel alloy touch surfaces
- Healthy Hardware (710) has appearance similar to stainless steel
- Adjustable and configurable standoffs are versatile for use across many different center-to-center configurations
- AP310 Series has configurable and customizable end caps available in multiple sizes and finishes
- 1-1/2" clearance conforms to ADA requirements for accessibility
- AP320 Series is a cost-effective all aluminum version of the AP300 pull
- AP320 Series does not have end cap finish options
- AP320 Series has square and radius end options

NOTES

- Mid post is recommended for OA's at or greater than 72"
- Standard CTC is OA less 6"
- Can be ordered with standoffs installed (S) or loose (L)

*For J mounting option, specify Riv-Nut for metal doors or bushings for wood doors if required **Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit

AP316 base part number		* (OPTIONAL)	-50 L size (oa) size (–∠ ≡ (стс) do	I	* (OPTIONAL)	-P * (optional) mid-post		B	.630 Finishes
Intermediate 11/4" DIAMETER AP311 STRAIGHT STANDOFFS, 0.5" END CAPS AP312 STRAIGHT STANDOFFS, 1" END CAPS AP313 STRAIGHT STANDOFFS, 2" END CAPS AP314 OFFSET STANDOFFS, 1" END CAPS AP316 OFFSET STANDOFFS, 2" END CAPS AP316 OFFSET STANDOFFS, 2" END CAPS AP316 AP316 OFFSET STANDOFFS, 2" END CAPS AP316 AP316 AP316 AP316 AP316 AP316 AP320 AP320 AP320 AP324 AP324 AP324	E THRU-BOLT & FINISH WASHER G BACK-TO-BACK THREADED SHOULDER BOLT & SET SCREWS	R RIV NUT (ALUMINUM DOORS) B BUSHING (WOOD DOORS)	OVERALL CTC 18 18" S STA	TANDARD OOSE 0 4	CUSTOM 3/8"	A 3/8" B 1/2" C 5/8" D 3/4" E 7/8" F 1" * FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS	P MID-POST RECOMMENDED FOR PULLS > 72" OA	FINISH B 605 C 606 D 609 E 611 F 612 G 613 H 628 I 629 J 630 K 335 L 622 * ENCAP 6 ARE NOT	INSERT B BLACK N NONE	AP310 FINISH OPTIONS 630 SATIN STAINLESS STEEL 710 HEALTHY HARDWARE SATIN AP320 ALUMINUM FINISH OPTIONS 313 DARK BRONZE ANODIZE 335 BLACK ANODIZE 628 CLEAR ANODIZE

AP316J-50L-4-PJB.630

Trimco AP330 Series Hands-Free Adjustable Pulls are uniquely designed to make the world healthier, while being durable, flexible, and highly customizable.

FEATURES AND BENEFITS

- Available with EPA registered Healthy ${\rm Hardware}^{\circledast}$ Copper Nickel alloy touch surfaces
- Bend in pull can be pivoted during installation to achieve different clearance for hands-free operation
- Adjustable standoffs are versatile for worry-free retrofit of existing door pulls and enables
 access to locking cylinders
- Radius or Square end options
- Healthy Hardware® (710) has appearance similar to stainless steel and is easily cleaned
- Aluminum finish options are also available
- 1-1/2" clearance conforms to ADA requirements for accessibility

NOTES

- 710 Healthy Hardware Finish includes stainless steel standoffs
- Standard size adjustable up to 12" CTC
- Maximum overall length is 48"
- Standoffs shipped loose
- * For J mounting option, specify Riv-Nut for metal doors or Bushings for wood doors to be included.
- ** For Glass Door Mounting options (3/8" & 1/2" door thicknesses), specify parameter of hole in glass.

AP330 SERIES ADJUSTABLE & CONFIGURABLE HANDS-FREE PULLS






AP333G-19-2B.710

AP333 base part number		* (OPTIONAL)	-19 size (oa)	-2 DOOR THICKNESS	B * (OPTIONAL)	.710 Finishes
11/4" DIAMETERAP331STRAIGHT STANDOFFSAP333OFFSET STANDOFFS	 E THRU-BOLT & FINISH WASHER G BACK-TO-BACK THREADED SHOULDER BOLT & SET SCREWS J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS N THRU-BOLT WITH FLOW- THRU 	R RIV NUT (ALUMINUM DOORS) B BUSHING (WOOD DOORS) * FOR J MOUNTING METHOD, SPECIFY RIV NUT OR BUSHING	overall 19 19"	0 CUSTOM 1** 3/8" 2** 1/2" 3 1-3/8" 4 1-3/4" 5 2" 6 2-1/4" 7 2-1/2" 8 3"	 A 3/8" B 1/2" C 5/8" D 3/4" E 7/8" F 1" * FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS 	630 SATIN STAINLESS STEEL 710 HEALTHY HARDWARE - SATIN



AP400 SERIES ARCHITECTURAL LADDER PULLS

Trimco AP400 Series Ladder Pulls (formerly 1160 straight standoffs and 1170 offset standoffs series) add style and sophistication to any opening. A multitude of options for the AP400 Series enables customization and flexibility to enhance surrounding building aesthetics.





FEATURES AND BENEFITS

- Manufactured from stainless steel, bronze, brass, and aluminum for long lasting durability
- Flexibility in design from straight or offset pulls to angled, square, radius, or groove ends
- Wide range of lengths available from 12" to over 10'
- Available in most architectural finishes
- Multiple mounting options for metal, wood, and glass doors
- ADA compliant

NOTES

- Standard CTC (based on OA): Shorter than 24" is OA less 4" and greater than or equal to 24" OA less 6"
- Midpost is recommended for CTC's of 84" or greater
- Handing required for angled end option with offset standoffs
- Specifying custom pull sizes (CTC)
 - -Example 1 35" OA, 29" CTC, specify as 3529
 - -Example 2 11" OA, 7" CTC, specify as 1107
- Engraving options are also available

*For J & M mounting options, specify Riv-Nut for metal doors or bushings for wood doors if required **Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit 710 finish is only available for the AP420 model (1-1/4" diameter)

AP400 Series Offset Ladder Pull

AP436E-8478-8-P-RH.629

AP436		* (OPTIONAL)	-84 78	-8		-P (OPTIONAL)	.629
BASE PART NUMBER	E THRU-BOLT & FINISH WASHER G BACK TO BACK THREADED SHOULDER BOLT & SET SCREWS J [*] CONCEALED THREADED SHOULDER BOLT & SET SCREWS L BACK-TO-BACK CONCEALED- SPANNER TURNING WASHER & STUD M* CONCEALED-SPANNER TURNING WASHER	CONCEALED MOUNTING R RIV NUT (ALUMINUM DOORS) B BUSHING (WOOD DOORS) * FOR J AND M MOUNTING METHODS, SPECIFY RIV NUT OR BUSHING		O CUSTOM 1** 3/8" 2** 1/2" 3 1-3/8" 4 1-3/4" 5 2" 6 2-1/4" 7 2-1/2" 8 3"	• (OP IIONAL) • HOLE DIA. FOR GLASS A 3/8" B 1/2" C 5/8" D 3/4" E 7/8" F 1" * FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE		FINISHES 313 SATIN ANODIZED DARK BRONZE 3165 MARINE DUTY SATIN STAINLESS STEEL 316P MARINE DUTY POLISHED STAINLESS STEEL 335 SATIN ANODIZED BLACK 605 POLISHED BRASS 606 SATIN BRASS 609 ANTIQUE BRASS 612 SATIN BRONZE 613 OIL RUBBED BRONZE 613E OIL RUBBED BRONZE
 AP424 OFFSET STANDOFFS, RADIUS ENDS AP425 STRAIGHT STANDOFFS, ANGLED ENDS AP426 OFFSET STANDOFFS, ANGLED ENDS AP427 STRAIGHT STANDOFFS, GROOVE ENDS AP428 OFFSET STANDOFFS, GROOVE ENDS AP431 STRAIGHT STANDOFFS, SQUARE ENDS AP432 STRAIGHT STANDOFFS, RADIUS ENDS AP433 OFFSET STANDOFFS, RADIUS ENDS AP434 OFFSET STANDOFFS, RADIUS ENDS AP435 STRAIGHT STANDOFFS, ANGLED ENDS AP436 OFFSET STANDOFFS, ANGLED ENDS AP437 STRAIGHT STANDOFFS, ANGLED ENDS AP438 OFFSET STANDOFFS, ANGLED ENDS AP439 OFFSET STANDOFFS, GROOVE ENDS AP439 OFFSET STANDOFFS, GROOVE ENDS AP439 OFFSET STANDOFFS, GROOVE ENDS 					DIAMETER IN GLASS	ENGRAVED OPTIONS)	(EQUIVALENT) 622 MATTE BLACK 628 SATIN ANODIZED ALUMINU 629 POLISHED STAINLESS STEEL 630 SATIN STAINLESS STEEL 710 HEALTHY HARDWARE, SATI



AP500 SERIES ANODIZED GRIP LADDER PULLS



AP516L-6090-4-LH.630

Trimco AP500 Series Anodized Grip Ladder Pulls add style and sophistication to any opening. A multitude of options for the AP500 Series enables customization and flexibility to enhance surrounding building aesthetics.

FEATURES AND BENEFITS

- Ends and posts are manufactured from stainless steel, aluminum, bronze, or brass for long lasting durability
- Flexibility in design from straight or offset pulls to square, radius, or angled ends
- Wide range of lengths available from 12" to over 60"
- Durable and aesthetically appealing black anodized finish grip
- Multiple mounting options for metal, wood, and glass doors

NOTES

- Black anodized finish is standard on grip; specified finish options refer to ends and standoffs
- Standard CTC (based on OA): Shorter than 24" is OA less 4" and greater than 24" OA less 6"
- · Handing required for angled end option with offset standoffs
- Inquire with Customer Service about groove end options
- Specifying Custom Pull Sizes (CTC) –
 -Example 1 35" OA, 29" CTC, specify as 3529
 -Example 2 11" OA, 7" CTC, specify as 1107

*For J & M mounting options, specify Riv-Nut for metal doors or bushings for wood doors if required **For additional detail on Mounting options and kits, please see "Standard Mounting Options" **Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit

AP516 90 .630 -4 -60 * (OPTIONAL) * (OPTIONAL) MOUNTING TYPE CONCEALED MOUNTING SIZE (CTC) FINISHES BASE PART NUMBER SIZE (OA) DOOR THICKNESS HOLE DIA. FOR GLASS OVERALL CTC **1" DIAMETER** E THRU-BOLT & FINISH WASHER R RIV NUT 0 CUSTOM A 3/8" 316S MARINE DUTY SATIN 12 12" 08 08" 3/8" В 1/2" AP511 STRAIGHT STANDOFFS, SQUARE ENDS G BACK TO BACK THREADED 1** STAINLESS STEEL (ALUMINUM DOORS) 14 14" 10 10" С 5/8" 2** 1/2" 316P MARINE DUTY POLISHED AP512 STRAIGHT STANDOFFS, RADIUS ENDS SHOULDER BOLT & SET SCREWS B BUSHING 16 12" 16" 12 AP513 OFFSET STANDOFFS, SQUARE ENDS 1-3/8" D 3/4" STAINLESS STEEL J* CONCEALED THREADED 3 (WOOD DOORS) 18 18" 14 14" AP514 OFFSET STANDOFFS, RADIUS ENDS SHOULDER BOLT & SET SCREWS Е 7/8" 605 POLISHED BRASS 4 1-3/4" 24 24" 18 18" F AP515 STRAIGHT STANDOFFS, ANGLED ENDS L BACK-TO-BACK CONCEALED-5 2" 1" 606 SATIN BRASS * FOR J AND M 36 36" 30 30" AP516 OFFSET STANDOFFS, ANGLED ENDS SPANNER TURNING WASHER 2-1/4" 609 ANTIQUE BRASS 6 * FOR 3/8" OR 1/2" MOUNTING METHODS. 48 48" 42 42" SATIN BRONZE 1-1/4" DIAMETER & STUD 7 2-1/2" 612 THICK GLASS DOORS, 60 60" 54 54" SPECIFY RIV NUT OR 8 3" OIL RUBBED BRONZE AP521 STRAIGHT STANDOFFS, SQUARE ENDS M* CONCEALED-SPANNER TURNING 613 SPECIFY HOLE AP522 STRAIGHT STANDOFFS, RADIUS ENDS BUSHING 613E OIL RUBBED BRONZE WASHER DIAMETER IN GLASS AP523 OFFSET STANDOFFS, SQUARE ENDS N THRU-BOLT W/ FLOW-THRU OR SPECIFY OA/CTC (EQUIVALENT) AP524 OFFSET STANDOFFS, RADIUS ENDS BUTTON 622 MATTE BLACK -| |-| AP525 STRAIGHT STANDOFFS, ANGLED ENDS 628 SATIN ANODIZED ALUMINUM POLISHED STAINLESS STEEL AP526 OFFSET STANDOFFS, ANGLED ENDS 629 HANDING 630 SATIN STAINLESS STEEL 1-1/2" DIAMETER AP531 STRAIGHT STANDOFFS, SQUARE ENDS (OFFSET W/ ANGLED *FINISHES SPECIFY AP532 STRAIGHT STANDOFFS, RADIUS ENDS ENDS ONLY) THE END POSTS AP533 OFFSET STANDOFFS, SQUARE ENDS LH LEFT HAND AND STANDOFFS AP534 OFFSET STANDOFFS, RADIUS ENDS RIGHT HAND RH AP535 STRAIGHT STANDOFFS, ANGLED ENDS AP536 OFFSET STANDOFFS, ANGLED ENDS

The hand-crafted AP600 Series Leather Wrapped Ladder Pulls add style and sophistication to any interior doorway opening. A multitude of options for the AP600 Series enables customization and flexibility to enhance surrounding building aesthetics.


FEATURES AND BENEFITS

- · Hand-crafted, durable leather wrap suitable for interior applications
- Manufactured from stainless steel, bronze, brass or aluminum for long lasting durability
- Flexibility in design from straight or offset pulls to square, radius or angled ends
- Multiple mounting options for metal, wood, and glass doors

NOTES

- Standard CTC (based on OA): Shorter than 24" is OA less 4" and greater than 24" OA less 6"
- Inquire with Customer Service for groove end options
- Specifying Custom Pull Sizes (CTC) -
 - -Example 1 35" OA, 29" CTC, specify as 3529
 - -Example 2 11" OA, 7" CTC, specify as 1107
- The maximum length for leather option is 96" OA
- Handing required for angled end option with offset standoffs
- Leather wrap coverage ends 0.5" +/- 0.25" from the edge of both standoffs
- *For J & M mounting option, specify Riv-Nut for metal doors or bushings for wood doors if required
- **Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit

AP622MB-9690-4-B-P.630







AP621 Pull

AP622			-96	90 SIZE (CTC)			.630
APG41 1" DIAMETER APG41 STRAIGHT STANDOFFS, SQUARE ENDS APG42 STRAIGHT STANDOFFS, RADIUS ENDS APG43 OFFSET STANDOFFS, RADIUS ENDS AP644 OFFSET STANDOFFS, RADIUS ENDS AP645 STRAIGHT STANDOFFS, RADIUS ENDS AP646 OFFSET STANDOFFS, RADIUS ENDS AP647 DIFSET STANDOFFS, ANGLED ENDS AP648 OFFSET STANDOFFS, SQUARE ENDS AP649 STRAIGHT STANDOFFS, SQUARE ENDS AP624 STRAIGHT STANDOFFS, RADIUS ENDS AP625 STRAIGHT STANDOFFS, RADIUS ENDS AP624 OFFSET STANDOFFS, RADIUS ENDS AP625 STRAIGHT STANDOFFS, ANGLED ENDS AP626 OFFSET STANDOFFS, ANGLED ENDS AP626 STRAIGHT STANDOFFS, SQUARE ENDS AP623 STRAIGHT STANDOFFS, SQUARE ENDS AP634 STRAIGHT STANDOFFS, SQUARE ENDS AP635 STRAIGHT STANDOFFS, RADIUS ENDS AP634 OFFSET STANDOFFS, SQUARE ENDS AP634 OFFSET STANDOFFS, SQUARE ENDS AP634 OFFSET STANDOFFS, SQUARE ENDS AP635 STRAIGHT STANDOFFS, ANGLED ENDS	MOUNTING TYPE E THRU-BOLT & FINISH WASHER G BACK TO BACK THREADED SHOULDER BOLT & SET SCREWS J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS L BACK-TO-BACK CONCEALED- SPANNER TURNING WASHER & STUD M* CONCEALED-SPANNER TURNING WASHER N THRU-BOLT W/ FLOW-THRU BUTTON	CONCEALED MOUNTING	SIZE (OA) OVERALL 12 12" 14 14" 16 16" 18 18" 24 24" 36 36" 48 48" 60 60" 72 72" 84 84" 96 96" OR SPECIF	SIZE (CTC) 08 08" 10 10" 12 12" 14 14" 18 18" 30 30" 42 42" 54 54" 66 66" 78 78" 90 90" COA/CTC	DOOR THICKNESS 0 CUSTOM 1** 3/8" 2** 1/2" 3 1-3/8" 4 1-3/4" 5 2" 6 2-1/4" 7 2-1/2" 8 3" (OPTIONAL) HOLE DIA. FOR GLASS A 3/8" B 1/2" C 5/8" D 3/4" E 7/8" F 1" * FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY	LEATHER OPTIONS B BLACK D DARK BROWN T LIGHT BROWN	313 SATIN ANODIZED DARK BRONZE 3165 MARINE DUTY SATIN STAINLESS STEEL 3167 MARINE DUTY POLISHED STAINLESS STEEL 335 SATIN ANODIZED BLACK 605 POLISHED BRASS 606 SATIN BRASS 607 ANTIQUE BRASS 618 OIL RUBBED BRONZE 6130 OIL RUBBED BRONZE 6132 OIL RUBBED BRONZE (EQUIVALENT) 622 623 SATIN ANODIZED ALUMINUM 629 POLISHED STAINLESS STEEL 630 SATIN STAINLESS STEEL 630 SATIN STAINLESS STEEL 630 SATIN HARDWARE, SATIN



UNIQUELY SHAPED AND MASTER CRAFTED PULLS

AP700 SERIES SQUARE & RECTANGULAR LADDER PULLS

Trimco AP700 Series Square & Rectangular Ladder Pulls are precision crafted for beauty and ultimate durability. Offered with a multitude of material sizes, these pulls can be the architectural highlight of your design.

FEATURES AND BENEFITS

- Manufactured from stainless steel, bronze, brass, or aluminum for long lasting durability
- Flexibility in design from material sizes and orientation to standoff locations (end or bridge)
- Wide range of lengths available from 12" to over 9'
- · Additional options for door thickness, leather wrapping, and engraving
- Available in most architectural finishes
- Multiple mounting methods for metal, wood, and glass doors

NOTES

- Stainless steel substrates and powder coated finishes (629, 630, 622 & other powder coated options) will have a seamless transition from the standoff to the grip. Other substrates and finishes will have an architectural beveled seam at the joining point of the standoff to the grip.
- Standard CTC (based on OA) for bridge mount: Shorter than 24" is OA less 4" and greater than 24" OA less 6"
- Specifying custom pull sizes (CTC) for bridge mount
 Example 1 35" OA, 29" CTC, specify as 3529
 Example 2 11" OA, 7" CTC, specify as 1107
- The maximum length for leather option is 96" OA
- Leather wrap coverage ends 0.5" +/- 0.25" from the edge of both stand-offs
- * For J & M mounting option, specify Riv-Nut for metal doors or bushings for wood doors if required
- ** Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit
- ***Size may be restricted due to weight, specify the max weight allowed



AP754 Rectangular Pull End Posts AP712 Square Pull End Posts

AP753 Rectangular Pull Bridge Posts

AP731E-6054-4-V.630

AP731	E	-60	54	-4	-	.630
BASE PART NUMBER	MOUNTING TYPE	SIZE (OA)	SIZE (CTC)	DOOR THICKNESS	LEATHER OPTIONS	FINISHES
FACE X DEPTH 3/4" X 3/4" SQUARE AP711 3/4" SQUARE PULL, BRIDGE POSTS AP712 3/4" SQUARE PULL, END POSTS AP721 * SQUARE PULL, BRIDGE POSTS AP721 * SQUARE PULL, BRIDGE POSTS AP722 * SQUARE PULL, BRIDGE POSTS AP723 * SQUARE PULL, BRIDGE POSTS AP734 11/4" SQUARE PULL, BRIDGE POSTS AP735 11/4" SQUARE PULL, BRIDGE POSTS AP736 11/4" SQUARE PULL, BRIDGE POSTS AP737 11/4" SQUARE PULL, BRIDGE POSTS AP738 11/4" X 11/4" RECTANGULAR PULL, BRIDGE POSTS AP750 12" X 1-1/4" RECTANGULAR PULL, BRIDGE POSTS AP751 12" X 1-1/4" RECTANGULAR PULL, BRIDGE POSTS AP753 1-1/4" X 1/2" RECTANGULAR PULL, BRIDGE POSTS AP754 11/4" X 1/2" RECTANGULAR PULL, BRIDGE POSTS AP755 11/2" X 11/2" RECTANGULAR PULL, BRIDGE POSTS AP761 1" X 1-1/2" RECTANGULAR PULL, BRIDGE POSTS AP763 11/2" X 1" RECTANGULAR PULL, BRIDGE POSTS AP764 11/2" X 1" RECTANGULAR PULL, BRIDGE POSTS AP765 11/2" X 1" RECTANGULAR PULL, BRIDGE POSTS AP764 11/2	E THRU-BOLT & FINISH WASHER G BACK TO BACK THREADED SHOULDER BOLT & SET SCREWS J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS * (OPTIONAL) CONCEALED MOUNTING R RIV NUT (ALUMINUM DOORS) B BUSHING (WOOD DOORS) * FOR J MOUNTING METHOD, SPECIFY RIV NUT OR BUSHING	BRIDGE POSTS ONLY 12 12" 14 14" 16 16" 18 18" 24 24" 36 36" 48 48" 60 60" OR SPECIF	REQUIRED FOR ALL PULLS 08 08" 10 10" 12 12" 14 14" 18 18" 30 30" 42 42" 54 54" Y OA/CTC	0 CUSTOM 1** 3/8" 2** 1/2" 3 1-3/8" 4 1-3/4" 5 2" 6 2-1/4" 7 2-1/2" 8 3" (OPTIONAL) HOLE DIA. FOR GLASS A 3/8" B 1/2" C 5/8" D 3/4" E 7/8" F 1" * FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS	B BLACK D DARK BROWN T LIGHT BROWN ENGRAVING SINGLE PULL U PUSH V PULL W OTHER - CUSTOMIZE BTB PULLS X PUSH/INTERIOR & PULL/EXTERIOR Y PULL/INTERIOR & PUSH/EXTERIOR Z OTHER - CUSTOMIZE	 313 SATIN ANODIZED DARK BRONZE 316 MARINE DUTY SATIN STAINLESS STEEL 316 MARINE DUTY POLISHED STAINLESS STEEL 335 SATIN ANODIZED BLACK 605 POLISHED BRASS 606 SATIN BRASS 609 ANTIQUE BRASS 612 SATIN BRONZE 613 OIL RUBBED BRONZE (EQUIVALENT) 622 MATTE BLACK 628 SATIN ANODIZED ALUMINUM 629 POLISHED STAINLESS STEEL 630 SATIN STAINLESS STEEL



APC10 SERIES LADDER STYLE CLOSET & CABINET PULLS

Trimco's APC10 Series Ladder style closet and cabinet pulls are precision crafted for beauty and ultimate durability. Offered with a multitude of material sizes, these pulls can be the architectural highlight of your design.

APC11 Pull



APC11JR-1098-2.622

FEATURES AND BENEFITS

- Manufactured from stainless steel, bronze, brass, or aluminum for long lasting durability
- · Flexibility in design
- Wide range of lengths available
- Available in most architectural finishes
- Multiple mounting options for metal, wood, and glass doors

APC11 base part number		(OPTIONAL)	-1() SIZE (OA)	08 Size (ctc)	-2 Door Thickness	* (OPTIONAL) HOLE DIA. FOR GLASS	.622 Finishes
1/2" DIAMETER APC11 1/2" DIAMETER, ROUND LADDER PULL 5/8" DIAMETER APC12 5/8" DIAMETER, ROUND LADDER PULL	 E THRU-BOLT & FINISH WASHER G BACK TO BACK THREADED SHOULDER BOLT & SET SCREWS J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS 	R RIV NUT (ALUMINUM DOORS) B BUSHING (WOOD DOORS) * FOR J MOUNTING METHOD, SPECIFY RIV NUT OR BUSHING	OVERALL 08 8" 10 10" 12 12" 14 14" OR SPECIFY	CTC 06 06" 08 08" 10 10" 12 12" Y OA/CTC	0 CUSTOM 1** 3/8" 2** 1/2" 3 1-3/8" 4 1-3/4" 5 2" 6 2-1/4" 7 2-1/2" 8 3"	 A 3/8" B 1/2" C 5/8" D 3/4" E 7/8" F 1" * FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS 	313 SATIN ANODIZED DARK BRONZE 316S MARINE DUTY SATIN STAINLESS STEEL 316P MARINE DUTY POLISHED STAINLESS STEEL 316P MARINE DUTY POLISHED STAINLESS STEEL 335 SATIN ANODIZED BLACK 605 POLISHED BRASS 606 SATIN BRASS 609 ANTIQUE BRASS 612 SATIN BRONZE 613 OIL RUBBED BRONZE (EQUIVALENT) 622 MATTE BLACK 628 SATIN ANODIZED ALUMINUM 629 POLISHED STAINLESS STEEL 630 SATIN STAINLESS STEEL 710 HEALTHY HARDWARE, SATIN

Trimco's APC20 Series are a sleek and simple modern designed pull for closet and/or cabinet door applications. They are available in 1/2", 3/4", and 1" widths standard and multiple architectural finishes to complement any design intent. The APC20 Series is available with custom lengths and finishes.

APC20 SERIES CLOSET & CABINET PULLS



RIMCOHARDWARE.COM

FEATURES AND BENEFITS

- Modern, architecturally inspired design
- Manufactured from durable aluminum
- Multiple architectural finishes available
- · Thru-bolted, concealed, or back-to-back mounting options
- Standard widths: 1/2", 3/4", and 1"
- Standard 9" CTC



APC21E-4.712

APC21 base part number		* (OPTIONAL)	-4 door thickness	* (OPTIONAL) HOLE DIA. FOR GLASS	.712 Finishes
1/2" WIDTH APC21 STRAIGHT SQUARE PULL, 1/2" WIDTH, 9" CTC 3/4" WIDTH APC22 STRAIGHT RECTANGULAR PULL, 3/4" WIDTH, 9" CTC 1" WIDTH APC23 STRAIGHT RECTANGULAR PULL, 1" WIDTH, 9" CTC	E THRU-BOLT & FINISH WASHER G BACK TO BACK THREADED SHOULDER BOLT & SET SCREWS J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS	R RIV NUT (ALUMINUM DOORS) B BUSHING (WOOD DOORS) * FOR J MOUNTING METHOD, SPECIFY RIV NUT OR BUSHING	0 CUSTOM 1** 3/8" 2** 1/2" 3 1-3/8" 4 1-3/4" 5 2" 6 2-1/4" 7 2-1/2" 8 3"	 A 3/8" B 1/2" C 5/8" D 3/4" E 7/8" F 1" * FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS 	 313 DARK BRONZE ANODIZED 335 BLACK ANODIZED 628 SATIN ANODIZED ALUMINUM 712 POLISHED ANODIZED ALUMINUM



APC30 SERIES MODERN EDGE PULLS

Trimco's APC30 Series are a sleek and modernly designed pull for closet and/or cabinet door applications. They are available in multiple standard lengths and architectural finishes to complement any design intent. The APC30 Series is available with custom widths and finishes.



APC30-6.628

APC	C30	-6	LL LENGTH	.628		
base pa	RT NUMBER	PU		Finishes		
APC30	MODERN EDGE PULL, 2- 1/2" WIDTH	3 4 6 8 10 12 18 24	3" LENGTH 4" LENGTH 6" LENGTH 8" LENGTH 10" LENGTH 12" LENGTH 18" LENGTH 24" LENGTH	313 335 628 712	DARK BRONZE ANODIZED BLACK ANODIZED SATIN ANODIZED ALUMINUM POLISHED ANODIZED ALUMINUM	

FEATURES AND BENEFITS

- Modern, architecturally inspired design
- Manufactured from durable aluminum
- Multiple architectural finishes available
- Can be used on closet doors or as cabinet pulls
- Multiple standard and custom size lengths

Trimco's 1035 and 1835 Ultimate Restroom Pulls are manufactured in North America by master craftsmen from stainless steel, bronze, or brass. The ULTIMATE Restroom Pull utilizes the ADA compliant 1135 hospital grip and is combined with a .05" or 1/8" Push Plate. The pull has a special design that allows the user to pull the door open using their arm without having to "grip" the pull. The Ultimate Restroom Pulls are made with Healthy Hardware[®] – Bactericidal Copper and are also available in standard finishes.

1035 & 1835 SERIES THE ULTIMATE RESTROOM PULL



RIMCOHARDWARE.COM

FEATURES AND BENEFITS

- · Manufactured in the North America from stainless steel, bronze or brass for maximum durability
- Utilizes 1135 hospital grip
- .05" Pull Plate or Push/Pull Plate Set
- 1/8" Pull Plate or Push/Pull Plate Set
- Custom sizes available
- Standard finished available

NOTES

- 1035 Series combines the 1001 Series .05" Thick Push Plate with the 1135 Hospital Pull
- 1835 Series combines the 1807 Series 1/8" Thick Push Plate with the 1135 Hospital Pull







1035 Ultimate Restroom Pull

1035-2.710

BASE PART NUMBER

.05" THICK PLATE

 1035-1
 PULL PLATE - GRIP WITH 3" X 12" PLATE

 1035-2
 PULL PLATE - GRIP WITH 3.5" X 15" PLATE

 1035-3
 PULL PLATE - GRIP WITH 4" X 16" PLATE

1/8" THICK HEAVY-DUTY PLATE

 1835-2
 PUSH/PULL SET - GRIPS WITH 3.5" X 15" HD PLATES

 1835-3
 PUSH/PULL SET - GRIPS WITH 4" X 16" HD PLATES

FINISHES						
630	SATIN STAINLESS STEEL					
630TG	TRIMGUARD ANTIMICROBIAL COATING					
710	HEALTHY HARDWARE, SATIN					

710

STYLISH DESIGN WITH QUALITY CRAFTSMANSHIP

Ш

26

HEAAD



PULLS + GRIPS

Trimco Standard Grips & Pulls offer a wide variety of products to fit most applications. Material options include 1/2" diameter, up to 1-1/4" diameter round, 3/4" round and half-round are offered from 6" to 18" center-to-center. ADA compliance and other options, including fOCAL design and back-to-back mounting are available. These pulls are manufactured from stainless steel, bronze, brass, and aluminum to meet any design specification.

1001/1807 **SERIES** HEAVY-DUTY PUSH PLATES

1807 Extra Heavy-Duty 1001 Push Plate

1001-3CFC.630

1001-3

	1001 SERIES050" THICK PLATE
1001-1	PUSH PLATE, 3" X 12"
1001-2	PUSH PLATE, 3-1/2" X 15"
1001-3	PUSH PLATE, 4" X 16"
1001-9	PUSH PLATE, 6" X 16"
1001-11	PUSH PLATE, 8" X 16"
	1807/1809 SERIES125" THICK PLATE

1807-4 EXTRA HEAVY DUTY PUSH PLATE, 4' X 1807-25 EXTRA HEAVY DUTY PUSH PLATE, 4' X 1809-4 EXTRA HEAVY DUTY PUSH PLATE, 4' X (BEVELED ON ALL FOUR EDGE

	CFC	.030
	OPTIONS * (OPTIONAL)	FINISHES
E (16' (25'	HB HEAVY BEVELED, ALL FOUR SIDES ADH TAPE ADHESIVE FOR MOUNTING RC ROUND CORNERS FR FULL ROUND CFC CUT FOR CYLINDER CYLT CUT FOR T-TURN TORX TORX SCREWS	316S MARINE GRADE SATIN STAINLESS STEEL 316P MARINE GRADE POLISHED STAINLESS STEEL 605 POLISHED BRASS 606 SATIN BRASS 609 ANTIQUE BRASS 612 SATIN BRONZE 613 OIL RUBBED BRONZE 613E OIL RUBBED BRONZE (EQUIVALENT) 622 MATTE BLACK 628 SATIN ANODIZED ALUMINUM
(16'		629 POLISHED STAINLESS STEEL
SES)		630 SATIN STAINLESS STEEL
		710 HEALTHY HARDWARE, SATIN

Trimco's 1001 & 1807 Series Push Plates are manufactured in the United States from .050" or .125" thick stainless steel, brass, bronze, or aluminum. All push plates are pencil or heavy beveled on all four edges and are supplied with oval head screws standard. Custom sizes and plastic push plates are also available. Options include engraving for "PUSH" or "PULL", as well as different cylinder and custom cutouts for most applications.

FEATURES AND BENEFITS

- Manufactured in the United States
- · Heavy duty .050" or .125" stainless steel, brass, bronze or aluminum material
- 1/8" plastic option
- Standard sizes 3"x12", 3-1/2"x15", 4"x16", 4"x25", 6"x16" and 8"x16"
- Custom sizes also available
- Pencil beveled on all four sides

NOTES

630

· For plastic plate options, inquire with customer service

1807	Extra	Heavy-L
 1	Push	n Plate

 $\cap \square \cap$

The 1890 Series Heavy Duty Combo Push/Pull Plate Sets have a clean look with no screw mountings on the surface of the plates, (inside or outside), offering a rugged but functional look with few places for dirt or bacteria to hide. Trimco's 1890 Series can accommodate a variety of plate sizes, pull sizes and center-to-center dimensions to fit most any application.

1890 SERIES EXTRA HEAVY-DUTY PUSH/PULL PLATE SETS



RIMCOHARDWARE.COM

- Manufactured in the United States in heavy duty 1/8" stainless steel, brass or bronze
- Standard plate sizes are 3-1/2" x 15", 4" x 16", and 8" x 16"
- Custom plate sizes available
- Pull diameters are either 3/4" or 1" diameter

FEATURES AND BENEFITS

- Available in ADA compliant 6", 8", or 10" center-to-center pulls
- Round bevel on top and bottom of plates



1894-3BTORX.630		
1894-3B base part number	TORX options *(optional)	.630 Finishes
3/4" DIAMETER STRAIGHT PULL 1894-3 3-1/2" X 15" PLATE, 6" CTC PULL 1894-3B 3-1/2" X 15" PLATE, 8" CTC PULL 1894-4 4" X 16" PLATE, 6" CTC PULL 1894-4B 4" X 16" PLATE, 8" CTC PULL 1" DIAMETER STRAIGHT PULL	CFC CUT FOR CYLINDER CYLT CUT FOR T-TURN TORX TORX SCREWS	316S MARINE GRADE SATIN STAINLESS STEEL 316P MARINE GRADE POLISHED STAINLESS STEEL 605 POLISHED BRASS 606 SATIN BRASS 609 ANTIQUE BRASS 612 SATIN BRONZE 613 OUL RUBBED BRONZE
1895-3 3-1/2" X 15" PLATE, 8" CTC PULL 1895-3B 3-1/2" X 15" PLATE, 10" CTC PULL 1895-4 4" X 16" PLATE, 8" CTC PULL 1895-4B 4" X 16" PLATE, 10" CTC PULL 1" DIAMETER STRAIGHT PULL W/ BENT PUSH PLATE 1896-4B 4" X 16" PLATE, 10" CTC PULL		613E OIL RUBBED BRONZE (EQUIVALENT) 622 MATTE BLACK 628 SATIN ANODIZED ALUMINUM 629 POLISHED STAINLESS STEEL 630 SATIN STAINLESS STEEL 710 HEALTHY HARDWARE, SATIN

1894-5 Extra Heavy-Duty Push/Pull Plate Set

1191 SERIES STANDARD **OFFSET PULLS**

Trimco 1191 Series Offset Pulls are a great complement to any building design. Trimco Offset Pulls are ADA compliant and available in most architectural finishes.

FEATURES AND BENEFITS

- · Wide array of material sizes and dimensions to meet any design specification
- · Manufactured from stainless steel, bronze, brass, and aluminum for durability and long life
- Large range of center-to-center dimensions: 8" to 18"
- Material options include 3/4", 1", and 1-1/4" round
- ADA compliant
- · Back-to-back mounting options available

NOTES

· For additional finish options contact customer service

*For J & M mounting options, specify Riv-Nut for metal doors or bushings for wood doors if required **Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit



1191G-4J-4.630

1191 G BASE PART NUMBER MOUNTING TYPE 1191 3/4", 1" OR 1-1/4" DIA, E THRU-BOLT & FINISH WASHER	* (OPTIONAL) CONCEALED MOUNTING R RIV NUT	-4 J DIAMETER & SIZE (CTC)	-4 DOOR THICKNESS	* (OPTIONAL) HOLE DIA. FOR GLASS	.630 FINISHES
ROUND, OFFSET G BACK-TO-BACK THREADED BENT PULL SHOULDER BOLT & SET SCREWS J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS L BACK-TO-BACK CONCEALED- SPANNER TURNING WASHER & STUD M* CONCEALED-SPANNER TURNING WASHER N THRU-BOLT W/ FLOW-THRU BUTTON	(ALUMINUM DOORS) B BUSHING (WOOD DOORS) * FOR J AND M	 2 3/4" DIAMETER, 10" 3 1" DIAMETER, 10" 4 1" DIAMETER, 12" 5 1" DIAMETER, 18" 4 1-1/4" DIAMETER, 12" 5 1 1-1/4" DIAMETER, 18" 	1** 3/8" 2** 1/2" 3 1-3/8" 4 1-3/4" 5 2" 6 2-1/4" 7 2-1/2" 8 3"	B 1/2" C 5/8" D 3/4" E 7/8" F 1" * FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS	316PMARINE GRADE POLISHED STAINLESS STEEL605POLISHED BRASS606SATIN BRASS609ANTIQUE BRASS612SATIN BRONZE613OIL RUBBED BRONZE (EQUIVALENT)622MATTE BLACK628SATIN ANODIZED ALUMINUM629POLISHED STAINLESS STEEL630SATIN STAINLESS STEEL710HEALTHY HARDWARE, SATIN



Standard Offset Pull



1194 SERIES STANDARD STRAIGHT PULLS

Trimco 1194 Series Straight Pulls offer a variety of products to fit most applications.



1194 Pull

1194JR-4-4.629

FEATURES AND BENEFITS

- Manufactured from stainless steel, bronze, brass, and aluminum for durability and long life
- Large range of center-to-center dimensions: 6" to 12"
- Material size: 3/4" diameter round
- ADA compliant
- Back-to-back mounting option available

NOTES

• For additional finish options contact customer service

*For J & M mounting options, specify Riv-Nut for metal doors or bushings for wood doors if required **Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit

1194 base part number		R * (OPTIONAL)	-4 size (стс)	-4 door thickness	* (OPTIONAL) HOLE DIA. FOR GLASS	.629 Finishes
1194 3/4" DIAMETER, ROUND, STRAIGHT BENT PULL	 E THRU-BOLT & FINISH WASHER G BACK-TO-BACK THREADED SHOULDER BOLT & SET SCREWS J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS L BACK-TO-BACK CONCEALED-SPANNER TURNING WASHER & STUD M* CONCEALED-SPANNER TURNING WASHER N THRU-BOLT W/ FLOW-THRU BUTTON 	R RIV NUT (ALUMINUM DOORS) B BUSHING (WOOD DOORS) * FOR J AND M MOUNTING METHODS, SPECIFY RIV NUT OR BUSHING	1 6" 2 8" 3 10" 4 12"	0 CUSTOM 1** 3/8" 2** 1/2" 3 1-3/8" 4 1-3/4" 5 2" 6 2-1/4" 7 2-1/2" 8 3"	 A 3/8" B 1/2" C 5/8" D 3/4" E 7/8" F 1" * FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS 	 316S MARINE GRADE SATIN STAINLESS STEEL 316P MARINE GRADE POLISHED STAINLESS STEEL 605 POLISHED BRASS 606 SATIN BRASS 609 ANTIQUE BRASS 612 SATIN BRONZE 613 OIL RUBBED BRONZE (EQUIVALENT) 622 MATTE BLACK 628 SATIN ANODIZED ALUMINUM 629 POLISHED STAINLESS STEEL 630 SATIN STAINLESS STEEL 710 HEALTHY HARDWARE, SATIN

Trimco 1195 Series Straight Pulls offer a variety of sizes to fit most applications.

1195 SERIES STANDARD STRAIGHT PULLS



RIMCOHARDWARE.COM

FEATURES AND BENEFITS

- · Wide array of material sizes and dimensions to meet any design specification
- · Manufactured from stainless steel, bronze, brass, and aluminum for durability and long life
- Large range of center-to-center dimensions: 8" to 18"
- Material options include 1" diameter and 1-1/4" diameter round
- ADA compliant
- Back-to-back mounting option available

NOTES

• For additional finish options contact customer service

*For J & M mounting options, specify Riv-Nut for metal doors or bushings for wood doors if required **Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit





1195E-	6J-2B.629					
1195 base part number		* (OPTIONAL)	-6J DIAMETER & SIZE (CTC)	-2 DOOR THICKNESS	B * (OPTIONAL) HOLE DIA. FOR GLASS	.629 Finishes
1195 1" OR 1-1/4" DIA, ROUND, STRAIGHT BENT PULL	 E THRU-BOLT & FINISH WASHER G BACK-TO-BACK THREADED SHOULDER BOLT & SET SCREWS J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS L BACK-TO-BACK CONCEALED- SPANNER TURNING WASHER & STUD M* CONCEALED-SPANNER TURNING WASHER N THRU-BOLT W/ FLOW-THRU BUTTON 	R RIV NUT (ALUMINUM DOORS) B BUSHING (WOOD DOORS) * FOR J AND M MOUNTING METHODS, SPECIFY RIV NUT OR BUSHING	1 1" DIAMETER, 8" 2 1" DIAMETER, 10" 3 1" DIAMETER, 12" 6 1" DIAMETER, 18" 3J 1-1/4" DIAMETER, 12" 6J 1-1/4" DIAMETER, 18"	0 CUSTOM 1** 3/8" 2** 1/2" 3 1-3/8" 4 1-3/4" 5 2" 6 2-1/4" 7 2-1/2" 8 3"	A 3/8" B 1/2" C 5/8" D 3/4" E 7/8" F 1" * FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS	316SMARINE GRADE SATIN STAINLESS STEEL316PMARINE GRADE POLISHED STAINLESS STEEL605POLISHED BRASS606SATIN BRASS609ANTIQUE BRASS612SATIN BRONZE613OIL RUBBED BRONZE613OIL RUBBED BRONZE (EQUIVALENT)622MATTE BLACK628SATIN ANODIZED ALUMINUM629POLISHED STAINLESS STEEL630SATIN STAINLESS STEEL710HEALTHY HARDWARE, SATIN

QUALITY HARDWARE TO LAST A LIFETIME



PUSH BARS + PUSH/PULL SETS



Trimco 1700 Series Push/Pull Bars & Sets are manufactured in North America from solid stainless steel, bronze, and brass. These heavy-duty bars are available with a multitude of mounting options for most applications, including steel, wood, and glass doors. Available in most architectural finishes, the Trimco 1700 Series Bars are also offered with a fOCAL designer series option.



1630 SERIES PUSH BARS + PROTECTORS

Trimco 1630 Series Push Bars & Protectors are a family of highly durable door hardware trim with a multitude of applications. The 1630 Series includes a heavy-duty push bar and a rugged protection device for panic hardware and locks, which protects against rolling carts and other vehicles.

FEATURES AND BENEFITS

- Manufactured in the United States from rugged 3/8" x 2-1/2" or 1-1/2" stainless steel, aluminum, bronze, or brass
- Multiple applications from heavy-duty push bar to protection device for panic hardware
 and locksets
- Offered in most architectural finishes

NOTES

- Specifying Push Bar Size (CTC) –
 -Example 1 32" CTC, specify as 3200
 -Example 2 33-1/2" CTC, specify as 3350
- J1637 Order for "J" hook; used with 1637 Push Bar
- ***1633-1, available in one length only, 14"

1630 Push Bar



1633-1 Protection Bar ***

1633-3400-4.630

163 base i		-3400 size (ctc)	-2 do		.60 Finis	30 Shes
	PUSH BARS	SPECIFY: INCHES IN	0	CUSTOM	605	POLISHED BRASS
1630	3/8" x 2-1/2" PUSH BAR	DECIMAL FORMAT	1**	3/8"	606	SATIN BRASS
1630B	3/8" x 2-1/2" PUSH BAR, BTB PAIR	DECIMAL FORMAT	2**	1/2"	609	ANTIQUE BRASS
1633	3/8" x 2-1/2" PUSH BAR	I.E. 3200	3	1-3/8"	612	SATIN BRONZE
1633-1	3/8" x 1-1/2" LEVEL HANDLE PROTECTOR (14" ONLY)	I.E. 3350	4	1-3/4"	613	OIL RUBBED BRONZE
1637	3/8" × 1-1/4" PUSH BAR		5	2"	613E	OIL RUBBED BRONZE (EQUIVALENT)
			6	2-1/4"	622	MATTE BLACK
	PUSH BAR		7	2-1/2"	628	SATIN ANODIZED ALUMINUM
1689	3/8" X 2-1/2" PUSH BAR		8	3"	629	POLISHED STAINLESS STEEL
					630	SATIN STAINLESS STEEL

The Trimco 1640 Series Push Bars offer classic style and master craftsmanship in 2, 3, and 4-bar options. The 1640 Series brackets are cast from solid bronze or brass and are mated with 5/8" tube to complete the package. Center-tocenter dimensions must be specified when ordering. The 1640 Series Push Bars will add a classic feel to your project.

1640 SERIES MULTI-RAIL PUSH BARS



RIMCOHARDWARE.COM

FEATURES AND BENEFITS

- Classic styling offered in 2, 3, and 4-bar options
- Manufactured in the United States
- Brackets are cast from durable bronze or brass while bars are 5/8" diameter tube
- Offered in most architectural finishes

NOTES

- Surface mounting standard.
- For additional finish options contact customer service
- Specifying Push Bar Size (CTC) –
 Example 1 32" CTC, specify as 3200
 Example 2 33-1/2" CTC, specify as 3350



1643 (3-Bar)

1642-3200			
1642 base part number	-3200 size (стс)	.626 Finishes	
 1642 5/8" DIAMETER, 2-BAR SET 1643 5/8" DIAMETER, 3-BAR SET 1644 5/8" DIAMETER, 4-BAR SET 	SPECIFY: INCHES IN DECIMAL FORMAT I.E. 3200 I.E. 3350	605POLISHED BRASS606SATIN BRASS609ANTIQUE BRASS612SATIN BRONZE613OIL RUBBED BRONZE613EOIL RUBBED BRONZE (EQUIVALENT)622MATTE BLACK625BRIGHT CHROME626SATIN CHROME628SATIN ANODIZED ALUMINUM	

1660 SERIES CLASSIC PUSH BARS



1662 Push Bar

Trimco 1660 Series Push Bars deliver outstanding durability in a classic tube style push bar. They are available in many configurations to accommodate different applications. Single-bar, 2-bar with grip, and 4-bar with grip styles are offered in most architectural finishes. The 1660 Series has durable base materials including bronze and brass.

FEATURES AND BENEFITS

- Classic style heavy-duty push bar
- Manufactured in the United States from rugged 1" bronze or brass tube
- Multiple styles including single-bar (1661), 2-bar with grip (1662), and 4-bar with grip (1663)
- · Easy installation and back-to-back options available
- Offered in most architectural finishes

NOTES

- For additional finish options contact customer service
- Specifying Push Bar Size (CTC) –
 -Example 1 32" CTC, specify as 3200
 -Example 2 33-1/2" CTC, specify as 3350

1661S-3350-3.625

1661	S	-3350	-3	.625
BASE PART NUMBER	MOUNTING TYPE	SIZE (CTC)	DOOR THICKNESS	FINISHES
 1" DIAMETER, SINGLE BAR 1" DIAMETER, 2-BAR + GRIP 1" DIAMETER, 2-BAR + GRIP (BTB SET) 	E THRU-BOLT & FINISH WASHER G BACK-TO-BACK THREADED SHOULDER BOLT & SET SCREWS (1663 ONLY) S SURFACE MOUNT	SPECIFY: INCHES IN DECIMAL FORMAT I.E. 3200 I.E. 3350	0 CUSTOM 1** 3/8" 2** 1/2" 3 1-3/8" 4 1-3/4" 5 2" 6 2-1/4" 7 2-1/2" 8 3"	 605 POLISHED BRASS 606 SATIN BRASS 609 ANTIQUE BRASS 612 SATIN BRONZE 613 OIL RUBBED BRONZE 613E OIL RUBBED BRONZE (EQUIVALENT 625 BRIGHT CHROME 626 SATIN CHROME

Trimco 1700 Series Push/Pull Bar Sets are manufactured from solid stainless steel, bronze, brass, and aluminum. These heavy-duty bars are available with a multitude of mounting options for most applications including steel, wood, and glass doors. The 1700 Series is available in most architectural finishes.

FEATURES AND BENEFITS

- Options include 3/4", 1", and 1-1/4" diameter material with 10", 12" or 18" pulls
- Multiple mounting options for metal, wood, and glass doors
- · Custom sizes and finishes also available

NOTES

- · For additional finish options contact customer service
- Specifying Push Bar Size (CTC) -Example 1 • 32" CTC, specify as 3200 -Example 2 • 33-1/2" CTC, specify as 3350

1737EG-3350-4-LH.630

• Engraving and leather wrapped options are also available

*For J & M mounting options, specify Riv-Nut for metal doors or bushings for wood doors if required **Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit Handing required for offset models 1737, 1738, 1747 & 1747-1.

737 Ase part number		* (OPTIONAL) CONCEALED MOUNTING	-3350 size (стс)	-4 DOOR THICKNESS	* (OPTIONAL) HOLE DIA. FOR GLASS	.630 Finishes
STRAIGHT PULLS 3/4" DIA., 10" CTC '29 3/4" DIA., 10" CTC '31 1" DIA., 10" CTC '32 1" DIA., 12" CTC '46 1-1/4" DIA., 18" CTC '46-1 1-1/4" DIA., 12" CTC OFFSET PULLS OFFSET PULLS '37 1" DIA., 10" CTC '38 1" DIA., 12" CTC '47 1-1/4" DIA., 12" CTC '47 1-1/4" DIA., 12" CTC '47 1-1/4" DIA., 12" CTC	(OPEN-END POINT) E THRU-BOLT & FINISH WASHER J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS M* CONCEALED-SPANNER TURNING WASHER N THRU-BOLT W/ FLOW-THRU BUTTON G MOUNTING OPTION (BACK-TO-BACK POINT) G BACK-TO-BACK - THREADED SHOULDER BOLT + SET SCREWS	R RIV NUT (ALUMINUM DOORS) B BUSHING (WOOD DOORS) * ALL OPTIONS WITH J AND M MOUNTING METHODS, SPECIFY RIV NUT OR BUSHING	SPECIFY: INCHES IN DECIMAL FORMAT I.E. 3200 I.E. 3350	0 CUSTOM 1** 3/8" 2** 1/2" 3 1-3/8" 4 1-3/4" 5 2" 6 2-1/4" 7 2-1/2" 8 3"	A 3/8" B 1/2" C 5/8" D 3/4" E 7/8" F 1" * FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS - └ └ ↓ HANDING	313 SATIN ANODIZED DARK BRONZE 3165 MARINE GRADE SATIN STAINLESS STEEL STAINLESS STEEL 316P MARINE GRADE POLISHED STAINLESS STEEL STAINLESS STEEL 335 SATIN ANODIZED BLACK 606 SATIN BRASS 607 ANTIQUE BRASS 618 OIL RUBBED BRONZE 613 OIL RUBBED BRONZE (EQUIVALENT) 622 MATTE BLACK 623 SATIN ANODIZED ALUMINUM 629 POLISHED STAINLESS STEEL
	BACK-TO-BACK CONCEALED - L SPANNER TURNING WASHER + STUD *SEE NOTES FOR ALL AVAILABLE MOUNTING COMBINATIONS				(REQUIRED FOR ALL OFFSET PULLS) LH LEFT HAND RH RIGHT HAND	630 SATIN STAINLESS STEEL 710 HEALTHY HARDWARE, SATIN

1700 SERIES PUSH/PULL BAR SETS





RIMCOHARDWARE.COM

1700 SERIES PUSH BARS



1741 Push Bar

Trimco 1700 Series Push/Pull Bars & Sets are manufactured from solid stainless steel, bronze, brass, and aluminum. These heavy-duty bars are available with a multitude of mounting options for most applications including steel, wood, and glass doors. The 1700 Series is available in most architectural finishes.

FEATURES AND BENEFITS

- Options include 3/4", 1", and 1-1/4" diameter material with 10", 12", or 18" pulls
- Multiple mounting options for metal, wood, and glass doors
- Custom sizes and finishes also available
- ADA compliant
- Back-to-back mounting available

NOTES

- For additional finish options contact customer service
- Specifying Push Bar Size (CTC) –
 -Example 1 32" CTC, specify as 3200
 -Example 2 33-1/2" CTC, specify as 3350
- · For additional detail on Mounting options and kits, please inquire with Trimco Customer Service
- Engraving and leather wrapped options are also available

*For J & M mounting options, specify Riv-Nut for metal doors or bushings for wood doors if required **Glass Door Mounting options for 3/8" & 1/2" door thicknesses require a W-Mount hardware kit

1740 base part number	EG mounting type	* (OPTIONAL)	-3350 size (стс)	-4 door thickness	* (OPTIONAL) HOLE DIA. FOR GLASS	.630 Finishes
1740 3/4" DIAMETER 1741 1" DIAMETER 1745 1-1/4" DIAMETER	EG THRU-BOLT X BACK-TO-BACK EJ THRU-BOLT X CONCEALED MOUNTING E THRU-BOLT & FINISH WASHER G BACK TO BACK THREADED SHOULDER BOLT & SET SCREWS J* CONCEALED THREADED SHOULDER BOLT & SET SCREWS L BACK-TO-BACK CONCEALED SPANNER TURNING WASHER & STUD M* CONCEALED-SPANNER TURNING WASHER N THRU-BOLT W/ FLOW-THRU BUTTON *INQUIRE FOR ALL AVAILABLE MOUNTING COMBINATIONS	R RIV NUT (ALUMINUM DOORS) B BUSHING (WOOD DOORS) * ALL OFFSET OPTIONS WITH J AND M MOUNTING METHODS, SPECIFY MOUNTING ACCESSORY	SPECIFY: INCHES IN DECIMAL FORMAT I.E. 3200 I.E. 3350	0 CUSTOM 1** 3/8" 2** 1/2" 3 1-3/8" 4 1-3/4" 5 2" 6 2-1/4" 7 2-1/2" 8 3"	A 3/8" B 1/2" C 5/8" D 3/4" E 7/8" F 1" * FOR 3/8" OR 1/2" THICK GLASS DOORS, SPECIFY HOLE DIAMETER IN GLASS	313 SATIN ANODIZED DARK BRONZ 3165 MARINE GRADE SATIN STAINLESS STEEL 316P 316P MARINE GRADE POLISHED STAINLESS STEEL 335 335 SATIN ANODIZED BLACK 605 POLISHED BRASS 606 SATIN BRASS 607 ANTIQUE BRASS 618 OIL RUBBED BRONZE 6132 OIL RUBBED BRONZE 6132 OIL RUBBED BRONZE (EQUIVALENT) 622 622 MATTE BLACK 628 SATIN ANODIZED ALUMINUM 629 POLISHED STAINLESS STEEL 630 SATIN STAINLESS STEEL 630 SATIN Y HARDWARE, SATIN

1740EG-3350-4.630



1700 Series Push Bar



1110 SERIES MODERN FLUSH CUP PULLS





The 1110 Series offers a sleek and modern design and will add elegance to your pocket or barn doors.

FEATURES AND BENEFITS

- Elegant and modern non-handed designs
- Heavy-duty stainless steel, bronze, or brass construction
- Concealed screws
- Standard sizes include 8", 10", and 18" lengths
- Custom sizes and shapes available

NOTES

- · For additional finish options contact customer service
- BTB mounting available for 1-3/4" or thicker doors

1110	-18.630
1110-18 part number	.630 Finish
1110-8 8" X 2-1/2" 1110-10 10" X 2-1/2" 1110-18 18" X 2-1/2"	 605 POLISHED BRASS 606 SATIN BRASS 609 ANTIQUE BRASS 612 SATIN BRONZE 613 OIL RUBBED BRONZE 613E OIL RUBBED BRONZE (EQUIVALENT) 622 MATTE BLACK 629 POLISHED STAINLESS STEEL 630 SATIN STAINLESS STEEL

1111 SERIES STANDARD & ADA FLUSH PULLS











1111A

1111C-PVC

The 1111 Series are perfect for use on public buildings such as schools, park facilities, retail malls, or strip commercial buildings.

1111B

FEATURES AND BENEFITS

- Manufactured from stainless steel, brass or bronze
- Functions easily, yet resists vandalism as the smooth surface defies attachment by hooks, ropes, chains, or other destructive devices
- Complies with Building Code Accessibility Standards for the handicapped (1111C)
- · Optional PVC coating resists heat and keeps pull cool in sunny environments
- Available in back-to-back sets

NOTES

• 1111LB & 1111C - 1/8" (x2) shims are supplied for 1-3/4" thick door when ordered as BTB mounting configurations

	1111C.630		
1111C part nu		.63 Finis	30 н
1111A 1111B 1111C 1111C-BTB 1111C-PVC 1111LB 1111L	5" X 5" CONCEALED FASTENERS 5" X 5" SURFACE MOUNTED 6" X 6" ADA 6" X 6" ADA, BACK-TO-BACK 6" X 6" ADA, PVC COATING 5" X 5" THRU-BOLT, BACK-TO-BACK 5" X 5" THRU-BOLT	605 606 612 613 613E 622 629 630	POLISHED BRASS SATIN BRASS SATIN BRONZE OIL RUBBED BRONZE OIL RUBBED BRONZE (EQUIVALENT) MATTE BLACK POLISHED STAINLESS STEEL SATIN STAINLESS STEEL

RIMCOHARDWARE.COM



44 ARCHITECTURAL & DES

U.S. COM



SLIDING DOOR SOLUTIONS





Trimco has a wide array of architectural and industrial solutions for sliding doors. From the 1069 Series ADA pocket door hardware to the 1074 Series ADA barn and sliding door hardware, Trimco has unique products that suit most applications. 

1074 SERIES ADA SLIDING DOOR LOCKS



1074-1



1074-2

Wall Strike (Optional)

1074-1-LH-ST001.630

1074-1 -| \vdash -ST001 630 BASE PART NUMBER HANDING LEVER STYLE FINISHES ADA BARN/SLIDING DOOR HARDWARE LH LEFT HAND *STOCKHOLM 613E OIL RUBBED BRONZE (EQUIVALENT) ST000 1074-1 TUBLULAR PRIVACY RH RIGHT HAND ST001 *MUNICH 622 MATTE BLACK 1074-2 MORTISE SECTIONAL PRIVACY *FRANFURT 629 POLISHED STAINLESS STEEL ST002 KOLN 1074-2X5004 MORTISE SECTIONAL PRIVACY W/ OCCUPANCY INDICATOR ST003 630 SATIN STAINLESS STEEL 1074-2C MORTISE SECTIONAL CONSTANT LATCHING ST028 VIENNA OTHER FINISH OPTIONS AVAILABLE. 1074-2E MORTISE ESCUTCHEON PRIVACY ST037 MATISSE CONTACT CUSTOMER SERVICE 1074-2EX5004 MORTISE ESCUTCHEON PRIVACY W/ OCCUPANCY INDICATOR SC001 BELLINI TUBULAR PASSAGE GLEN ELLEN 1074-3 SC037 *MERRYVALE SC051 SC069 MAHLER

The Trimco 1074 Series Barn & Pocket Door Latchsets deliver a unique solution for sliding door applications where design is important. These latchsets are offered with either tubular or mortise locks for medium to high use situations. The 1074 Series is ADA compliant for use in public facilities.

FEATURES AND BENEFITS

- Unique barn and sliding door locking solution
- · Can be used with Trimco Wall Strike for locking of surface-applied barn doors
- ADA compliant
- · Multiple functions for different applications
- · Ten different lever styles to choose from
- Only requires 10 degrees of rotation to unlatch
- 1074-1 Privacy function with a push button on the inside and emergency access on the outside
- 1074-2 Privacy function with a thumb turn on the inside and cylinder on the outside
- 1074-3 Passage function with tubular latch

NOTES

- Backset: 2-3/8" for tubular locks (1074-1 & 1074-3); 2-3/4" for mortise locks (1074-2)
- Door Thickness: 1-3/8" & 1-3/4" for tubular locks (1074-1 & 1074-3); 1-3/4" for mortise locks (1074-2) 1074-2 includes mortise type cylinder and cam
- All units include their own strike

* STOCK LEVER STYLE

D	-5
AR	
НО	
MC	
2	

Trimco's patented Wall Strike's are uniquely designed as a solution for latching surface-applied Sliding/Barn doors with Trimco 1074 Series ADA locks. The strike mounts to the wall either directly (requires blocking in wall) or via a mounting bracket that mounts to the jamb.

WS SERIES BARN DOOR WALL STRIKE



FEATURES AND BENEFITS

- Designed for use with Trimco 1074 Series ADA Barn/Sliding Latchsets
- Vertical adjustability ensures proper latching as the building or door opening settles
- Concealed fasteners for sleek, modern appearance
- · Available in most architectural finishes, or primer to match wall paint color
- · Enables latching of surface sliding/barn doors
- · Two mounting methods: direct to wall (requires blocking in the wall) or via mounting bracket

630F

600W WHITE PRIMER COAT

MATTE BLACK 625 POLISHED CHROME

630E STAINLESS STEEL (EQUIVALENT)

OIL RUBBED BRONZE (EQUIVALENT)

FINISHES

613E

622

WS-1074-2.630E

-1074-2 MATING LOCK

1074-2 MORTISE

1074-1 TUBULAR (1074-1 OR 1074-3)

WS

WS WSJ

BASE PART NUMBER

WALL STRIKES

DIRECT MOUNT

JAMB MOUNT







WS

WSJ



RIMCOHARDWARE.COM

INNOVATIVE AND MASTERFULLY CRAFTED POCKET DOOR SOLUTIONS

The Trimco 1069 Series pocket door pulls are uniquely designed to meet American with Disabilities Act (ADA) requirements for pocket door applications. With a contemporary design and stylish black nylon handles, the 1069 Series is built for the most demanding applications without compromising the aesthetics.

1069 SERIES ADA POCKET DOOR PULLS



RIMCOHARDWARE.COM

FEATURES AND BENEFITS

- Complete pocket door ADA solution
- Stylish black nylon handles standard
- Easy installation and operation; operates with heel, edge of hand, or with the arm
- 5-1/2" standard frame width; other frame width options available
- Can be used on a 1-3/8" door, as well as a 1-3/4" door
- Multiple functions for different applications
- Exterior emergency access on Full Privacy

NOTES

Offset 1069 configurations are available, contact customer service

*Handing specification is for FP models only





1069L



1069FP

1069FP-A-RH-4.630

1069FP	-A	-RH	-4	.630
base part number		handing	door thickness	Finishes
ADA POCKET DOOR PULLS 1069 PASSAGE (PUSH/PULL) 1069L LATCHING 1069FP FULL PRIVACY (W/ EMERGENCY KEY)	A 4-3/4" TO 5-1/2" (STD) B 5-3/4" TO 7" C 7-1/4" TO 8-1/2" D 8-3/4" TO 10" E 10-1/4" TO 11-1/2" F 11-3/4" TO 13"	LH LEFT HAND RH RIGHT HAND HANDING ONLY REQUIRED FOR 1069FP	0 CUSTOM 3 1-3/8" 4 1-3/4"	 605 POLISHED BRASS 606 SATIN BRASS 609 ANTIQUE BRASS 612 SATIN BRONZE 613 OIL RUBBED BRONZE (EQUIVALENT) 613E OIL RUBBED BRONZE (EQUIVALENT) 622 MATTE BLACK 628 SATIN ANODIZED ALUMINUM 629 POLISHED STAINLESS STEEL 630 SATIN STAINLESS STEEL

MOUNTING METHODS



E-MOUNT Thru-bolt & finish washer

3/4" DIA. OR LESS: 1/4-20 THREAD 1" DIA. OR MORE: 5/16-18 THREAD RIGHT HAND THREAD (RHT) STANDARD LEFT HAND THREAD AVAILABLE 3/18-16 THREAD AVAILABLE



L-MOUNT back-to-back concealed mounting

SPANNER TURNING WASHER & STUD FOR ROUND BASES SPECIFY METAL, WOOD, OR GLASS DOORS



G-MOUNT back-to-back

THREADED SHOULDER BOLT & SET SCREWS (X2) 3/4" DIA. OR LESS: 1/4-20 THREAD 1" DIA. OR MORE: 5/16-18 THREAD SPECIAL SHOULDER BOLTS AVAILABLE



M-MOUNT concealed mounting

SPANNER TURNING WASHER & SINGLE MOUNT FOR ROUND BASES SPECIFY METAL OR WOOD DOORS



GLASS KIT w-mount

INCLUDES CLEAR SPACER, 2 FELT WASHERS & 2 BACK PLATES SPECIFY GLASS THICKNESS & HOLE DIAMETER REQUIRES MOUNTING KIT (I.E. N-MOUNT)



RIV-NUT riv-nut

FOR J OR M MOUNTING ON ALUMINUM DOORS R3: 1/4-20 THREAD R4: 5/16-18 THREAD R5: 3/8-16 THREAD



J-MOUNT concealed mounting

THREADED SHOULDER BOLT & SCREW SET (X2) 3/4" DIA. OR LESS: 1/4-20 THREAD 1" DIA. OR MORE: 5/16-18 THREAD SPECIFY METAL OR WOOD DOORS SPECIAL SHOULDER BOLTS AVAILABLE



$\begin{array}{c} \mathbb{N}\text{-}\mathbb{M}\text{-}\mathbb{N}\mathbb{N}\\ \text{Thru-bolt with flow-thru button} \end{array}$

SINGLE MOUNT FOR ROUND BASES RIGHT HAND THREAD (RHT) STANDARD LEFT HAND THREAD (LHT) AVAILABLE SPECIFY METAL, WOOD, OR GLASS DOORS



BUSHING wood thread to machine thread

FOR J OR M MOUNTING ON WOOD DOORS B3: 1/4-20 THREAD B4: 5/16-18 THREAD B5: 3/8-16 THREAD

FINISHES



U.S. GOVT. US3 BHMA DESCRIPTION 605 POLISHED BRASS, CLEAR COATED



U.S. GOVT.

BHMA DESCRIPTION

OIL RUBBED

613 DARK OXIDATED SATIN BRONZE,

US10B

BHMA DESCRIPTION 499 POLISHED BRASS, NO LACQUER





BHMA DESCRIPTION 612 SATIN BRONZE, CLEAR COATED



U.S. GOVT. US19 BHMA DESCRIPTION 622 SATIN BLACK COATED



U.S. GOVT. US26 BHMA DESCRIPTION 625 BRIGHT CHROME PLATED



U.S. GOVT. US4 BHMA DESCRIPTION 606 SATIN BRASS, CLEAR COATED



U.S. GOVT. US10BE BHMA DESCRIPTION 613E DARK OXIDATED SATIN BRONZE, OIL RUBBED (EQUIVALENT)



U.S. GOVT. US26D BHMA DESCRIPTION 626 SATIN CHROME PLATED




U.S. GOVT. US5 BHMA DESCRIPTION

609 SATIN BRASS, BLACKENED, SATIN



U.S. GOVT. 616 SATIN BRONZE, BLACKENED, SATIN



U.S. GOVT. US28 BHMA DESCRIPTION 628 SATIN ALUMINUM, CLEAR ANODIZED



U.S. GOVT. US7

U.S. GOVT.

BHMA DESCRIPTION

COATED

US15

619

BHMA DESCRIPTION 610 SATIN BRASS, BLACKENED, BRIGHT RELIEVED, CLEAR COATED

SATIN NICKEL PLATED, CLEAR



U.S. GOVT. US9

BHMA DESCRIPTION

611 POLISHED BRONZE, CLEAR COATED

FRIMCOHARDWARE.COM



U.S. GOVT. US15A

BHMA DESCRIPTION 620 SATIN NICKEL PLATED, BLACKENED, SATIN RELIEVED, CLEAR COATED



U.S. GOVT. US32D BHMA DESCRIPTION 630 SATIN STAINLESS STEEL





BHMA DESCRIPTION 630TG SATIN STAINLESS STEEL WITH TRIMGUARD

BHMA DESCRIPTION 313

SATIN ALUMINUM, DARK BRONZE ANODIZED



BHMA DESCRIPTION 316P MARINE GRADE, POLISHED STAINLESS STEEL



BHMA DESCRIPTION

316S MARINE GRADE, SATIN

STAINLESS STEEL





BHMA DESCRIPTION 335 SATIN ALUMINUM, BLACK ANODIZED



710CU STERALLOY HEALTHY HARDWARE, SILVER (STANDARD)

- Some finishes are not available on all products. For more information, inquire with Trimco Customer Service.
- Finish 613 (US10B) is a living finish and will vary when applied to different alloys or forms of base and metal in the products of different manufacture. Limited shelf life.
- Many other finishes can be furnished on special order.

US11 BHMA DESCRIPTION



U.S. GOVT. 11532













HEADQUARTERS

1351 Rocky Point Drive Oceanside, CA 92056

CUSTOMER SERVICE + ORDERS

csr@trimcohardware.com

323.262.4191 Phone 800.637.8746 Fax 323.264.7214 Local Fax

QUOTATIONS

quotes@trimcohardware.com 877.786.8387 Toll Free Fax 323.264.7214 Local Fax

LITERATURE + CATALOGS

SALES

Visit our website to find your local Trimco sales representative

FOLLOW TRIMCO ON SOCIAL MEDIA FOR THE LATEST UPDATES!



linkedin.com/company/trimcc



Trimco Hardw



TRIMCOHARDWARE.COM