

| | | | |
|---------------------------------------------------------------------------------------------------|-------|---------------------------------------------------------------------------------------------|-------|
| SN Series 10X Line Cylindrical Lock | | SN Series 8600 Series Exit Device With 56- Electric Latch Retraction | |
| SN Series 10X Line Options..... | IW-2 | SN Series with 56- ELR 8600 Series Options | IW-16 |
| SN Series 10X Line Cylindrical Lock | IW-3 | SN Series with 56- ELR 8600 Series Series Exit Device | IW-17 |
| SN Series 8200 Mortise Lock | | SN Series 8700, 8800, 8900 Series Exit Device With 56- Electric Latch Retraction | |
| SN Series 8200 Options..... | IW-4 | SN Series 8700, 8800, 8900 Series Options..... | IW-18 |
| SN Series 8200 Mortise Lock | IW-5 | SN Series with 56- ELR 8700, 8800, 8900 Series Exit Device | IW-19 |
| SN Series R8200 SIMPLÍ™ Roseless Trim Mortise Lock | | SN Series 8600 Series Exit Device | |
| SN Series R8200 Options | IW-6 | SN Series 8600 Series Options | IW-20 |
| SN Series R8200 Mortise Lock..... | IW-7 | SN Series 8600 Series Exit Device | IW-21 |
| SN Series PE8600 Series Exit Device With 56- Electric Latch Retraction | | SN Series 8700, 8800, 8900 Series Exit Device | |
| SN Series with 56- PE8600 Series Options..... | IW-8 | SN Series 8700, 8800, 8900 Series Options | IW-22 |
| SN Series with 56- PE8600 Series Series Exit Device | IW-9 | SN Series 8700, 8800, 8900 Series Exit Device..... | IW-23 |
| SN Series PE8700, PE8800, PE8900 Series Exit Device With 56- Electric Latch Retraction | | SN Series 7000 Series Exit Device Multi-Point Vertical Rod Options | |
| SN Series PE8700, PE8800, PE8900 Series Options..... | IW-10 | SN Series 7000 Series Multi-Point Options..... | IW-24 |
| SN Series with 56- PE8700, PE8800, PE8900 Series Exit Device | IW-11 | SN Series 7000 Series Series Multi-Point Exit Device | IW-25 |
| SN Series PE8600 Series Exit Device | | SN Series FM7300 Multi-Point Lock | |
| SN Series PE8600 Series Options..... | IW-12 | SN Series FM 7300 Multi-Point Lock Options..... | IW-26 |
| SN Series PE8600 Series Exit Device..... | IW-13 | SN Series FM 7300 Multi-Point Lock | IW-27 |
| SN Series PE8700, PE8800, PE8900 Series Exit Device | | Accessories | IW-28 |
| SN Series PE8700, PE8800, PE8900 Series Options..... | IW-14 | Readers, Controllers, Assemblies | IW-29 |
| SN Series with 56- PE8700, PE8800, PE8900 Series Exit Device | IW-15 | | |

ACP and CI certification required for every order.

Available through Authorized Channel Partners only.

Contact your local ASSA ABLOY Door Security Solutions sales consultant for details.


| How to Order Step | Description | Example |
|--------------------|--------------------------------------------------------|-----------------------------------------------------------|
| Bored | | |
| Quantity | Each | 10 Ea. |
| Option | Consult catalog for options available | 10 Ea. 10- |
| Product Series | SN200/SN210 | 10 Ea. 10-SN200-10X |
| Function | Consult catalog for available function | 10 Ea. 10-SN200-10X G270-24V |
| Outside Elec. | Consult catalog for available outside electrical trims | 10 Ea. 10-SN200-10XG270-24V BIPS |
| Credential Mod. | Consult catalog for available credential modifiers | 10 Ea. 10-SN200-10XG270-24V BIPS-03 |
| Trim | Consult catalog for available lever designs | 10 Ea. 10-SN200-10XG270-24V BIPS-03 LL |
| Finish | Consult catalog for available finishes | 10 Ea. 10-SN200-10XG270-24V BIPS-03 LL 26D |
| Hand | Specify Hand | 10 Ea. 10-SN200-10XG270-24V BIPS-03 LL 26D RH |
| Mortise | | |
| Quantity | Each | 10 Ea. |
| Option | Consult catalog for options available | 10 Ea. 10- |
| Product Series | SN200/SN210 | 10 Ea. 10-SN200-82 |
| Function - Voltage | Consult catalog for available functions | 10 Ea. 10-SN200- 82270-24V |
| Outside Elec. | Consult catalog for available outside electrical trims | 10 Ea. 10-SN200-82270-24V BIPS |
| Credential Mod. | Consult catalog for available credential modifiers | 10 Ea. 10-SN200-82270-24V BIPS-03 |
| Trim | Consult catalog for available lever designs | 10 Ea. 10-SN200-82270-24V BIPS-03 LNL |
| Finish | Consult catalog for available finishes | 10 Ea. 10-SN200-82270-24V BIPS-03 LNL 26D |
| Hand | Specify Hand | 10 Ea. 10-SN200-82270-24V BIPS-03 LNL 26D RH |
| Exit | | |
| Quantity | Each | 10 Ea. |
| Option | Consult catalog for options available | 10 Ea. 12- |
| Product Series | SN200/SN210 | 10 Ea. 12-SN200-88 |
| Function | Consult catalog for available functions | 10 Ea. 12-SN200-8875 |
| Voltage | 12V or 24V | 10 Ea. 12-SN200-8875-24V |
| Outside Elec. | Consult catalog for available outside electrical trims | 10 Ea. 10-SN200-8875-24V BIPS |
| Credential Mod. | Consult catalog for available credential modifiers | 10 Ea. 10-SN200-8875-24V BIPS-03 |
| Rail Size | Consult catalog for available Rail sizes | 10 Ea. 10-SN200-8875-24V BIPS-03 F |
| Trim - ET | Consult catalog for available lever designs | 10 Ea. 12-SN200-8875-24V BIPS-03 F ETL |
| Finish (Trim/ET) | Consult catalog for available finishes | 10 Ea. 12-SN200-8875-24V BIPS-03 F ETL 26D/32D |
| Hand | Specify Hand | 10 Ea. 12-SN200-8875-24V BIPS-03 F ETL 26D/32D RHR |

| Function Catalog # | Description |
|-----------------------------------------------------|-----------------------------------------------------------|
| Bored Lock | |
| 10XG270 | Entry Lock with cylinder override - Fail Safe |
| 10XG271 | Entry Lock with cylinder override - Fail Secure |
| Mortise Lock | |
| 82270 | Entry Lock with cylinder override - Fail Safe |
| 82271 | Entry Lock with cylinder override - Fail Secure |
| 82280 | Entry Lock with cylinder override, deadbolt - Fail Safe |
| 82281 | Entry Lock with cylinder override, deadbolt - Fail Secure |
| 82274 | Entry Lock - no cylinder - Fail Safe |
| 82275 | Entry Lock - no cylinder - Fail Secure |
| 82284 | Entry Lock with deadbolt (no cylinder) - Fail Safe |
| 82285 | Entry Lock with deadbolt (no cylinder) - Fail Secure |
| PE80/80 Series Exit - Concealed Vertical Rod | |
| PE8673/8673 | Fail Safe |
| PE8674/8674 | Fail Secure |
| PE80/80 Series Exit - Surface Vertical Rod | |
| PE8773/8773 | Fail Safe |
| PE8774/8774 | Fail Secure |
| PE80/80 Series Exit - Rim | |
| PE8873/8873 | Fail Safe |
| PE8874/8874 | Fail Secure |
| PE8875/8875 | Fail Safe - With cylinder override |
| PE8876/8876 | Fail Secure - With cylinder override |
| PE80/80 Series Exit - Mortise | |
| PE8973/8973 | Fail Safe |
| PE8974/8974 | Fail Secure |
| PE8975/8975 | Fail Safe - With cylinder override |
| PE8976/8976 | Fail Secure - With cylinder override |

| Finish SARGENT | Description | ANSI |
|----------------|------------------------------------------|------|
| US3 | Polished brass | 605 |
| US4 | Satin brass | 606 |
| US9 | Polished bronze | 611 |
| US10 | Satin bronze, clear powder coat | 612 |
| US10B | Oxidized satin bronze oil rubbed | 613 |
| US10BE | Dark oxidized satin bronze - equivalent | 613E |
| US10BL | Oxidized satin bronze, clear powder coat | 616 |
| US14 | Bright nickel, clear coated | 618 |
| US15 | Satin nickel, clear coated | 619 |
| US20D | Dark statuary bronze, clear powder coat | 622 |
| US26 | Polished chrome | 625 |
| US26D | Satin chrome | 626 |
| US32 | Polished stainless steel | 629 |
| US32D | Satin stainless steel | 630 |
| BSP | Black Suede Powder Coat | n/a |
| WSP | White Suede Powder Coat | n/a |

Note: Refer to each price page for available finishes by product series.

IW-2 INTEGRATED WIRED SOLUTIONS



SARGENT®

ASSA ABLOY

SN SERIES 10X Line CYLINDRICAL LOCK OPTIONS

USA & Canada Prices Effective March 1, 2024 – Rev.01/18/24

| Options | Description | Price |
|---------|-------------------------------------------------------------------------------------------------------------------------------|------------------------|
| 10 | SARGENT Signature Key System | \$81.00/cyl |
| 11 | SARGENT XC Key System (not available with 10, 22, SC, SE) | No addition |
| 1160 | Sargent XC Large Format Interchangeable Plastic Disposable Construction Core | No addition |
| 1163 | Sargent XC Large Format Interchangeable Core Cylinder – Includes masterkeying charges | \$108.00 |
| 1164 | Sargent XC Large Format Interchangeable Construction Core Cylinder | \$108.00 |
| 1170 | Small Format interchangeable disposable construction core – to accept 7 Pin XC permanent core | No addition |
| 11727P | Small Format interchangeable keyed construction core – to accept 7 Pin XC permanent core | \$97.00 |
| 11737P | Small Format interchangeable core – to accept 7 pin XC permanent core | \$97.00/ cyl. |
| 21 | SARGENT Construction Key System (lost ball) – for new systems est. since 5/1/96 | \$16.00/cyl |
| 22 | SARGENT Construction Key System (split key) – for pre-est. split key systems only | \$32.00/cyl |
| 23 | Lockset x 3 3/4" Backset | \$13.00 |
| 25 | Lockset x 5" Backset | \$19.00 |
| 29 | Lockset x T-Srike - 1-1/4" Lip: – Lip lengths 1" – Lip Lengths 1-1/2", 1-3/4", 2" increments | No addition \$15.00 |
| 30 | 10X Line Lever to accept Schlage cylinder (no cylinder provided) | No addition |
| 36 | 6 Lobe head security screws | \$18.00 |
| 37 | Spanner head security screws | \$13.00 |
| 41 | 3/4" throw with latch x 2-3/4" Backset | \$138.00 |
| 60 | SARGENT Large Format Interchangeable Plastic Disposable Construction Core | No addition |
| 63 | SARGENT Large Format IC Cylinder includes master and grandmaster keying charge | \$108.00 /cyl. |
| 64 | SARGENT Large Format Interchangeable Construction Core Cylinder | \$108.00 |
| 6573 | Small Format 6-Pin uncombined core (Refer to CK-12) | \$87.00/cyl. |
| 65737P | Small Format 7-Pin uncombined core (Refer to CK-12) | \$87.00/cyl. |
| 70 | Small Format Interchangeable disposable plastic construction core | No addition |
| 72 | Small Format Interchangeable 6-Pin construction core (7-Pin with 11 option) | \$97.00 |
| 73 | Small Format Interchangeable 6-Pin core (not avail. w/J Lever) | \$97.00/cyl. |
| 737P | Small Format Interchangeable 7-Pin core (not avail. w/J Lever) | \$97.00/cyl. |
| 75 | Tactile Warning – Milled on backside of inside lever (L, B, P levers only) | \$52.00 |
| 76 | Tactile Warning – Milled on backside of outside lever (L, B, P levers only) | \$52.00 |
| 77 | Tactile Warning – Milled on backside of both levers (L, B, P levers only) | \$104.00 |
| 80 | Levers to accept KESO and Keso F1 cylinders – no cylinders provided (L, B, P levers only) | -\$123.00/cyl. |
| 82 | SARGENT KESO Security Cylinder (not avail. w/J Lever) (for existing systems) | \$119.00/cyl |
| 85 | Tactile Warning – Abrasive coating on inside lever | \$64.00 |
| 86 | Tactile Warning – Abrasive coating on outside lever | \$64.00 |
| 87 | Tactile Warning – Abrasive coating on both levers | \$128.00 |
| F182 | SARGENT KESO Security Cylinder – patented – new key systems (L, B, P levers only) | \$119.00/cyl |
| BR | SARGENT Bump Resistant Cylinders (N/A w/10, 22, 30, 60, 63, 64, 70, 72, 73, 737P, KESO) | \$32.00/cyl. |
| DG1 | Patented Degree DG1 Key System | No addition |
| DG160 | Hardware prepared for DG1-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG163 | Patented Degree DG1 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$108.00 |
| DG164 | Hardware prepared for DG1-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| DG2 | Patented Degree DG2 Key System incorporating a locking sidebar | \$81.00/cyl. |
| DG260 | Hardware prepared for DG2-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG263 | Patented Degree DG2 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$189.00 |
| DG264 | Hardware prepared for DG2-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| DG3 | Patented Degree DG3 Key System incorporating a locking sidebar and UL437 listed | \$115.00/cyl. |
| DG360 | Hardware prepared for DG3-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG363 | Patented Degree DG3 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$223.00 |
| DG364 | Hardware prepared for DG3-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| FW | Freewheeling Locking Levers | No Addition |
| LC | Less Cylinder | -\$123.00/cyl. |
| SC | Schlage C keyway cylinder "0" bitted | No Addition |
| SE | Schlage E keyway cylinder "0" bitted | No Addition |
| SF | L, B, or P Lever to accept Schlage Lg. Format Interchangeable Core (supplied less core, tailpiece incl.) | No addition |
| SG | MicroShield® an antimicrobial powder coat finish | \$95.00 |
| WBS | Wrought Box Strike | No Addition |
| YC | Lever to accept ASSA ABLOY ACCENTRA 6-pin 1803 fixed core cylinder (all designs, supplied less cylinder, tailpiece included) | No Addition |
| YC7P | Lever to accept ASSA ABLOY ACCENTRA 7-pin 1803A fixed core cylinder (all designs, supplied less cylinder, tailpiece included) | No Addition |
| YRC | L or P Lever to accept ASSA ABLOY ACCENTRA 6-pin LFIC (supplied less core, tailpiece included) | No Addition |
| CPC | Clear Powder Coat over 26/26D. | \$88.00 |

All orders will continue to be handled as a "special" when CPC is ordered.

Experience a safer
and more open world

Copyright © 2002-2024 Sargent Manufacturing Company, an ASSA ABLOY Group company. All rights reserved.
Reproduction in whole or in part without the express written permission of Sargent Manufacturing Company is prohibited.
Contact us at: 800-727-5477 or visit www.sargentlock.com. In Canada contact us at: 800-461-3007 or visit www.assaabloydss.ca

SARGENT®



ASSA ABLOY



IW-3 INTEGRATED WIRED SOLUTIONS

SN SERIES 10X Line CYLINDRICAL LOCK

USA & Canada Prices Effective March 1, 2024



Rose: L & G

Standard Levers: L, B, P, MB, MD, MW, ND

How to order:

Option: SN200
Function: 10XG270
Outside Electrical Trim: BIPS
Credential Modifier: 0E
Rose: L
Lever: P
Hand: RH
Finish: 26D

SN200-10XG270 x BIPS x 0E x L x P x RH x 26D

| SN Series-10X Line Cylindrical Locks with Bluetooth Smart | | | | | | 03/04/09 |
|-----------------------------------------------------------|----------|-------------------------|---------------------|--------------|-------------|---------------------------------|
| Options* | Function | Outside Electrical Trim | Credential Modifier | Trim | Description | 10/10B/ 10BL/14 15/20D/26 |
| SN200/SN210 | 10XG270 | BIPS | 03 or 0E | Rose x Lever | Fail Safe | \$2,228.00 |
| SN200/SN210 | 10XG271 | BIPS | 03 or 0E | Rose x Lever | Fail Secure | \$2,333.00 |

* • SN210 BIS, BIPS, BIKS, BIKPS is only available with 0E credential modifier. • SN210 FIPS & FIKPS only available with 03 and 0D credential modifier.
• SN210 is always compliant with UL294.

| Outside Electrical Trim | Credential Modifier | Description | Price |
|-------------------------|------------------------|----------------------------------------------------------------|----------|
| BIS | 03 or 0E | Bluetooth Smart, High Frequency credentials ONLY | No Add |
| BIKS | 03 or 0E | Bluetooth Smart and keypad, High Frequency credentials ONLY | \$328.00 |
| BIPS | 03 or 0E | Bluetooth Smart, High and Low Frequency credentials | No Add |
| BIKPS | 03 or 0E | Bluetooth Smart and keypad, High and Low Frequency credentials | \$328.00 |
| FIPS | 03, 04, 0D, 0F, 0G, 0H | FIPS 201 Compliant | \$131.00 |
| FIKPS | 03, 04, 0D, 0F, 0G, 0H | FIPS 201 Compliant with keypad | \$459.00 |

Specify hand when ordering. Voltage not required.

Notes: **Reader Color:** Black is supplied

Option: SN200 for Wiegand Communication Protocol

Option: SN210 for OSDP Communication Protocol

See catalog for credential modifier descriptions.

ACP and CI certification required for every order.

Available through Authorized Channel Partners only.

Contact your local ASSA ABLOY Door Security Solutions sales consultant for details.

Experience a safer
and more open world

Copyright © 2002-2024 Sargent Manufacturing Company, an ASSA ABLOY Group company. All rights reserved.
Reproduction in whole or in part without the express written permission of Sargent Manufacturing Company is prohibited.
Contact us at: 800-727-5477 or visit www.sargentlock.com. In Canada contact us at: 800-461-3007 or visit www.assaabloydss.ca

IW-4 INTEGRATED WIRED SOLUTIONS



SARGENT®



ASSA ABLOY

SN SERIES 8200 MORTISE LOCK OPTIONS

USA & Canada Prices Effective March 1, 2024

| Options | Description | Price |
|---------|--------------------------------------------------------------------------------------------------------------------|----------------|
| 10 | SARGENT Signature Key System | \$81.00/cyl |
| 11 | SARGENT XC Key System (not available with 10, 22, SC, SE) | No addition |
| 1160 | Sargent XC Large Format Interchangeable Plastic Disposable Construction Core | No addition |
| 1163 | Sargent XC Large Format Interchangeable Core Cylinder - Includes masterkeying charges | \$108.00 |
| 1164 | Sargent XC Large Format Interchangeable Construction Core Cylinder | \$108.00 |
| 1170 | Small Format interchangeable disposable construction core - to accept 7 Pin XC permanent core | No addition |
| 11727P | Small Format interchangeable keyed construction core - to accept 7 Pin XC permanent core | \$97.00 |
| 11737P | Small Format interchangeable core - to accept 7 pin XC permanent core | \$97.00/ cyl. |
| 21 | SARGENT Construction Key System (lost ball) - for new systems est. since 5/1/96 | \$16.00/cyl |
| 22 | SARGENT Construction Key System (split key) - for pre-est. split key systems only | \$32.00/cyl |
| 23 | Locksets with flat 4-7/8" ANSI Strike | No addition |
| 36 | 6 Lobe head security screws | \$27.00 |
| 37 | Spanner head security screws | \$20.00 |
| 60 | SARGENT Large Format Interchangeable Plastic Disposable Construction Core | No addition |
| 63 | SARGENT Large Format IC Cylinder includes master and grandmaster keying charge | \$108.00 /cyl. |
| 64 | SARGENT Large Format Interchangeable Construction Core Cylinder | \$108.00 |
| 6573 | Small Format 6-Pin uncombined core | \$87.00/cyl. |
| 65737P | Small Format 7-Pin uncombined core | \$87.00/cyl. |
| 70 | Small Format Interchangeable disposable plastic construction core | No addition |
| 72 | Small Format Interchangeable 6-Pin construction core (7-Pin with 11 option) | \$97.00 |
| 73 | Small Format Interchangeable 6-Pin core | \$97.00/cyl. |
| 737P | Small Format Interchangeable 7-Pin core | \$97.00/cyl. |
| 75 | Tactile Warning - Milled on backside of inside lever (Not available with Studio & Coastal Levers and the A Lever) | \$102.00 |
| 76 | Tactile Warning - Milled on backside of outside lever (Not available with Studio & Coastal Levers and the A Lever) | \$102.00 |
| 77 | Tactile Warning - Milled on backside of both levers (Not available with Studio & Coastal Levers and the A Lever) | \$204.00 |
| 81 | Cylinder to accept KESO & KESO F1 removable core - no core provided | No addition |
| 82 | SARGENT KESO Security Cylinder (for existing systems) | \$119.00/cyl |
| F182 | SARGENT KESO Security Cylinder - Patented | \$119.00/cyl |
| 83 | SARGENT KESO Security Removable core cylinder (for existing systems) | \$170.00/cyl |
| F183 | SARGENT KESO Security Removable core cylinder - Patented | \$170.00/cyl |
| 84 | SARGENT KESO Security removable construction core cylinder | See CK-18 |
| 85 | Tactile Warning - Abrasive coating on inside lever | \$64.00 |
| 86 | Tactile Warning - Abrasive coating on outside lever | \$64.00 |
| 87 | Tactile Warning - Abrasive coating on both levers | \$128.00 |
| BR | SARGENT Bump Resistant Cylinders (N/A w/10, 22, 30, 60, 63, 64, 70, 72, 73, 737P, KESO) | \$32.00 /cyl. |
| DG1 | Patented Degree DG1 Key System | No addition |
| DG160 | Hardware prepared for DG1-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG163 | Patented Degree DG1 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$108.00 |
| DG164 | Hardware prepared for DG1-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| DG2 | Patented Degree DG2 Key System incorporating a locking sidebar | \$81.00/cyl. |
| DG260 | Hardware prepared for DG2-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG263 | Patented Degree DG2 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$189.00 |
| DG264 | Hardware prepared for DG2-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| DG3 | Patented Degree DG3 Key System incorporating a locking sidebar and UL437 listed | \$115.00/cyl. |
| DG360 | Hardware prepared for DG3-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG363 | Patented Degree DG3 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$223.00 |
| DG364 | Hardware prepared for DG3-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| IDP | Integrated Door Position Switch | \$130.00 |
| LC | Less Cylinder | -\$125.00/cyl. |
| OBS | Open Back Strike | \$104.00 |
| PHR | Deadbolt Privacy Function (available w/deadbolt function only) | \$131.00 |
| R01 | Mercury and Lenel compatible 1KΩ/2KΩ resistance supervision | \$131.00 |
| R03 | Software House compatible 1KΩ/2KΩ resistance supervision | \$131.00 |
| R04 | AMAG compatible 4-state supervision | \$131.00 |
| SG | MicroShield® an antimicrobial powder coat finish | \$95.00 |
| WBS | Wrought Box Strike | No Addition |
| CPC | Clear Powder Coat over 26/26D. | \$88.00 |

Experience a safer
and more open world

Copyright © 2002-2024 Sargent Manufacturing Company, an ASSA ABLOY Group company. All rights reserved.
Reproduction in whole or in part without the express written permission of Sargent Manufacturing Company is prohibited.
Contact us at: 800-727-5477 or visit www.sargentlock.com. In Canada contact us at: 800-461-3007 or visit www.assaabloydss.ca

USA & Canada Prices Effective March 1, 2024



Standard Rose: LN, O
Standard Lever: A, B, E, F, J, L, P, W

Coastal Rose: CR, TR
Coastal Lever: G, R, S, Y

Studio Rose: E2, E3, E4, CO, TO, CR, TR, LN, O
***Studio Collection Except for Gramercy, Wooster Square, and Grant Park**

For Gramercy: RAG, RAL, RAM, RAS, RCM, REM, RGM
- Add to below **10BE/26D/BSP/WSP finish prices \$175.00

For Wooster Square: H001-H002-H003-H004-H005-H006
- Add to below prices \$175.00

For Grant Park: H007-H008-H009-H011
- Add to below prices \$175.00

How to order: **SN200-82270-12V x BIPS x 0E x LN x A x RH x 26D**
Option: SN200
Function: 82270-12V
Outside Electrical Trim: BIPS
Credential Modifier: 0E
Rose: LN
Lever: A
Hand: RH
Finish: 26D

| SN Series-8200 Mortise Locks with Bluetooth Smart | | | | | | | |
|---------------------------------------------------|----------------|--------------------|------------|--------------|-------------------------------------|------------------|----------------------------------|
| Options* | Function | Outsd. Elect. Trim | Cred. Mod. | Trim | Description | 10BE/26D/BSP/WSP | 03/04/09/10/10B/10BL/1415/20D/26 |
| SN200/SN210 | 82270-12V/-24V | BIPS | 03 or 0E | Rose x Lever | Fail Safe w/Cylinder Override | \$2,534.00 | \$2,692.00 |
| SN200/SN210 | 82271-12V/-24V | BIPS | 03 or 0E | Rose x Lever | Fail Secure w/Cylinder Override | | |
| SN200/SN210 | 82280-12V/-24V | BIPS | 03 or 0E | Rose x Lever | Fail Safe w/D.bolt & Cyl Override | \$2,573.00 | \$2,731.00 |
| SN200/SN210 | 82281-12V/-24V | BIPS | 03 or 0E | Rose x Lever | Fail Secure w/D.bolt & Cyl Override | | |
| SN200/SN210 | 82274-12V/-24V | BIPS | 03 or 0E | Rose x Lever | Fail Safe No Cylinder | \$2,430.00 | \$2,588.00 |
| SN200/SN210 | 82275-12V/-24V | BIPS | 03 or 0E | Rose x Lever | Fail Secure No Cylinder | | |
| SN200/SN210 | 82284-12V/-24V | BIPS | 03 or 0E | Rose x Lever | Fail Safe w/Deadbolt No Cylinder | \$2,440.00 | \$2,598.00 |
| SN200/SN210 | 82285-12V/-24V | BIPS | 03 or 0E | Rose x Lever | Fail Secure w/D.Bolt No Cylinder | | |

* • SN210 BIS, BIPS, BIKS, BIKPS is only available with 0E credential modifier. • SN210 FIPS & FIKPS only available with 03 and 0D credential modifier.
• SN210 is always compliant with UL294.

| Outside Electrical Trim | Credential Modifier | Description | Price |
|-------------------------|------------------------|----------------------------------------------------------------|----------|
| BIS | 03 or 0E | Bluetooth Smart, High Frequency credentials ONLY | No Add |
| BIKS | 03 or 0E | Bluetooth Smart and keypad, High Frequency credentials ONLY | \$328.00 |
| BIPS | 03 or 0E | Bluetooth Smart, High and Low Frequency credentials | No Add |
| BIKPS | 03 or 0E | Bluetooth Smart and keypad, High and Low Frequency credentials | \$328.00 |
| FIPS | 03, 04, 0D, 0F, 0G, 0H | FIPS 201 Compliant | \$131.00 |
| FIKPS | 03, 04, 0D, 0F, 0G, 0H | FIPS 201 Compliant with keypad | \$459.00 |

Notes: **Reader Color:** Black is supplied
Option: SN200 for Wiegand Communication Protocol
Option: SN210 for OSDP Communication Protocol

See catalog for credential modifier descriptions.

* Following levers not available in 32 & 32D: MA, MC, MH, MK, MM, MN, MO, MP, MQ, MS, MT, MU, MV, MX, MY, MZ, NS, NU
Specify hand and voltage (12v or 24v) when ordering.

**10BE/BSP/WSP is not available with RAM lever.

ACP and CI certification required for every order.

**Available through Authorized Channel Partners only.
Contact your local ASSA ABLOY Door Security Solutions sales consultant for details.**

IW-6 INTEGRATED WIRED SOLUTIONS



SARGENT®



ASSA ABLOY

SIMPLI™ SN SERIES R8200 MORTISE LOCK WITH ROSELESS TRIM OPTIONS

USA & Canada Prices Effective March 1, 2024

| Options | Description | Price |
|---------|--------------------------------------------------------------------------------------------------------|----------------|
| 10 | SARGENT Signature Key System | \$81.00/cyl |
| 11 | SARGENT XC Key System (not available with 10, 22, SC, SE) | No addition |
| 1160 | Sargent XC Large Format Interchangeable Plastic Disposable Construction Core | No addition |
| 1163 | Sargent XC Large Format Interchangeable Core Cylinder - Includes masterkeying charges | \$108.00 |
| 1164 | Sargent XC Large Format Interchangeable Construction Core Cylinder | \$108.00 |
| 1170 | Small Format interchangeable disposable construction core - to accept 7 Pin XC permanent core | No addition |
| 11727P | Small Format interchangeable keyed construction core - to accept 7 Pin XC permanent core | \$97.00 |
| 11737P | Small Format interchangeable core - to accept 7 pin XC permanent core | \$97.00/ cyl. |
| 21 | SARGENT Construction Key System (lost ball) - for new systems est. since 5/1/96 | \$16.00/cyl |
| 22 | SARGENT Construction Key System (split key) - for pre-est. split key systems only | \$32.00/cyl |
| 23 | Locksets with flat 4-7/8" ANSI Strike | No addition |
| 36 | 6 Lobe head security screws | \$27.00 |
| 37 | Spanner head security screws | \$20.00 |
| 60 | SARGENT Large Format Interchangeable Plastic Disposable Construction Core | No addition |
| 63 | SARGENT Large Format IC Cylinder includes master and grandmaster keying charge | \$108.00 /cyl. |
| 64 | SARGENT Large Format Interchangeable Construction Core Cylinder | \$108.00 |
| 6573 | Small Format 6-Pin uncombined core | \$87.00/cyl. |
| 65737P | Small Format 7-Pin uncombined core | \$87.00/cyl. |
| 70 | Small Format Interchangeable disposable plastic construction core | No addition |
| 72 | Small Format Interchangeable 6-Pin construction core (7-Pin with 11 option) | \$97.00 |
| 73 | Small Format Interchangeable 6-Pin core | \$97.00/cyl. |
| 737P | Small Format Interchangeable 7-Pin core | \$97.00/cyl. |
| 81 | Cylinder to accept KESO & KESO F1 removable core - no core provided | No addition |
| 82 | SARGENT KESO Security Cylinder (for existing systems) | \$119.00/cyl |
| F182 | SARGENT KESO Security Cylinder - Patented | \$119.00/cyl |
| 83 | SARGENT KESO Security Removable core cylinder (for existing systems) | \$170.00/cyl |
| F183 | SARGENT KESO Security Removable core cylinder - Patented | \$170.00/cyl |
| 84 | SARGENT KESO Security removable construction core cylinder | See CK-18 |
| 85 | Tactile Warning - Abrasive coating on inside lever | \$64.00 |
| 86 | Tactile Warning - Abrasive coating on outside lever | \$64.00 |
| 87 | Tactile Warning - Abrasive coating on both levers | \$128.00 |
| BR | SARGENT Bump Resistant Cylinders (N/A w/10, 22, 30, 60, 63, 64, 70, 72, 73, 737P, KESO) | \$32.00 /cyl. |
| DG1 | Patented Degree DG1 Key System | No addition |
| DG160 | Hardware prepared for DG1-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG163 | Patented Degree DG1 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$108.00 |
| DG164 | Hardware prepared for DG1-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| DG2 | Patented Degree DG2 Key System incorporating a locking sidebar | \$81.00/cyl. |
| DG260 | Hardware prepared for DG2-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG263 | Patented Degree DG2 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$189.00 |
| DG264 | Hardware prepared for DG2-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| DG3 | Patented Degree DG3 Key System incorporating a locking sidebar and UL437 listed | \$115.00/cyl. |
| DG360 | Hardware prepared for DG3-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG363 | Patented Degree DG3 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$223.00 |
| DG364 | Hardware prepared for DG3-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| IDP | Integrated Door Position Switch | \$130.00 |
| LC | Less Cylinder | -\$125.00/cyl. |
| OBS | Open Back Strike | \$104.00 |
| PHR | Deadbolt Privacy Function (available w/deadbolt function only) | \$131.00 |
| R01 | Mercury and Lenel compatible 1KΩ/2KΩ resistance supervision | \$131.00 |
| R03 | Software House compatible 1KΩ/2KΩ resistance supervision | \$131.00 |
| R04 | AMAG compatible 4-state supervision | \$131.00 |
| SG | MicroShield® an antimicrobial powder coat finish | \$95.00 |
| WBS | Wrought Box Strike | No Addition |
| CPC | Clear Powder Coat over 26/26D. | \$88.00 |

Experience a safer
and more open world

Copyright © 2002-2024 Sargent Manufacturing Company, an ASSA ABLOY Group company. All rights reserved.
Reproduction in whole or in part without the express written permission of Sargent Manufacturing Company is prohibited.
Contact us at: 800-727-5477 or visit www.sargentlock.com. In Canada contact us at: 800-461-3007 or visit www.assaabloydss.ca

USA & Canada Prices Effective March 1, 2024



RMQ

Collar: R
Lever: MQ



RMV

Collar: R
Lever: MV

LEVERS:

Coastal: G*, R, S*, Y* Levers

***Studio Collection:**

Aventura Series: MB, ME, MF, MG, MI, MW, NI, NF
 Centro Series: MD, MJ, ND, NJ
 Notting Hill Series: MQ*, MM*, MY*
 Odeon Series: MH*, MS*, MU* MV* MX* NS*, NU*
 Rialto Series: MO, MZ*

*Specify hand when ordering.

How to order:

SN200-R82271-12V x BIPS x G x 0E
x *R x MB x RH x 26D
 Option: SN200
 Function: R82271-12V
 Outside Electrical Trim: BIPS
 Credential Modifier: 0E
 Rose: *R
 Lever: MB
 Hand: RH
 Finish: 26D

*Specify "R" for roseless.

| SN Series - 8200 Mortise Lock with Bluetooth Smart | | | | | | | |
|----------------------------------------------------|-----------------|--------------------|------------|--------------|-------------------------------------|----------------------|------------------------------------------|
| Options* | Function | Outsd. Elect. Trim | Cred. Mod. | Trim | Description | 10BE/26D/ BSP/WSP | 03/04/09/10/ 10B/10BL/14 15/20D/26 |
| SN200/SN210 | R82270-12V/-24V | BIPS | 03 or 0E | Rose x Lever | Fail Safe w/Cylinder Override | \$2,784.00 | \$2,942.00 |
| SN200/SN210 | R82271-12V/-24V | BIPS | 03 or 0E | Rose x Lever | Fail Secure w/Cylinder Override | | |
| SN200/SN210 | R82280-12V/-24V | BIPS | 03 or 0E | Rose x Lever | Fail Safe w/D.bolt & Cyl Override | \$2,831.00 | \$2,989.00 |
| SN200/SN210 | R82281-12V/-24V | BIPS | 03 or 0E | Rose x Lever | Fail Secure w/D.bolt & Cyl Override | | |
| SN200/SN210 | R82274-12V/-24V | BIPS | 03 or 0E | Rose x Lever | Fail Safe No Cylinder | \$2,670.00 | \$2,828.00 |
| SN200/SN210 | R82275-12V/-24V | BIPS | 03 or 0E | Rose x Lever | Fail Secure No Cylinder | | |
| SN200/SN210 | R82284-12V/-24V | BIPS | 03 or 0E | Rose x Lever | Fail Safe w/Deadbolt No Cylinder | \$2,721.00 | \$2,879.00 |
| SN200/SN210 | R82285-12V/-24V | BIPS | 03 or 0E | Rose x Lever | Fail Secure w/D.Bolt No Cylinder | | |

* • SN210 BIS, BIPS, BIKS, BIKPS is only available with 0E credential modifier. • SN210 FIPS & FIKPS only available with 03 and 0D credential modifier.
 • SN210 is always compliant with UL294.

| Outside Electrical Trim | Credential Modifier | Description | Price |
|-------------------------|---------------------------|----------------------------------------------------------------|----------|
| BIS | 03 or 0E | Bluetooth Smart, High Frequency credentials ONLY | No Add |
| BIKS | 03 or 0E | Bluetooth Smart and keypad, High Frequency credentials ONLY | \$328.00 |
| BIPS | 03 or 0E | Bluetooth Smart, High and Low Frequency credentials | No Add |
| BIKPS | 03 or 0E | Bluetooth Smart and keypad, High and Low Frequency credentials | \$328.00 |
| FIPS | 03, 04, 0D, 0F, 0G, 0H | FIPS 201 Compliant | \$131.00 |
| FIKPS | 03, 04, 0D, 0F, 0G, 0H | FIPS 201 Compliant with keypad | \$459.00 |

Notes: **Reader Color:** Black is supplied
Option: SN200 for Wiegand Communication Protocol
Option: SN210 for OSDP Communication Protocol

See catalog for credential modifier descriptions.

* Following levers not available in 32 & 32D: MA, MC, MH, MK, MM, MN, MO, MP, MQ, MS, MT, MU, MV, MX, MY, MZ, NS, NU
 Specify hand and voltage (12v or 24v) when ordering.

ACP and CI certification required for every order.

**Available through Authorized Channel Partners only.
 Contact your local ASSA ABLOY Door Security Solutions sales consultant for details.**

IW-8 INTEGRATED WIRED SOLUTIONS



SARGENT®



ASSA ABLOY

SN SERIES PE8600 WITH 56- ELECTRIC LATCH RETRACTION

USA & Canada Prices Effective March 1, 2024

| Options | Description | Price |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 10 | SARGENT Signature Key System | \$81.00/cyl |
| 11 | SARGENT XC Key System (not available with 10, 22, SC, SE) | No addition |
| 1160 | Sargent XC Large Format Interchangeable Plastic Disposable Construction Core | No addition |
| 1163 | Sargent XC Large Format Interchangeable Core Cylinder - Includes masterkeying charges | \$108.00 |
| 1164 | Sargent XC Large Format Interchangeable Construction Core Cylinder | \$108.00 |
| 1170 | Small Format interchangeable disposable construction core - to accept 7 Pin XC permanent core | No addition |
| 11727P | Small Format interchangeable keyed construction core - to accept 7 Pin XC permanent core | \$97.00 |
| 11737P | Small Format interchangeable core - to accept 7 pin XC permanent core | \$97.00/ cyl. |
| 12 | UL Fire Label Exit Devices (not available with 16- option) | \$239.00 |
| 16 | Cylinder lockdown feature (Not available with 12- option) | \$194.00 |
| 18 | Dogging Indicator | \$100.00 |
| 21 | SARGENT Construction Key System (lost ball) - for new systems est. since 5/1/96 | \$16.00/cyl |
| 22 | SARGENT Construction Key System (split key) - for pre-est. split key systems only | \$32.00/cyl |
| 37 | Spanner head security screws (8600) | \$60.00 |
| 60 | SARGENT Large Format Interchangeable Plastic Disposable Construction Core | No addition |
| 63 | SARGENT Large Format IC Cylinder includes master and grandmaster keying charge | \$108.00 /cyl. |
| 64 | SARGENT Large Format Interchangeable Construction Core Cylinder | \$108.00 |
| 6573 | Small Format 6-Pin uncombined core | \$87.00/cyl. |
| 65737P | Small Format 7-Pin uncombined core | \$87.00/cyl. |
| 70 | Small Format Interchangeable disposable plastic construction core | No addition |
| 72 | Small Format Interchangeable 6-Pin construction core (7-Pin with 11 option) | \$97.00 |
| 73 | Small Format Interchangeable 6-Pin core | \$97.00/cyl. |
| 737P | Small Format Interchangeable 7-Pin core | \$97.00/cyl. |
| 76 | Tactile Warning - Milled on backside of outside lever (Not available with Studio & Coastal Levers and the A Lever) | \$101.00 |
| 81 | Cylinder to accept KESO & KESO F1 removable core - no core provided | No addition |
| F182 | SARGENT KESO Security Cylinder - Patented | \$119.00/cyl |
| F183 | SARGENT KESO Security Removable core cylinder - Patented | \$170.00/cyl |
| 82 | SARGENT KESO Security Cylinder (for existing systems) | \$119.00/cyl |
| 83 | SARGENT KESO Security Removable core cylinder (for existing systems) | \$170.00/cyl |
| 84 | SARGENT KESO Security removable construction core cylinder | See CK-18 |
| 85 | Tactile Warning - Abrasive strip on push rail | \$131.00 |
| 86 | Tactile Warning - Abrasive coating on outside lever | \$61.00 |
| 87 | Tactile Warning - Abrasive strip on push rail & abrasive coating on outside lever | \$192.00 |
| BR | SARGENT Bump Resistant Cylinders (N/A w/10, 22, 60, 63, 64, 70, 72, 73, 737P, KESO) | \$32.00/cyl. |
| DG1 | Patented Degree DG1 Key System | No addition |
| DG160 | Hardware prepared for DG1-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG163 | Patented Degree DG1 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$108.00 |
| DG164 | Hardware prepared for DG1-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| DG2 | Patented Degree DG2 Key System incorporating a locking sidebar | \$81.00/cyl. |
| DG260 | Hardware prepared for DG2-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG263 | Patented Degree DG2 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$189.00 |
| DG264 | Hardware prepared for DG2-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| DG3 | Patented Degree DG3 Key System incorporating a locking sidebar and UL437 listed | \$115.00/cyl. |
| DG360 | Hardware prepared for DG3-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG363 | Patented Degree DG3 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$223.00 |
| DG364 | Hardware prepared for DG3-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| HK | Hex Key Dogging | No Addition |
| LC | Less Cylinder | -\$125.00/cyl. |
| LD | Less Dogging (non-fire rated exit devices only) | No Addition |
| OL | Overlapping End Cap | No Addition |
| NB | No Bottom | No Addition |
| *PL | SARGuide™ PL – Photoluminescent coating (Pushbar w/o Lexan Touchpad – 19 Option is supplied as standard) | \$490.00 |
| SG | MicroShield® an antimicrobial powder coat (Not available 10B, BSP, WSP) | \$114.00 |
| TB | Thru-bolt | \$34.00 |
| WR | Wire Routing (Trim) | \$73.00 |
| CPC | Clear Powder Coat – Recommended for exit devices used in full exterior application and highly corrosive areas with 32 and 32D finishes. | \$303.00 |
| | Vertical Rod Device to 96" Height | No addition |
| | Concealed/Surface Vertical Rod Device Over 96" to 120" Height | \$83.00 |
| | Refer to catalog for max. door height availability on fire rated exit devices. | |





*Exact door width required when ordering.

Experience a safer
and more open world

Copyright © 2002-2024 Sargent Manufacturing Company, an ASSA ABLOY Group company. All rights reserved. Reproduction in whole or in part without the express written permission of Sargent Manufacturing Company is prohibited. Contact us at: 800-727-5477 or visit www.sargentlock.com. In Canada contact us at: 800-461-3007 or visit www.assaabloydss.ca

SN SERIES PE8600 WITH 56-ELECTRIC LATCH RETRACTION

USA & Canada Prices Effective March 1, 2024

| AD/MD/WD PE8600 Series-Concealed Vertical Rod Device | | | |
|-----------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Standard Levers: A-B-E-F- J-L-P-W Coastal Levers: G-R-S-Y |  | Gramercy Levers: RAL-**RAM-RAS- RCM-REM-RGM Wooster Square: H001-H002-H003-H004- H005-H006 Grant Park: H007-H008-H009-H011 |
| All Studio Collection Levers (Except Gramercy, Wooster Square, and Grant Park) | |  |  with 862, 863, 864 Pull Price includes 862 Pull (shown) |
| Finishes listed below are for the exit device. Refer to catalog for available trims, trim finishes and how to order. | | | |

| 56 SN Series - ADPE8600 Concealed Vertical Rod | | Finish | | | | | | | |
|------------------------------------------------|---------------------------------|--------------------|-----------------|--------------------|-----------------|--------------------|-----------------|--------------------|-----------|
| Options* | Funct/Description | 10BE/32D/ | 03/04/09/10/10B | 10BE/32D/ | 03/04/09/10/10B | 10BE/32D/ | 03/04/09/10/10B | 10BE/32D/ | 03/04/10/ |
| | | BSP/WSP | 10BL/20D/32 | BSP/WSP | 10BL/20D/32 | BSP/WSP | 10BL/20D/32 | BSP/WSP | 10B/32 |
| | | All Mixed Finishes | | All Mixed Finishes | | All Mixed Finishes | | All Mixed Finishes | |
| 56 SN200/SN210 AD | PE8610 Exit Only No Trim | \$5,963.00 | \$6,016.00 | | | | | | |
| 56 SN200/SN210 AD | PE8610 Dummy Trim (Lever rigid) | \$7,000.00 | \$7,053.00 | \$7,333.00 | \$7,386.00 | \$6,346.00 | \$6,429.00 | | |
| *56 SN200/SN210 AD | PE8610 Key operates control | | | | | \$7,383.00 | \$7,466.00 | | |
| 56 SN200/SN210 AD | PE8606 Key operates ET | \$7,000.00 | \$7,053.00 | \$7,333.00 | \$7,386.00 | | | | |
| 56 SN200/SN210 AD | PE8613 Key locks/unlocks ET | | | | | | | | |

| 56 SN Series - AD8600 with Freewheeling Trim | | | | | | | | | |
|----------------------------------------------|-----------------------------------|------------|------------|------------|------------|--|--|--|--|
| 56 SN200/SN210 AD | PE8640 Dummy Trim (Lever rotates) | | | | | | | | |
| 56 SN200/SN210 AD | PE8643 Key eng's/diseng. lever | \$7,000.00 | \$7,053.00 | \$7,333.00 | \$7,386.00 | | | | |
| 56 SN200/SN210 AD | PE8646 Key operates control | | | | | | | | |

| 56 SN Series - MD8600 Concealed Vertical Rod | | | | | | | | | |
|----------------------------------------------|---------------------------------|--------------------|-----------------|--------------------|-----------------|--------------------|-----------------|--------------------|-----------|
| Options* | Funct/Description | 10BE/32D/ | 03/04/09/10/10B | 10BE/32D/ | 03/04/09/10/10B | 10BE/32D/ | 03/04/09/10/10B | 10BE/32D/ | 03/04/10/ |
| | | BSP/WSP | 10BL/20D/32 | BSP/WSP | 10BL/20D/32 | BSP/WSP | 10BL/20D/32 | BSP/WSP | 10B/32 |
| | | All Mixed Finishes | | All Mixed Finishes | | All Mixed Finishes | | All Mixed Finishes | |
| 56 SN200/SN210 MD | PE8610 Exit Only No Trim | \$5,963.00 | \$6,016.00 | | | | | | |
| 56 SN200/SN210 MD | PE8610 Dummy Trim (Lever rigid) | \$7,000.00 | \$7,053.00 | \$7,333.00 | \$7,386.00 | \$6,346.00 | \$6,429.00 | | |
| *56 SN200/SN210 MD | PE8610 Key operates control | | | | | \$7,383.00 | \$7,466.00 | | |
| 56 SN200/SN210 MD | PE8606 Key operates ET | \$7,000.00 | \$7,053.00 | \$7,333.00 | \$7,386.00 | | | | |
| 56 SN200/SN210 MD | PE8613 Key locks/unlocks ET | | | | | | | | |

| 56 SN Series - MD8600 with Freewheeling Trim | | | | | | | | | |
|----------------------------------------------|-----------------------------------|------------|------------|------------|------------|--|--|--|--|
| 56 SN200/SN210 MD | PE8640 Dummy Trim (Lever rotates) | | | | | | | | |
| 56 SN200/SN210 MD | PE8643 Key eng's/diseng. lever | \$7,000.00 | \$7,053.00 | \$7,333.00 | \$7,386.00 | | | | |
| 56 SN200/SN210 MD | PE8646 Key operates control | | | | | | | | |

| 56 SN Series - WD8600 Concealed Vertical Rod | | | | | | | | | |
|----------------------------------------------|---------------------------------|--------------------|-----------------|--------------------|-----------------|--------------------|-----------------|--------------------|-----------|
| Options* | Funct/Description | 10BE/32D/ | 03/04/09/10/10B | 10BE/32D/ | 03/04/09/10/10B | 10BE/32D/ | 03/04/09/10/10B | 10BE/32D/ | 03/04/10/ |
| | | BSP/WSP | 10BL/20D/32 | BSP/WSP | 10BL/20D/32 | BSP/WSP | 10BL/20D/32 | BSP/WSP | 10B/32 |
| | | All Mixed Finishes | | All Mixed Finishes | | All Mixed Finishes | | All Mixed Finishes | |
| 56 SN200/SN210 WD | PE8610 Exit Only No Trim | \$6,191.00 | \$6,244.00 | | | | | | |
| 56 SN200/SN210 WD | PE8610 Dummy Trim (Lever rigid) | \$7,228.00 | \$7,281.00 | \$7,561.00 | \$7,614.00 | \$6,574.00 | \$6,657.00 | | |
| *56 SN200/SN210 WD | PE8610 Key operates control | | | | | \$7,611.00 | \$7,694.00 | | |
| 56 SN200/SN210 WD | PE8606 Key operates ET | \$7,228.00 | \$7,281.00 | \$7,561.00 | \$7,614.00 | | | | |
| 56 SN200/SN210 WD | PE8613 Key locks/unlocks ET | | | | | | | | |

| 56 SN Series - WD8600 with Freewheeling Trim | | | | | | | | | |
|----------------------------------------------|-----------------------------------|------------|------------|------------|------------|--|--|--|--|
| 56 SN200/SN210 WD | PE8640 Dummy Trim (Lever rotates) | | | | | | | | |
| 56 SN200/SN210 WD | PE8643 Key eng's/diseng. lever | \$7,228.00 | \$7,281.00 | \$7,561.00 | \$7,614.00 | | | | |
| 56 SN200/SN210 WD | PE8646 Key operates control | | | | | | | | |

• 863 (18" x 1" Diameter) Pull provided in lieu of 862 (10" x 1" Dia.) Add \$93.00 • 864 (10" x 3/4" Dia.) Pull provided in lieu of 862 (10" x 1" Dia.) Deduct \$49.00

- * SN210 BIS, BIPS, BIKS, BIKPS is only available with 0E credential modifier.
- * SN210 FIPS & FIKPS only available with 03 and 0D credential modifier.
- SN210 is always compliant with UL294.

| Trim | Description | Price |
|------|-------------|-------------|
| NE | Narrow Trim | No Addition |
| WE | Wide Trim | \$100.00 |

| Outside Electrical Trim | Credential Modifier | Description | Price |
|-------------------------|------------------------|----------------------------------------------------------------|----------|
| BIS | 03 or 0E | Bluetooth Smart, High Frequency credentials ONLY | No Add |
| BIKS | 03 or 0E | Bluetooth Smart and keypad, High Frequency credentials ONLY | \$328.00 |
| BIPS | 03 or 0E | Bluetooth Smart, High and Low Frequency credentials | No Add |
| BIKPS | 03 or 0E | Bluetooth Smart and keypad, High and Low Frequency credentials | \$328.00 |
| FIPS | 03, 04, 0D, 0F, 0G, 0H | FIPS 201 Compliant | \$131.00 |
| FIKPS | 03, 04, 0D, 0F, 0G, 0H | FIPS 201 Compliant with keypad | \$459.00 |

Notes: Black is supplied for Reader Color | **Option:** SN200 for Wiegand Communication Protocol | **Option:** SN210 for OSDP Communication Protocol
See catalog for credential modifier descriptions.

Experience a safer
and more open world

IW-10 INTEGRATED WIRED SOLUTIONS



SARGENT®



ASSA ABLOY

SN SERIES PE8700, PE8800, PE8900 WITH 56- ELECTRIC LATCH RETRACTION

USA & Canada Prices Effective March 1, 2024

| Options | Description | Price |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 10 | SARGENT Signature Key System | \$81.00/cyl |
| 11 | SARGENT XC Key System (not available with 10, 22, SC, SE) | No addition |
| 1160 | Sargent XC Large Format Interchangeable Plastic Disposable Construction Core | No addition |
| 1163 | Sargent XC Large Format Interchangeable Core Cylinder - Includes masterkeying charges | \$108.00 |
| 1164 | Sargent XC Large Format Interchangeable Construction Core Cylinder | \$108.00 |
| 1170 | Small Format interchangeable disposable construction core - to accept 7 Pin XC permanent core | No addition |
| 11727P | Small Format interchangeable keyed construction core - to accept 7 Pin XC permanent core | \$97.00 |
| 11737P | Small Format interchangeable core - to accept 7 pin XC permanent core | \$97.00/ cyl. |
| 12 | UL Fire Label Exit Devices (not available with 16- option) | \$239.00 |
| 14 | Sliding Bolt Bottom Case for 8700 | No addition |
| 16 | Cylinder lockdown feature (Not available with 12- option) | \$194.00 |
| 18 | Dogging Indicator | \$100.00 |
| 21 | SARGENT Construction Key System (lost ball) - for new systems est. since 5/1/96 | \$16.00/cyl |
| 22 | SARGENT Construction Key System (split key) - for pre-est. split key systems only | \$32.00/cyl |
| 23 | 4-7/8" ANSI Strike (8900 only) | No Addition |
| 37 | Spanner head security screws (8700) | \$80.00 |
| 37 | Spanner head security screws (8800) | \$43.00 |
| 37 | Spanner head security screws (8900) | \$48.00 |
| 60 | SARGENT Large Format Interchangeable Plastic Disposable Construction Core | No addition |
| 63 | SARGENT Large Format IC Cylinder includes master and grandmaster keying charge | \$108.00 /cyl. |
| 64 | SARGENT Large Format Interchangeable Construction Core Cylinder | \$108.00 |
| 6573 | Small Format 6-Pin uncombined core | \$87.00/cyl. |
| 65737P | Small Format 7-Pin uncombined core | \$87.00/cyl. |
| 70 | Small Format Interchangeable disposable plastic construction core | No addition |
| 72 | Small Format Interchangeable 6-Pin construction core (7-Pin with 11 option) | \$97.00 |
| 73 | Small Format Interchangeable 6-Pin core | \$97.00/cyl. |
| 737P | Small Format Interchangeable 7-Pin core | \$97.00/cyl. |
| 76 | Tactile Warning - Milled on backside of outside lever (Not available with Studio & Coastal Levers and the A Lever) | \$101.00 |
| 81 | Cylinder to accept KESO & KESO F1 removable core - no core provided | No addition |
| F182 | SARGENT KESO Security Cylinder - Patented | \$119.00/cyl |
| F183 | SARGENT KESO Security Removable core cylinder - Patented | \$170.00/cyl |
| 82 | SARGENT KESO Security Cylinder (for existing systems) | \$119.00/cyl |
| 83 | SARGENT KESO Security Removable core cylinder (for existing systems) | \$170.00/cyl |
| 84 | SARGENT KESO Security removable construction core cylinder | See CK-18 |
| 85 | Tactile Warning - Abrasive strip on push rail | \$131.00 |
| 86 | Tactile Warning - Abrasive coating on outside lever | \$61.00 |
| 87 | Tactile Warning - Abrasive strip on push rail & abrasive coating on outside lever | \$192.00 |
| BR | SARGENT Bump Resistant Cylinders (N/A w/10, 22, 60, 63, 64, 70, 72, 73, 737P, KESO) | \$32.00/cyl. |
| DG1 | Patented Degree DG1 Key System | No addition |
| DG160 | Hardware prepared for DG1-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG163 | Patented Degree DG1 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$108.00 |
| DG164 | Hardware prepared for DG1-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| DG2 | Patented Degree DG2 Key System incorporating a locking sidebar | \$81.00/cyl. |
| DG260 | Hardware prepared for DG2-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG263 | Patented Degree DG2 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$189.00 |
| DG264 | Hardware prepared for DG2-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| DG3 | Patented Degree DG3 Key System incorporating a locking sidebar and UL437 listed | \$115.00/cyl. |
| DG360 | Hardware prepared for DG3-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG363 | Patented Degree DG3 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$223.00 |
| DG364 | Hardware prepared for DG3-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| HC | Hurricane Code (8700 Series) - See catalog for function availability | \$170.00 |
| HC4 | Hurricane-Resistant (8700 series only) | \$322.00 |
| HC | Hurricane Code (8800 Series) - See catalog for function availability | \$104.00 |
| HK | Hex Key Dogging | No Addition |
| LC | Less Cylinder | -\$125.00/cyl. |
| LD | Less Dogging (non-fire rated exit devices only) | No Addition |
| OL | Overlapping End | No Addition |
| NB | No Bottom - 8700 SVR devices only | No Addition |
| PL* | SARGuide™ PL - Photoluminescent coating (Pushbar w/o Lexan Touchpad - 19 Option is supplied as standard) | \$490.00 |
| SG | MicroShield® an antimicrobial powder coat (Not available 10B, BSP, WSP) | \$114.00 |
| TB | Thru-bolt (8700 SVR) device only | \$116.00 |
| TB | Thru-bolt (8800 & 8900) device only | \$34.00 |
| WR | Wire Routing (Trim) | \$73.00 |
| WS | Windstorm Certified (Rim & Mortise Exit Devices only) | No Addition |
| CPC | Clear Powder Coat - Recommended for exit devices used in full exterior application and highly corrosive areas with 32 and 32D finishes. | \$303.00 |
| | Vertical Rod Device to 96" Height | No addition |
| | Concealed/Surface Vertical Rod Device Over 96" to 120" Height | \$83.00 |
| | Refer to catalog for max. door height availability on fire rated exit devices. | |

*Exact door width required when ordering.

Experience a safer
and more open world

Copyright © 2002-2024 Sargent Manufacturing Company, an ASSA ABLOY Group company. All rights reserved.
Reproduction in whole or in part without the express written permission of Sargent Manufacturing Company is prohibited.
Contact us at: 800-727-5477 or visit www.sargentlock.com. In Canada contact us at: 800-461-3007 or visit www.assaabloydss.ca

SN SERIES PE8700, PE8800, PE8900 WITH 56- ELECTRIC LATCH RETRACTION

USA & Canada Prices Effective March 1, 2024

| SN Series 56- PE8700, PE8800, & PE8900 Exit Devices | | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| <p>Standard Levers: A-B-E-F- J-L-P-W Coastal Levers: G-R-S-Y</p> <p>All Studio Collection Levers (Except Gramercy, Wooster Square, and Grant Park)</p> | <p>Gramercy Levers: RAL-**RAM-RAS- RCM-REM-RGM</p> <p>Wooster Square: H001-H002-H003-H004- H005-H006 Grant Park: H007-H008-H009-H011</p> | <p>PTB PTB-STS- MAL-FLL-FLW (8710, 8810, 8904, & 8910 functions only) PSB-MSL- FSL-FSW -STS (8804 function only)</p> | <p>Auxiliary Control (P306)</p> <p>with 862, 863, 864 Pull Price includes 862 Pull (shown)</p> |
| <p>Finishes listed below are for the exit device. Refer to catalog for available trims, trim finishes and how to order.</p> | | | |

| 56 SN PE8700 Surface Vertical Rod | | Finish | | | | | | | | |
|---------------------------------------------------|-------------------------------------|----------------------|------------------------------------------------------|----------------------|------------------------------------------------------|----------------------|------------------------------------------------------|----------------------|-------------------------------------------|--|
| Options* | Function Description | 10BE/32D/ BSP/WSP | 03/04/09/10/10B 10BL/20D/32 All Mixed Finishes | 10BE/32D/ BSP/WSP | 03/04/09/10/10B 10BL/20D/32 All Mixed Finishes | 10BE/32D/ BSP/WSP | 03/04/09/10/10B 10BL/20D/32 All Mixed Finishes | 10BE/32D/ BSP/WSP | 03/04/10/ 10B/32 All Mixed Finishes | |
| 56 SN200/SN210 | PE8710 Exit Only No Trim | \$5,447.00 | \$5,500.00 | | | | | | | |
| 56 SN200/SN210 | PE8710 Dummy (Lever rigid) | \$6,484.00 | \$6,537.00 | \$6,817.00 | \$6,870.00 | \$6,047.00 | \$6,100.00 | \$5,830.00 | \$5,913.00 | |
| 56 SN200/SN210 | PE8710 Key operates control | | | | | | | \$6,867.00 | \$6,950.00 | |
| 56 SN200/SN210 | PE8706 Key operates ET | | | | | | | | | |
| 56 SN200/SN210 | PE8713 Key un & locks ET | \$6,484.00 | \$6,537.00 | \$6,817.00 | \$6,870.00 | | | | | |
| 56 SN Series – 8700 with Freewheeling Trim | | | | | | | | | | |
| 56 SN200/SN210 | PE8740 Dummy (Lvr rotates) | | | | | | | | | |
| 56 SN200/SN210 | PE8743 Key eng/disgs lever | \$6,484.00 | \$6,537.00 | \$6,817.00 | \$6,870.00 | | | | | |
| 56 SN200/SN210 | PE8746 Key operates control | | | | | | | | | |
| 56 SN Series – 8800 Rim Exit Device | | | | | | | | | | |
| Options* | Function Description | | | | | | | | | |
| 56 SN200/SN210 | PE8810 Exit Only No Trim | \$4,385.00 | \$4,438.00 | | | | | | | |
| 56 SN200/SN210 | PE8810 Dummy (Lever rigid) | | | | | \$4,985.00 | \$5,038.00 | \$4,768.00 | \$4,851.00 | |
| 56 SN200/SN210 | PE8804 Key retr Lbolt (levr rgd) | \$5,422.00 | \$5,475.00 | \$5,755.00 | \$5,808.00 | | | | | |
| 56 SN200/SN210 | PE8806 Key operates ET | | | | | | | | | |
| 56 SN200/SN210 | PE8813 Key un & locks ET | | | | | | | | | |
| 56 SN Series – 8800 with Freewheeling Trim | | | | | | | | | | |
| 56 SN200/SN210 | PE8840 Dummy (Lvr rotates) | | | | | | | | | |
| 56 SN200/SN210 | PE8843 Key eng/disgs lever | \$5,422.00 | \$5,475.00 | \$5,755.00 | \$5,808.00 | | | | | |
| 56 SN200/SN210 | PE8844 Key retr Lbolt (lvr rotates) | | | | | | | | | |
| 56 SN200/SN210 | PE8846 Key operates control | | | | | | | | | |
| 56 SN Series – 8900 Mortise Exit Device | | | | | | | | | | |
| Options* | Function Description | | | | | | | | | |
| 56 SN200/SN210 | PE8910 Exit Only No Trim | \$5,410.00 | \$5,463.00 | | | | | | | |
| 56 SN200/SN210 | PE8910 Dummy (Lever rigid) | | | | | \$6,010.00 | \$6,063.00 | | | |
| 56 SN200/SN210 | PE8904 Key retr Lbolt (levr rgd) | \$6,447.00 | \$6,500.00 | \$6,780.00 | \$6,833.00 | | | | | |
| 56 SN200/SN210 | PE8906 Key operates ET | | | | | | | | | |
| 56 SN200/SN210 | PE8913 Key un & locks ET | | | | | | | | | |
| 56 SN Series - 8900 with Freewheeling Trim | | | | | | | | | | |
| 56 SN200/SN210 | PE8940 Dummy (Lvr rotates) | | | | | | | | | |
| 56 SN200/SN210 | PE8843 Key eng/disgs lever | \$6,447.00 | \$6,500.00 | \$6,780.00 | \$6,833.00 | | | | | |
| 56 SN200/SN210 | PE8844 Key retr Lbolt (lvr rotates) | | | | | | | | | |
| 56 SN200/SN210 | PE8846 Key operates control | | | | | | | | | |

| | | | | |
|---------------------------------------------------------------------------------|---------|---------------------------------------------------------------------------|--------------------|--------------|
| 863 (18" x 1" Diameter) Pull provided in lieu of 862 (10" x 1" Dia.) Add | \$93.00 | 864 (10" x 3/4" Dia.) Pull provided in lieu of 862 (10" x 1" Dia.) Deduct | \$49.00 | |
| * • SN210 BIS, BIPS, BIKS, BIKPS is only available with 0E credential modifier. | | Trim | Description | Price |
| • SN210 FIPS & FIKPS only available with 03 and 0D credential modifier. | | NE | Narrow Trim | No Addition |
| • SN210 is always compliant with UL294. | | WE | Wide Trim | \$100.00 |

| Outside Electrical Trim | Credential Modifier | Description | Price |
|-------------------------|------------------------|----------------------------------------------------------------|----------|
| BIS | 03 or 0E | Bluetooth Smart, High Frequency credentials ONLY | No Add |
| BIKS | 03 or 0E | Bluetooth Smart and keypad, High Frequency credentials ONLY | \$328.00 |
| BIPS | 03 or 0E | Bluetooth Smart, High and Low Frequency credentials | No Add |
| BIKPS | 03 or 0E | Bluetooth Smart and keypad, High and Low Frequency credentials | \$328.00 |
| FIPS | 03, 04, 0D, 0F, 0G, 0H | FIPS 201 Compliant | \$131.00 |
| FIKPS | 03, 04, 0D, 0F, 0G, 0H | FIPS 201 Compliant with keypad | \$459.00 |

Notes: Black is supplied for Reader Color | **Option:** SN200 for Wiegand Communication Protocol | **Option:** SN210 for OSDP Communication Protocol
See catalog for credential modifier descriptions.

Experience a safer
and more open world

Copyright © 2002-2024 Sargent Manufacturing Company, an ASSA ABLOY Group company. All rights reserved.
Reproduction in whole or in part without the express written permission of Sargent Manufacturing Company is prohibited.
Contact us at: 800-727-5477 or visit www.sargentlock.com. In Canada contact us at: 800-461-3007 or visit www.assaabloyds.ca

IW-12 INTEGRATED WIRED SOLUTIONS



SARGENT®




ASSA ABLOY

SN SERIES PE8600 EXIT DEVICE OPTIONS

USA & Canada Prices Effective March 1, 2024

| Options | Description | Price |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 10 | SARGENT Signature Key System | \$81.00/cyl |
| 11 | SARGENT XC Key System (not available with 10, 22, SC, SE) | No addition |
| 1160 | Sargent XC Large Format Interchangeable Plastic Disposable Construction Core | No addition |
| 1163 | Sargent XC Large Format Interchangeable Core Cylinder - Includes masterkeying charges | \$108.00 |
| 1164 | Sargent XC Large Format Interchangeable Construction Core Cylinder | \$108.00 |
| 1170 | Small Format interchangeable disposable construction core - to accept 7 Pin XC permanent core | No addition |
| 11727P | Small Format interchangeable keyed construction core - to accept 7 Pin XC permanent core | \$97.00 |
| 11737P | Small Format interchangeable core - to accept 7 pin XC permanent core | \$97.00/ cyl. |
| 12 | UL Fire Label Exit Devices (not available with AD-PE8600 & 16- option) | \$239.00 |
| 16 | Cylinder lockdown feature (Not available with 12- option) | \$194.00 |
| 18 | Dogging Indicator | \$100.00 |
| 21 | SARGENT Construction Key System (lost ball) - for new systems est. since 5/1/96 | \$16.00/cyl |
| 22 | SARGENT Construction Key System (split key) - for pre-est. split key systems only | \$32.00/cyl |
| 37 | Spanner head security screws | \$60.00 |
| 60 | SARGENT Large Format Interchangeable Plastic Disposable Construction Core | No addition |
| 63 | SARGENT Large Format IC Cylinder includes master and grandmaster keying charge | \$108.00 /cyl. |
| 64 | SARGENT Large Format Interchangeable Construction Core Cylinder | \$108.00 |
| 6573 | Small Format 6-Pin uncombined core | \$87.00/cyl. |
| 65737P | Small Format 7-Pin uncombined core | \$87.00/cyl. |
| 70 | Small Format Interchangeable disposable plastic construction core | No addition |
| 72 | Small Format Interchangeable 6-Pin construction core (7-Pin with 11 option) | \$97.00 |
| 73 | Small Format Interchangeable 6-Pin core | \$97.00/cyl. |
| 737P | Small Format Interchangeable 7-Pin core | \$97.00/cyl. |
| 76 | Tactile Warning - Milled on backside of outside lever (Not available with Studio & Coastal Levers and the A Lever) | \$101.00 |
| 81 | Cylinder to accept KESO & KESO F1 removable core - no core provided | No addition |
| 82 | SARGENT KESO Security Cylinder (for existing systems) | \$119.00/cyl |
| F182 | SARGENT KESO Security Cylinder - Patented | \$119.00/cyl |
| F183 | SARGENT KESO Security Removable core cylinder - Patented | \$170.00/cyl |
| 83 | SARGENT KESO Security Removable core cylinder (for existing systems) | \$170.00/cyl |
| 84 | SARGENT KESO Security removable construction core cylinder | See CK-18 |
| 85 | Tactile Warning - Abrasive strip on push rail | \$131.00 |
| 86 | Tactile Warning - Abrasive coating on outside lever | \$61.00 |
| 87 | Tactile Warning - Abrasive strip on push rail & abrasive coating on outside lever | \$192.00 |
| BR | SARGENT Bump Resistant Cylinders (N/A w/10, 22, 60, 63, 64, 70, 72, 73, 737P, KESO) | \$32.00/cyl. |
| DG1 | Patented Degree DG1 Key System | No addition |
| DG160 | Hardware prepared for DG1-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG163 | Patented Degree DG1 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$108.00 |
| DG164 | Hardware prepared for DG1-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| DG2 | Patented Degree DG2 Key System incorporating a locking sidebar | \$81.00/cyl. |
| DG260 | Hardware prepared for DG2-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG263 | Patented Degree DG2 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$189.00 |
| DG264 | Hardware prepared for DG2-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| DG3 | Patented Degree DG3 Key System incorporating a locking sidebar and UL437 listed | \$115.00/cyl. |
| DG360 | Hardware prepared for DG3-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG363 | Patented Degree DG3 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$223.00 |
| DG364 | Hardware prepared for DG3-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| LC | Less Cylinder | -\$125.00/cyl. |
| LD | Less Dogging (non-fire rated exit devices only) | No Addition |
| NB | No Bottom | No Addition |
| OL | Overlapping End Cap | No Addition |
| PL* | SARGuide™ PL – Photoluminescent coating – (Pushbar w/o Lexan Touchpad – 19 option is supplied as standard) | \$490.00 |
| SG | MicroShield® an antimicrobial powder coat (Not available 10B, BSP, WSP) | \$114.00 |
| WR | Wire Routing (Trim) | \$73.00 |
| CPC | Clear Powder Coat – Recommended for exit devices used in full exterior application and highly corrosive areas with 32 and 32D finishes. | \$303.00 |
| | Vertical Rod Device to 96" Height | No addition |
| | Concealed/Surface Vertical Rod Device Over 96" to 120" Height | \$83.00 |
| | Refer to catalog for max. door height availability on fire rated exit devices. | |

*Exact door width required when ordering.

| SN Series PE8600 Exit Devices | | | | | | | | | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------------|------------|---------------|------------------------------------|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|------------------|------------------------------------------------|
| LEVERS / ET CONTROL: Standard: A, B, E, F, J, L, P, W Coastal: G, R, S, Y Studio Collection Except for Gramercy, Wooster Square, and Grant Park For Gramercy: RAG, RAL, RAM*, RAS, RCM, REM, RGM - Add to below prices \$200.00 For Wooster Square: H001-H002-H003-H004-H005-H006 - Add to below prices \$200.00 For Grant Park: H007-H008-H009-H011 - Add to below prices \$200.00 *Not available with 10BE/BSP/WSP finishes | | | | | | | Auxiliary Control  Auxiliary Control (P106/P306) | | | |
| SN Series - ADPE8600 Concealed Vertical Rod with Bluetooth Smart | | | | | | | 10BE/32D/BSP/WSP | 03/04/09/10 10B/10BL 20D/32 All Mixed Finishes | 10BE/32D/BSP/WSP | 03/04/09/10 10B/10BL 20D/32 All Mixed Finishes |
| Options* | Funct. | Elect. Trim | Cred. Mod. | Trim | Description | | | | | |
| SN200/SN210 AD PE8673 | BIPS | | 03 or 0E | ET Lever Dsn. | Fail Safe | | | | | |
| SN200/SN210 AD PE8674 | BIPS | | 03 or 0E | ET Lever Dsn. | Fail Secure | \$6,458.00 | \$6,511.00 | | | |
| SN200/SN210 AD PE8673 | BIPS | | 03 or 0E | ET Lever Dsn. | Fail Safe w/Cylinder Override | | | \$7,495.00 | \$7,548.00 | |
| SN200/SN210 AD PE8674 | BIPS | | 03 or 0E | ET Lever Dsn. | Fail Secure w/Cylinder Override | | | | | |
| SN Series - MD8600 Concealed Vertical Rod with Bluetooth Smart | | | | | | | | | | |
| SN200/SN210 MD PE8673 | BIPS | | 03 or 0E | ET Lever Dsn. | Fail Safe | \$6,458.00 | \$6,511.00 | | | |
| SN200/SN210 MD PE8674 | BIPS | | 03 or 0E | ET Lever Dsn. | Fail Secure | | | | | |
| SN200/SN210 MD PE8673 | BIPS | | 03 or 0E | ET Lever Dsn. | Fail Safe w/Cylinder Override | | | \$7,495.00 | \$7,548.00 | |
| SN200/SN210 MD PE8674 | BIPS | | 03 or 0E | ET Lever Dsn. | Fail Secure w/Cylinder Override | | | | | |
| SN Series - WD8600 Concealed Vertical Rod with Bluetooth Smart | | | | | | | | | | |
| SN200/SN210 WD PE8673 | BIPS | | 03 or 0E | ET Lever Dsn. | Fail Safe | \$6,686.00 | \$6,739.00 | | | |
| SN200/SN210 WD PE8674 | BIPS | | 03 or 0E | ET Lever Dsn. | Fail Secure | | | | | |
| SN200/SN210 WD PE8673 | BIPS | | 03 or 0E | ET Lever Dsn. | Fail Safe w/Cylinder Override | | | \$7,723.00 | \$7,776.00 | |
| SN200/SN210 WD PE8674 | BIPS | | 03 or 0E | ET Lever Dsn. | Fail Secure w/Cylinder Override | | | | | |

Note: Available ET trims are: P773, P774, P775, P776, P773-4, P774-4, P773-8, P774-8, P775-8, P776-8.

- * SN210 BIS, BIPS, BIKS, BIKPS is only available with 0E credential modifier. • SN210 FIPS & FIKPS only available with 03 and 0D credential modifier.
- SN210 is always compliant with UL294.

| Trim | Description | Price | |
|-------------------------|------------------------|----------------------------------------------------------------|----------|
| NE | Narrow Trim | No Addition | |
| WE | Wide Trim | \$100.00 | |
| Outside Electrical Trim | Credential Modifier | Description | Price |
| BIS | 03 or 0E | Bluetooth Smart, High Frequency credentials ONLY | No Add |
| BIKS | 03 or 0E | Bluetooth Smart and keypad, High Frequency credentials ONLY | \$328.00 |
| BIPS | 03 or 0E | Bluetooth Smart, High and Low Frequency credentials | No Add |
| BIKPS | 03 or 0E | Bluetooth Smart and keypad, High and Low Frequency credentials | \$328.00 |
| FIPS | 03, 04, 0D, 0F, 0G, 0H | FIPS 201 Compliant | \$131.00 |
| FIKPS | 03, 04, 0D, 0F, 0G, 0H | FIPS 201 Compliant with keypad | \$459.00 |

Notes: Black is supplied for Reader Color | **Option:** SN200 for Wiegand Communication Protocol | **Option:** SN210 for OSDP Communication Protocol
See catalog for credential modifier descriptions.

ACP and CI certification required for every order.

**Available through Authorized Channel Partners only.
Contact your local ASSA ABLOY Door Security Solutions sales consultant for details.**

IW-14 INTEGRATED WIRED SOLUTIONS



SARGENT®



ASSA ABLOY

SN SERIES PE8700, PE8800, & PE8900 EXIT DEVICE OPTIONS


USA & Canada Prices Effective March 1, 2024

| Options | Description | Price |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 10 | SARGENT Signature Key System | \$81.00/cyl |
| 11 | SARGENT XC Key System (not available with 10, 22, SC, SE) | No addition |
| 1160 | Sargent XC Large Format Interchangeable Plastic Disposable Construction Core | No addition |
| 1163 | Sargent XC Large Format Interchangeable Core Cylinder - Includes masterkeying charges | \$108.00 |
| 1164 | Sargent XC Large Format Interchangeable Construction Core Cylinder | \$108.00 |
| 1170 | Small Format interchangeable disposable construction core - to accept 7 Pin XC permanent core | No addition |
| 11727P | Small Format interchangeable keyed construction core - to accept 7 Pin XC permanent core | \$97.00 |
| 11737P | Small Format interchangeable core - to accept 7 pin XC permanent core | \$97.00/ cyl. |
| 12 | UL Fire Label Exit Devices (not available with AD-8600 & 16- option) | \$239.00 |
| 14 | Sliding Brass Bolt Bottom Case for 8700 devices only | No addition |
| 16 | Cylinder lockdown feature (Not available with 12- option) | \$194.00 |
| 18 | Dogging Indicator | \$100.00 |
| 21 | SARGENT Construction Key System (lost ball) - for new systems est. since 5/1/96 | \$16.00/cyl |
| 22 | SARGENT Construction Key System (split key) - for pre-est. split key systems only | \$32.00/cyl |
| 23 | 4 7/8" ANSI Strike (PE8900 only) | No addition |
| 37 | Spanner head security screws (PE8700) | \$80.00 |
| 37 | Spanner head security screws (PE8800) | \$43.00 |
| 37 | Spanner head security screws (PE8900) | \$48.00 |
| 60 | SARGENT Large Format Interchangeable Plastic Disposable Construction Core | No addition |
| 63 | SARGENT Large Format IC Cylinder includes master and grandmaster keying charge | \$108.00 /cyl. |
| 64 | SARGENT Large Format Interchangeable Construction Core Cylinder | \$108.00 |
| 6573 | Small Format 6-Pin uncombined core | \$87.00/cyl. |
| 65737P | Small Format 7-Pin uncombined core | \$87.00/cyl. |
| 70 | Small Format Interchangeable disposable plastic construction core | No addition |
| 72 | Small Format Interchangeable 6-Pin construction core (7-Pin with 11 option) | \$97.00 |
| 73 | Small Format Interchangeable 6-Pin core | \$97.00/cyl. |
| 737P | Small Format Interchangeable 7-Pin core | \$97.00/cyl. |
| 76 | Tactile Warning - Milled on backside of outside lever (Not available with Studio & Coastal Levers and the A Lever) | \$101.00 |
| 81 | Cylinder to accept KESO & KESO F1 removable core - no core provided | No addition |
| F182 | SARGENT KESO Security Cylinder - Patented | \$119.00/cyl |
| F183 | SARGENT KESO Security Removable core cylinder - Patented | \$170.00/cyl |
| 82 | SARGENT KESO Security Cylinder (for existing systems) | \$119.00/cyl |
| 83 | SARGENT KESO Security Removable core cylinder (for existing systems) | \$170.00/cyl |
| 84 | SARGENT KESO Security removable construction core cylinder | See CK-18 |
| 85 | Tactile Warning - Abrasive strip on push rail | \$131.00 |
| 86 | Tactile Warning - Abrasive coating on outside lever | \$61.00 |
| 87 | Tactile Warning - Abrasive strip on push rail & abrasive coating on outside lever | \$192.00 |
| BR | SARGENT Bump Resistant Cylinders (N/A w/10, 22, 60, 63, 64, 70, 72, 73, 737P, KESO) | \$32.00/cyl. |
| DG1 | Patented Degree DG1 Key System | No addition |
| DG160 | Hardware prepared for DG1-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG163 | Patented Degree DG1 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$108.00 |
| DG164 | Hardware prepared for DG1-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| DG2 | Patented Degree DG2 Key System incorporating a locking sidebar | \$81.00/cyl. |
| DG260 | Hardware prepared for DG2-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG263 | Patented Degree DG2 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$189.00 |
| DG264 | Hardware prepared for DG2-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| DG3 | Patented Degree DG3 Key System incorporating a locking sidebar and UL437 listed | \$115.00/cyl. |
| DG360 | Hardware prepared for DG3-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG363 | Patented Degree DG3 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$223.00 |
| DG364 | Hardware prepared for DG3-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| HC | Hurricane Code (available with rim exit devices only) – See catalog for function availability | \$170.00 |
| LC | Less Cylinder | -\$125.00/cyl. |
| LD | Less Dogging (non-fire rated exit devices only) | No Addition |
| NB | No Bottom | No Addition |
| OL | Overlapping End Cap | No Addition |
| PL* | SARGuide™ PL – Photoluminescent coating | \$490.00 |
| SG | MicroShield® an antimicrobial powder coat (Not available 10B, BSP, WSP) | \$114.00 |
| TB | Through-Bolts (PE8700 devices only) | \$34.00 |
| WR | Wire Routing (Trim) | \$73.00 |
| CPC | Clear Powder Coat – Recommended for exit devices used in full exterior application and highly corrosive areas with 32 and 32D finishes. | \$303.00 |
| | Vertical Rod Device to 96" Height | No addition |
| | Concealed/Surface Vertical Rod Device Over 96" to 120" Height | \$83.00 |
| | Refer to catalog for max. door height availability on fire rated exit devices. | |

*Exact door width required when ordering.

SN SERIES PE8700, PE8800 & PE8900 EXIT DEVICE

USA & Canada Prices Effective March 1, 2024

| SN Series PE8700, PE8800 & PE8900 Exit Devices | | | | | | | | | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------|----------|---------------|---------------------|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|------------------|------------------------------------------------|
| LEVERS / ET CONTROL: Standard: A, B, E, F, J, L, P, W Coastal: C, G, R, S, Y Studio Collection Except for Gramercy, Wooster Square, and Grant Park For Gramercy: RAG, RAL, RAM*, RAS, RCM, REM, RGM - Add to below prices \$200.00 For Wooster Square: H001-H002-H003-H004-H005-H006 - Add to below prices \$200.00 For Grant Park: H007-H008-H009-H011 - Add to below prices \$200.00 *Not available with 10BE/BSP/WSP finishes | | | | | | | Auxiliary Control  Auxiliary Control (P106/P306) | | | |
| SN Series - 8700 Surface Vertical Rod with Bluetooth Smart | | | | | | | 10BE/32D/BSP/WSP | 03/04/09/10 10B/10BL 20D/32 All Mixed Finishes | 10BE/32D/BSP/WSP | 03/04/09/10 10B/10BL 20D/32 All Mixed Finishes |
| Options* | Func. | Trim | Mod. | Trim | Description | | | | | |
| SN200/SN210 | PE8773 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Safe | | | | | |
| SN200/SN210 | PE8774 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Secure | \$6,038.00 | \$6,091.00 | | | |
| SN200/SN210 | PE8773 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Safe | | | | | |
| | | | | | w/Cylinder Override | | | | | |
| SN200/SN210 | PE8774 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Secure | | | \$7,075.00 | \$7,128.00 | |
| | | | | | w/Cylinder Override | | | | | |
| SN Series - 8800 Rim Exit Device with Bluetooth Smart | | | | | | | | | | |
| SN200/SN210 | PE8873 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Safe | | | | | |
| SN200/SN210 | PE8874 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Secure | \$5,156.00 | \$5,209.00 | | | |
| SN200/SN210 | PE8875 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Safe | | | | | |
| | | | | | w/Cylinder Override | | | | | |
| SN200/SN210 | PE8876 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Secure | \$5,448.00 | \$5,501.00 | | | |
| | | | | | w/Cylinder Override | | | | | |
| SN Series - 8900 Mortise Exit Device with Bluetooth Smart | | | | | | | | | | |
| SN200/SN210 | PE8973 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Safe | | | | | |
| SN200/SN210 | PE8974 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Secure | \$6,020.00 | \$6,073.00 | | | |
| SN200/SN210 | PE8975 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Safe | | | | | |
| | | | | | w/Cylinder Override | | | | | |
| SN200/SN210 | PE8976 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Secure | \$6,312.00 | \$6,365.00 | | | |
| | | | | | w/Cylinder Override | | | | | |

Note: Available ET trims are: P773, P774, P775, P776, P773-4, P774-4, P773-8, P774-8, P775-8, P776-8. Trim should be ordered as follows: N1-Trim # x ET x Lever Design x Finish x Voltage (must specify "N1" in order to receive correct product for use on SN Series). Specify hand and voltage (12v or 24v) when ordering.

- * • SN210 BIS, BIPS, BIKS, BIKPS is only available with 0E credential modifier. • SN210 FIPS & FIKPS only available with 03 and 0D credential modifier.
- SN210 is always compliant with UL294.

| Trim | Description | Price | |
|-------------------------|------------------------|----------------------------------------------------------------|----------|
| NE | Narrow Trim | No Addition | |
| WE | Wide Trim | \$100.00 | |
| Outside Electrical Trim | Credential Modifier | Description | Price |
| BIS | 03 or 0E | Bluetooth Smart, High Frequency credentials ONLY | No Add |
| BIKS | 03 or 0E | Bluetooth Smart and keypad, High Frequency credentials ONLY | \$328.00 |
| BIPS | 03 or 0E | Bluetooth Smart, High and Low Frequency credentials | No Add |
| BIKPS | 03 or 0E | Bluetooth Smart and keypad, High and Low Frequency credentials | \$328.00 |
| FIPS | 03, 04, 0D, 0F, 0G, 0H | FIPS 201 Compliant | \$131.00 |
| FIKPS | 03, 04, 0D, 0F, 0G, 0H | FIPS 201 Compliant with keypad | \$459.00 |

Notes: Black is supplied for Reader Color | **Option:** SN200 for Wiegand Communication Protocol | **Option:** SN210 for OSDP Communication Protocol
See catalog for credential modifier descriptions.

ACP and CI certification required for every order.

**Available through Authorized Channel Partners only.
Contact your local ASSA ABLOY Door Security Solutions sales consultant for details.**

IW-16 INTEGRATED WIRED SOLUTIONS



SARGENT®



ASSA ABLOY

SN SERIES 8600 WITH 56- ELECTRIC LATCH RETRACTION

USA & Canada Prices Effective March 1, 2024

| Options | Description | Price |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 10 | SARGENT Signature Key System | \$81.00/cyl |
| 11 | SARGENT XC Key System (not available with 10, 22, SC, SE) | No addition |
| 1160 | Sargent XC Large Format Interchangeable Plastic Disposable Construction Core | No addition |
| 1163 | Sargent XC Large Format Interchangeable Core Cylinder - Includes masterkeying charges | \$108.00 |
| 1164 | Sargent XC Large Format Interchangeable Construction Core Cylinder | \$108.00 |
| 1170 | Small Format interchangeable disposable construction core - to accept 7 Pin XC permanent core | No addition |
| 11727P | Small Format interchangeable keyed construction core - to accept 7 Pin XC permanent core | \$97.00 |
| 11737P | Small Format interchangeable core - to accept 7 pin XC permanent core | \$97.00/ cyl. |
| 12 | UL Fire Label Exit Devices (not available with 16- option) | \$239.00 |
| 16 | Cylinder lockdown feature (Not available with 12- option) | \$194.00 |
| 19 | 80 Series pushbar without Lexan Touchpad | No addition |
| 21 | SARGENT Construction Key System (lost ball) - for new systems est. since 5/1/96 | \$16.00/cyl |
| 22 | SARGENT Construction Key System (split key) - for pre-est. split key systems only | \$32.00/cyl |
| 36 | 6 Lobe head security screws (8600) | \$83.00 |
| 37 | Spanner head security screws (8600) | \$60.00 |
| 43 | Flush End Cap | No Addition |
| 60 | SARGENT Large Format Interchangeable Plastic Disposable Construction Core | No addition |
| 63 | SARGENT Large Format IC Cylinder includes master and grandmaster keying charge | \$108.00 /cyl. |
| 64 | SARGENT Large Format Interchangeable Construction Core Cylinder | \$108.00 |
| 6573 | Small Format 6-Pin uncombined core | \$87.00/cyl. |
| 65737P | Small Format 7-Pin uncombined core | \$87.00/cyl. |
| 70 | Small Format Interchangeable disposable plastic construction core | No addition |
| 72 | Small Format Interchangeable 6-Pin construction core (7-Pin with 11 option) | \$97.00 |
| 73 | Small Format Interchangeable 6-Pin core | \$97.00/cyl. |
| 737P | Small Format Interchangeable 7-Pin core | \$97.00/cyl. |
| 76 | Tactile Warning - Milled on backside of outside lever (Not available with Studio & Coastal Levers and the A Lever) | \$101.00 |
| 81 | Cylinder to accept KESO & KESO F1 removable core - no core provided | No addition |
| F182 | SARGENT KESO Security Cylinder - Patented | \$119.00/cyl |
| F183 | SARGENT KESO Security Removable core cylinder - Patented | \$170.00/cyl |
| 82 | SARGENT KESO Security Cylinder (for existing systems) | \$119.00/cyl |
| 83 | SARGENT KESO Security Removable core cylinder (for existing systems) | \$170.00/cyl |
| 84 | SARGENT KESO Security removable construction core cylinder | See CK-18 |
| 85 | Tactile Warning - Abrasive strip on push rail | \$131.00 |
| 86 | Tactile Warning - Abrasive coating on outside lever | \$61.00 |
| 87 | Tactile Warning - Abrasive strip on push rail & abrasive coating on outside lever | \$192.00 |
| BR | SARGENT Bump Resistant Cylinders (N/A w/10, 22, 60, 63, 64, 70, 72, 73, 737P, KESO) | \$32.00/cyl. |
| DG1 | Patented Degree DG1 Key System | No addition |
| DG160 | Hardware prepared for DG1-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG163 | Patented Degree DG1 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$108.00 |
| DG164 | Hardware prepared for DG1-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| DG2 | Patented Degree DG2 Key System incorporating a locking sidebar | \$81.00/cyl. |
| DG260 | Hardware prepared for DG2-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG263 | Patented Degree DG2 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$189.00 |
| DG264 | Hardware prepared for DG2-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| DG3 | Patented Degree DG3 Key System incorporating a locking sidebar and UL437 listed | \$115.00/cyl. |
| DG360 | Hardware prepared for DG3-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG363 | Patented Degree DG3 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$223.00 |
| DG364 | Hardware prepared for DG3-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| LC | Less Cylinder | -\$125.00/cyl. |
| LD | Less Dogging (non-fire rated exit devices only) | No Addition |
| HK | Hex Key Dogging | No Addition |
| NB | No Bottom | No Addition |
| *PL | SARGuide™ PL – Photoluminescent coating (Pushbar w/o Lexan Touchpad – 19 Option is supplied as standard) | \$490.00 |
| SG | MicroShield® an antimicrobial powder coat finish | \$114.00 |
| TB | Thru-bolt | \$34.00 |
| CPC | Clear Powder Coat – Recommended for exit devices used in full exterior application and highly corrosive areas with 32 and 32D finishes. | \$303.00 |
| | Vertical Rod Device to 96" Height | No addition |
| | Concealed/Surface Vertical Rod Device Over 96" to 120" Height | \$83.00 |
| | Refer to catalog for max. door height availability on fire rated exit devices. | |

*Exact door width required when ordering.

SN SERIES 8600 WITH 56-ELECTRIC LATCH RETRACTION

USA & Canada Prices Effective March 1, 2024



| AD/MD/WD 8600 Series-Concealed Vertical Rod Device | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|--|
| ET Control Standard Levers: A-B-E-F- J-L-P-W Coastal Levers: G-R-S-Y All Studio Collection Levers (Except Gramercy, Wooster Square, and Grant Park) | ET Control Gramercy Levers: RAL-**RAM-RAS- RCM-REM-RGM Wooster Square: H001-H002-H003-H004- H005-H006 Grant Park: H007-H008-H009-H011 | Auxiliary Control (106) with 862, 863, 864 Pull Price includes 862 Pull (shown) | |
| Finishes listed below are for the exit device. Refer to catalog for available trims, trim finishes and how to order. | | | |

| 56 SN Series - AD8600 Concealed Vertical Rod | | Finish | | | | | | | |
|----------------------------------------------|-------------------------------|-------------------|-----------------------------|-------------------|-----------------------------|-------------------|------------------|--|--|
| Options* | Funct/Description | 10BE/32D/ BSP/WSP | 03/04/09/10/10B 10BL/20D/32 | 10BE/32D/ BSP/WSP | 03/04/09/10/10B 10BL/20D/32 | 10BE/32D/ BSP/WSP | 03/04/10/ 10B/32 | | |
| 56 SN200/SN210 AD | 8610 Exit Only No Trim | \$5,679.00 | \$5,732.00 | | | | | | |
| 56 SN200/SN210 AD | 8610 Dummy Trim (Lever rigid) | \$6,667.00 | \$6,720.00 | \$6,984.00 | \$7,037.00 | \$6,151.00 | \$6,204.00 | | |
| *56 SN200/SN210 AD | 8610 Key operates control | | | | | \$7,139.00 | \$7,192.00 | | |
| 56 SN200/SN210 AD | 8606 Key operates ET | \$6,667.00 | \$6,720.00 | \$6,984.00 | \$7,037.00 | | | | |
| 56 SN200/SN210 AD | 8613 Key locks/unlocks ET | | | | | | | | |

| 56 SN Series - AD8600 with Freewheeling Trim | | | | | | | | | |
|----------------------------------------------|---------------------------------|------------|------------|------------|------------|--|--|--|--|
| 56 SN200/SN210 AD | 8640 Dummy Trim (Lever rotates) | | | | | | | | |
| 56 SN200/SN210 AD | 8643 Key eng's/disengages lever | \$6,667.00 | \$6,720.00 | \$6,984.00 | \$7,037.00 | | | | |
| 56 SN200/SN210 AD | 8646 Key operates control | | | | | | | | |

| 56 SN Series - MD8600 Concealed Vertical Rod | | | | | | | | | |
|----------------------------------------------|-------------------------------|-------------------|-----------------------------|-------------------|-----------------------------|-------------------|------------------|--|--|
| Options* | Funct/Description | 10BE/32D/ BSP/WSP | 03/04/09/10/10B 10BL/20D/32 | 10BE/32D/ BSP/WSP | 03/04/09/10/10B 10BL/20D/32 | 10BE/32D/ BSP/WSP | 03/04/10/ 10B/32 | | |
| 56 SN200/SN210 MD | 8610 Exit Only No Trim | \$5,679.00 | \$5,732.00 | | | | | | |
| 56 SN200/SN210 MD | 8610 Dummy Trim (Lever rigid) | \$6,667.00 | \$6,720.00 | \$6,984.00 | \$7,037.00 | \$6,151.00 | \$6,204.00 | | |
| *56 SN200/SN210 MD | 8610 Key operates control | | | | | \$7,139.00 | \$7,192.00 | | |
| 56 SN200/SN210 MD | 8606 Key operates ET | \$6,667.00 | \$6,720.00 | \$6,984.00 | \$7,037.00 | | | | |
| 56 SN200/SN210 MD | 8613 Key locks/unlocks ET | | | | | | | | |

| 56 SN Series - MD8600 with Freewheeling Trim | | | | | | | | | |
|----------------------------------------------|---------------------------------|------------|------------|------------|------------|--|--|--|--|
| 56 SN200/SN210 MD | 8640 Dummy Trim (Lever rotates) | | | | | | | | |
| 56 SN200/SN210 MD | 8643 Key eng's/disengages lever | \$6,667.00 | \$6,720.00 | \$6,984.00 | \$7,037.00 | | | | |
| 56 SN200/SN210 MD | 8646 Key operates control | | | | | | | | |

| 56 SN Series - WD8600 Concealed Vertical Rod | | | | | | | | | |
|----------------------------------------------|-------------------------------|-------------------|-----------------------------|-------------------|-----------------------------|-------------------|------------------|--|--|
| Options* | Funct/Description | 10BE/32D/ BSP/WSP | 03/04/09/10/10B 10BL/20D/32 | 10BE/32D/ BSP/WSP | 03/04/09/10/10B 10BL/20D/32 | 10BE/32D/ BSP/WSP | 03/04/10/ 10B/32 | | |
| 56 SN200/SN210 WD | 8610 Exit Only No Trim | \$5,896.00 | \$5,949.00 | | | | | | |
| 56 SN200/SN210 WD | 8610 Dummy Trim (Lever rigid) | \$6,884.00 | \$6,937.00 | \$7,201.00 | \$7,254.00 | \$6,279.00 | \$6,362.00 | | |
| *56 SN200/SN210 WD | 8610 Key operates control | | | | | \$7,267.00 | \$7,350.00 | | |
| 56 SN200/SN210 WD | 8606 Key operates ET | \$6,884.00 | \$6,937.00 | \$7,201.00 | \$7,254.00 | | | | |
| 56 SN200/SN210 WD | 8613 Key locks/unlocks ET | | | | | | | | |

| 56 SN Series - WD8600 with Freewheeling Trim | | | | | | | | | |
|----------------------------------------------|-----------------------------------|------------|------------|------------|------------|--|--|--|--|
| 56 SN200/SN210 WD | 8640 Dummy Trim (Lever rotates) | | | | | | | | |
| 56 SN200/SN210 WD | 8643 Key engages/disengages lever | \$6,884.00 | \$6,937.00 | \$7,201.00 | \$7,254.00 | | | | |
| 56 SN200/SN210 WD | 8646 Key operates control | | | | | | | | |

863 (18" x 1" Diameter) Pull provided in lieu of 862 (10" x 1" Diameter) Add \$93.00
 864 (10" x 3/4" Diameter) Pull provided in lieu of 862 (10" x 1" Diameter) Deduct \$49.00
 * SN210 BIS, BIPS, BIKS, BIKPS is only available with 0E credential modifier. • SN210 FIPS & FIKPS only available with 03 and 0D credential modifier.
 • SN210 is always compliant with UL294.

| Outside Electrical Trim | Credential Modifier | Description | Price |
|-------------------------|------------------------|----------------------------------------------------------------|----------|
| BIS | 03 or 0E | Bluetooth Smart, High Frequency credentials ONLY | No Add |
| BIKS | 03 or 0E | Bluetooth Smart and keypad, High Frequency credentials ONLY | \$328.00 |
| BIPS | 03 or 0E | Bluetooth Smart, High and Low Frequency credentials | No Add |
| BIKPS | 03 or 0E | Bluetooth Smart and keypad, High and Low Frequency credentials | \$328.00 |
| FIPS | 03, 04, 0D, 0F, 0G, 0H | FIPS 201 Compliant | \$131.00 |
| FIKPS | 03, 04, 0D, 0F, 0G, 0H | FIPS 201 Compliant with keypad | \$459.00 |

Notes: Black is supplied for Reader Color | **Option:** SN200 for Wiegand Communication Protocol | **Option:** SN210 for OSDP Communication Protocol
 See catalog for credential modifier descriptions.

Experience a safer
and more open world

IW-18 INTEGRATED WIRED SOLUTIONS



SARGENT®



ASSA ABLOY

SN SERIES 8700, 8800, 8900 WITH 56- ELECTRIC LATCH RETRACTION

USA & Canada Prices Effective March 1, 2024

| Options | Description | Price |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 10 | SARGENT Signature Key System | \$81.00/cyl |
| 11 | SARGENT XC Key System (not available with 10, 22, SC, SE) | No addition |
| 1160 | Sargent XC Large Format Interchangeable Plastic Disposable Construction Core | No addition |
| 1163 | Sargent XC Large Format Interchangeable Core Cylinder - Includes masterkeying charges | \$108.00 |
| 1164 | Sargent XC Large Format Interchangeable Construction Core Cylinder | \$108.00 |
| 1170 | Small Format interchangeable disposable construction core - to accept 7 Pin XC permanent core | No addition |
| 11727P | Small Format interchangeable keyed construction core - to accept 7 Pin XC permanent core | \$97.00 |
| 11737P | Small Format interchangeable core - to accept 7 pin XC permanent core | \$97.00/ cyl. |
| 12 | UL Fire Label Exit Devices (not available with 16- option) | \$239.00 |
| 14 | Sliding Bolt Bottom Case for 8700 | No addition |
| 16 | Cylinder lockdown feature (Not available with 12- option) | \$194.00 |
| 19 | 80 Series pushbar without Lexan Touchpad | No addition |
| 21 | SARGENT Construction Key System (lost ball) - for new systems est. since 5/1/96 | \$16.00/cyl |
| 22 | SARGENT Construction Key System (split key) - for pre-est. split key systems only | \$32.00/cyl |
| 23 | 4-7/8" ANSI Strike (8900 only) | No Addition |
| 36 | 6 Lobe head security screws (8700) | \$125.00 |
| 36 | 6 Lobe head security screws (8800) | \$68.00 |
| 36 | 6 Lobe head security screws (8900) | \$73.00 |
| 37 | Spanner head security screws (8700) | \$80.00 |
| 37 | Spanner head security screws (8800) | \$43.00 |
| 37 | Spanner head security screws (8900) | \$48.00 |
| 43 | Flush End Cap | No Addition |
| 60 | SARGENT Large Format Interchangeable Plastic Disposable Construction Core | No addition |
| 63 | SARGENT Large Format IC Cylinder includes master and grandmaster keying charge | \$108.00 /cyl. |
| 64 | SARGENT Large Format Interchangeable Construction Core Cylinder | \$108.00 |
| 6573 | Small Format 6-Pin uncombined core | \$87.00/cyl. |
| 65737P | Small Format 7-Pin uncombined core | \$87.00/cyl. |
| 70 | Small Format Interchangeable disposable plastic construction core | No addition |
| 72 | Small Format Interchangeable 6-Pin construction core (7-Pin with 11 option) | \$97.00 |
| 73 | Small Format Interchangeable 6-Pin core | \$97.00/cyl. |
| 737P | Small Format Interchangeable 7-Pin core | \$97.00/cyl. |
| 76 | Tactile Warning - Milled on backside of outside lever (Not available with Studio & Coastal Levers and the A Lever) | \$101.00 |
| 81 | Cylinder to accept KESO & KESO F1 removable core - no core provided | No addition |
| F182 | SARGENT KESO Security Cylinder - Patented | \$119.00/cyl |
| F183 | SARGENT KESO Security Removable core cylinder - Patented | \$170.00/cyl |
| 82 | SARGENT KESO Security Cylinder (for existing systems) | \$119.00/cyl |
| 83 | SARGENT KESO Security Removable core cylinder (for existing systems) | \$170.00/cyl |
| 84 | SARGENT KESO Security removable construction core cylinder | See CK-18 |
| 85 | Tactile Warning - Abrasive strip on push rail | \$131.00 |
| 86 | Tactile Warning - Abrasive coating on outside lever | \$61.00 |
| 87 | Tactile Warning - Abrasive strip on push rail & abrasive coating on outside lever | \$192.00 |
| BR | SARGENT Bump Resistant Cylinders (N/A w/10, 22, 60, 63, 64, 70, 72, 73, 737P, KESO) | \$32.00/cyl. |
| DG1 | Patented Degree DG1 Key System | No addition |
| DG160 | Hardware prepared for DG1-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG163 | Patented Degree DG1 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$108.00 |
| DG164 | Hardware prepared for DG1-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| DG2 | Patented Degree DG2 Key System incorporating a locking sidebar | \$81.00/cyl. |
| DG260 | Hardware prepared for DG2-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG263 | Patented Degree DG2 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$189.00 |
| DG264 | Hardware prepared for DG2-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| DG3 | Patented Degree DG3 Key System incorporating a locking sidebar and UL437 listed | \$115.00/cyl. |
| DG360 | Hardware prepared for DG3-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG363 | Patented Degree DG3 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$223.00 |
| DG364 | Hardware prepared for DG3-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| HC | Hurricane Code (8700 Series) - See catalog for function availability | \$170.00 |
| HC4 | Hurricane-Resistant (8700 series only) | \$322.00 |
| HC | Hurricane Code (8800 Series) - See catalog for function availability | \$104.00 |
| HK | Hex Key Dogging | No Addition |
| LC | Less Cylinder | -\$125.00/cyl. |
| LD | Less Dogging (non-fire rated exit devices only) | No Addition |
| NB | No Bottom - 8700 SVR devices only | No Addition |
| PL* | SARGuide™ PL - Photoluminescent coating (Pushbar w/o Lexan Touchpad - 19 Option is supplied as standard) | \$490.00 |
| SG | MicroShield® an antimicrobial powder coat finish | \$114.00 |
| TB | Thru-bolt (8700 SVR) device only | \$116.00 |
| TB | Thru-bolt (8800 & 8900) device only | \$34.00 |
| WS | Windstorm Certified (Rim & Mortise Exit Devices only) | No Addition |
| CPC | Clear Powder Coat - Recommended for exit devices used in full exterior application and highly corrosive areas with 32 and 32D finishes. | \$303.00 |
| | Vertical Rod Device to 96" Height | No addition |
| | Concealed/Surface Vertical Rod Device Over 96" to 120" Height Refer to catalog for max. door height availability on fire rated exit devices. | \$83.00 |

*Exact door width required when ordering.

Experience a safer
and more open world

Copyright © 2002-2024 Sargent Manufacturing Company, an ASSA ABLOY Group company. All rights reserved.
Reproduction in whole or in part without the express written permission of Sargent Manufacturing Company is prohibited.
Contact us at: 800-727-5477 or visit www.sargentlock.com. In Canada contact us at: 800-461-3007 or visit www.assaabloydss.ca

SN SERIES 8700, 8800, 8900 WITH 56- ELECTRIC LATCH RETRACTION

USA & Canada Prices Effective March 1, 2024



| SN Series 56 8700, 8800, & 8900 Exit Devices | | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| <p>ET Control Standard Levers: A-B-E-F- J-L-P-W Coastal Levers: G-R-S-Y All Studio Collection Levers (Except Gramercy, Wooster Square, and Grant Park)</p> | <p>ET Control Gramercy Levers: RAL-***RAM-RAS- RCM-REM-RGM Wooster Square: H001-H002-H003-H004- H005-H006 Grant Park: H007-H008-H009-H011</p> | <p>PTB PTB-STS- MAL-FLL-FLW (8710, 8810, 8904, & 8910 functions only) PSB-MSL- FSL-FSW -STS (8804 function only)</p> | <p>Auxiliary Control (306) with 862, 863, 864 Pull Price includes 862 Pull (shown)</p> |
| Finishes listed below are for the exit device. Refer to catalog for available trims, trim finishes and how to order. | | | |

| 56 SN 8700 Surface Vertical Rod | | Finish | | | | | | | | |
|---------------------------------------------------|-----------------------------------|----------------------|--------------------------------|----------------------|--------------------------------|----------------------|--------------------------------|----------------------|---------------------|--|
| Options* | Funcnt Description | 10BE/32D/ BSP/WSP | 03/04/09/10/10B 10BL/20D/32 | 10BE/32D/ BSP/WSP | 03/04/09/10/10B 10BL/20D/32 | 10BE/32D/ BSP/WSP | 03/04/09/10/10B 10BL/20D/32 | 10BE/32D/ BSP/WSP | 03/04/10/ 10B/32 | |
| 56 SN200/SN210 | 8710 Exit Only No Trim | \$5,188.00 | \$5,241.00 | | | | | | | |
| 56 SN200/SN210 | 8710 Dummy (Lever rigid) | \$6,176.00 | \$6,229.00 | \$6,493.00 | \$6,546.00 | \$6,388.00 | \$6,441.00 | \$5,954.00 | \$6,007.00 | |
| 56 SN200/SN210 | 8710 Key operates control | | | | | | | \$6,942.00 | \$6,995.00 | |
| 56 SN200/SN210 | 8706 Key operates ET | \$6,176.00 | \$6,229.00 | \$6,493.00 | \$6,546.00 | | | | | |
| 56 SN200/SN210 | 8713 Key un & locks ET | | | | | | | | | |
| 56 SN Series - 8700 with Freewheeling Trim | | | | | | | | | | |
| 56 SN200/SN210 | 8740 Dummy (Lvr rotates) | | | | | | | | | |
| 56 SN200/SN210 | 8743 Key eng/disgs lever | \$6,176.00 | \$6,229.00 | \$6,493.00 | \$6,546.00 | | | | | |
| 56 SN200/SN210 | 8746 Key operates control | | | | | | | | | |
| 56 SN Series - 8800 Rim Exit Device | | | | | | | | | | |
| Options* | Funcnt Description | | | | | | | | | |
| 56 SN200/SN210 | 8810 Exit Only No Trim | \$4,176.00 | \$4,229.00 | | | | | | | |
| 56 SN200/SN210 | 8810 Dummy (Lever rigid) | | | | | \$4,776.00 | \$4,829.00 | \$4,559.00 | \$4,642.00 | |
| 56 SN200/SN210 | 8804 Key retr Lbolt (levr rgd) | \$5,164.00 | \$5,217.00 | \$5,481.00 | \$5,534.00 | | | | | |
| 56 SN200/SN210 | 8806 Key operates ET | | | | | | | | | |
| 56 SN200/SN210 | 8813 Key un & locks ET | | | | | | | | | |
| 56 SN Series - 8800 with Freewheeling Trim | | | | | | | | | | |
| 56 SN200/SN210 | 8840 Dummy (Lvr rotates) | | | | | | | | | |
| 56 SN200/SN210 | 8843 Key eng/disgs lever | \$5,164.00 | \$5,217.00 | \$5,481.00 | \$5,534.00 | | | | | |
| 56 SN200/SN210 | 8844 Key retr Lbolt (lvr rotates) | | | | | | | | | |
| 56 SN200/SN210 | 8846 Key operates control | | | | | | | | | |
| 56 SN Series - 8900 Mortise Exit Device | | | | | | | | | | |
| Options* | Funcnt Description | | | | | | | | | |
| 56 SN200/SN210 | 8910 Exit Only No Trim | \$5,152.00 | \$5,205.00 | | | | | | | |
| 56 SN200/SN210 | 8910 Dummy (Lever rigid) | | | | | \$5,752.00 | \$5,805.00 | | | |
| 56 SN200/SN210 | 8904 Key retr Lbolt (levr rgd) | \$6,140.00 | \$6,193.00 | \$6,457.00 | \$6,510.00 | | | | | |
| 56 SN200/SN210 | 8906 Key operates ET | | | | | | | | | |
| 56 SN200/SN210 | 8913 Key un & locks ET | | | | | | | | | |
| 56 SN Series - 8900 with Freewheeling Trim | | | | | | | | | | |
| 56 SN200/SN210 | 8940 Dummy (Lvr rotates) | | | | | | | | | |
| 56 SN200/SN210 | 8843 Key eng/disgs lever | \$6,140.00 | \$6,193.00 | \$6,457.00 | \$6,510.00 | | | | | |
| 56 SN200/SN210 | 8844 Key retr Lbolt (lvr rotates) | | | | | | | | | |
| 56 SN200/SN210 | 8846 Key operates control | | | | | | | | | |

863 (18" x 1" Diameter) Pull provided in lieu of 862 (10" x 1" Diameter) Add \$93.00 864 (10" x 3/4" Diameter) Pull provided in lieu of 862 (10" x 1" Diameter) Deduct \$49.00
 * SN210 BIS, BIPS, BIKS, BIKPS is only available with 0E credential modifier. • SN210 FIPS & FIKPS only available with 03 and 0D credential modifier.
 • SN210 is always compliant with UL294.

| Outside Electrical Trim | Credential Modifier | Description | Price |
|-------------------------|------------------------|----------------------------------------------------------------|----------|
| BIS | 03 or 0E | Bluetooth Smart, High Frequency credentials ONLY | No Add |
| BIKS | 03 or 0E | Bluetooth Smart and keypad, High Frequency credentials ONLY | \$328.00 |
| BIPS | 03 or 0E | Bluetooth Smart, High and Low Frequency credentials | No Add |
| BIKPS | 03 or 0E | Bluetooth Smart and keypad, High and Low Frequency credentials | \$328.00 |
| FIPS | 03, 04, 0D, 0F, 0G, 0H | FIPS 201 Compliant | \$131.00 |
| FIKPS | 03, 04, 0D, 0F, 0G, 0H | FIPS 201 Compliant with keypad | \$459.00 |

Notes: Black is supplied for Reader Color | **Option:** SN200 for Wiegand Communication Protocol | **Option:** SN210 for OSDP Communication Protocol
 See catalog for credential modifier descriptions.

Experience a safer
and more open world

IW-20 INTEGRATED WIRED SOLUTIONS



SARGENT®





ASSA ABLOY

SN SERIES 8600 EXIT DEVICE OPTIONS

USA & Canada Prices Effective March 1, 2024

| Options | Description | Price |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 10 | SARGENT Signature Key System | \$81.00/cyl |
| 11 | SARGENT XC Key System (not available with 10, 22, SC, SE) | No addition |
| 1160 | Sargent XC Large Format Interchangeable Plastic Disposable Construction Core | No addition |
| 1163 | Sargent XC Large Format Interchangeable Core Cylinder - Includes masterkeying charges | \$108.00 |
| 1164 | Sargent XC Large Format Interchangeable Construction Core Cylinder | \$108.00 |
| 1170 | Small Format interchangeable disposable construction core - to accept 7 Pin XC permanent core | No addition |
| 11727P | Small Format interchangeable keyed construction core - to accept 7 Pin XC permanent core | \$97.00 |
| 11737P | Small Format interchangeable core - to accept 7 pin XC permanent core | \$97.00/ cyl. |
| 12 | UL Fire Label Exit Devices (not available with AD-8600 & 16- option) | \$239.00 |
| 16 | Cylinder lockdown feature (Not available with 12- option) | \$194.00 |
| 19 | 80 Series pushbar without Lexan Touchpad | No addition |
| 21 | SARGENT Construction Key System (lost ball) - for new systems est. since 5/1/96 | \$16.00/cyl |
| 22 | SARGENT Construction Key System (split key) - for pre-est. split key systems only | \$32.00/cyl |
| 36 | 6 Lobe head security screws | \$83.00 |
| 37 | Spanner head security screws | \$60.00 |
| 43 | Flush End Cap | No Addition |
| 60 | SARGENT Large Format Interchangeable Plastic Disposable Construction Core | No addition |
| 63 | SARGENT Large Format IC Cylinder includes master and grandmaster keying charge | \$108.00 /cyl. |
| 64 | SARGENT Large Format Interchangeable Construction Core Cylinder | \$108.00 |
| 6573 | Small Format 6-Pin uncombined core | \$87.00/cyl. |
| 65737P | Small Format 7-Pin uncombined core | \$87.00/cyl. |
| 70 | Small Format Interchangeable disposable plastic construction core | No addition |
| 72 | Small Format Interchangeable 6-Pin construction core (7-Pin with 11 option) | \$97.00 |
| 73 | Small Format Interchangeable 6-Pin core | \$97.00/cyl. |
| 737P | Small Format Interchangeable 7-Pin core | \$97.00/cyl. |
| 76 | Tactile Warning - Milled on backside of outside lever (Not available with Studio & Coastal Levers and the A Lever) | \$101.00 |
| 81 | Cylinder to accept KESO & KESO F1 removable core - no core provided | No addition |
| 82 | SARGENT KESO Security Cylinder (for existing systems) | \$119.00/cyl |
| F182 | SARGENT KESO Security Cylinder - Patented | \$119.00/cyl |
| F183 | SARGENT KESO Security Removable core cylinder - Patented | \$170.00/cyl |
| 83 | SARGENT KESO Security Removable core cylinder (for existing systems) | \$170.00/cyl |
| 84 | SARGENT KESO Security removable construction core cylinder | See CK-18 |
| 85 | Tactile Warning - Abrasive strip on push rail | \$131.00 |
| 86 | Tactile Warning - Abrasive coating on outside lever | \$61.00 |
| 87 | Tactile Warning - Abrasive strip on push rail & abrasive coating on outside lever | \$192.00 |
| BR | SARGENT Bump Resistant Cylinders (N/A w/10, 22, 60, 63, 64, 70, 72, 73, 737P, KESO) | \$32.00/cyl. |
| DG1 | Patented Degree DG1 Key System | No addition |
| DG160 | Hardware prepared for DG1-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG163 | Patented Degree DG1 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$108.00 |
| DG164 | Hardware prepared for DG1-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| DG2 | Patented Degree DG2 Key System incorporating a locking sidebar | \$81.00/cyl. |
| DG260 | Hardware prepared for DG2-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG263 | Patented Degree DG2 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$189.00 |
| DG264 | Hardware prepared for DG2-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| DG3 | Patented Degree DG3 Key System incorporating a locking sidebar and UL437 listed | \$115.00/cyl. |
| DG360 | Hardware prepared for DG3-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG363 | Patented Degree DG3 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$223.00 |
| DG364 | Hardware prepared for DG3-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| LC | Less Cylinder | -\$125.00/cyl. |
| LD | Less Dogging (non-fire rated exit devices only) | No Addition |
| NB | No Bottom | No Addition |
| PL* | SARGuide™ PL – Photoluminescent coating – (Pushbar w/o Lexan Touchpad – 19 option is supplied as standard) | \$490.00 |
| SG | MicroShield® an antimicrobial powder coat finish | \$114.00 |
| CPC | Clear Powder Coat – Recommended for exit devices used in full exterior application and highly corrosive areas with 32 and 32D finishes. | \$303.00 |
| | Vertical Rod Device to 96" Height | No addition |
| | Concealed/Surface Vertical Rod Device Over 96" to 120" Height | \$83.00 |
| | Refer to catalog for max. door height availability on fire rated exit devices. | |

*Exact door width required when ordering.

| SN Series 8600 Exit Devices | | | | | | | | | |
|-----------------------------------------------------------------------------------------|-------|-------------|------------|---------------|------------------------------------------------------------------------------------|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|-----------------------------------|
| LEVERS / ET CONTROL: | | | | |  | | ET Control by Auxiliary Control  Auxiliary Control (106/306) | | |
| Standard: A, B, E, F, J, L, P, W | | | | | | | | | |
| Coastal: G, R, S, Y | | | | | | | | | |
| Studio Collection Except for Gramercy, Wooster Square, and Grant Park | | | | | | | | | |
| For Gramercy: RAG, RAL, RAM*, RAS, RCM, REM, RGM - Add to below prices \$200.00 | | | | | | | | | |
| For Wooster Square: H001-H002-H003-H004-H005-H006 - Add to below prices \$200.00 | | | | | | | | | |
| For Grant Park: H007-H008-H009-H011 - Add to below prices \$200.00 | | | | | | | | | |
| *Not available with 10BE/BSP/WSP finishes | | | | | | | | | |
| SN Series - AD8600 Concealed Vertical Rod with Bluetooth Smart | | | | | | | | | |
| Options* | Func. | Elect. Trim | Cred. Mod. | Trim | Description | 10BE/ 32D/ BSP/WSP | 03/04/09/10 10B/10BL 20D/32 | 10BE/ 32D/ BSP/WSP | 03/04/09/10 10B/10BL 20D/32 |
| SN200/SN210 AD | 8673 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Safe | | | | |
| SN200/SN210 AD | 8674 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Secure | \$6,150.00 | \$6,203.00 | | |
| SN200/SN210 AD | 8673 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Safe w/Cylinder Override | | | \$7,138.00 | \$7,191.00 |
| SN200/SN210 AD | 8674 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Secure w/Cylinder Override | | | | |
| SN Series - MD8600 Concealed Vertical Rod with Bluetooth Smart | | | | | | | | | |
| SN200/SN210 MD | 8673 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Safe | \$6,150.00 | \$6,203.00 | | |
| SN200/SN210 MD | 8674 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Secure | | | | |
| SN200/SN210 MD | 8673 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Safe w/Cylinder Override | | | \$7,138.00 | \$7,191.00 |
| SN200/SN210 MD | 8674 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Secure w/Cylinder Override | | | | |
| SN Series - WD8600 Concealed Vertical Rod with Bluetooth Smart | | | | | | | | | |
| SN200/SN210 WD | 8673 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Safe | \$6,367.00 | \$6,420.00 | | |
| SN200/SN210 WD | 8674 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Secure | | | | |
| SN200/SN210 WD | 8673 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Safe w/Cylinder Override | | | \$7,355.00 | \$7,408.00 |
| SN200/SN210 WD | 8674 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Secure w/Cylinder Override | | | | |

Note: Available ET trims are: 773, 774, 775, 776, 773-4, 774-4, 773-8, 774-8, 775-8, 776-8.

* • SN210 BIS, BIPS, BIKS, BIKPS is only available with 0E credential modifier. • SN210 FIPS & FIKPS only available with 03 and 0D credential modifier.

• SN210 is always compliant with UL294.

| Outside Electrical Trim | Credential Modifier | Description | Price |
|-------------------------|------------------------|----------------------------------------------------------------|----------|
| BIS | 03 or 0E | Bluetooth Smart, High Frequency credentials ONLY | No Add |
| BIKS | 03 or 0E | Bluetooth Smart and keypad, High Frequency credentials ONLY | \$328.00 |
| BIPS | 03 or 0E | Bluetooth Smart, High and Low Frequency credentials | No Add |
| BIKPS | 03 or 0E | Bluetooth Smart and keypad, High and Low Frequency credentials | \$328.00 |
| FIPS | 03, 04, 0D, 0F, 0G, 0H | FIPS 201 Compliant | \$131.00 |
| FIKPS | 03, 04, 0D, 0F, 0G, 0H | FIPS 201 Compliant with keypad | \$459.00 |

Notes: Black is supplied for Reader Color | **Option:** SN200 for Wiegand Communication Protocol | **Option:** SN210 for OSDP Communication Protocol
See catalog for credential modifier descriptions.

ACP and CI certification required for every order.

Available through Authorized Channel Partners only.

Contact your local ASSA ABLOY Door Security Solutions sales consultant for details.

IW-22 INTEGRATED WIRED SOLUTIONS



SARGENT®



ASSA ABLOY

SN SERIES 8700, 8800, & 8900 EXIT DEVICE OPTIONS

USA & Canada Prices Effective March 1, 2024

| Options | Description | Price |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 10 | SARGENT Signature Key System | \$81.00/cyl |
| 11 | SARGENT XC Key System (not available with 10, 22, SC, SE) | No addition |
| 1160 | Sargent XC Large Format Interchangeable Plastic Disposable Construction Core | No addition |
| 1163 | Sargent XC Large Format Interchangeable Core Cylinder - Includes masterkeying charges | \$108.00 |
| 1164 | Sargent XC Large Format Interchangeable Construction Core Cylinder | \$108.00 |
| 1170 | Small Format interchangeable disposable construction core - to accept 7 Pin XC permanent core | No addition |
| 11727P | Small Format interchangeable keyed construction core - to accept 7 Pin XC permanent core | \$97.00 |
| 11737P | Small Format interchangeable core - to accept 7 pin XC permanent core | \$97.00/ cyl. |
| 12 | UL Fire Label Exit Devices (not available with AD-8600 & 16- option) | \$239.00 |
| 14 | Sliding Brass Bolt Bottom Case for 8700 devices only | No addition |
| 16 | Cylinder lockdown feature (Not available with 12- option) | \$194.00 |
| 19 | 80 Series pushbar without Lexan Touchpad | No addition |
| 21 | SARGENT Construction Key System (lost ball) - for new systems est. since 5/1/96 | \$16.00/cyl |
| 22 | SARGENT Construction Key System (split key) - for pre-est. split key systems only | \$32.00/cyl |
| 23 | 4 7/8" ANSI Strike (8900 only) | No addition |
| 36 | 6 Lobe head security screws (8700) | \$125.00 |
| 36 | 6 Lobe head security screws (8800) | \$68.00 |
| 36 | 6 Lobe head security screws (8900) | \$73.00 |
| 37 | Spanner head security screws (8700) | \$80.00 |
| 37 | Spanner head security screws (8800) | \$43.00 |
| 37 | Spanner head security screws (8900) | \$48.00 |
| 43 | Flush End Cap | No addition |
| 60 | SARGENT Large Format Interchangeable Plastic Disposable Construction Core | No addition |
| 63 | SARGENT Large Format IC Cylinder includes master and grandmaster keying charge | \$108.00 /cyl. |
| 64 | SARGENT Large Format Interchangeable Construction Core Cylinder | \$108.00 |
| 6573 | Small Format 6-Pin uncombined core | \$87.00/cyl. |
| 65737P | Small Format 7-Pin uncombined core | \$87.00/cyl. |
| 70 | Small Format Interchangeable disposable plastic construction core | No addition |
| 72 | Small Format Interchangeable 6-Pin construction core (7-Pin with 11 option) | \$97.00 |
| 73 | Small Format Interchangeable 6-Pin core | \$97.00/cyl. |
| 737P | Small Format Interchangeable 7-Pin core | \$97.00/cyl. |
| 76 | Tactile Warning - Milled on backside of outside lever (Not available with Studio & Coastal Levers and the A Lever) | \$101.00 |
| 81 | Cylinder to accept KESO & KESO F1 removable core - no core provided | No addition |
| F182 | SARGENT KESO Security Cylinder - Patented | \$119.00/cyl |
| F183 | SARGENT KESO Security Removable core cylinder - Patented | \$170.00/cyl |
| 82 | SARGENT KESO Security Cylinder (for existing systems) | \$119.00/cyl |
| 83 | SARGENT KESO Security Removable core cylinder (for existing systems) | \$170.00/cyl |
| 84 | SARGENT KESO Security removable construction core cylinder | See CK-18 |
| 85 | Tactile Warning - Abrasive strip on push rail | \$131.00 |
| 86 | Tactile Warning - Abrasive coating on outside lever | \$61.00 |
| 87 | Tactile Warning - Abrasive strip on push rail & abrasive coating on outside lever | \$192.00 |
| BR | SARGENT Bump Resistant Cylinders (N/A w/10, 22, 60, 63, 64, 70, 72, 73, 737P, KESO) | \$32.00/cyl. |
| DG1 | Patented Degree DG1 Key System | No addition |
| DG160 | Hardware prepared for DG1-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG163 | Patented Degree DG1 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$108.00 |
| DG164 | Hardware prepared for DG1-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| DG2 | Patented Degree DG2 Key System incorporating a locking sidebar | \$81.00/cyl. |
| DG260 | Hardware prepared for DG2-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG263 | Patented Degree DG2 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$189.00 |
| DG264 | Hardware prepared for DG2-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| DG3 | Patented Degree DG3 Key System incorporating a locking sidebar and UL437 listed | \$115.00/cyl. |
| DG360 | Hardware prepared for DG3-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG363 | Patented Degree DG3 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$223.00 |
| DG364 | Hardware prepared for DG3-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| HC | Hurricane Core (available with rim exit devices only) - See catalog for function availability | \$170.00 |
| LC | Less Cylinder | -\$125.00/cyl. |
| LD | Less Dogging (non-fire rated exit devices only) | No Addition |
| NB | No Bottom | No Addition |
| PL* | SARGuide™ PL - Photoluminescent coating - (Pushbar w/o Lexan Touchpad - 19 option is supplied as standard) | \$490.00 |
| SG | MicroShield® an antimicrobial powder coat finish | \$114.00 |
| TB | Through-Bolts (8700 devices only) | \$34.00 |
| CPC | Clear Powder Coat - Recommended for exit devices used in full exterior application and highly corrosive areas with 32 and 32D finishes. | \$303.00 |
| | Vertical Rod Device to 96" Height | No addition |
| | Concealed/Surface Vertical Rod Device Over 96" to 120" Height | \$83.00 |
| | Refer to catalog for max. door height availability on fire rated exit devices. | |

*Exact door width required when ordering.

Experience a safer
and more open world

Copyright © 2002-2024 Sargent Manufacturing Company, an ASSA ABLOY Group company. All rights reserved.
Reproduction in whole or in part without the express written permission of Sargent Manufacturing Company is prohibited.
Contact us at: 800-727-5477 or visit www.sargentlock.com. In Canada contact us at: 800-461-3007 or visit www.assaabloydss.ca

| SN Series 8700, 8800 & 8900 Exit Devices | | | | | | | | | | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------------|------------|---------------|---------------------------------|------------------|-----------------------------|--------------------------------------------|-----------------------------|------------------------------------|--|
| LEVERS / ET CONTROL: Standard: A, B, E, F, J, L, P, W Coastal: C, G, R, S, Y Studio Collection Except for Gramercy, Wooster Square, and Grant Park For Gramercy: RAG, RAL, RAM*, RAS, RCM, REM, RGM - Add to below prices \$200.00 For Wooster Square: H001-H002-H003-H004-H005-H006 - Add to below prices \$200.00 For Grant Park: H007-H008-H009-H011 - Add to below prices \$200.00 *Not available with 10BE/BSP/WSP finishes | | | | | | | | ET Control by Auxiliary Control | | Auxiliary Control (106/306) | |
| SN Series - 8700 Surface Vertical Rod with Bluetooth Smart | | | | | | | | | | | |
| Options* | Funct. | Elect. Trim | Cred. Mod. | Trim | Description | 10BE/32D/BSP/WSP | 03/04/09/10 10B/10BL 20D/32 | 10BE/32D/BSP/WSP | 03/04/09/10 10B/10BL 20D/32 | | |
| SN200/SN210 | 8773 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Safe | | | | | | |
| SN200/SN210 | 8774 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Secure | \$5,750.00 | \$5,803.00 | | | | |
| SN200/SN210 | 8773 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Safe w/Cylinder Override | | | \$6,738.00 | \$6,791.00 | | |
| SN200/SN210 | 8774 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Secure w/Cylinder Override | | | | | | |
| SN Series - 8800 Rim Exit Device with Bluetooth Smart | | | | | | | | | | | |
| SN200/SN210 | 8873 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Safe | \$4,910.00 | \$4,963.00 | | | | |
| SN200/SN210 | 8874 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Secure | | | | | | |
| SN200/SN210 | 8875 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Safe w/Cylinder Override | \$5,189.00 | \$5,242.00 | | | | |
| SN200/SN210 | 8876 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Secure w/Cylinder Override | | | | | | |
| SN Series - 8900 Mortise Exit Device with Bluetooth Smart | | | | | | | | | | | |
| SN200/SN210 | 8973 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Safe | \$5,733.00 | \$5,786.00 | | | | |
| SN200/SN210 | 8974 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Secure | | | | | | |
| SN200/SN210 | 8975 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Safe w/Cylinder Override | \$6,011.00 | \$6,064.00 | | | | |
| SN200/SN210 | 8976 | BIPS | 03 or 0E | ET Lever Dsn. | Fail Secure w/Cylinder Override | | | | | | |

Note: Available ET trims are: 773, 774, 775, 776, 773-4, 774-4, 773-8, 774-8, 775-8, 776-8.

- * • SN210 BIS, BIPS, BIKS, BIKPS is only available with 0E credential modifier. • SN210 FIPS & FIKPS only available with 03 and 0D credential modifier.
- SN210 is always compliant with UL294.

| Outside Electrical Trim | Credential Modifier | Description | Price |
|-------------------------|------------------------|----------------------------------------------------------------|----------|
| BIS | 03 or 0E | Bluetooth Smart, High Frequency credentials ONLY | No Add |
| BIKS | 03 or 0E | Bluetooth Smart and keypad, High Frequency credentials ONLY | \$328.00 |
| BIPS | 03 or 0E | Bluetooth Smart, High and Low Frequency credentials | No Add |
| BIKPS | 03 or 0E | Bluetooth Smart and keypad, High and Low Frequency credentials | \$328.00 |
| FIPS | 03, 04, 0D, 0F, 0G, 0H | FIPS 201 Compliant | \$131.00 |
| FIKPS | 03, 04, 0D, 0F, 0G, 0H | FIPS 201 Compliant with keypad | \$459.00 |

Notes: Black is supplied for Reader Color | **Option:** SN200 for Wiegand Communication Protocol | **Option:** SN210 for OSDP Communication Protocol
See catalog for credential modifier descriptions.

ACP and CI certification required for every order.

Available through Authorized Channel Partners only.

Contact your local ASSA ABLOY Door Security Solutions sales consultant for details.

IW-24 INTEGRATED WIRED SOLUTIONS



SARGENT®

ASSA ABLOY

SN SERIES 7000 MULTI-POINT VERTICAL ROD OPTIONS

USA & Canada Prices Effective March 1, 2024

| Options | Description | Price |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| 10 | SARGENT Signature System | \$81.00/ cyl. |
| 11 | SARGENT XC Key System (not available with 10, 22, SC, SE options) | No addition |
| 1160 | Sargent XC Large Format Interchangeable Plastic Disposable Construction Core | No addition |
| 1163 | Sargent XC Large Format Interchangeable Core Cylinder - Includes masterkeying charges | \$108.00 |
| 1164 | Sargent XC Large Format Interchangeable Construction Core Cylinder | \$108.00 |
| 1170 | Small Format interchangeable disposable construction core - to accept 7 Pin XC permanent core | No addition |
| 11727P | Small Format interchangeable keyed construction core - to accept 7 Pin XC permanent core | \$97.00 |
| 11737P | Small Format interchangeable core - to accept 7 pin XC permanent core | \$97.00 |
| 21 | SARGENT Construction Key System (lost ball) | \$16.00/cyl. |
| 22 | SARGENT Construction Key System (split key) | \$32.00/cyl. |
| 31 | For doors up to 2-1/4" | No addition |
| | For doors over 2-1/4" | Consult Factory |
| | For doors over 2-1/4" or doors with panels | Consult Factory |
| 36 | 6 Lobe security head screws | \$83.00 |
| 37 | Spanner head screws | \$60.00 |
| 53 | Top bolt monitoring switch | \$353.00 |
| 54 | Monitor outside lever | \$319.00 |
| 55 | Monitor inside lever | \$348.00 |
| 60 | SARGENT Large Format Interchangeable Plastic Disposable Construction Core | No addition |
| 63 | SARGENT Large Format Interchangeable Core Cylinder includes master and grandmaster keying charge | \$108.00/cyl. |
| 64 | SARGENT Large Format Interchangeable Construction Core Cylinder | \$108.00 |
| 6573 | Small Format 6 Pin Uncombined Core | \$87.00/ cyl. |
| 65737P | Small Format 7 Pin Uncombined Core | \$87.00/ cyl. |
| 70 | Small Format Interchangeable Disposable plastic Construction Core | No addition |
| 72 | Small Format Interchangeable 6-Pin Construction Core (7-pin with 11 option) | \$97.00 |
| 73 | Small Format interchangeable core 6-pin Includes MK and GMK keying charges (Not available with J lever) | \$97.00 |
| 737P | Small Format interchangeable core 7-pin (refer to CK-12 for available keyways) Includes MK and GMK keying charges (Not available with J lever) | \$97.00 |
| 75 | Tactile Warning - Milled on backside of inside lever (Not available with Studio & Coastal Levers and the A Lever) | \$102.00 |
| 76 | Tactile Warning - Milled on backside of outside lever (Not available with Studio & Coastal Levers and the A Lever) | \$102.00 |
| 77 | Tactile Warning - Milled on backside of both levers (Not available with Studio & Coastal Levers and the A Lever) | \$204.00 |
| F182 | SARGENT Keso Security, patent pending, cylinder - new key systems | \$119.00/ cyl. |
| F183 | SARGENT Keso Security, patent pending, removable core cylinder - new key systems | \$170.00 / cyl. |
| 81 | Cylinder to accept Keso (83) and Keso F1 (F183) Removable Core - no core provided | No addition |
| 82 | SARGENT Keso Security Cylinder (existing key systems only) | \$119.00/ cyl. |
| 83 | SARGENT Keso Security Removable Core Cylinder (existing key systems only) | \$170.00/ cyl. |
| 84 | SARGENT Keso Security Removable Construction Core Cylinder | See CK-18 |
| 85 | Tactile Warning - Abrasive coating on inside lever | \$64.00 |
| 86 | Tactile Warning - Abrasive coating on outside lever | \$64.00 |
| 87 | Tactile Warning - Abrasive coating on both levers | \$128.00 |
| 88 | Lever Holdback | \$30.00 |
| BR | SARGENT Bump Resistant Cyls. (N/A w/10, 22, 30, 60, 63, 64, 70, 72, 73, 737P, KESO, SC, SE) | \$32.00/cyl. |
| CPC | Clear Powder Coat over 26D. All orders will continue to be handled as a "special" when CPC is ordered. | \$88.00 |
| DG1 | Patented Degree DG1 Key System | No addition |
| DG160 | Hardware prepared for DG1-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG163 | Patented Degree DG1 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$108.00 |
| DG164 | Hardware prepared for DG1-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| DG2 | Patented Degree DG2 Key System incorporating a locking sidebar | \$81.00/cyl. |
| DG260 | Hardware prepared for DG2-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG263 | Patented Degree DG2 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$189.00 |
| DG264 | Hardware prepared for DG2-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| DG3 | Patented Degree DG3 Key System incorporating a locking sidebar and UL437 listed | \$115.00/cyl. |
| DG360 | Hardware prepared for DG3-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG363 | Patented Degree DG3 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$223.00 |
| DG364 | Hardware prepared for DG3-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| ELR | Electric Latch Retraction | \$1,228.00 |
| HC | Hurricane Code (not available on aluminum and wood doors) | \$170.00 |
| LC | Less Cylinder | -\$125.00/cyl. |
| NB | No Bottom Rod | No addition |
| SC | Schlage C Keyway Cylinder 0-Bitted (Rim and #41 Mortise Cylinder Only) | No addition |
| SE | Schlage E Keyway Cylinder 0-Bitted (Rim and #41 Mortise Cylinder Only) | No addition |
| SG | MicroShield® an antimicrobial powder coat (not available with 10B) | \$114.00 |
| WS | Windstorm Certified (not available on aluminum and wood doors) | No Addition |
| | Concealed/Surface Vertical Rod Device - Over 96" to 120" Height | \$83.00 |

Experience a safer
and more open world

Copyright © 2002-2024 Sargent Manufacturing Company, an ASSA ABLOY Group company. All rights reserved.
Reproduction in whole or in part without the express written permission of Sargent Manufacturing Company is prohibited.
Contact us at: 800-727-5477 or visit www.sargentlock.com. In Canada contact us at: 800-461-3007 or visit www.assaabloydss.ca

SARGENT®



ASSA ABLOY



IW-25 INTEGRATED WIRED SOLUTIONS



SN SERIES 7000 MULTI-POINT VERTICAL ROD

USA & Canada Prices Effective March 1, 2024



Six Digit Function #:
 Series **70**
 Outside function **7073**
 Inside function **707306**

Please specify hand and voltage (12v or 24v) when ordering.
 SN Series WD 7000 Series is only available with ER and ES trim.

| SN Series 7000 Series-Vertical Rod Lock | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  ER/ES/ET Control Standard Levers: A-B-E-F-J-L-P-W Coastal Levers: G-R-S-Y All Studio Collection Levers (Except Gramercy, Wooster Square, and Grant Park) |  ER/ES/ET Control Gramercy Levers: RAL-RAM-RAS- RCM-REM-RGM Wooster Square: H001-H002-H003- H004-H005-H006 Grant Park: H007-H008-H009-H011 |
| Finishes listed below are for ET trim on both sides. Refer to catalog for available trims, trim finishes and how to order. | |

| SN Series 7000 Multi-Point Vertical Rod Options ▲ | Funct. | Description | Finish | | |
|------------------------------------------------------|--------|-----------------------------------------------------|----------------------|--------------------------------------|----------------------------|
| | | | 10BE/26D/ BSP/WSP | 03/04/09/10/10B 10BL/14/15/20D/26 | **10BE/BSP/WSP *629/630 |
| SN200/SN210 | 707306 | Fail safe, night latch (key/lever retracts latch) | | | |
| SN200/SN210 | 707313 | Fail safe, Entrance (key locks/unlocks lever) | \$4,119.00 | \$4,234.00 | \$4,404.00 |
| SN200/SN210 | 707315 | Fail safe, passage only (no cylinder) | | | |
| SN200/SN210 | 707373 | Fail safe both sides | \$4,383.00 | \$4,498.00 | \$4,667.00 |
| SN200/SN210 | 707374 | Fail safe fail secure | | | |
| SN200/SN210 | 707406 | Fail secure, night latch (key/lever retracts latch) | | | |
| SN200/SN210 | 707413 | Fail secure, entrance (key locks/unlocks lever) | \$4,119.00 | \$4,234.00 | \$4,404.00 |
| SN200/SN210 | 707415 | Fail secure, passage only (no cylinder) | | | |
| SN200/SN210 | 707473 | Fail secure fail safe | | | |
| SN200/SN210 | 707474 | Fail secure both sides | \$4,383.00 | \$4,498.00 | \$4,667.00 |
| SN Series AD7000 Multi-Point Vertical Rod | | | | | |
| SN200/SN210 AD | 707306 | Fail safe, night latch (key/lever retracts latch) | | | |
| SN200/SN210 AD | 707313 | Fail safe, entrance (key locks/unlocks lever) | \$4,119.00 | \$4,234.00 | \$4,404.00 |
| SN200/SN210 AD | 707315 | Fail safe, passage only (no cylinder) | | | |
| SN200/SN210 AD | 707373 | Fail safe both sides | \$4,383.00 | \$4,498.00 | \$4,667.00 |
| SN200/SN210 AD | 707374 | Fail safe fail secure | | | |
| SN200/SN210 AD | 707406 | Fail secure, night latch (key/lever retracts latch) | | | |
| SN200/SN210 AD | 707413 | Fail secure, entrance (key locks/unlocks lever) | \$4,119.00 | \$4,234.00 | \$4,404.00 |
| SN200/SN210 AD | 707415 | Fail secure, passage only (no cylinder) | | | |
| SN200/SN210 AD | 707473 | Fail secure fail safe | | | |
| SN200/SN210 AD | 707474 | Fail secure both sides | \$4,383.00 | \$4,498.00 | \$4,667.00 |
| SN Series WD7000 Multi-Point Vertical Rod | | | | | |
| SN200/SN210 WD | 707306 | Fail safe, night latch (key/lever retracts latch) | | | |
| SN200/SN210 WD | 707313 | Fail safe, entrance (key locks/unlocks lever) | \$4,119.00 | \$4,234.00 | \$4,404.00 |
| SN200/SN210 WD | 707315 | Fail safe, passage only (no cylinder) | | | |
| SN200/SN210 WD | 707373 | Fail safe both sides | \$4,383.00 | \$4,498.00 | \$4,667.00 |
| SN200/SN210 WD | 707374 | Fail safe fail secure | | | |
| SN200/SN210 WD | 707406 | Fail secure, night latch (key/lever retracts latch) | | | |
| SN200/SN210 WD | 707413 | Fail Secure, Entrance (Key locks/unlocks lever) | \$4,119.00 | \$4,234.00 | \$4,404.00 |
| SN200/SN210 WD | 707415 | Fail Secure, Passage Only (No cylinder) | | | |
| SN200/SN210 WD | 707473 | Fail secure fail safe | | | |
| SN200/SN210 WD | 707474 | Fail secure both sides | \$4,383.00 | \$4,498.00 | \$4,667.00 |

**10BE/BSP/WSP is not available with RAM lever

*For Gramercy, Wooster Square, & Grant Park: 14, 15, 26, or 26D finishes are available on ET trim.

Available with additional Auxiliary Control (106/113) add \$988.00

▲ • SN210 BIS, BIPS, BIKS, BIKPS is only available with 0E credential modifier. • SN210 FIPS & FIKPS only available with 03 and 0D credential modifier.
 • SN210 is always compliant with UL294.

| Outside Electrical Trim | Credential Modifier | Description | Price |
|-------------------------|------------------------|----------------------------------------------------------------|----------|
| BIS | 03 or 0E | Bluetooth Smart, High Frequency credentials ONLY | No Add |
| BIKS | 03 or 0E | Bluetooth Smart and keypad, High Frequency credentials ONLY | \$328.00 |
| BIPS | 03 or 0E | Bluetooth Smart, High and Low Frequency credentials | No Add |
| BIKPS | 03 or 0E | Bluetooth Smart and keypad, High and Low Frequency credentials | \$328.00 |
| FIPS | 03, 04, 0D, 0F, 0G, 0H | FIPS 201 Compliant | \$131.00 |
| FIKPS | 03, 04, 0D, 0F, 0G, 0H | FIPS 201 Compliant with keypad | \$459.00 |

Notes: Black is supplied for Reader Color | **Option:** SN200 for Wiegand Communication Protocol | **Option:** SN210 for OSDP Communication Protocol
 See catalog for credential modifier descriptions.

ACP and CI certification required for every order.

Available through Authorized Channel Partners only. Contact your local ASSA ABLOY Door Security Solutions sales consultant for details.

Experience a safer
and more open world

Copyright © 2002-2024 Sargent Manufacturing Company, an ASSA ABLOY Group company. All rights reserved.
 Reproduction in whole or in part without the express written permission of Sargent Manufacturing Company is prohibited.
 Contact us at: 800-727-5477 or visit www.sargentlock.com. In Canada contact us at: 800-461-3007 or visit www.assaabloyds.ca

IW-26 INTEGRATED WIRED SOLUTIONS



SARGENT®

ASSA ABLOY

SN SERIES FM 7300 MULTI-POINT LOCK OPTIONS

USA & Canada Prices Effective March 1, 2024

| Options | Description | Price |
|---------|--------------------------------------------------------------------------------------------------------------------|----------------|
| 3 | Stainless Steel hub for institutional specifications | \$90.00 |
| 10 | SARGENT Signature Key System | \$81.00/cyl |
| 11 | SARGENT XC Key System (not available with 10, 22, SC, SE) | No addition |
| 1160 | Sargent XC Large Format Interchangeable Plastic Disposable Construction Core | No addition |
| 1163 | Sargent XC Large Format Interchangeable Core Cylinder - Includes masterkeying charges | \$108.00 |
| 1164 | Sargent XC Large Format Interchangeable Construction Core Cylinder | \$108.00 |
| 1170 | Small Format interchangeable disposable construction core - to accept 7 Pin XC permanent core | No addition |
| 11727P | Small Format interchangeable keyed construction core - to accept 7 Pin XC permanent core | \$97.00 |
| 11737P | Small Format interchangeable core - to accept 7 pin XC permanent core | \$97.00/ cyl. |
| 21 | SARGENT Construction Key System (lost ball) - for new systems est. since 5/1/96 | \$16.00/cyl |
| 22 | SARGENT Construction Key System (split key) - for pre-est. split key systems only | \$32.00/cyl |
| 36 | 6 Lobe head security screws | \$83.00 |
| 37 | Spanner head security screws | \$60.00 |
| 60 | SARGENT Large Format Interchangeable Plastic Disposable Construction Core | No addition |
| 63 | SARGENT Large Format IC Cylinder includes master and grandmaster keying charge | \$108.00 /cyl. |
| 64 | SARGENT Large Format Interchangeable Construction Core Cylinder | \$108.00 |
| 6573 | Small Format 6-Pin uncombined core | \$87.00/cyl. |
| 65737P | Small Format 7-Pin uncombined core | \$87.00/cyl. |
| 70 | Small Format Interchangeable disposable plastic construction core | No addition |
| 72 | Small Format Interchangeable 6-Pin construction core (7-Pin with 11 option) | \$97.00 |
| 73 | Small Format Interchangeable 6-Pin core | \$97.00/cyl. |
| 737P | Small Format Interchangeable 7-Pin core | \$97.00/cyl. |
| 75 | Tactile Warning - Milled on backside of inside lever (Not available with Studio & Coastal Levers and the A Lever) | \$102.00 |
| 76 | Tactile Warning - Milled on backside of outside lever (Not available with Studio & Coastal Levers and the A Lever) | \$102.00 |
| 77 | Tactile Warning - Milled on backside of both levers (Not available with Studio & Coastal Levers and the A Lever) | \$204.00 |
| 81 | Cylinder to accept KESO & KESO F1 removable core - no core provided | No addition |
| 82 | SARGENT KESO Security Cylinder (for existing systems) | \$119.00/cyl |
| F182 | SARGENT KESO Security Cylinder - Patented | \$119.00/cyl |
| 83 | SARGENT KESO Security Removable core cylinder (for existing systems) | \$170.00/cyl |
| F183 | SARGENT KESO Security Removable core cylinder - Patented | \$170.00/cyl |
| 84 | SARGENT KESO Security removable construction core cylinder | See CK-18 |
| 85 | Tactile Warning - Abrasive coating on inside lever | \$64.00 |
| 86 | Tactile Warning - Abrasive coating on outside lever | \$64.00 |
| 87 | Tactile Warning - Abrasive coating on both levers | \$128.00 |
| BR | SARGENT Bump Resistant Cylinders (N/A w/10, 22, 30, 60, 63, 64, 70, 72, 73, 737P, KESO) | \$32.00 /cyl. |
| DG1 | Patented Degree DG1 Key System | No addition |
| DG160 | Hardware prepared for DG1-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG163 | Patented Degree DG1 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$108.00 |
| DG164 | Hardware prepared for DG1-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| DG2 | Patented Degree DG2 Key System incorporating a locking sidebar | \$81.00/cyl. |
| DG260 | Hardware prepared for DG2-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG263 | Patented Degree DG2 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$189.00 |
| DG264 | Hardware prepared for DG2-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| DG3 | Patented Degree DG3 Key System incorporating a locking sidebar and UL437 listed | \$115.00/cyl. |
| DG360 | Hardware prepared for DG3-6300 Lg. Format IC cores, supplied with temporary plastic construction cores | No addition |
| DG363 | Patented Degree DG3 Large Format Interchangeable Core Cylinder - Includes master keying charges | \$223.00 |
| DG364 | Hardware prepared for DG3-6300 Lg. Format IC cores, supplied with temporary keyed construction cores | \$108.00 |
| LC | Less Cylinder | -\$125.00/cyl. |
| OBS | Open Back Strike | \$104.00 |
| R01 | Mercury and Lenel compatible 1KΩ/2KΩ resistance supervision | \$131.00 |
| R03 | Software House compatible 1KΩ/2KΩ resistance supervision | \$131.00 |
| R04 | AMAG compatible 4-state supervision | \$131.00 |
| SG | MicroShield® an antimicrobial powder coat finish | \$114.00 |
| WBS | Wrought Box Strike | No Addition |
| CPC | Clear Powder Coat over 26/26D. | \$88.00 |

All orders will continue to be handled as a "special" when CPC is ordered.

Experience a safer
and more open world

Copyright © 2002-2024 Sargent Manufacturing Company, an ASSA ABLOY Group company. All rights reserved.
Reproduction in whole or in part without the express written permission of Sargent Manufacturing Company is prohibited.
Contact us at: 800-727-5477 or visit www.sargentlock.com. In Canada contact us at: 800-461-3007 or visit www.assaabloydss.ca



Standard Rose: LN, O
Standard Lever: A, B, E, F, J, L, P, W

Coastal Rose: CR, TR
Coastal Lever: G, R, S, Y

Studio Rose: E2, E3, E4, CO, TO, CR, TR, LN, O
***Studio Collection Except for Gramercy, Wooster Square, and Grant Park**

For Gramercy: RAG, RAL, RAM, RAS, RCM, REM, RGM
- Add to below **10BE/26D/BSP/WSP finish prices \$175.00

For Wooster Square: H001-H002-H003-H004-H005-H006
- Add to below prices \$175.00

For Grant Park: H007-H008-H009-H011
- Add to below prices \$175.00

How to order: **SN200 FM73284-12V x BIPS x 0E x LN x A x RH x 26D**
Option: SN200 FM
Function: 73270-12V
Outside Electrical Trim: BIPS
Credential Modifier: 0E
Rose: LN
Lever: A
Hand: RH
Finish: 26D

| SN Series-FM7300 Multi-Point Locks with Bluetooth Smart | | | | | | 03/04/09/10/10BE/26D/BSP/WSP | 10B/10BL/1415/20D/26 |
|---------------------------------------------------------|----------------|--------------------|------------|--------------|-------------------------------------|------------------------------|----------------------|
| Options* | Function | Outsd. Elect. Trim | Cred. Mod. | Trim | Description | | |
| SN200/SN210 FM | 73280-12V/-24V | BIPS | 03 or 0E | Rose x Lever | Fail Safe w/D.Bolt - Key Override | \$6,603.00 | \$6,761.00 |
| SN200/SN210 FM | 73281-12V/-24V | BIPS | 03 or 0E | Rose x Lever | Fail Secure w/D.Bolt - Key Override | | |
| SN200/SN210 FM | 73284-12V/-24V | BIPS | 03 or 0E | Rose x Lever | Fail Safe w/Deadbolt No Cylinder | \$6,396.00 | \$6,554.00 |
| SN200/SN210 FM | 73285-12V/-24V | BIPS | 03 or 0E | Rose x Lever | Fail Secure w/D.Bolt No Cylinder | | |

* • SN210 BIS, BIPS, BIKS, BIKPS is only available with 0E credential modifier. • SN210 FIPS & FIKPS only available with 03 and 0D credential modifier.
• SN210 is always compliant with UL294.

| Outside Electrical Trim | Credential Modifier | Description | Price |
|-------------------------|------------------------|----------------------------------------------------------------|----------|
| BIS | 03 or 0E | Bluetooth Smart, High Frequency credentials ONLY | No Add |
| BIKS | 03 or 0E | Bluetooth Smart and keypad, High Frequency credentials ONLY | \$328.00 |
| BIPS | 03 or 0E | Bluetooth Smart, High and Low Frequency credentials | No Add |
| BIKPS | 03 or 0E | Bluetooth Smart and keypad, High and Low Frequency credentials | \$328.00 |
| FIPS | 03, 04, 0D, 0F, 0G, 0H | FIPS 201 Compliant | \$131.00 |
| FIKPS | 03, 04, 0D, 0F, 0G, 0H | FIPS 201 Compliant with keypad | \$459.00 |

**10BE/BSP/WSP is not available with RAM lever.

Notes: **Reader Color:** Black is supplied

Option: SN200 for Wiegand Communication Protocol

Option: SN210 for OSDP Communication Protocol

See catalog for credential modifier descriptions.

* Following levers not available in 32 & 32D: MA, MC, MH, MK, MM, MN, MO, MP, MQ, MS, MT, MU, MV, MX, MY, MZ, NS, NU
Specify hand and voltage (12v or 24v) when ordering.

ACP and CI certification required for every order.

**Available through Authorized Channel Partners only.
Contact your local ASSA ABLOY Door Security Solutions sales consultant for details.**

IW-28 INTEGRATED WIEGAND SOLUTIONS



SARGENT®

ASSA ABLOY

ACCESSORIES

USA & Canada Prices Effective March 1, 2024



PCH-P30



PF

Qty 1 each = 1 card or Fob – must be ordered in multiples of 25.

| ISO ProxCard II, ProxKey III, iClass 210 | | Price |
|------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| **PCH-P30 | HID ISO ProxCard II Blank white card - 26 Bit Format .031 thick - Minimum order 25 each | \$27.00 |
| **PCH-P30-C | HID ISO ProxCard II Blank white card - Custom - customer requested site code, range of card numbers, bit format - Minimum order 25 each | \$27.00 |
| **PCH-C30 | HID iCLASS 210 Blank white card - 26 Bit Format .031 thick - Minimum order 25 each | \$15.00 |
| **PCH-C30-C | HID iCLASS 210 Blank white card - Custom - customer requested site code, range of card numbers, bit format - Minimum order 25 each | \$15.00 |
| PF | ProxKey - FOB - Minimum order 25 each | \$21.41 |
| * PF-C | ProxKey III - FOB - Custom - customer requested site code or range of fob numbers - Minimum order 100 | \$21.41 |
| MPT | HID Micro Prox Tag - 26 Bit Format - Minimum order 25 each | \$11.97 |
| MPTC | HID Micro Prox Tag - Custom - customer requested site code, range of tag numbers, bit format - Minimum order 25 each | \$11.97 |

| Wiegand Test Unit | | Price |
|-------------------|-----------------------------|----------|
| WT1 | Wiegand Test Unit | \$503.00 |
| WT2 | EOL & NAC Wiegand Test Unit | \$646.00 |
| SNT1 | SN Series OSDP Converter | \$687.00 |

*Note: - PF-C and MPT-C receive 50% only and \$25.00 list handling charge per item/order.
 - HID technology allows for prox connectivity to access control systems.
 - For a higher level of security, customer cards or fobs w/unique site codes are available - consult factory

**Note: - ProxCard II and ProxKey II are trademarks of HID Corporation
 - Cards with unique site codes, specific segment numbering or bit format Consult Factory

SARGENT

IW-29 INTEGRATED WIEGAND SOLUTIONS

ASSA ABLOY

READERS, CONTROLLERS, ASSEMBLIES

USA & Canada Prices Effective March 1, 2024

| SN Series Reader & Harness Assemblies | | |
|---------------------------------------|-------------------------------------------------------------------------------------------------------------------------|------------|
| Part# | Description | Price |
| 52-6012 | Harness Only, 03 – Green LED | \$102.00 |
| 52-6027 | SN200 BIPS-0E Reader & Harness Assembly – Wiegand Non-UL294 Compliant, green LED wire connected, HF/LF | \$600.00 |
| 52-6028 | SN200 BIKPS-0E Reader & Harness Assembly – Keypad, Wiegand Non-UL294 Compliant, green LED wire connected, HF/LF | \$928.00 |
| 52-6031 | SN210 BIPS-0E Reader & Harness Assembly – OSDP, HF/LF | \$600.00 |
| 52-6032 | SN210 BIKPS-0E Reader & Harness Assembly – Keypad, OSDP, HF/LF | \$928.00 |
| 52-6164 | Harness Only, 0E – Tamper/UL294 | \$102.00 |
| 52-6166 | SN200 BIPS-03 Reader & Harness Assembly – Wiegand UL294 Compliant, tamper wire connected, HF/LF | \$600.00 |
| 52-6167 | SN200 BIKPS-03 Reader & Harness Assembly – Keypad, Wiegand UL294 Compliant, tamper wire connected, HF/LF | \$928.00 |
| 52-6176 | Mounting Plate to cover Harmony door preparation | \$41.00 |
| 52-6189 | SN200 FIPS-03 200-bit output Reader & Harness Assembly – Wiegand UL294 Compliant, tamper wire connected | \$731.00 |
| 52-6190 | SN200 FIPS-04 75-bit output Reader & Harness Assembly – Wiegand UL294 Compliant, tamper wire connected | \$731.00 |
| 52-6191 | SN200 FIPS-0D 128-bit output Reader & Harness Assembly – Wiegand UL294 Compliant, tamper wire connected | \$731.00 |
| 52-6192 | SN200 FIPS-0F 200-bit output Reader & Harness Assembly – Wiegand Non-UL294 Compliant, green LED wire connected | \$731.00 |
| 52-6193 | SN200 FIPS-0G 75-bit output Reader & Harness Assembly – Wiegand Non-UL294 Compliant, green LED wire connected | \$731.00 |
| 52-6194 | SN200 FIPS-0H 128-bit output Reader & Harness Assembly – Wiegand Non-UL294 Compliant, green LED wire connected | \$731.00 |
| 52-6195 | SN200 FIKPS-03 200-bit output Reader & Harness Assembly – Keypad, Wiegand UL294 Compliant, tamper wire connected | \$1,059.00 |
| 52-6196 | SN200 FIKPS-04 75-bit output Reader & Harness Assembly – Keypad, Wiegand UL294 Compliant, tamper wire connected | \$1,059.00 |
| 52-6197 | SN200 FIKPS-0D 128-bit output Reader & Harness Assembly – Keypad, Wiegand UL294 Compliant, tamper wire connected | \$1,059.00 |
| 52-6198 | SN200 FIKPS-0F 200-bit output Reader & Harness Assembly – Keypad, Wiegand Non-UL294 Compliant, green LED wire connected | \$1,059.00 |
| 52-6199 | SN200 FIKPS-0G 75-bit output Reader & Harness Assembly – Keypad, Wiegand Non-UL294 Compliant, green LED wire connected | \$1,059.00 |
| 52-6200 | SN200 FIKPS-0H 128-bit output Reader & Harness Assembly – Keypad, Wiegand Non-UL294 Compliant, green LED wire connected | \$1,059.00 |
| 52-6201 | SN210 FIPS-03 200-bit output Reader & Harness Assembly – OSDP | \$731.00 |
| 52-6203 | SN210 FIPS-0D 128-bit output Reader & Harness Assembly – OSDP | \$731.00 |
| 52-6204 | SN210 FIKPS-03 200-bit output Reader & Harness Assembly – Keypad, OSDP | \$1,059.00 |
| 52-6206 | SN210 FIKPS-0D 128-bit output Reader & Harness Assembly – Keypad, OSDP | \$1,059.00 |
| 52-6281 | BIS-03 Reader & Harness Assembly – Wiegand UL294 Compliant, tamper wire connected, HF Only | \$600.00 |
| 52-6282 | SN200 BIKS-03 Reader & Harness Assembly – Keypad, Wiegand UL294 Compliant, tamper wire connected, HF Only | \$928.00 |
| 52-6283 | SN200 BIS-0E Reader & Harness Assembly – Wiegand Non-UL294 Compliant, green LED wire connected, HF Only | \$600.00 |
| 52-6284 | SN200 BIKS-0E Reader & Harness Assembly – Keypad, Wiegand Non-UL294 Compliant, green LED wire connected, HF Only | \$928.00 |
| 52-6285 | SN210 BIS-0E Reader & Harness Assembly – OSDP, HF Only | \$600.00 |
| 52-6286 | SN210 BIKS-0E Reader & Harness Assembly – Keypad, OSDP.HF Only | \$928.00 |

Experience a safer
and more open worldCopyright © 2002-2024 Sargent Manufacturing Company, an ASSA ABLOY Group company. All rights reserved.
Reproduction in whole or in part without the express written permission of Sargent Manufacturing Company is prohibited.
Contact us at: 800-727-5477 or visit www.sargentlock.com. In Canada contact us at: 800-461-3007 or visit www.assaabloydss.ca

