

DELHI OFFICE:

B-230, NorthEx Mall, Sector-8, Rohini, Delhi-110085
M: +91 9310401101 | E-mail: delhi@exxarotiles.com

AHMEDABAD OFFICE & CDC:

Shop No.102, Sharthik Square, Nr. Pakwan Circle, S.G. Highway, Ahmedabad - 380054, Gujarat
M: +91 9377996207 | E-mail: cdc.ahm@exxarotiles.com

MUMBAI OFFICE & CDC:

A WING / 309, Dynasty Business Park, Next to J B Nagar Metro Station, Andheri Kurla road, Andheri
east, Mumbai - 400065, Maharashtra
M: +91 9820891164 | E-mail: cdc.mumbai@exxarotiles.com

BANGALORE OFFICE & CDC:

42/14, 3rd cross, 5th block, SSI Area, Rajajinagar, Bangalore - 560010, Karnataka
M: +91 9342162908 | E-mail: cdc.bangalore@exxarotiles.com

CHENNAI OFFICE & CDC:

Old.no.340, New no.7, 8th Avenue, Ashok nagar, Chennai - 600083, Tamilnadu
M: 044-42038555 | E-mail: chennai@exxarotiles.com

COCHIN OFFICE & CDC:

1st Floor, Door No. 40/495, Mamangalam, Southern Side of Mamangalam - Pottakuzhi Road, Nr.
S.N. Auditorium, Edappally South, Palarivattom Po:Ernakulam - 682025, Kerala
M: +91 9349912120 | E-mail: cdc.cochin@exxarotiles.com

BHUBANESWAR OFFICE & CDC:

Gomati Devi Residency, Flat No 002, N.H-5, Nr. HP petrol pump, Rasulgarh, Bhubaneshwar -
751010, Odisha
M: +91 7381011435 | E-mail: cdc.bhubaneswar@exxarotiles.com

**EXXARO TILES LIMITED**

CIN: L26914GJ2008PLC052518

Corporate Office:

12th Floor, D-Block, Ganesh GLory11, Near BSNL Office, S.G Highway, Jagatpur,
Ahmedabad - 382470 | 079 3500 5555

Regd. Office & Unit-2:

Survey No: 169 & 170, Vavdi Hansol Road,
at & Po: Mahelav, Taluka: Talod,
Sabarkantha - 383305, Gujarat, India.

Unit-1:

BBlock No. 204*205, Opp. Hanuman Temple,
Near Mahuvad Turning, At & Po. Dabhaha,
Dist. Vadodara - 391440 Gujarat, India.

www.exxarotiles.com info@exxarotiles.com +91 87585 72121



concept zone +91 98251 53995



www.exxarotiles.com

Scenic Beauty
Brimming With
Ecstasy

Exxaro Tiles is poised to go on a remarkable and never ending journey of excellence in the Tiles Industry. To add energy and vigour to this journey, it is equipped with state of the art infrastructure comprising best of machinery, resources and manpower.

At a huge plant established at the most advantageous location of Gujarat, Exxaro Tiles brings you the convenience of comprehensive tiling solutions under one roof. With its meticulously crafted innovative tiling solutions, Exxaro Tiles winning accolades and trust of clients across the world.



Exxaro is a well-known brand name in the tile world with more than 10 years of experience. Exxaro has so far gained immense trust & quality satisfaction from its customers. The core strength of Exxaro has been a professional approach, trend-setting products, next to perfection after-sales services & a dedicated professional sales & service team which lead us to be one step ahead. Our vision is our core strength.

Personifying the
choice of *Luxury*



FEATURES

Nature, technology, science and Design. Top quality ceramic surface are compact and impermeable, because they're made from pure minerals pressed. The best choice, for durability, safety, hygiene and beauty.



Lowest Maintenance



Impact Resistant



Scratch Resistant



Resistant to Blending



Frost Resistant




Antibacterial Surface
Hygienic Surface



Chemical & Stain Resistant



Fire Resistant



APPLICATIONS

The multi facted surfaces of this collection make everyday life easier while achieving distinction in the decor segment for every home and public area. These surfaces with their convenient features offer an ideal tiling solution for a modern lifestyle.



Residential Area



Hospital Area



Hotels & Restaurants



Religious Places



Outdoor Area



Commercial Area



Shops & Malls



Schools & Colleges



Railways Stations



Public Places



Surface
surrounded by
eternal

Glory



surface
FGVT TILES

800x
1600mm

HIGHGLOSS

It creates a glamorous glass-like effect. High Gloss
Finish is super shiny and light reflecting, giving it an
almost mirror-like look.



PERFECTLY
FLAT



EASY TO
CLEAN



RESISTANCE TO
CHEMICALS



BENDING
STRENGTH



HYGIENIC



LIGHT WEIGHT,
EASILY HANDLED
TILES



EASY TO
INSTALL



RESISTANT
TO TRAFFIC
& WEAR

FLAT GLAZED VITRIFIED TILES
Size: 800x1600mm | **Finish:** Highgloss

SCAN QR FOR **360°**
VIEW

+3mm
RECOMMEND
SPACER



PERFECTLY
FLAT



EASY TO
CLEAN



RESISTANCE TO
CHEMICALS



REINFORCED
STRENGTH



HYGIENIC



LIGHT WEIGHT
EASY HANDLED
TILES



EASY TO
INSTALL



RESISTANT
TO TRAPPING
& WEAR

surface 
FGVT TILES



BIANCO STATUARIO

Random Faces. 2



CARARA STATUARIO

Random Faces. 4




FLAT GLAZED VITRIFIED TILES
Size: 800x1600mm | **Finish:** Highgloss




RAY AMARILLO

Random Faces: 2



GLACIER WHITE

Random Faces: 3



DALLAS BLANCO

Random Faces: 3



BRECCIA VENATO

Random Faces: 3



FLAT GLAZED VITRIFIED TILES
Size: 800x1600mm | **Finish:** Highgloss




LILERIYA CREMA

Random Faces: 3





HARMONEY SALT

Random Faces: 3




FLAT GLAZED VITRIFIED TILES
Size: 800x1600mm | **Finish:** Highgloss




VARESE GREY

Random Faces: 2



VARESE BEIGE

Random Faces: 2



RAW WHITE

Random Faces: 6




CARVIAR CREMA

Random Faces: 2



FLAT GLAZED VITRIFIED TILES
Size: 800x1600mm | **Finish:** Highgloss



DAVE BLANCO

Random Faces: 3



DAVE GREY

Random Faces: 3




FLAT GLAZED VITRIFIED TILES
Size: 800x1600mm | **Finish:** Highgloss



GENISYS GREY

Random Faces: 2



CASPIYO GRIS

Random Faces: 3



CASPIYO MUD

Random Faces: 3




CASPIYO BROWN

Random Faces: 3



FLAT GLAZED VITRIFIED TILES
Size: 800x1600mm | **Finish:** Highgloss





NETRA BIANCO

Random Faces: 4




NETRA GREY

Random Faces: 4



FLAT GLAZED VITRIFIED TILES
Size: 800x1600mm | **Finish:** Highgloss



DEVAN GREY

Random Faces. 2



DEVAN SHELL

Random Faces. 2




DEVAN PEACH

Random Faces. 2



FLAT GLAZED VITRIFIED TILES
Size: 800x1600mm | **Finish:** Highgloss



KALHARI GREY

Random Faces: 3



KALHARI BROWN

Random Faces: 3



Capture the
elegance of

Prominence



surface
FGVT TILES

800x
1600mm

ROCKER

Stylish and chic. Carving Finish creates temptation in
interior spaces with its tantalizing textures.



PERFECTLY
FLAT



EASY TO
CLEAN



RESISTANCE TO
CHEMICALS



BENDING
STRENGTH



HYGIENIC



LIGHT WEIGHT,
EASILY HANDLED
TILES




EASY TO
INSTALL



RESISTANT
TO TRAFFIC
& WEAR



FLAT GLAZED VITRIFIED TILES
Size: 800x1600mm | **Finish:** Rocker



LILERIA CREMA

Random Faces: 4



LYTHOS CREMA

Random Faces: 2



LYTHOS BEIGE

Random Faces: 2



FLAT GLAZED VITRIFIED TILES
Size: 800x1600mm | **Finish:** Rocker




OBERON CREMA

Random Faces: 1



OBERON BROWN

Random Faces: 1



OBERON COFFEE

Random Faces: 1



surface 
 FGVT TILES



Imitating
art of the

Nature



surface
FGVT TILES

800x
1600mm
MATT

Rustic, Raw and Re-inventing. Matt Finish enhances living spaces that look aesthetically sublime and reflective.



PERFECTLY
FLAT



EASY TO
CLEAN



RESISTANCE TO
CHEMICALS



BENDING
STRENGTH



HYGIENE



LIGHT WEIGHT
EASILY HANDLED
TILES





EASY TO
INSTALL




RESISTANT
TO TRAFFIC
& WEAR

FLAT GLAZED VITRIFIED TILES
Size: 800x1600mm | **Finish:** Matt



MUSA BEIGE

Random Faces: 4




MUSA DUNE

Random Faces: 4



FLAT GLAZED VITRIFIED TILES
Size: 800x1600mm | **Finish:** Matt




surface

FGVT TILES




MUSA CHALK

Random Faces: 4



MUSA PEARL

Random Faces: 4



MUSA SHADOW

Random Faces: 4



TECHNICAL SPECIFICATIONS



Sr. No	Characteristics	Method of Testing	Vitrified Tiles ISO 13006 / EN 178 Group BII	Values
A	Dimension & Surface Quality			
1	Deviation in Length & Width	ISO 10545-2	+ / - 0.5%	+ / - 0.1%
2	Deviation in Thickness	ISO 10545-2	+ / - 5.0%	+ / - 2.0%
3	Straightness of Sides	ISO 10545-2	+ / - 0.5%	+ / - 0.1%
4	Rectangularity	ISO 10545-2	+ / - 0.5 %	+ / - 0.1%
5	Surface Flatness	ISO 10545-2	+ / - 0.5%	+ / - 0.2%
6	Color Differences	ISO 10545-16	Unaltered	No Change
7	Surface Coating	Nano Machine	As Per Manufacturer Norms	Nano Polished
B	Physical Properties			
1	Water Absorption	ISO 10545-3	< 0.5%	0.08%
2	Flexural Strength (MOR)	ISO 10545-4	> 27 N / mm2	> 30 N / mm2
3	Mohs Hardness	EN 101	Min 6	6 Mohs
4	Flexural Breaking Strength	ISO 10545-4	> 1113 N	2350 N
5	Bulk Density (Gm / cc)	DIN 51082	>2 gm/cc	2.35 gm/cc
6	Glossiness	Glossometer	As Per Manufacturer Norms	Min 85 % reflection
7	Slip Resistance Coefficient of Friction	ISO 10545-17	> 0.4	> 0.6
8	Crazing Resistance	ISO 10545-11	Min 4 Cycle @ 7.5 Bar	Passes 4 Cycle
9	Resistance Of Surface Abrasion	ISO 10545-6	As Per Manufacturer Norms	> PEI I V
C	Chemical Properties			
1	Staining Resistance	ISO 10545-14	Resistant	Resistant
2	Household Chemicals	ISO 10545-13	No Damage	No Damage
D	Thermal Properties			
1	Thermal Shock Resistance	ISO 10545-9	No Damage	No Damage
2	Thermal Expansion	ISO 10545-10	9 x 10 - 6 max	8 x 10 -6
3	Moisture Expansion	ISO 10545 - 10	Nil	Nil

Note : Color shown are as accurate as the limitation of the printing process will allow. Prospective customers are advice to inspect a sample of the tile before ordering. Every efforts has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.

PACKING DETAILS

PRODUCT	SIZE	PCS/BOX	COVERAGE AREA	
SURFACE FGVT TILES	800 x 1600mm	2	2.56 SQ. MTR.	27.56 SQ. FT.