

DELHI OFFICE:

B-230, NorthEx Mall, Sector-9, Rohini, Delhi-110085
M: +91 9310401101 | E-mail: delhi@exxarotiles.com

AHMEDABAD OFFICE & CDC:

Shop No.102, Sharthik Square, Nr. Pakwan Circle, S.G. Highway, Ahmedabad - 380054, Gujarat
M: +91 9377996207 | E-mail: cdc.ahm@exxarotiles.com

MUMBAI OFFICE & CDC:

A WING / 309, Dynasty Business Park, Next to J B Nagar Metro Station, Andheri Kurla road, Andheri east, Mumbai - 400065, Maharashtra
M: +91 9820891164 | E-mail: cdc.mumbai@exxarotiles.com

BANGALORE OFFICE & CDC:

42/14, 3rd cross, 5th block, SSI Area, Rajajinagar, Bangalore - 560010, Karnataka
M: +91 9342162908 | E-mail: cdc.bangalore@exxarotiles.com

CHENNAI OFFICE & CDC:

Old.no.340, New no.7, 8th Avenue, Ashok nagar, Chennai - 600083, Tamilnadu
M: 044-42038555 | E-mail: chennai@exxarotiles.com

COCHIN OFFICE & CDC:

1st Floor, Door No. 40/495, Mamangalam, Southern Side of Mamangalam - Pottakuzhi Road, Nr. S.N. Auditorium, Edappally South, Palarivattom Po:Ernakulam - 682025, Kerala
M: +91 9349912120 | E-mail: cdc.cochin@exxarotiles.com

BHUBANESWAR OFFICE & CDC:

Gomati Devi Residency, Flat No 002, N.H-5, Nr. HP petrol pump, Rasulgarh, Bhubaneshwar - 751010, Odisha
M: +91 7381011435 | E-mail: cdc.bhubaneswar@exxarotiles.com

**EXXARO TILES LIMITED**

CIN: L26914GJ2008PLC052518

Corporate Office:

12th Floor, D-Block, Ganesh GLory11, Near BSNL Office, S.G Highway, Jagatpur, Ahmedabad - 382470 | 079 3500 5555

Regd. Office & Unit-2:

Survey No. 169 & 170, Vavdi Hansol Road, at & Po. Mahelav, Taluka: Talod, Sabarkantha - 383305, Gujarat, India.

Unit-1:

B-Block No. 204*205, Opp. Hanuman Temple, Near Mahuvad Turning, At & Po. Dabhaha, Dist. Vadodara - 391440 Gujarat, India.

www.exxarotiles.com info@exxarotiles.com +91 87585 72121



concept zone +91 96251 53995



www.exxarotiles.com

AN EPIC STORY OF EXCELLENCE

Exxaro Tiles...holding the baton of creativity, innovation and technology since its inception has been adorning millions of households with an enchanting collection. A unanimous choice to add sophistication, grace, style, and panache to surfaces and surrounds, the tiling solutions from Exxaro have been wooing industry experts and end customers ever since. With its decade-old presence in the industry, today Exxaro Tiles is reckoned as one of the leading brands engaged in offering niche tiling solutions in the vitrified tiles category. Made with advanced technology, Exxaro Tiles has



“

Hello Everyone,

This is Ajay Devgn,
glad to announce
my association with one
of the most loved
iconic brands of India

Exxaro Tiles as their brand ambassador. As a proud citizen of India, I always feel great joy when some brand exhibits the 'make in India' spirit. Exxaro Tiles is the perfect example of this philosophy; as being an Indian brand, it is making India proud across the continents with its superior quality and unmatched collections. With its Tagline - Naye Bharat ki Nayee Pehchan', Exxaro Tile is consistently heralding new trends and innovation in the tiles industry and delighting its customers with fresh designs, patterns and finishes. So cheers to the forever fresh and energetic brand Exxaro...that I am proudly now part of! Together, let's challenge the limits & conquer new

Ajay Devgn



INTRODUCTION

The Slabs of the Callisto collection are exceptionally easy to handle and install despite their large format. Their sturdy thickness also enables to customize the tiles in accordance with their application.

1200x
1800mm



LARGE FORMAT




CUSTOMIZATION



EASY INSTALLATION

CallistoTM
— MARBLE —



9 mm
THICKNESS
1200x1800MM



MAGNIFICENT
MARK OF
ARTISTRY

The **9mm & 15mm** thickness assures a sturdy and durable structure with its toughness. These surfaces enhance the spaces by fabrication modish tones for versatile areas.

15 mm
THICKNESS
1200x1800MM

BODY TYPE

Colorbody tiles combined with exceptional technical characteristics display great versatility and aesthetic richness, perfectly meeting the technical requirements and adding a touch of great elegance and refinement through its in-depth aesthetics.

EDGE BOOK

MICRO BEVEL

DOUBLE STRAIGHT
ROUNDED EDGE

STRAIGHT SQUARED
EDGE

ROUNDED
STRAIGHT EDGE

DOUBLE STRAIGHT
SQUARED EDGE

HALF BULLNOSE

ROUNDED EDGE
AT 45°

FULL BULLNOSE

DEMI BULLNOSE

SQUARE EDGE
AT 45°

JOINT POSSIBILITIES



BIRDS BEAK



AT 45° CORNER



SOFT CORNER

FEATURES



Hygienic & Suitable
for Contact
with Food



Water
Resistant
Surface



Stain
Resistant
Surface



Scratch &
Abrasion
Resistant



Resistant to
Chemicals, Acids,
Bases & Solvents



Easy to
Clean
Surface



Impact
Resistant
Surface



Resistant to
UV Rays



Resistant to
Mould, Mildew
& Fungus



Resistant to
Fire & Heat



Frost Resistant
Surface



Flatness &
Stability
Over Time

APPLICATIONS

COMMERCIAL



GYM



MALL &
SHOPPING
COMPLEX



OFFICE



SPA



BANK



CAFÉ &
RESTAURANT



AIRPORT



HOTEL

PUBLIC



RAILWAY



METROS



HOSPITAL



LIBRARY



BUS STAND



GOVERNMENT
BUILDING



SCHOOL



RELIGIOUS
PLACES

RESIDENTIAL



LIVING ROOM



BATHROOM



KITCHEN



DINING AREA



STUDY ROOM



CHILDREN'S
ROOM




BEDROOM



TV ROOM

In this time and age, hygiene, cleanliness and comfort is priority and everyone requires a place where they feel completely at home. The multifaceted surfaces of this collection make everyday life easier while achieving distinction in the decor segment for every home and public area.



Callisto™
MARBLE

1200x1800MM

9 mm
THICKNESS

Finish: HIGHGLOSS | MATT

Series brings you choices that can help you style any part of your space. These tiles can be used as your kitchen tops, tabletop, steps & risers, flooring for heavy traffic areas and much more. The size and designs of these tiles are crafted in a way that suits all kinds of interior as well as exterior spaces and giving them a glamorous look!

CEVINA BLANCO

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 4 FACE

L



Scan for virtual
360°



DAIR

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 2 FACE

L



Scan for virtual
360°





GLOSTER WHITE

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 3 FACE



DIMERO GRIS

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 2 FACE



PANABO SHELL

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 3 FACE

(L)



Scan for virtual
360°



NIPERO BEIGE

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 2 FACE

(L)



Scan for virtual
360°





LILERIA CREMA

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 3 FACE



BOTTOCHINO CREMA

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 3 FACE



Scan for virtual
360°

ACROSA MARFIL

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 3 FACE

①



VINTAGE BEIGE

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 2 FACE

①





TRAME COSMIC

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 2 FACE



(L)



Scan for virtual
360°



ANELO GRIS

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 3 FACE



(L)



Scan for virtual
360°



BRECCIA AURORA

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 3 FACE

①



Scan for virtual
360°



VOLKAS GREY

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 2 FACE

①



Scan for virtual
360°





RAILO BEIGE

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 3 FACE

(L)



Scan for virtual
360°



RAILO GREY

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 3 FACE

(D)



Scan for virtual
360°



OTERA FOGE

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 3 FACE

(L)



Scan for virtual
360°



DORACO SLATE

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 3 FACE

(L)



Scan for virtual
360°





BOSCO PALE

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 3 FACE



Scan for virtual
360°



BOSCO GREY

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 3 FACE



Scan for virtual
360°



ARIOS GREY

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 2 FACE

(L)



Scan for virtual
360°



PIETRA BURLY

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 3 FACE

(L)



Scan for virtual
360°



CASTEL BROWN

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 2 FACE

(D)



Scan for virtual
360°



CASTEL GRIS

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 2 FACE

(L)



Scan for virtual
360°



CASTEL DOVE

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 2 FACE

(L)



Scan for virtual
360°





COTABATO GREY

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 3 FACE

①



TERRALITE GREY

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 2 FACE

②



OKRA GREEN

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 2 FACE

④



Scan for virtual
360°



TRALISH OLIVE

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 3 FACE

④



Scan for virtual
360°





VINERA GREY

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 2 FACE



PRESTONE SLATE

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 3 FACE



VILLARICA BLUE

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 2 FACE

D



Scan for virtual
360°






IMPERIAN NERO

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 2 FACE

D



Scan for virtual
360°






RAMSY NERO

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 2 FACE

Ⓓ



CEROCK NERO

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 2 FACE


Ⓕ



ACROSA MARFIL

Size: 1200x1800 mm
Finish: MATT
Random: 3 FACE

①



KAZAN GREY

Size: 1200x1800 mm
Finish: MATT
Random: 3 FACE

①





CASTEL GRIS

Size: 1200x1800 mm
Finish: MATT
Random: 2 FACE



CASTEL BROWN

Size: 1200x1800 mm
Finish: MATT
Random: 2 FACE



CASTEL DOVE

Size: 1200x1800 mm
Finish: MATT
Random: 2 FACE

Ⓓ



DORACO SALTE

Size: 1200x1800 mm
Finish: MATT
Random: 3 FACE

Ⓕ





MUSA CHALK

Size: 1200x1800 mm
Finish: MATT
Random: 2 FACE



MUSA BEIGE

Size: 1200x1800 mm
Finish: MATT
Random: 2 FACE



MUSA DUNE

Size: 1200x1800 mm
Finish: MATT
Random: 2 FACE

①



MUSA PEARL

Size: 1200x1800 mm
Finish: MATT
Random: 2 FACE

②





MUSA SHADOW

Size: 1200x1800 mm
Finish: MATT
Random: 2 FACE

①




TERRALITE GREY

Size: 1200x1800 mm
Finish: ROCKER
Random: 2 FACE

②





LARGE FORMAT



CUSTOMIZATION



EASY INSTALLATION



CallistoTM
MARBLE

1200x1800MM

15 mm
THICKNESS

Finish: HIGHGLOSS

Series brings you choices that can help you style any part of your space. These tiles can be used as your kitchen tops, tabletop, steps & risers, flooring for heavy traffic areas and much more. The size and designs of these tiles are crafted in a way that suits all kinds of interior as well as exterior spaces and giving them a glamorous look!

MARMO ANTICA

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 4 FACE

①



LAMBERT WHITE

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 4 FACE

①





OPULA BLANCH

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 3 FACE

Ⓛ



FRESCO BEIGE

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 3 FACE

Ⓛ



MIAMI CRUST

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 3 FACE

①



SUPRIMO BEIGE

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 2 FACE

①





TRAME COSMIC

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 2 FACE



Scan for virtual
360°



VINTAGE BEIGE

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 2 FACE



Scan for virtual
360°



BRECCIA AURORA

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 2 FACE

①



AKROSA TEAL

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 3 FACE

①





OTERA FOG

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 3 FACE



ARIOS GREY

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 2 FACE



DELANO ICE

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 2 FACE

①



CASPIO MINT

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 3 FACE

②





ALPINE GREY

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 2 FACE



CASTEL DOVE

Size: 1200x1800 mm
Finish: HIGHGLOSS
Random: 2 FACE




Scan for virtual
360°

Manually Transporting Tiles

Only for 1/4" Slabs

MOVING A TILE




RAISING A IMMODERATE TILE ONTO A BENCH



INCORRECT

HANDLING IMMODERATE TILE FOR WALL



INCORRECT

Working With the Various Versions of Tiles

CUTTING WITH DIAMOND DISCS



Our products can be cut using diamond discs fitted onto the handheld electrical grinding machine. The speed of the rotation must be high (>10000 RPM) and should have a low feed rate (< 1 mm/min). It may be required to cool the disc with water. Recommend diamond disc is the thin type generally used for cutting porcelain stoneware. The surface should be kept on a FLAT base while cutting without any gaps or skew.

DRILLING



You can use cutting discs fitted to battery operated screwdrivers or angle grinders, electric drills, as an alternative.

INTERNAL CUT / L-SHAPED CUT



To get internal and L-shaped corners & to reduce the risk of breakage, round to the vertex of the internal corner using bits with a radius of at least 5mm. Then cut with diamond discs, be cautious to stop moving the cutting tool forward. To cut straight cut using diamond discs, follow the instructions provided above.

When using these tools:
Cool the point being drilled with water.
Don't put too much pressure and bear in mind the resistance of the type of laminated stoneware you are working on.
If you are using diamond bits, start drilling at a low speed.
If you are using drills or sanders, do not adjust the running mode.

EDGE-FINISHING



Instructions For Manual Installation

SINGLE LAYER METHOD DOUBLE LAYER METHOD COMPRESSION METHOD



Important

All cutout corners must have a minimum diameter of 1/4". Never leave 90° angles. We recommend radiuses of more than 1/4" when the kitchen the design allows as it makes the countertop firmer.



Cleaning & Maintenance

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Baking Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Reagent, Hydro Chloric Acid
Cement	Acid	Hydro Chloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydro Chloric Acid
Condor Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to get clean immediately if as soon as possible.

Technical Specification

NO	TECHNICAL DETAILS	INTERNATIONAL STD. ISO 13006/EN 176, BIA	VALUE	METHOD OF TESTING
1	Deviation In Length & Width	±0.6%	±0.1%	ISO 10545-2
2	Deviation In Thickness	±5%	±2%	ISO 10545-2
3	Straightness Of Sides	±0.5%	±0.1%	ISO 10545-2
4	Rectangularity	±0.6%	±0.1%	ISO 10545-2
5	Surface Flatness	±0.5%	±0.1%	ISO 10545-2
6	Hardness On Mohs Scale	>6	>6	EN 101
7	Water Absorption	< 0.5%	<0.05%	ISO 10545-3
8	Flexural Strength(Mor)	> 35 N/mm ²	> 40 N/mm ²	ISO 10545-4
9	Abrasion Resistance	< 175 mm ³	<145 mm ³	ISO 10545-6
10	Skid Resistance	> 0.4	> 0.6	ISO 10545-17
11	Bulk Density	>2	> 2.2	DIN 51082
12	Frost Resistance	Frost Proof	Frost Proof	ISO 10545-12
13	Chemical Resistance	No Damage	No Damage	ISO 10545-13
14	Thermal Shock	No Damage	No Damage	ISO 10545-9
15	Thermal Expansion	< 9 X 10 ⁻⁶	< 6 X 10 ⁻⁶	ISO 10545-8
16	Stain Resistance	Resistant	Resistant	ISO 10545-14
17	Moisture Expansion	Nil	Nil	ISO 10545-10
18	Glossiness	Gloss Meter	Min 90% Reflection	ISO 10545-2
19	Breaking Strength	1113 N	2800 N	ISO 10545-4

Note: Color differences in accordance to the location of the printing machine will appear. Despite the excellent performance to impact is considered for its better understanding. Every effort has been made to ensure the accuracy of the information given. However, the company cannot be held responsible for any damage caused by the use of the product. Some of the information is based on the latest available data. Therefore, we advise you to follow the latest instructions on the labels of the products regularly, as they are needed by the company and as the latest information.

PACKING DETAILS

PRODUCT	SIZE	THICKNESS	PCS/BOX	COVERAGE AREA	
ADVANCE GLAZE VITRIFIED TILES	1200x1800mm	15 mm	1	2.16 SQ. MT.	23.25 SQ. FT.

APPLICATION AREA

