

Tel 01789 208000 Fax 01789 208073 www.dcsgroup.com

1.1 Product And Company Identification

Product Information. DCS Dry Shampoo

Variants: Original & Tropical

1.2. Relevant identified use of the substance or mixture and uses advised against

Use and substance /mixture: To clean hair in between shampoos

1.3. Details of the supplier of the safety data sheet

Brand Owner DCS Group (UK) Ltd

Noral Way

Banbury

OX16 2AA

UK

Tel: +44 (0)1789 208000

1.4. Emergence telephone number

Emergency tel: +44(0)151 734 1411

UK Distribution For:

Beiersdorf



































Tel 01789 208000 Fax 01789 208073 www.dcsgroup.com

Section 2:Hazards identification

2.1 Classification of the substance or mixture

Classification under CLP: Danger extremely flammable aerosol

Most important adverse effects: Extremely flammable

May cause an allergic skin reaction

2.2 Label elements

Hazard statements: H222: Danger: extremely flammable aerosol.

Signal words: Danger

Hazard pictograms: GHS02: Flame



Hazard Statements: H222 Extremely flammable aerosol

UK Distribution For Beiersdorf

DANONE

ENLIVEN GREN DE

> Hipp organic

Precautionary statements:

P234 Keep only in original container.

P260 Do not breathe vapour/ spray.

P264 Wash contaminated skin thoroughly after handling.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Page 2 of 18

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rings Clark skin with water/ shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.





P&G















Tel 01789 208000 Fax 01789 208073 www.dcsgroup.com

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/ doctor.

P321 Specific treatment (see medical advice on this label).

P363 Wash contaminated clothing before reuse.

P390 Absorb spillage to prevent material damage.

P501 Dispose of contents/ container in accordance with national regulations...

P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

2.3. Other hazards.

Heating may cause an explosion which may cause a fire. Risk of explosion if heated.

Reactions with the following materials may generate heat: Strong acids. Water

Section 3:

Composition/information on ingredients

3.2 Mixtures

Hazardous ingredient:

UK Distribution For.













Ingredient	EINECS	CAS	Reach number	CLP Classification	Percent organic
Alcohol Denat	603 - 002-00-5	64-17-5	01- 2119457610- 43-xxxx	H225 H319	25 -50% Kimberty-Clark
Parfum (fragrance)	N/A	N/A	N/A	H315.H317,.H319, H410	1.0 -5.0% Cussons reckitt













Tel 01789 208000 Fax 01789 208073 www.dcsgroup.com

PERTROLEUM	270-704-	<u>68476-</u>	Exempt	H220; H280	25 -50%
GASES, LIQUEFIED	2	<u>85-7</u>			
				Flammable Gas,	
				Category 1	

Section 4:

First aid measures

4.1. Description of first aid measures

Skin contact: Intended use, however in the unlikely event of irritation, wash immediately with plenty of soap and water. Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the effected skin with running water for 10 minutes if substance is still on skin.

Eye contact: Bathe the eye with running water for about 15 minutes If symptoms persist seek medical advice.

Ingestion: Do not induce vomiting. Wash out mouth with water. Give 1 cup of water to drink every 10 minutes. If symptoms persist seek medical advice.

UK Distribution For:









Inhalation: Move to fresh air in case of accidental inhalation of vapours. If symptoms persist seek medical advice.

ENLIVEN GREN#DE



Johnson Johnson



















4.2. Most important symptoms and effects, both acute and delayed

General Information: The severity of the symptoms described will vary dependant on the concentration and length of exposure.

Page 4 of 18







Tel 01789 208000 Fax 01789 208073 www.dcsgroup.com

Skin contact: Prolonged contact may cause irritation and redness at the site of contact.

Eye contact: May cause irritation and redness.

Ingestion: No specific symptoms known, but may cause discomfort if swallowed.

<u>Inhalation:</u> In high concentration may cause breathing difficulties.

Delayed/immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical and special attention needed.

None.

Section 5:

Fire-fighting measures

5.1. Extinguishing media.

Extinguishing media: Use water spray to cool containers.

Carbon dioxide, Dry chemical powder.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Extremely flammable





UK Distribution For

Beiersdorf





























Tel 01789 208000 Fax 01789 208073 www.dcsgroup.com

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing

to prevent contact with skin and eyes. Fight fire remotely due to possible exploding aerosol containers.

Section 6

Accidental release measures

6.1. Personal precaution, protective equipment and emergency procedures.

Personal precaution: Wear protective clothing, gloves eye and face protection. Eliminate all sources of ignition. Evacuate the area immediately.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using

LIK Distribution For:

bunding.





DANONE

6.3. Method and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Dispose of according to the Local Authority Regulations.







Johnson Johnson

















6.4. Reference to other sections:

Section 7:

Handling and storage





None



Tel 01789 208000 Fax 01789 208073 www.dcsgroup.com

7.1. Precaution for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area. Smoking is forbidden. Pressurised container: Do not pierce or burn, even after use.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep away from sources of Ignition. Keep out of direct sunlight.

Suitable packaging: As supplied aerosol containers

7.3. Specific end use(s): The identified uses for this product are detailed in section 1.2.

Section 8:

Exposure controls/personal protection

8.1. Control parameters

Hazard ingredients:

Workplace exposure limits:

Parfum			Our REAVET, Our MENCEL
			ENLIVEN
State	8 hour TWA	15 min. STEL	GREN∳DE
			HiPP
UK	150ppm	200ppm	organic
			Johnson Johnson

Alcohol Denat			P&G
State	8 hour TWA	15 min. STEL	Cussons
			@



UK Distribution For:

Beiersdorf

COTY

DANONE

(3) Kimberly-Clark









Tel 01789 208000 Fax 01789 208073 www.dcsgroup.com

UK	1000ppm/1920mg cum	-

PETROLEUM GA	SES LIQUEFIED		
State	8 hour TWA	15 min. STEL	
UK	1750mg/CuM	2180mg/CuM	

8.2. Exposure Control

Engineering measures: Ensure there is sufficient ventilation of the area, ensure lighting and

electrical equipment are not a source of ignition. The floor of the storage room must be impermeable to prevent the escape of liquids.

Respiratory protection: Gas/vapour filter, type A: organic Vapours (EN141).

Hand protection: Use protective gloves to specification EN1149-5 compliant.

Eye protection: Tightly fitting safety goggles

Skin protection: Protective Clothing.

Physical and chemical properties

9.1. Physical and chemical properties

Environmental: Prevent from entering in public sewers or the immediate environment.

UK Distribution For:

Beiersdorf

COTY

DANONE DANONE

ENLIVEN

GREN DE

HiPP organic

Johnson Johnson

Kimberty-Clark

Physical State	Aerosol	Pal
Appearance(Aerosoi)	Spray	Cussoi











Section 9:





Tel 01789 208000 Fax 01789 208073 www.dcsgroup.com

Odour	Characteristic of variant	
<u>Ph</u>	5.5 -7.5	
Melting Point/Freezing Point	No data available	
Boiling Point/Range	N/A (Aerosol)	
Flash Point	-40 o C	
Evaporation Rate	No data available	
Flammability (Solid, Gas)	No data available	
Upper/Lower Flammability	No data available	
Vapour Pressure	4.0 bar @20c	
Specific Gravity	0.610 - 0.625	
Water Solubility	Very soluble	
Solubility Other Solvents	No data available	
Partition Coefficient: n-octanol/water	No data available	UK Distribution For.
Auto-Ignition Temperature	No data available	Beiersdorf
Viscosity	No data available	COTY
Explosive Properties	No data available	DANONE OF PLANT, DIE MAZIN
Oxidising Properties	No data available	EnLIVEN GREN∳DE

9.2. Other information: No data available

Section 10:

Stability and reactivity























Tel 01789 208000 Fax 01789 208073 www.dcsgroup.com

10.1. Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability: Stable under normal conditions. Stable at room temperature.

10.3. Possibility of hazardous reaction: Hazardous reaction will not occur under normal transport or storage conditions.

10.4. Conditions to avoid: Temperatures exceeding 50 °C. Should not be stored for long periods

above 25 °C.

10.5. Incompatible materials: none known

10.6. Hazardous decomposition products: In combustion emits fumes of carbon dioxide/carbon monoxide.

Section 11 Toxicological information

11.1. Information on toxicological effects

Symptoms/routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be soreness and redness of the mouth and throat.

<u>Inhalation</u>: There may be irritation of the throat with a feeling of tightness in the chest.

UK Distribution For:

Beiersdorf



COTY



ENLIVEN





Johnson Johnson



Delayed/immediate effects: Immediate effects can be expected after short-term exposure.



















Tel 01789 208000 Fax 01789 208073 www.dcsgroup.com

No known effect
No known effect

12. ECOLOGICAL INFORMATION

Product: The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is

Page **11** of **18**

expected when used according to label directions

UK Distribution For:



























Toxicity to fish







Tel 01789 208000 Fax 01789 208073 www.dcsgroup.com

Component	CAS	End Point	Species	Value	Exposure Time
Alcohol Denat	64-17-5	LC50	Fish	No data avaliable	96hours
Parfum	N/A		Very toxic to aquatic life with long lasting effects.	No data avaliable	
Liquefied petroleum gas	68476-85-7	LC50	will rapidly volat	ilise from the a	d chronic effects

Toxicity to aquatic invertebrates						
Component	CAS	End Point	Species	Value		
				UK Districution Fo		
				Beiersdo		
Alcohol Denat	64-17-5	EC50	Daphnia magna	No data available		
Parfum	N/A	No data available	No data available	No data available o T Y		
Liquefied petroleum gas	68476-	Physical properties	indicate that petrole	eum gases will		
	85-7	rapidly volatilise from	om the aquatic envir	onment and that Enliver		
		acute and chronic	effects would not be	observed in GRENODI		
		practice		HIP organic		























Tel 01789 208000 Fax 01789 208073 www.dcsgroup.com

Toxicity to aquatic plants								
Component	CAS	End Point	Species	Value	Component			
Alcohol Denat	64-17-5	IC50	Algae	No data available	No data Available			
Parfum	N/A	IC50	Algae	No data available	No data Available			
Liquefied petroleum gas	68476-85-7	No information available.	No information available.	Physical properties indicate that petroleum gases will rapidly volatilise from the aquatic environment and tha acute and chronic effects wo not be observed in practice				

Component	CAS	Biodegradation UK Distribution F
		Beiersdo
Alcohol Denat	64-17-5	The product is biodegradable.
Parfum	N/A	No data available
Liquefied petroleum gas	68476-85-7	Expected To Be Readily Biodegradable. Oxidises Rapidly By Photo Chemical Reactions In Air.



Bio accumulative Potential			P&G
Component	CAS	Bio concentration factor	Partition coefficient Cussons
			reckitt
















Tel 01789 208000 Fax 01789 208073 www.dcsgroup.com

		(BCF)
Alcohol Denat	64-17-5	The product is not bioaccumulating
Parfum	N/A	No data available
Liquefied petroleum gas	68476-85-7	Not expected to bioaccumulate significantly.

Mobility			
Component	CAS	End point	
Alcohol Denat	64-17-5	Soluble in water	
Parfum	N/A	No data available	
Liquefied petroleum gas	68476-85-7	Because of their extreme volatility, air is the only environmental compartment that hydrocarbon gases will be found.	
		UK Distribution	

Beiersdorf



PBT and vPvB assessment			
Component	CAS	Results	
Alcohol Denat	64-17-5	Not applicable GREN	
Parfum	N/A	This substance does not meet the PBT/vPvB criteria of organ REACH, annex XIII.	
Liquefied petroleum	68476-85-7	The substance does not fulfil all screening criteria for	
5		persistence, bioaccumulation and toxicity and hence is not	
		considered to be PBT or vPvB.	











Tel 01789 208000 Fax 01789 208073 www.dcsgroup.com

Other adverse effects: None known

Section 13:

Disposal considerations

13.1. Waste treatment methods

<u>Disposal operations:</u> Dispose of as per the Local Authority Regulations.

Section 14: Transport information

Classified as dangerous goods for carriage under road/rail/sea/air regulations. This product is packed in accordance with the Limited Quantity Provisions of CDG, ADR and IMDG. These provisions allow transport of aerosols of less than 1 litre packed in cartons of less than 30kg gross weight to be exempt from control providing that they are labelled in accordance with the Limited Quantities requirements of these regulations.

UK Distribution For:

Beiersdorf



COTY

























14.1. UN number: UN1950

14.2. UN proper shipping name: AEROSOLS

14.3. Transport hazard class(es): 2.1

14.4 Packing group: None allocated

14.5. Environmental hazards

Environmentally hazards: No **Marine pollutant:** No

14.6. Special precautions for user:See section 8 for safe handling







Tel 01789 208000 Fax 01789 208073 www.dcsgroup.com

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

EU legislation.

The product is as classified under GHS/CLP- Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures. Ingredients are listed with classification under GHS/CLP - Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures.

15.2. Chemical safety assessment: Safety assessment has been carried out as this is a cosmetic product.

Section 16: Other information

Other information: This information is based on our present knowledge. However,

this shall not constitute a guarantee for any specific product

features and shall not establish a legally valid contractual relationship.

ENLIVEN

GREN**∳**DE

UK Distribution For:
Beiersdorf

COTY DANONE

organic

Johnson Johnson













Key literature references and sources for data

Material Safety Data Sheet, Miscellaneous manufacturers.







Tel 01789 208000 Fax 01789 208073 www.dcsgroup.com

Revision: Original April23

SDS status The Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Hazard Statements relating to this Product see Section 2.

Hazard statements in full: H220 Extremely flammable gas.

H222 Extremely flammable aerosol

H229 Pressurised container. May burst if heated.

H226 Flammable liquid and vapour

H272 May intensify fire; oxidiser.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H301 Toxic if swallowed, in contact with skin or if inhaled

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H336 May cause drowsiness or dizziness

H361 Suspected of damaging fertility or the unborn child

H319 Causes serious eye irritation.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

H410 Very toxic to aquatic life with long lasting effects

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

LIK Distribution For

Beiersdorf



COTY



ENLIVEN



























Tel 01789 208000 Fax 01789 208073 www.dcsgroup.com

Abbreviations & Acronyms

ADN European Agreement Concerning the International Carriage of Dangerous Goods by Inland waterways

ADR European Agreement Concerning the International Carriage of Dangerous Goods

By Road

CAS Chemical Abstract Service Number

CDG The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations

CLP Classification Labelling & Packaging Regulation (EC No. 1272/2008)

COMAH Control of Major Accident Hazards

DSEAR The Dangerous Substances and Explosive Atmospheres Regulations

EH40 Workplace exposure limits -Containing the list of workplace exposure limits for use with the Control of Substances Hazardous to Health Regulations

EINECS European Inventory of Existing Commercial Chemical Substances

EN European Standard

GHS Global Harmonised System of Classification and Labelling of Chemicals

IMDG International Maritime Dangerous Goods Code

OEL Occupational Exposure Limit

PBT Persistent Bio accumulative and Toxic

vPvB Very Persistent and Very Bio accumulative

PPE Personal Protective Equipment

PSSR The Pressure Systems Safety Regulations

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Regulations Concerning the International Carriage of Dangerous Goods by Rail

RIDDOR Reporting of Injuries, Diseases and Dangerous Occurrences Regulations

STEL Short-Term Exposure Limit

TWA Time-Weighted Averages

WEL Workplace Exposure Limit

UK Distribution For:

Beiersdorf



COTY



























