

Product Name: TN-411BK, TN-413BK, TN-416BK, TN-419BK, TN-421BK, TN-423BK, TN-426BK, TN-431BK, TN-433BK, TN-436BK, TN-439BK, TN-441BK, TN-443BK, TN-446BK, TN-449BK, TN-451BK, TN-456BK, TN-459BK, TN-461BK, TN-466BK, TN-469BK, TN-471BK, TN-476BK, TN-491BK, TN-493BK, TN-499BK, TN-910BK Toner

Safety data sheet number: PT405-01

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name TN-411BK, TN-413BK, TN-416BK, TN-419BK, TN-421BK, TN-423BK, TN-426BK, TN-431BK, TN-433BK, TN-436BK, TN-439BK, TN-441BK, TN-443BK, TN-446BK, TN-449BK, TN-451BK, TN-456BK, TN-459BK, TN-461BK, TN-466BK, TN-469BK, TN-471BK, TN-476BK, TN-491BK, TN-493BK, TN-499BK, TN-910BK Toner

Product Form Mixture

Safety data sheet number PT405-01

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses These products are black toner in a cartridge for Brother Industries, Ltd. laser printers, multifunction devices and fax receivers. The cartridge should be used as supplied by Brother and for use in the products stated. Information provided on this SDS is only consistent with the use specified by Brother.

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Manufacturer Brother Industries, Ltd.
15-1 Naeshiro-cho, Mizuho-ku, Nagoya 467-8561, Japan
Telephone (for information): +81-52-824-2735

Importer (Europe)
Brother International Europe Ltd.
Brother House, 1 Tame Street, Audenshaw, Manchester M34 5JE, UK
Telephone (for information): +44-161-330-6531

(Australia)
Brother International (Aust.) Pty. Ltd. ACN 001 393 835
Level 3, Building A, 11 Talavera Road, Macquarie Park, NSW 2113, Australia
Telephone (for information): +61-2-9887-4344

For further information, please contact

E-mail address sds.info@brother.co.jp

1.4. Emergency telephone number

Emergency Telephone CHEMTREC +1-703-527-3887 (International)
CHEMTREC +61-290372994 (Australia)

For France only:
Antipoison Center telephone number: ORFILA +33-1-45-425-959

Product Name: TN-411BK, TN-413BK, TN-416BK, TN-419BK, TN-421BK, TN-423BK, TN-426BK, TN-431BK, TN-433BK, TN-436BK, TN-439BK, TN-441BK, TN-443BK, TN-446BK, TN-449BK, TN-451BK, TN-456BK, TN-459BK, TN-461BK, TN-466BK, TN-469BK, TN-471BK, TN-476BK, TN-491BK, TN-493BK, TN-499BK, TN-910BK Toner

Safety data sheet number: PT405-01

Section 2: Hazard(s) identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]

2.2. Label elements

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]

2.3. Other hazards

No information available

Section 3: Composition/information on ingredients

3.2 Mixtures

Chemical name	CAS No	EC No	EC Index No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
Styrene-acrylate-copolymer	25767-47-9	-	-	65-75	Not classified	Not applicable
Fatty acid ester	**	-	-	8-18	Not classified	Registered
Carbon Black (bound)	1333-86-4	215-609-9	-	4-14	Not classified	Registered
Styrene-acrylate Resin	**	-	-	<7	Not classified	Not applicable
PMMA	9011-14-7	-	-	1-5	Not classified	Not applicable
Silicon dioxide (amorphous)	112945-52-5	231-545-4	-	<3	Not classified	Registered
Silicon Dioxide (amorphous)	7631-86-9	231-545-4	-	<3	Not classified	No data available
Silicon dioxide (amorphous)	844491-94-7	430-570-1	-	<3	Not classified	Registered

Full text of H- and EUH-phrases: see section 16

Section 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove to fresh air.

Eye contact

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Product Name: TN-411BK, TN-413BK, TN-416BK, TN-419BK, TN-421BK, TN-423BK, TN-426BK, TN-431BK, TN-433BK, TN-436BK, TN-439BK, TN-441BK, TN-443BK, TN-446BK, TN-449BK, TN-451BK, TN-456BK, TN-459BK, TN-461BK, TN-466BK, TN-469BK, TN-471BK, TN-476BK, TN-491BK, TN-493BK, TN-499BK, TN-910BK Toner

Safety data sheet number: PT405-01

Skin contact: Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.

Ingestion Clean mouth with water and drink afterwards plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms Inhalation (dust) : For large quantities: May cause irritation to the respiratory system. Increased difficulty in breathing. Sneezing. Coughing
Eye contact: May cause eye irritation
Skin contact: : Repeated and/or prolonged skin contact may cause irritation
Ingestion: May cause stomach ache. Unlikely route of exposure

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

Section 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Do not use water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical May form explosive dust clouds in air

5.3. Advice for firefighters

Special protective equipment for fire-fighters Do not use high-pressure water in order to prevent creating a dust cloud and spreading fire dust. Use appropriate respirator for carbon monoxide and carbon dioxide. Wear positive pressure self-contained breathing apparatus (SCBA) during the attack phase of firefighting operations and during cleanup in enclosed or poorly ventilated areas immediately after a fire. Personnel not having suitable respiratory protection must leave the area to prevent significant exposure to toxic combustion gases from any source.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel Avoid generation of dust. Do not breathe dust. A suitable dust mask or dust respirator with filter type A/P may be appropriate.

Product Name: TN-411BK, TN-413BK, TN-416BK, TN-419BK, TN-421BK, TN-423BK, TN-426BK, TN-431BK, TN-433BK, TN-436BK, TN-439BK, TN-441BK, TN-443BK, TN-446BK, TN-449BK, TN-451BK, TN-456BK, TN-459BK, TN-461BK, TN-466BK, TN-469BK, TN-471BK, TN-476BK, TN-491BK, TN-493BK, TN-499BK, TN-910BK Toner

Safety data sheet number: PT405-01

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas

6.3. Methods and material for containment and cleaning up

Methods for containment Sweep the spilt toner or remove it with a vacuum cleaner and transfer into a sealed container carefully. Sweep slowly to minimize generation of dust during cleanup. If a vacuum cleaner is used, the motor must be rated as dust explosion proof. Potential for very fine particles to be taken into the vacuum only to be passed back into the environment due to pore size in the bag or filter.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

Section 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Keep out of the reach of children. Avoid generation of dust. Avoid inhalation of high concentrations of dust. Avoid contact with eyes.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place.

7.3. Specific end use(s)

These products are black toner in a cartridge for Brother Industries, Ltd. laser printers, multifunction devices and fax receivers. This cartridge should be used as supplied by Brother and for use in the products stated.

Section 8: Exposure controls and personal protection

8.1. Control parameters

Exposure Limits .

Product Name: TN-411BK, TN-413BK, TN-416BK, TN-419BK, TN-421BK, TN-423BK, TN-426BK, TN-431BK, TN-433BK, TN-436BK, TN-439BK, TN-441BK, TN-443BK, TN-446BK, TN-449BK, TN-451BK, TN-456BK, TN-459BK, TN-461BK, TN-466BK, TN-469BK, TN-471BK, TN-476BK, TN-491BK, TN-493BK, TN-499BK, TN-910BK Toner

Safety data sheet number: PT405-01

Chemical name	European Union	United Kingdom	France	Spain	Germany
Carbon Black (bound) 1333-86-4	-	TWA: 3.5 mg/m ³ STEL: 7 mg/m ³	TWA: 3.5 mg/m ³	TWA: 3.5 mg/m ³	-
Silicon Dioxide (amorphous) 7631-86-9	-	TWA: 6 mg/m ³ TWA: 2.4 mg/m ³ STEL: 18 mg/m ³ STEL: 7.2 mg/m ³	-	-	TWA: 4 mg/m ³
Chemical name	Italy	Portugal	Netherlands	Finland	Denmark
Carbon Black (bound) 1333-86-4	-	TWA: 3.5 mg/m ³	-	TWA: 3.5 mg/m ³ STEL: 7 mg/m ³	TWA: 3.5 mg/m ³
Silicon Dioxide (amorphous) 7631-86-9	-	-	-	TWA: 5 mg/m ³	-
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
Carbon Black (bound) 1333-86-4	-	-	TWA: 4.0 mg/m ³	TWA: 3.5 mg/m ³ STEL: 7 mg/m ³	TWA: 3 mg/m ³ STEL: 15 mg/m ³
Silicon dioxide (amorphous) 112945-52-5	TWA: 4 mg/m ³	TWA: 4 mg/m ³	-	-	-
Silicon Dioxide (amorphous) 7631-86-9	TWA: 4 mg/m ³	TWA: 4 mg/m ³	-	TWA: 1.5 mg/m ³ STEL: 1.5 mg/m ³	TWA: 6 mg/m ³ TWA: 2.4 mg/m ³ STEL: 18 mg/m ³ STEL: 7.2 mg/m ³

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Appropriate engineering controls No information available.

Personal protective equipment Not normally required. For use other than in normal operating procedures (such as in the event of large spill), the following should be applied:

Eye/face protection No special protective equipment required.

Hand protection
Skin and body protection No special protective equipment required.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls Avoid release to the environment.

Product Name: TN-411BK, TN-413BK, TN-416BK, TN-419BK, TN-421BK, TN-423BK, TN-426BK, TN-431BK, TN-433BK, TN-436BK, TN-439BK, TN-441BK, TN-443BK, TN-446BK, TN-449BK, TN-451BK, TN-456BK, TN-459BK, TN-461BK, TN-466BK, TN-469BK, TN-471BK, TN-476BK, TN-491BK, TN-493BK, TN-499BK, TN-910BK Toner

Safety data sheet number: PT405-01

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state	Solid Powder
Color	black
Odor	Odorless.
Odor threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No data available	None known
Melting point / freezing point	No data available	None known
Boiling point / boiling range	No data available	None known
Flash point	No data available	None known
Evaporation rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit:	No data available	
Lower flammability limit:	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	No data available	None known
Water solubility	Insoluble in water	
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Explosive properties	No information available	Explosive limits of toner particles suspended in air approximately equal to that of coal dust.
Oxidizing properties	No information available	

9.2. Other information

No information available

Section 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable under normal conditions.

Product Name: TN-411BK, TN-413BK, TN-416BK, TN-419BK, TN-421BK, TN-423BK, TN-426BK, TN-431BK, TN-433BK, TN-436BK, TN-439BK, TN-441BK, TN-443BK, TN-446BK, TN-449BK, TN-451BK, TN-456BK, TN-459BK, TN-461BK, TN-466BK, TN-469BK, TN-471BK, TN-476BK, TN-491BK, TN-493BK, TN-499BK, TN-910BK Toner

Safety data sheet number: PT405-01

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Keep away from heat. Avoid friction, sparks, or other means of ignition

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

Carbon oxides, Nitrogen oxides (NOx)

Section 11: Toxicological information

11.1. Information on toxicological effects

Product Information

Inhalation	Acute LC ₅₀ > 5.2 mg/l/4h (OECD 436 method)
Eye contact	No information available
Skin contact:	No information available
Ingestion	Acute LD ₅₀ > 2000 mg/kg (OECD 420 method)
Skin corrosion/irritation	Non-irritant (OECD 404 method) pH: Not applicable
Serious eye damage/eye irritation	Minimal irritant to the eye (OECD 405 method) pH: Not applicable
Respiratory or skin sensitization	It is not a skin sensitizer (OECD 429 method)
Germ cell mutagenicity	AMES test : Negative (OECD 471 method)
Carcinogenicity	Carbon Black: In 1996, the IARC re-evaluated carbon black as a Group 2B carcinogen (possible human carcinogen). This classification is given to chemicals, for which there is inadequate human evidence, but sufficient animal evidence on which to base an opinion of carcinogenicity. The classification is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle overload of the lung. Studies performed in animal models other than rats did not show any association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association

Product Name: TN-411BK, TN-413BK, TN-416BK, TN-419BK, TN-421BK, TN-423BK, TN-426BK, TN-431BK, TN-433BK, TN-436BK, TN-439BK, TN-441BK, TN-443BK, TN-446BK, TN-449BK, TN-451BK, TN-456BK, TN-459BK, TN-461BK, TN-466BK, TN-469BK, TN-471BK, TN-476BK, TN-491BK, TN-493BK, TN-499BK, TN-910BK Toner

Safety data sheet number: PT405-01

between toner exposure and tumor development in rats.

Other ingredients of this product have not been classified as carcinogens according to IARC monographs, NTP and OSHA

Reproductive toxicity

Not classified.

Section 12: Ecological information

12.1. Toxicity

The environmental impact of this product has not been fully investigated.

Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Carbon Black (bound)	-	-	-	5600: 24 h Daphnia magna mg/L EC50
Silicon Dioxide (amorphous)	440: 72 h Pseudokirchneriella subcapitata mg/L EC50	5000: 96 h Brachydanio rerio mg/L LC50 static	-	7600: 48 h Ceriodaphnia dubia mg/L EC50

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

This product contains no substance considered to be persistent, bioaccumulating nor toxic (PBT).

This product contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

12.6. Other adverse effects

No information available.

Product Name: TN-411BK, TN-413BK, TN-416BK, TN-419BK, TN-421BK, TN-423BK, TN-426BK, TN-431BK, TN-433BK, TN-436BK, TN-439BK, TN-441BK, TN-443BK, TN-446BK, TN-449BK, TN-451BK, TN-456BK, TN-459BK, TN-461BK, TN-466BK, TN-469BK, TN-471BK, TN-476BK, TN-491BK, TN-493BK, TN-499BK, TN-910BK Toner

Safety data sheet number: PT405-01

Section 13: Disposal considerations

13.1. Waste treatment methods

Do not put toner or toner cartridges into a fire, this can cause fire to spread with the risk of causing burn injuries. Shred toner cartridges in a dust/explosion controlled environment. Finely dispersed particles may form explosive mixtures in the air. Dispose of in accordance with Federal, State, and local regulations.

Section 14: Transport information

IMDG

14.1 UN/ID no	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing group	Not regulated
14.5 Marine pollutant	Not applicable
14.6 Special Provisions	None
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	No information available

RID

14.1 UN/ID no	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	None

ADR

14.1 UN/ID no	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	None

IATA

14.1 UN/ID no	Not regulated
14.2 Proper shipping name	Not regulated
14.3 Hazard Class	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazard	Not applicable
14.6 Special Provisions	None

Revision Date: 11-Jan-2019

Issuing Date: 04-Apr-2016

Revision Number: 1

Product Name: TN-411BK, TN-413BK, TN-416BK, TN-419BK, TN-421BK, TN-423BK, TN-426BK, TN-431BK, TN-433BK, TN-436BK, TN-439BK, TN-441BK, TN-443BK, TN-446BK, TN-449BK, TN-451BK, TN-456BK, TN-459BK, TN-461BK, TN-466BK, TN-469BK, TN-471BK, TN-476BK, TN-491BK, TN-493BK, TN-499BK, TN-910BK Toner

Safety data sheet number: PT405-01

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

No information available

National Regulations

No information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Section 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization:

TWA

TWA (time-weighted average)

STEL

STEL (Short Term Exposure Limit)

**

Trade secret

Key literature references and sources for data

No information available

Revision Date 11-Jan-2019

Issuing Date 04-Apr-2016

Revision Note No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information relates only to this product. It may not be valid, if used in combination with any other materials or in any other process, and it is based on our best knowledge as of the date of preparation (revision).