SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : CP SAN BLUE BALL PEN INK Product code : CP SAN BLUE.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for PAPER MATE: Inkjoy 100ST, 100RT, 100 Cap Fine, 300RT, 300 RT Retro, 500RT, 550RT, 700RT, Quatro, Mini, Stylus, Inkjoy Refills

1.3. Details of the supplier of the safety data sheet

Registered company name : Newell Rubbermaid UK Limited. Address : Halifax Ave - Fradley Park .WS 13 8SS.Lichfield Staffordshire.United Kingdom. Telephone : +44 (0) 1543447001. Fax : . Aftersales.SERVICE@newellco.com www.newellrubbermaid.com

1.4. Emergency telephone number : 0845 4647.

Association/Organisation : National Poisons Information Service.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Acute oral toxicity, Category 4 (Acute Tox. 4, H302).

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Serious eye damage, Category 1 (Eye Dam. 1, H318).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site. This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Acute oral toxicity: harmful (Xn, R 22).

Eye irritation (Xi, R 36).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site. This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version : N°1 (05/12/2014) Newell Rubbermaid UK Limited

CP SAN BLUE BALL PEN INK - CP SAN BLUE

Product identifiers : 603-098-00-9 603-057-00-5	PHENOXYETHANOL -2 BENZYL ALCOHOL
EC 204-015-5	(Z)-OCTADEC-9-ENYLAMINE
Hazard statements :	
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
Precautionary stateme	nts - General :
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
Precautionary stateme	nts - Prevention :
P264	Wash thoroughly after handling.
P270	Do no eat, drink or smoke when using this product.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary stateme	nts - Response :
P302 + P352	IF ON SKIN: Wash with plenty of water/
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor/
P321	Specific treatment (see on this label).
P362 + P364	Take off contaminated clothing and wash it before reuse.
Precautionary stateme	nts - Disposal :
P501	Dispose of contents/container to
2.3 Other hegerde	

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition	

Composition :				
Identification	(EC) 1272/2008	67/548/EEC	Note	%
INDEX: 603-098-00-9	GHS07	Xn	[1]	25 <= x % < 50
CAS: 122-99-6	Wng	Xn;R22		
EC: 204-589-7	Acute Tox. 4, H302	Xi;R36		
	Eye Irrit. 2, H319			
PHENOXYETHANOL -2	-			
INDEX: 603-057-00-5	GHS07	Xn		10 <= x % < 25
CAS: 100-51-6	Wng	Xn;R20/22		
EC: 202-859-9	Acute Tox. 4, H332			
	Acute Tox. 4, H302			
BENZYL ALCOHOL				
CAS: 110-98-5	GHS07	Xi		2.5 <= x % < 10
EC: 203-821-4	Wng	Xi;R36/37/38		
	Skin Irrit. 2, H315			
1,1'-OXYDIPROPAN-2-OL	Eye Irrit. 2, H319			
	STOT SE 3, H335			

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version : N°1 (05/12/2014) Newell Rubbermaid UK Limited

CP SAN BLUE BALL PEN INK - CP SAN BLUE

CAS: 111-90-0			[1]	2.5 <= x % < 10
EC: 203-919-7				
DIETHYLENE GLYCOL MONOETHYL				
ETHER				
CAS: 112-90-3	GHS07, GHS05	С		2.5 <= x % < 10
EC: 204-015-5	Dgr	C;R34		
	Acute Tox. 4, H302	Xn;R22		
(Z)-OCTADEC-9-ENYLAMINE	Skin Corr. 1B, H314			

Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of splashes or contact with eyes :

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water, administer activated medical charcoal and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

In the event of fire, use specifically suitable extinguishing agents. Never use water.

Suitable methods of extinction

In the event of a fire, use :

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Unsuitable methods of extinction

In the event of a fire, do not use :

- water

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

Fire prevention :

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Never pour water into this mixture.

Avoid eye contact with this mixture at all times.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from food and drink, including those for animals.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- Germany - AGW (BAuA - TRGS 900, 21/06/2010) :

		, , ,		
CAS	VME :	VME :	Excess	Notes
122-99-6	20 ml/m3	110 mg/m3	2(I)	DFG, H, Y
111-90-0	6 ml/m3	35 mg/m3	2(I)	AGS

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties :

- Impervious gloves in accordance with standard EN374

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties	
General information :	
Physical state :	Fluid liquid.
Important health, safety and environmental information	
pH :	Not relevant.
Boiling point/boiling range :	Not specified.
Flash point interval :	Not relevant.
Vapour pressure (50°C) :	Not relevant.
Density :	Not stated.
Water solubility :	Insoluble.
Viscosity :	1500 +/- 500 cP
Melting point/melting range :	Not specified.
Self-ignition temperature :	Not specified.
Decomposition point/decomposition range :	Not specified.
% VOC :	0.7
9.2. Other information	

No data available.

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

10.4. Conditions to avoid

Avoid :

- humidity

Protect from moisture. Reaction with water can cause an exothermic reaction.

10.5. Incompatible materials

Keep away from :

- water

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO2)

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Harmful if swallowed.

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May have irreversible effects on the eyes, such as tissue damage in the eye, or serious physical decay of sight, which is not fully reversible by the end of observation at 21 days.

Serious eye damage is typified by the destruction of cornea, persistent corneal opacity and iritis.

11.1.1. Substances

Acute toxicity :

DIETHYLENE GLYCOL MONOETHYL ETHER Oral route :	(CAS: 111-90-0) LD50 = 10502 mg/kg Species : Rat
Dermal route :	LD50 = 9143 mg/kg Species : Rabbit
Inhalation route :	LC50 > 200 mg/l Species : Rat
1,1'-OXYDIPROPAN-2-OL (CAS: 110-98-5) Oral route :	LD50 = 14850 mg/kg Species : Rat

11.1.2. Mixture

No toxicological data available for the mixture.

SECTION 12 : ECOLOGICAL INFORMATION

12.1. Toxicity

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container. Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

- Container information:

The mixture is contained in packaging that does not exceed 125 ml.

Containers to be fitted with a tactile warning of danger (see EC Regulation No. 1272/2008, Annex II, Part 3).

- Particular provisions :

No data available.

- German regulations concerning the classification of hazards for water (WGK) :

WGK 1 (VwVwS vom 27/07/2005, KBws) : Slightly hazardous for water.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Hazard symbols :

Containe



603-057-00-5 603-098-00-9	BENZYL ALCOHOL PHENOXYETHANOL -2
Risk phrase :	
R 36	Irritating to eyes.
R 22	Harmful if swallowed.
Safety phrase :	
S 2	Keep out of the reach of children.
S 46	If swallowed, seek medical advice immediately and show this container or label.
S 13	Keep away from food, drink and animal feedingstuffs.
S 25	Avoid contact with eyes.
S 26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S 64	If swallowed, rinse mouth with water (only if the person is conscious).
Title for H, EUH an	d R indications mentioned in section 3 :
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
R 20/22	Harmful by inhalation and if swallowed.
R 22	Harmful if swallowed.
R 34	Causes burns.
R 36	Irritating to eyes.
R 36/37/38	Irritating to eyes, respiratory system and skin.

Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class). GHS05 : Corrosion GHS07 : Exclamation mark

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : CP SAN GREEN BALL PEN INK Product code : CP SAN GREEN.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for PAPER MATE: Inkjoy 100ST, 100RT, 100 Cap Fine, 300RT, 550RT, Quatro, Mini

1.3. Details of the supplier of the safety data sheet

Registered company name : Newell Rubbermaid UK Limited.

Address : Halifax Ave - Fradley Park .WS 13 8SS.Lichfield Staffordshire.United Kingdom.

Telephone : +44 (0) 1543447001. Fax : .

Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

1.4. Emergency telephone number : 0845 4647.

Association/Organisation : National Poisons Information Service.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Acute oral toxicity, Category 4 (Acute Tox. 4, H302).

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Eye irritation, Category 2 (Eye Irrit. 2, H319).

Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Acute oral toxicity: harmful (Xn, R 22).

Skin irritation (Xi, R 38).

Eye irritation (Xi, R 36).

Aquatic environmental hazard, chronic toxicity: toxic (N, R 51/53).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



Signal Word : WARNING Product identifiers : 603-098-00-9 PHENOXYETHANOL -2

- Made under licence of European Label System® MSDS software from InfoDyne - http://www.infodyne.fr -

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version : N°2 (13/03/2015) Newell Rubbermaid UK Limited

603-057-00-5 **BENZYL ALCOHOL** CAS 1328-51-4 C.I. SOLVENT BLUE 38 (Z)-OCTADEC-9-ENYLAMINE EC 204-015-5 Hazard statements : H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eve irritation. H411 Toxic to aquatic life with long lasting effects. Precautionary statements - General : P101 If medical advice is needed, have product container or label at hand. Keep out of reach of children. P102 Precautionary statements - Prevention : P264 Wash ... thoroughly after handling. P270 Do no eat, drink or smoke when using this product. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. Precautionary statements - Response : P302 + P352IF ON SKIN: Wash with plenty of water/... P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see ... on this label). P332 + P313If skin irritation occurs: Get medical advice/attention. P337 + P313If eye irritation persists: Get medical advice/attention. P362 + P364Take off contaminated clothing and wash it before reuse. P391 Collect spillage. Precautionary statements - Disposal : P501 Dispose of contents/container to ...

CP SAN GREEN BALL PEN INK - CP SAN GREEN

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :

Identification	(EC) 1272/2008	67/548/EEC	Note	%
INDEX: 603-098-00-9	GHS07	Xn	[1]	25 <= x % < 50
CAS: 122-99-6	Wng	Xn;R22		
EC: 204-589-7	Acute Tox. 4, H302	Xi;R36		
	Eye Irrit. 2, H319			
PHENOXYETHANOL -2				
INDEX: 603-057-00-5	GHS07	Xn		10 <= x % < 25
CAS: 100-51-6	Wng	Xn;R20/22		
EC: 202-859-9	Acute Tox. 4, H332			
	Acute Tox. 4, H302			
BENZYL ALCOHOL				

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version : N°2 (13/03/2015) Newell Rubbermaid UK Limited

CAS: 1328-51-4 GHS07 2.5 <= x % < 10 Xn Wng Xn;R22 Acute Tox. 4, H302 C.I. SOLVENT BLUE 38 2.5 <= x % < 10 CAS: 111-90-0 [1] EC: 203-919-7 DIETHYLENE GLYCOL MONOETHYL ETHER CAS: 112-80-1 GHS07 Xi 2.5 <= x % < 10 EC: 204-007-1 Wng Xi;R38 Skin Irrit. 2, H315 OLEIC ACID CAS: 85029-58-9 GHS09 Ν 2.5 <= x % < 10 EC: 285-083-3 Wng N:R50/53 Aquatic Acute 1, H400 C.I. SOLVENT YELLOW 82 M Acute = 1Aquatic Chronic 1, H410 M Chronic = 1CAS: 112-90-3 GHS07, GHS05, GHS09 C,N 2.5 <= x % < 10 EC: 204-015-5 C;R35 Dgr Acute Tox. 4, H302 Xn:R22 (Z)-OCTADEC-9-ENYLAMINE Skin Corr. 1A, H314 N:R50/53 Aquatic Acute 1. H400 M Acute = 1Aquatic Chronic 1, H410 M Chronic = 1CAS: 110-98-5 GHS07 0 <= x % < 2.5 Xi EC: 203-821-4 Xi:R36/37/38 Wng Skin Irrit. 2, H315 1,1'-OXYDIPROPAN-2-OL Eve Irrit. 2. H319 STOT SE 3, H335

CP SAN GREEN BALL PEN INK - CP SAN GREEN

Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of splashes or contact with eyes :

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water, administer activated medical charcoal and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

In the event of fire, use specifically suitable extinguishing agents. Never use water.

Suitable methods of extinction

In the event of a fire, use :

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Unsuitable methods of extinction

In the event of a fire, do not use :

- water
- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Fire prevention :

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Never pour water into this mixture.

Avoid skin and eye contact with this mixture.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from food and drink, including those for animals.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- Germany - AGW (BAuA - TRGS 900, 21/06/2010) :

CAS	VME :	VME :	Excess	Notes
122-99-6	20 ml/m3	110 mg/m3	2(I)	DFG, H, Y
111-90-0	6 ml/m3	35 mg/m3	2(I)	AGS

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties :

- Impervious gloves in accordance with standard EN374

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General information :	
Physical state :	Fluid liquid.
Important health, safety and environmental information	
pH :	Not relevant.
Boiling point/boiling range :	Not specified.
Flash point interval :	Not relevant.
Vapour pressure (50°C) :	Not relevant.
Density :	Not stated.
Water solubility :	Insoluble.
Viscosity :	2000 +/- 500 cP
Melting point/melting range :	Not specified.
Self-ignition temperature :	Not specified.
Decomposition point/decomposition range :	Not specified.
% VOC :	0.7

9.2. Other information

No data available.

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

10.4. Conditions to avoid

Avoid :

- humidity

Protect from moisture. Reaction with water can cause an exothermic reaction.

10.5. Incompatible materials

Keep away from :

- water

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO2)

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Harmful if swallowed.

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days.

Splashes in the eyes may cause irritation and reversible damage

11.1.1. Substances

Acute toxicity :

1,1'-OXYDIPROPAN-2-OL (CAS: 110-98-5) Oral route :

LD50 = 14850 mg/kg Species : Rat

C.I. SOLVENT YELLOW 82 (CAS: 85029-58-9) Oral route : LD50 > 5000 mg/kg

Dermal route :

LD50 > 2500 mg/kg Species : Rat

Species : Rat

OLEIC ACID (CAS: 112-80-1) Oral route :

LD50 = 74000 mg/kg Species : Rat

DIETHYLENE GLYCOL MONOETHYL ETHER Oral route :	(CAS: 111-90-0) LD50 = 10502 mg/kg Species : Rat
Dermal route :	LD50 = 9143 mg/kg Species : Rabbit
Inhalation route :	LC50 > 200 mg/l Species : Rat

11.1.2. Mixture

No toxicological data available for the mixture.

SECTION 12 : ECOLOGICAL INFORMATION

Toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.1. Substances

OLEIC ACID (CAS: 112-80-1) Fish toxicity :

LC50 = 205 mg/l Species : Pimephales promelas Duration of exposure : 96 h

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

C.I. SOLVENT YELLOW 82 (CAS: 85029-58-9) Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

OLEIC ACID (CAS: 112-80-1) Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK) :

WGK 2 (VwVwS vom 27/07/2005, KBws) : Hazardous for water.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

- Container information:

The mixture is contained in packaging that does not exceed 125 ml.

Containers to be fitted with a tactile warning of danger (see EC Regulation No. 1272/2008, Annex II, Part 3).

- Particular provisions :

No data available.

- German regulations concerning the classification of hazards for water (WGK) : WGK 2 (VwVwS vom 27/07/2005, KBws) : Hazardous for water.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Hazard symbols :

*	
Harmful	Dangerous for the environment
Contains :	
CAS 1328-51-4 603-057-00-5	C.I. SOLVENT BLUE 38 BENZYL ALCOHOL
603-098-00-9	PHENOXYETHANOL -2
Risk phrase :	
R 51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R 36/38	Irritating to eyes and skin.
R 22	Harmful if swallowed.
Safety phrase :	
S 2	Keep out of the reach of children.
S 29	Do not empty into drains.
S 46	If swallowed, seek medical advice immediately and show this container or label.
S 13	Keep away from food, drink and animal feedingstuffs.
S 25	Avoid contact with eyes.
S 26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S 37	Wear suitable gloves.
S 64	If swallowed, rinse mouth with water (only if the person is conscious).
Title for H, EUH and	R indications mentioned in section 3 :
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
R 20/22	Harmful by inhalation and if swallowed.
R 22	Harmful if swallowed.
R 35	Causes severe burns.
R 36	Irritating to eyes.

R 36/37/38	Irritating to eyes, respiratory system and skin.
R 38	Irritating to skin.
R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS07 : Exclamation mark

GHS09 : Environment

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : CP SAN RED BALL PEN INK Product code : CP SAN RED.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for PAPER MATE: Inkjoy 100ST, 100RT, 100 Cap Fine, 300 RT, 500RT, 550RT, 700RT, Quatro, Mini

1.3. Details of the supplier of the safety data sheet

Registered company name : Newell Rubbermaid UK Limited.

Address : Halifax Ave - Fradley Park .WS 13 8SS.Lichfield Staffordshire.United Kingdom.

Telephone : +44 (0) 1543447001. Fax : .

Aftersales.SERVICE@newellco.com

www.newellrubbermaid.com

1.4. Emergency telephone number : 0845 4647.

Association/Organisation : National Poisons Information Service.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Acute oral toxicity, Category 4 (Acute Tox. 4, H302).

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Serious eye damage, Category 1 (Eye Dam. 1, H318).

Germ cell mutagenicity, Category 2 (Muta. 2, H341).

Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Acute oral toxicity: harmful (Xn, R 22).

Skin irritation (Xi, R 38).

Eye irritation (Xi, R 36).

Danger of cumulative effects (R 33).

Category 3 mutagen (Xn, R 68 Muta. Cat. 3).

Aquatic environmental hazard, chronic toxicity: toxic (N, R 51/53).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



Signal Word : DANGER	
Product identifiers :	
603-098-00-9	PHENOXYETHANOL -2
603-057-00-5	BENZYL ALCOHOL
611-151-00-2	CHRYSOIDINE
EC 208-096-8 EC 204-015-5	C.I. SOLVENT RED 49 (Z)-OCTADEC-9-ENYLAMINE
Hazard statements :	(Z)-OCTADEC-7-ENTLAMINE
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H341	Suspected of causing genetic defects .
H411	Toxic to aquatic life with long lasting effects.
Precautionary statemen	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
Precautionary statemen	
P202	Do not handle until all safety precautions have been read and understood.
P264	Wash thoroughly after handling.
P270	Do no eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary statement	tts - Response :
P302 + P352	IF ON SKIN: Wash with plenty of water/
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313	IF exposed or concerned: Get medical advice/attention.
P310	Immediately call a POISON CENTER/doctor/
P321	Specific treatment (see on this label).
P362 + P364	Take off contaminated clothing and wash it before reuse.
P391	Collect spillage.
Precautionary statement	nts - Storage :
P405	Store locked up.
Precautionary statement	nts - Disposal :
P501	Dispose of contents/container to

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition : (EC) 1272/2008 67/548/EEC Identification Note % INDEX: 603-098-00-9 GHS07 [1] 25 <= x % < 50 Xn CAS: 122-99-6 Wng Xn;R22 EC: 204-589-7 Acute Tox. 4, H302 Xi;R36 Eye Irrit. 2, H319 PHENOXYETHANOL -2 GHS07 INDEX: 603-057-00-5 Xn $10 \le x \% \le 25$ Xn;R20/22 CAS: 100-51-6 Wng EC: 202-859-9 Acute Tox. 4, H332 Acute Tox. 4, H302 **BENZYL ALCOHOL** GHS07 2.5 <= x % < 10 CAS: 112-80-1 Xi EC: 204-007-1 Wng Xi;R38 Skin Irrit. 2, H315 OLEIC ACID CAS: 110-98-5 GHS07 Xi 2.5 <= x % < 10 EC: 203-821-4 Wng Xi;R36/37/38 Skin Irrit. 2, H315 1,1'-OXYDIPROPAN-2-OL Eye Irrit. 2, H319 STOT SE 3, H335 INDEX: 611-151-00-2 GHS08, GHS07, GHS09 Xn.N [2] 2.5 <= x % < 10 CAS: 495-54-5 Muta. Cat. 3;R68 Wng EC: 207-803-7 Muta. 2, H341 Xn;R22 Acute Tox. 4, H302 Xi;R38 CHRYSOIDINE Skin Irrit. 2, H315 N;R50/53 Aquatic Acute 1, H400 M Acute = 1Aquatic Chronic 1, H410 M Chronic = 1CAS: 509-34-2 GHS07, GHS08 Xn 2.5 <= x % < 10 EC: 208-096-8 Wng Xn;R22 Acute Tox. 4, H302 R33 C.I. SOLVENT RED 49 STOT RE 2, H373 2.5 <= x % < 10 CAS: 112-90-3 GHS07, GHS05 С EC: 204-015-5 C;R34 Dgr Acute Tox. 4, H302 Xn;R22 (Z)-OCTADEC-9-ENYLAMINE Skin Corr. 1B, H314

Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

[2] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of splashes or contact with eyes :

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water, administer activated medical charcoal and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

In the event of fire, use specifically suitable extinguishing agents. Never use water.

Suitable methods of extinction

In the event of a fire, use :

- sprayed water or water mist

- foam

- multipurpose ABC powder

- BC powder

- carbon dioxide (CO2)

Unsuitable methods of extinction

In the event of a fire, do not use :

- water

- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

Fire prevention :

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Never pour water into this mixture.

Avoid eye contact with this mixture at all times.

Avoid exposure - obtain special instructions before use.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from food and drink, including those for animals.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

8.1. Control parame	eters			
Occupational expos				
- Germany - AGW		0.21/06/2010):		
CAS	VME :	VME :	Excess	Notes
122-99-6	20 ml/m3	110 mg/m3	2(I)	DFG, H, Y
8.2. Exposure contr	ols	6		-, ,
Personal protection		s personal prote	ctive equipm	ent
Use personal prote				
Store personal prot				-
	r smoke during u	se. Remove and	-	ninated clothing before re-using. Ensure that there is adequ
- Eye / face protecti	on			
Avoid contact with	eyes.			
Use eye protectors	designed to protec	t against liquid s	plashes	
Before handling, w	ear safety goggles	with protective s	sides accordar	nce with standard EN166.
In the event of high	n danger, protect th	e face with a fac	e shield.	
Prescription glasse	s are not considere	d as protection.		
Individuals wearing	g contact lenses sh	ould wear prescr	iption glasses	during work where they may be exposed to irritant vapours.
Provide eyewash st	ations in facilities	where the produ-	ct is handled	constantly.
- Hand protection				
Use suitable protec	tive gloves that are	e resistant to cher	mical agents i	n accordance with standard EN374.
Gloves must be sel	ected according to	the application a	and duration c	f use at the workstation.
				y for the workstation in question : other chemical products the protection), level of dexterity required.
Type of gloves reco	ommended :			
- Nitrile rubber (bu	-		ober (NBR))	
- Butyl Rubber (Iso		copolymer)		
Recommended pro	-			
- Impervious glove	s in accordance wi	th standard EN3	74	
- Body protection				
Avoid skin contact				
Wear suitable prote				
Suitable type of pro	-			
to prevent skin con	tact.			ing against chemical risks (type 3) in accordance with EN14
skin contact.		-		chemical risks (type 6) in accordance with EN13034 to prev
Work clothing wor	• •			
After contact with	the product, all par	ts of the body th	at have been s	soiled must be washed.
ECTION 9 : PHYSI	CAL AND CHEN	IICAL PROPE	RTIES	
9.1. Information on				
General information				
Physical state :				Fluid liquid.

Important health, safety and environmental information	
pH :	Not relevant.
Boiling point/boiling range :	Not specified.
Flash point interval :	Not relevant.
Vapour pressure (50°C) :	Not relevant.
Density :	Not stated.
Water solubility :	Insoluble.
Viscosity :	1700 +/- 500 cP
Melting point/melting range :	Not specified.
Self-ignition temperature :	Not specified.
Decomposition point/decomposition range :	Not specified.
% VOC :	0.6
0.2 Other information	

9.2. Other information

No data available.

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

10.4. Conditions to avoid

Avoid :

- humidity

Protect from moisture. Reaction with water can cause an exothermic reaction.

10.5. Incompatible materials

Keep away from :

- water

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO2)

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Harmful if swallowed.

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May have irreversible effects on the eyes, such as tissue damage in the eye, or serious physical decay of sight, which is not fully reversible by the end of observation at 21 days.

Serious eye damage is typified by the destruction of cornea, persistent corneal opacity and iritis.

Cause for concern owing to the possibility that it may induce heritable mutations in the germ cells of humans.

11.1.1. Substances

Acute toxicity :

1,1'-OXYDIPROPAN-2-OL (CAS: 110-98-5)

Oral route :

LD50 = 14850 mg/kg Species : Rat

OLEIC ACID (CAS: 112-80-1) Oral route :

LD50 = 74000 mg/kg Species : Rat

11.1.2. Mixture

No toxicological data available for the mixture.

SECTION 12 : ECOLOGICAL INFORMATION

Toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.1. Substances

OLEIC ACID (CAS: 112-80-1) Fish toxicity :

LC50 = 205 mg/l Species : Pimephales promelas Duration of exposure : 96 h

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

OLEIC ACID (CAS: 112-80-1) Biodegradability :

no degradability data is available, the substance is considered as not degrading quickly.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK) :

WGK 3 (VwVwS vom 27/07/2005, KBws) : Extremely hazardous for water.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container. Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

- Container information:

The mixture is contained in packaging that does not exceed 125 ml.

Containers to be fitted with a tactile warning of danger (see EC Regulation No. 1272/2008, Annex II, Part 3).

- Particular provisions :

No data available.

- German regulations concerning the classification of hazards for water (WGK) :

WGK 3 (VwVwS vom 27/07/2005, KBws) : Extremely hazardous for water.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Hazard symbols :





Harmful Contains : EC 208-096-8 Dangerous for the environment

C.I. SOLVENT RED 49

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version : N°2 (13/03/2015) Newell Rubbermaid UK Limited

603-057-00-5 603-098-00-9 611-151-00-2	BENZYL ALCOHOL PHENOXYETHANOL -2 CHRYSOIDINE
Risk phrase :	
R 51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R 36/38	Irritating to eyes and skin.
R 22	Harmful if swallowed.
R 33	Danger of cumulative effects.
R 68	Possible risk of irreversible effects.
Safety phrase :	
S 2	Keep out of the reach of children.
S 29	Do not empty into drains.
S 46	If swallowed, seek medical advice immediately and show this container or label.
S 13	Keep away from food, drink and animal feedingstuffs.
S 25	Avoid contact with eyes.
S 26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S 37	Wear suitable gloves.
S 64	If swallowed, rinse mouth with water (only if the person is conscious).
Title for H, EUH an	d R indications mentioned in section 3 :
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects .
H373	May cause damage to organs through prolonged or repeated exposure .
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
R 20/22	Harmful by inhalation and if swallowed.
R 22	Harmful if swallowed.
R 33	Danger of cumulative effects.
R 34	Causes burns.
R 36	Irritating to eyes.
R 36/37/38	Irritating to eyes, respiratory system and skin.
R 38	Irritating to skin.
R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R 68	Possible risk of irreversible effects.

CP SAN RED BALL PEN INK - CP SAN RED

Abbreviations :

CMR: Carcinogenic, mutagenic or reprotoxic.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class). GHS05 : Corrosion GHS07 : Exclamation mark GHS08 : Health hazard GHS09 : Environment

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : CP SAN BLACK BALL PEN INK Product code : CP SAN BLACK.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Ink for PAPER MATE: Inkjoy 100ST, 100RT, 100 Cap Fine, 300RT, 300 RT Retro, 500RT, 550RT, 700RT, Quatro, Mini, Stylus, Inkjoy Refills

1.3. Details of the supplier of the safety data sheet

Registered company name : Newell Rubbermaid UK Limited. Address : Halifax Ave - Fradley Park .WS 13 8SS.Lichfield Staffordshire.United Kingdom. Telephone : +44 (0) 1543447001. Fax : . Aftersales.SERVICE@newellco.com www.newellrubbermaid.com

1.4. Emergency telephone number : 0845 4647.

Association/Organisation : National Poisons Information Service.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Acute oral toxicity, Category 4 (Acute Tox. 4, H302).

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Serious eye damage, Category 1 (Eye Dam. 1, H318).

Specific target organ toxicity (single exposure), Category 3 (STOT SE 3, H335).

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Acute oral toxicity: harmful (Xn, R 22).

Skin irritation (Xi, R 38).

Eye irritation (Xi, R 36).

Irritant for the respiratory tract (Xi, R 37).

Danger of cumulative effects (R 33).

Aquatic environmental hazard, chronic toxicity: harmful (R 52/53).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



Signal Word :	
DANGER	
Product identifiers : 603-098-00-9 EC 265-449-9 603-057-00-5	PHENOXYETHANOL -2 C.I. SOLVENT BLACK 46 BENZYL ALCOHOL
EC 203-821-4	1,1'-OXYDIPROPAN-2-OL
CAS 112-80-1	OLEIC ACID
EC 204-015-5 EC 208-096-8	(Z)-OCTADEC-9-ENYLAMINE C.I. SOLVENT RED 49
Hazard statements :	
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.
Precautionary statemen	ts - General :
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
Precautionary statemen	ts - Prevention :
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P270	Do no eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary statemen	ts - Response :
P302 + P352	IF ON SKIN: Wash with plenty of water/
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor/
P362 + P364	Take off contaminated clothing and wash it before reuse.
Precautionary statemen	-
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
Precautionary statemen	ts - Disposal :
P501	Dispose of contents/container to

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :				
Identification	(EC) 1272/2008	67/548/EEC	Note	%
INDEX: 603-098-00-9	GHS07	Xn	[1]	25 <= x % < 50
CAS: 122-99-6	Wng	Xn;R22		
EC: 204-589-7	Acute Tox. 4, H302	Xi;R36		
	Eye Irrit. 2, H319			
PHENOXYETHANOL -2				
CAS: 65113-55-5	GHS07	Xi		10 <= x % < 25
EC: 265-449-9	Wng	Xi;R36/37/38		
	Skin Irrit. 2, H315			
C.I. SOLVENT BLACK 46	Eye Irrit. 2, H319			
	STOT SE 3, H335			
INDEX: 603-057-00-5	GHS07	Xn		10 <= x % < 25
CAS: 100-51-6	Wng	Xn;R20/22		
EC: 202-859-9	Acute Tox. 4, H332			
	Acute Tox. 4, H302			
BENZYL ALCOHOL				
CAS: 110-98-5	GHS07	Xi		2.5 <= x % < 10
EC: 203-821-4	Wng	Xi;R36/37/38		
	Skin Irrit. 2, H315	,		
1,1'-OXYDIPROPAN-2-OL	Eye Irrit. 2, H319			
	STOT SE 3, H335			
CAS: 112-80-1	GHS07	Xi		2.5 <= x % < 10
	Wng	Xi;R36/37/38		
OLEIC ACID	Skin Irrit. 2, H315			
	Eye Irrit. 2, H319			
	STOT SE 3, H335			
CAS: 112-90-3	GHS07, GHS05	С		2.5 <= x % < 10
EC: 204-015-5	Dgr	C;R34		
	Acute Tox. 4, H302	Xn;R22		
(Z)-OCTADEC-9-ENYLAMINE	Skin Corr. 1B, H314			
CAS: 509-34-2	GHS07, GHS08	Xn		2.5 <= x % < 10
EC: 208-096-8	Wng	Xn;R22		
	Acute Tox. 4, H302	R33		
C.I. SOLVENT RED 49	STOT RE 2, H373			
CAS: 495-54-5	GHS07, GHS09, GHS08	Xn,N	[2]	0 <= x % < 2.5
	Wng	Muta. Cat. 3;R68		
C.I. SOLVENT ORANGE 3	Acute Tox. 4, H302	Xn;R22		
	Skin Irrit. 2, H315	Xi;R38		
	Muta. 2, H341	N;R50/53		
	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1, H410			
	M Chronic = 1			

Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

[2] Carcinogenic, mutagenic or reprotoxic (CMR) substance.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation :

In the event of massive inhalation, remove the person exposed to fresh air. Keep warm and at rest.

If the person is unconscious, place in recovery position. Notify a doctor in all events, to ascertain whether observation and supportive hospital care will be necessary.

If breathing is irregular or has stopped, effect mouth-to-mouth resuscitation and call a doctor.

In the event of splashes or contact with eyes :

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water, administer activated medical charcoal and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

In the event of fire, use specifically suitable extinguishing agents. Never use water.

Suitable methods of extinction

In the event of a fire, use :

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Unsuitable methods of extinction

- In the event of a fire, do not use :
- water
- water jet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid inhaling the vapors.

Avoid any contact with the skin and eyes.

If a large quantity has been spilt, evacuate all personnel and only allow intervention by trained operators equipped with safety apparatus.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

Fire prevention :

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Never pour water into this mixture.

Avoid inhaling vapors.

Avoid inhaling vapors. Carry out any industrial operation which may give rise to this in a sealed apparatus.

Provide vapor extraction at the emission source and also general ventilation of the premises.

Also provide breathing apparatus for certain short tasks of an exceptional nature and for emergency interventions.

In all cases, recover emissions at source.

Avoid eye contact with this mixture at all times.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from food and drink, including those for animals.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- Germany - AGW (BAuA - TRGS 900, 21/06/2010) :

•				
CAS	VME :	VME :	Excess	Notes
122-99-6	20 ml/m3	110 mg/m3	2(I)	DFG, H, Y

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

- Butyl Rubber (Isobutylene-isoprene copolymer)

Recommended properties :

- Impervious gloves in accordance with standard EN374

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

Avoid breathing vapours.

If the ventilation is insufficient, wear appropriate breathing apparatus.

When workers are confronted with concentrations that are above occupational exposure limits, they must wear a suitable, approved, respiratory protection device.

Anti-gas and vapour filter(s) (Combined filters) in accordance with standard EN14387 :

- A1 (Brown)

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

General information :	
Physical state :	Fluid liquid.
Important health, safety and environmental information	
pH :	Not relevant.
Boiling point/boiling range :	Not specified.
Flash point interval :	Not relevant.
Vapour pressure (50°C) :	Not relevant.
Density :	Not stated.
Water solubility :	Insoluble.
Viscosity :	1700 +/- 500 cP
Melting point/melting range :	Not specified.
Self-ignition temperature :	Not specified.
Decomposition point/decomposition range :	Not specified.
% VOC :	0,6
9.2. Other information	

No data available.

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

10.4. Conditions to avoid

Avoid :

- humidity

Protect from moisture. Reaction with water can cause an exothermic reaction.

10.5. Incompatible materials

Keep away from :

- water

10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO2)

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Harmful if swallowed.

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May have irreversible effects on the eyes, such as tissue damage in the eye, or serious physical decay of sight, which is not fully reversible by the end of observation at 21 days.

Serious eye damage is typified by the destruction of cornea, persistent corneal opacity and iritis.

Respiratory tract irritation may occur, together with symptoms such as coughing, choking and breathing difficulties.

11.1.1. Substances

Acute toxicity :

C.I. SOLVENT ORANGE 3 (CAS: 495-54-5)	LD50 = 1650 mg/kg
Oral route :	Species : Rat (recommended by the CLP)
OLEIC ACID (CAS: 112-80-1)	LD50 = 25000 mg/kg
Oral route :	Species : Rat
1,1'-OXYDIPROPAN-2-OL (CAS: 110-98-5)	LD50 = 14850 mg/kg
Oral route :	Species : Rat

11.1.2. Mixture

No toxicological data available for the mixture.

SECTION 12 : ECOLOGICAL INFORMATION

Harmful to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

12.2.1. Substances

C.I. SOLVENT ORANGE 3 (CAS: 495-54-5)

Biod	egrada	bility
Diou	ogradu	onicy

no degradability data is available, the substance is considered as not degrading quickly.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

:

No data available.

12.6. Other adverse effects

No data available.

German regulations concerning the classification of hazards for water (WGK) :

WGK 2 (VwVwS vom 27/07/2005, KBws) : Hazardous for water.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

- Container information:

The mixture is contained in packaging that does not exceed 125 ml.

Containers to be fitted with a tactile warning of danger (see EC Regulation No. 1272/2008, Annex II, Part 3).

- Particular provisions :

No data available.

- German regulations concerning the classification of hazards for water (WGK) :

WGK 2 (VwVwS vom 27/07/2005, KBws) : Hazardous for water.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Hazard symbols :



Contains : CAS 495-54-5 C.I. SOLVENT ORANGE 3 EC 208-096-8 C.I. SOLVENT RED 49 603-057-00-5 **BENZYL ALCOHOL** 603-098-00-9 PHENOXYETHANOL -2 Risk phrase : R 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. R 36/37/38 Irritating to eyes, respiratory system and skin. Harmful if swallowed. R 22 R 33 Danger of cumulative effects. Safety phrase : S 2 Keep out of the reach of children. S 46 If swallowed, seek medical advice immediately and show this container or label. S 13 Keep away from food, drink and animal feedingstuffs. S 25 Avoid contact with eyes. S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S 37 Wear suitable gloves. S 64 If swallowed, rinse mouth with water (only if the person is conscious). Title for H, EUH and R indications mentioned in section 3 : H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H319 Causes serious eye irritation. H332 Harmful if inhaled.

H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects .
H373	May cause damage to organs through prolonged or repeated exposure .
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
R 20/22	Harmful by inhalation and if swallowed.
R 22	Harmful if swallowed.
R 33	Danger of cumulative effects.
R 34	Causes burns.
R 36	Irritating to eyes.
R 36/37/38	Irritating to eyes, respiratory system and skin.
R 38	Irritating to skin.
R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R 68	Possible risk of irreversible effects.

Abbreviations :

CMR: Carcinogenic, mutagenic or reprotoxic.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS05 : Corrosion

GHS07 : Exclamation mark