

## Safety data sheet according to UK REACH

Printing date 07.08.2024


Version number 1

Revision: 07.08.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: Show-Me Whiteboard Cleaner - Sachet**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Product category** PC35 Washing and cleaning products (including solvent based products)
- **Application of the substance / the mixture** Surface cleanser
- **Uses advised against** Any use not specified above.
- **1.3 Details of the supplier of the safety data sheet**
- **Supplier:**  
Eastpoint Global Limited  
Minerva House, Galahad Road,  
Gorleston  
NR31 7RU  
  
Tel: +44 (0) 1502 52 55 55  
Email: [customercare@eastpointglobal.com](mailto:customercare@eastpointglobal.com)
- **Further information obtainable from:** Product safety department.
- **1.4 Emergency telephone number:**  
Members of the public seeking specific information on poisons should contact:  
In England and Wales: NHS 111 - dial 111  
In Scotland: NHS 24 - dial 111

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
Eye Irrit. 2 H319 Causes serious eye irritation.  
STOT SE 3 H335 May cause respiratory irritation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms**  
  
GHS07
- **Signal word** Warning
- **Hazard-determining components of labelling:**  
Citric Acid
- **Hazard statements**  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.
- **Precautionary statements**  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280 Wear eye protection / face protection.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)

## Safety data sheet according to UK REACH

Printing date 07.08.2024

Version number 1

Revision: 07.08.2024

**Trade name: Show-Me Whiteboard Cleaner - Sachet**

(Contd. of page 1)

P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 497-19-8 EINECS: 207-838-8 Reg.nr.: 01-2119485498-19-XXXX	Sodium carbonate ⚠ Eye Irrit. 2, H319	25 – 50%
CAS: 77-92-9 EINECS: 201-069-1 Reg.nr.: 01-2119457026-42-XXXX	Citric Acid ⚠ Eye Irrit. 2, H319; STOT SE 3, H335	20 – 25%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Immediately rinse with water.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Check for and remove any contact lenses.  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Wash mouth out with water  
If symptoms persist consult doctor.
- **Information for doctor:** Treat symptomatically and supportively.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet

(Contd. on page 3)

**Safety data sheet  
according to UK REACH**

Printing date 07.08.2024

Version number 1

Revision: 07.08.2024

**Trade name: Show-Me Whiteboard Cleaner - Sachet**

(Contd. of page 2)

**· 5.2 Special hazards arising from the substance or mixture**

In case of fire, the following can be released:

Carbon monoxide (CO)

Toxic metal oxide smoke

Under certain conditions, a dust cloud of the product can explode when ignited by a spark, flame or other ignition source.

**· 5.3 Advice for firefighters****· Protective equipment:**

Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

**· Additional information**

Soluble in water.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

**SECTION 6: Accidental release measures****· 6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Avoid formation of dust.

Ensure adequate ventilation

**· 6.2 Environmental precautions:** Do not allow product to reach sewage system or any water course.**· 6.3 Methods and material for containment and cleaning up:**

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Ensure adequate ventilation.

**· 6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**SECTION 7: Handling and storage****· 7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

Prevent formation of dust.

**· Information about fire - and explosion protection:**

There is a risk of a dust explosion if the following conditions are met:

- The substance is present in very finely distributed form (powder, dust).

- The substance is whirled up in sufficient quantity in the air.

- An ignition source is present (flame, spark, electrostatic discharge, etc.)

**· 7.2 Conditions for safe storage, including any incompatibilities****· Storage:****· Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.**· Information about storage in one common storage facility:** Store away from oxidising agents.**· Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.**· Storage class:** 11

(Contd. on page 4)

## Safety data sheet according to UK REACH

Printing date 07.08.2024

Version number 1

Revision: 07.08.2024

**Trade name: Show-Me Whiteboard Cleaner - Sachet**

· **7.3 Specific end use(s)** No further relevant information available.

(Contd. of page 3)

### SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **DNELs**

**497-19-8 Sodium carbonate**

Inhalative	Long-term local effects	5 mg/m <sup>3</sup> (general population) 10 mg/m <sup>3</sup> (worker)
------------	-------------------------	---

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Ensure that eyewash stations and safety showers are close to the workstation location.

· **Respiratory protection:** Not necessary if room is well-ventilated.

· **Hand protection**



For prolonged contact, use protective gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection** Goggles recommended during refilling

· **Body protection:**

Body protection must be chosen depending on product properties, activity and possible exposure.

· **Environmental exposure controls** Do not allow to enter drains, sewers or watercourses.

GB

(Contd. on page 5)

## Safety data sheet according to UK REACH

Printing date 07.08.2024

Version number 1

Revision: 07.08.2024

Trade name: Show-Me Whiteboard Cleaner - Sachet

(Contd. of page 4)

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

· Physical state	Solid
· Colour:	Blue
· Odour:	Mild
· Odour threshold:	Not determined.
· Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and boiling range	Undetermined.
· Flammability	Not determined.
· Lower and upper explosion limit	
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	Not applicable.
· Decomposition temperature:	Not determined.
· pH at 20 °C	8 – 10 (5%)
· Viscosity:	
· Kinematic viscosity	Not applicable.
· Dynamic:	Not applicable.
· Solubility	
· water:	Soluble.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not applicable.
· Density and/or relative density	
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not applicable.

#### · 9.2 Other information

· Appearance:	
· Form:	Powder
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not self-igniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/dust mixtures are possible.
· Change in condition	
· Evaporation rate	Not applicable.

#### · Information with regard to physical hazard classes

· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void

(Contd. on page 6)

## Safety data sheet according to UK REACH

Printing date 07.08.2024

Version number 1

Revision: 07.08.2024

**Trade name: Show-Me Whiteboard Cleaner - Sachet**

(Contd. of page 5)

· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
There is a risk of a dust explosion if the following conditions are met:
  - The substance is given in very finely distributed form (powder, dust).
  - The substance is whirled up in sufficient quantity in the air.
  - An ignition source is present (flame, spark, electrostatic discharge, etc.)
- **10.3 Possibility of hazardous reactions** Reacts with strong oxidising agents.
- **10.4 Conditions to avoid** Heat and static discharge.
- **10.5 Incompatible materials:** Strong acids and oxidising agents
- **10.6 Hazardous decomposition products:**  
Carbon monoxide and carbon dioxide  
Hydrocarbons  
Toxic metal oxide smoke

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

**497-19-8 Sodium carbonate**

Oral	LD50	> 5,000 mg/kg (rat)
Dermal	LD50	> 2,000 mg/kg (rabbit)

**77-92-9 Citric Acid**

Oral	LD50	5,400 mg/kg (mouse)
Dermal	LD50	> 5,000 mg/kg (rat)
Inhalative	LC50/4 h	> 5 mg/l (rat)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause respiratory irritation.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

(Contd. on page 7)

## Safety data sheet according to UK REACH

Printing date 07.08.2024

Version number 1

Revision: 07.08.2024

**Trade name: Show-Me Whiteboard Cleaner - Sachet**

(Contd. of page 6)

- **Subacute to chronic toxicity:** Prolonged or repeated skin contact may irritate and cause dermatitis.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients are listed.

### SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

**497-19-8 Sodium carbonate**

EC50 (96 h) 200 mg/l (Bacteria)

**77-92-9 Citric Acid**

EC50 (96 h) 100 mg/l (Fish)

EC50 (48 h) 50 mg/l (Bacteria)

- **12.2 Persistence and degradability** The organic portion of the product is biodegradable.
- **12.3 Bioaccumulative potential** Product is not expected to bioaccumulate.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**  
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

· **Uncleaned packaging:**

· **Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

(Contd. on page 8)

**Safety data sheet  
according to UK REACH**

Printing date 07.08.2024

Version number 1

Revision: 07.08.2024

**Trade name: Show-Me Whiteboard Cleaner - Sachet**

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

(Contd. of page 7)

**SECTION 14: Transport information**

- |   |                 |
|---|-----------------|
| · <b>14.1 UN number or ID number</b><br>· <b>ADR/RID/ADN, IMDG, IATA</b>                            | Not applicable  |
| · <b>14.2 UN proper shipping name</b><br>· <b>ADR/RID/ADN, IMDG, IATA</b>                           | Not applicable  |
| · <b>14.3 Transport hazard class(es)</b><br>· <b>ADR/RID/ADN, ADN, IMDG, IATA</b><br>· <b>Class</b> | Not applicable  |
| · <b>14.4 Packing group</b><br>· <b>ADR/RID/ADN, IMDG, IATA</b>                                     | Not applicable  |
| · <b>14.5 Environmental hazards:</b>  | Not applicable. |
| · <b>14.6 Special precautions for user</b>  | Not applicable. |
| · <b>14.7 Maritime transport in bulk according to IMO instruments</b>                               | Not applicable. |
| · <b>UN "Model Regulation":</b>   | Not applicable  |

**SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
· **Poisons Act**

· **Regulated explosives precursors**

None of the ingredients are listed.

· **Regulated poisons**

None of the ingredients are listed.

· **Reportable explosives precursors**

None of the ingredients are listed.

· **Reportable poisons**

None of the ingredients are listed.

· **Directive 2012/18/EU**

- **Named dangerous substances - ANNEX I** None of the ingredients are listed.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

(Contd. on page 9)

**Safety data sheet  
according to UK REACH**

Printing date 07.08.2024

Version number 1

Revision: 07.08.2024

**Trade name: Show-Me Whiteboard Cleaner - Sachet**

(Contd. of page 8)

· **Relevant phrases**

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· **Training hints**

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

· **Department issuing SDS:** Product safety department.

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

**Kit components**

Product code	Description
<b>6,865</b>	<b>Show Me and Recreate Drywipe Marker Inks</b>

Components:

2,031	Drywipe Marker Ink Black
6,861	Drywipe Marker Ink Red
6,862	Drywipe Marker Ink Green
6,863	Drywipe Marker Ink Blue

## Safety data sheet according to UK REACH

Printing date 08.08.2024



Version number 1

Revision: 06.08.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
  - **Trade name:** **Drywipe Marker Ink Black**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
  - **Product category** PC18 Ink and toners
  - **Application of the substance / the mixture** Ink for marker pens.
  - **Uses advised against** Any use not specified above.
- **1.3 Details of the supplier of the safety data sheet**
  - **Supplier:**  
Eastpoint Global Limited  
Minerva House, Galahad Road,  
Gorleston  
NR31 7RU  
  
Tel: +44 (0) 1502 52 55 55  
Email: [customercare@eastpointglobal.com](mailto:customercare@eastpointglobal.com)
  - **Further information obtainable from:** Product safety department.
- **1.4 Emergency telephone number:**  
Members of the public seeking specific information on poisons should contact:  
In England and Wales: NHS 111 - dial 111  
In Scotland: NHS 24 - dial 111

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
  - **Classification according to Regulation (EC) No 1272/2008**  
Flam. Liq. 2 H225 Highly flammable liquid and vapour.  
Eye Irrit. 2 H319 Causes serious eye irritation.  
STOT SE 3 H336 May cause drowsiness or dizziness.
- **2.2 Label elements**
  - **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the GB CLP regulation.
  - **Hazard pictograms**  
   
GHS02 GHS07
  - **Signal word** Danger
  - **Hazard-determining components of labelling:**  
Isopropanol
  - **Hazard statements**  
H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.
  - **Precautionary statements**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

(Contd. on page 2)

## Safety data sheet according to UK REACH

Printing date 08.08.2024

Version number 1

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Black**

(Contd. of page 1)

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25-XXXX	Isopropanol ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319; STOT SE 3, H336	20 – 25%
CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-XXXX	Ethanol ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 %	10 – 25%
CAS: 107-98-2 EINECS: 203-539-1 Reg.nr.: 01-2119457435-35-XXXX	1-Methoxy-2-propanol ⚠ Flam. Liq. 3, H226; ⚠ STOT SE 3, H336	2.5 – 10%
CAS: 1333-86-4 EINECS: 215-609-9 Reg.nr.: 01-2119384822-32-XXXX	Carbon black substance with a Community workplace exposure limit	2.5 – 10%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Immediately rinse with water.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Check for and remove any contact lenses.  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Wash mouth out with water  
If symptoms persist consult doctor.

(Contd. on page 3)

## Safety data sheet according to UK REACH

Printing date 08.08.2024

Version number 1

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Black**

(Contd. of page 2)

- **Information for doctor:** Treat symptomatically and supportively.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**  
Flammable. Vapors may travel to source of ignition and flash back.  
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Do not inhale explosion gases or combustion gases.  
Wear fully protective suit.
- **Additional information**  
Cool endangered receptacles with water spray.  
Collect contaminated fire fighting water separately. It must not enter the sewage system.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation
- **6.2 Environmental precautions:**  
Prevent seepage into sewage system, workpits and cellars.  
Do not allow to penetrate the ground/soil.  
Do not allow product to reach sewage system or any water course.
- **6.3 Methods and material for containment and cleaning up:**  
Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.  
Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

(Contd. on page 4)

**Safety data sheet  
according to UK REACH**

Printing date 08.08.2024

Version number 1

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Black**

(Contd. of page 3)

Safety showers and eye wash facilities should be available at the work area.

· **Information about fire - and explosion protection:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:**

Store in a cool location.

Prevent any seepage into the ground.

· **Information about storage in one common storage facility:** Store away from oxidising agents.

· **Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· **Storage class:** 3

· **7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

**CAS: 67-63-0 Isopropanol**

WEL	Short-term value: 1250 mg/m <sup>3</sup> , 500 ppm
	Long-term value: 999 mg/m <sup>3</sup> , 400 ppm

**CAS: 64-17-5 Ethanol**

WEL	Long-term value: 1920 mg/m <sup>3</sup> , 1000 ppm
-----	--

**CAS: 107-98-2 1-Methoxy-2-propanol**

WEL	Short-term value: 560 mg/m <sup>3</sup> , 150 ppm
	Long-term value: 375 mg/m <sup>3</sup> , 100 ppm
	Sk

**CAS: 1333-86-4 Carbon black**

WEL	Short-term value: 7 mg/m <sup>3</sup>
	Long-term value: 3.5 mg/m <sup>3</sup>

· **DNELs**

**CAS: 67-63-0 Isopropanol**

Oral	Long-term systemic effects	26 mg/kg bw/day (general population)
	Short-term systemic effects	51 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	319 mg/kg bw/day (general population)
		888 mg/kg bw/day (worker)
Inhalative	Long-term systemic effects	89 mg/m <sup>3</sup> (general population)
		500 mg/m <sup>3</sup> (worker)
	Short-term systemic effects	178 mg/m <sup>3</sup> (general population)
		1,000 mg/m <sup>3</sup> (worker)

**CAS: 64-17-5 Ethanol**

Oral	Long-term systemic effects	87 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	206 mg/kg bw/day (general population)

(Contd. on page 5)

**Safety data sheet  
according to UK REACH**

Printing date 08.08.2024

Version number 1

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Black**

(Contd. of page 4)

Inhalative	Long-term systemic effects	343 mg/kg bw/day (worker) 114 mg/m <sup>3</sup> (general population) 380 mg/m <sup>3</sup> (worker)
	Short-term local effects	950 mg/m <sup>3</sup> (general population) 1,900 mg/m <sup>3</sup> (worker)

**CAS: 107-98-2 1-Methoxy-2-propanol**

Oral	Long-term systemic effects	33 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	78 mg/kg bw/day (general population) 183 mg/kg bw/day (worker)
	Inhalative	Long-term systemic effects
	Long-term systemic effects	43.9 mg/m <sup>3</sup> (general population) 369 mg/m <sup>3</sup> (worker)
	Short-term systemic effects	553.5 mg/m <sup>3</sup> (worker)
	Short-term local effects	553.5 mg/m <sup>3</sup> (worker)

**CAS: 1333-86-4 Carbon black**

Inhalative	Long-term systemic effects	60 µg/m <sup>3</sup> (general population) 1,000 µg/m <sup>3</sup> (worker)
------------	----------------------------	---

· **PNECs**

**CAS: 64-17-5 Ethanol**

Freshwater	960 µg/L
Freshwater - Intermittent releases	2.75 mg/L
Marine water	790 µg/L
Sewage Treatment Plant	580 mg/L
Sediment (freshwater)	3.6 mg/kg
Sediment (marine water)	2.9 mg/kg
Soil	630 µg/kg
Secondary poisoning	380 – 720 mg/kg food

**CAS: 107-98-2 1-Methoxy-2-propanol**

Freshwater	10 mg/L
Freshwater - Intermittent releases	100 mg/L
Marine water	1 mg/L
Sewage Treatment Plant	100 mg/L
Sediment (freshwater)	52.3 mg/kg
Sediment (marine water)	5.2 mg/kg
Soil	4.59 mg/kg

**CAS: 1333-86-4 Carbon black**

Freshwater	50 mg/L
------------	---------

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

(Contd. on page 6)

## Safety data sheet according to UK REACH

Printing date 08.08.2024

Version number 1

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Black**

(Contd. of page 5)

Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.  
Ensure that eyewash stations and safety showers are close to the workstation location.

· **Respiratory protection:**

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A for organic vapours

· **Hand protection**



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

Break-through time: > 480 minutes

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**



Tightly sealed goggles conforming to EN166.

· **Body protection:**



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

· **Environmental exposure controls** Do not allow to enter drains, sewers or watercourses.

### SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· <b>Physical state</b>	Fluid
· <b>Colour:</b>	Black
· <b>Odour:</b>	Characteristic
· <b>Odour threshold:</b>	Not determined.
· <b>Melting point/freezing point:</b>	Undetermined.
· <b>Boiling point or initial boiling point and boiling range</b>	78 °C (CAS: 64-17-5 Ethanol)
· <b>Flammability</b>	Highly flammable.

(Contd. on page 7)

## Safety data sheet according to UK REACH

Printing date 08.08.2024

Version number 1

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Black**

(Contd. of page 6)

· <b>Lower and upper explosion limit</b>	
· <b>Lower:</b>	2 Vol % (CAS: 67-63-0 Isopropanol)
· <b>Upper:</b>	13 Vol % (CAS: 64-17-5 Ethanol)
· <b>Flash point:</b>	13 °C
· <b>Auto-ignition temperature:</b>	287 °C (CAS: 107-98-2 1-Methoxy-2-propanol)
· <b>Decomposition temperature:</b>	Not determined.
· <b>pH at 20 °C</b>	4 – 7
· <b>Viscosity:</b>	
· <b>Kinematic viscosity</b>	Not determined.
· <b>Dynamic:</b>	Not determined.
· <b>Solubility</b>	
· <b>water:</b>	Fully miscible.
· <b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
· <b>Vapour pressure at 20 °C:</b>	59 hPa (CAS: 64-17-5 Ethanol)
· <b>Density and/or relative density</b>	
· <b>Density at 20 °C:</b>	0.83 – 0.845 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.

### · 9.2 Other information

· <b>Appearance:</b>	
· <b>Form:</b>	Liquid
· <b>Important information on protection of health and environment, and on safety.</b>	
· <b>Ignition temperature:</b>	Product is not self-igniting.
· <b>Explosive properties:</b>	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· <b>Solvent content:</b>	
· <b>VOC (EC)</b>	54.00 %
· <b>Change in condition</b>	
· <b>Evaporation rate</b>	Not determined.

### · Information with regard to physical hazard classes

· <b>Explosives</b>	Void
· <b>Flammable gases</b>	Void
· <b>Aerosols</b>	Void
· <b>Oxidising gases</b>	Void
· <b>Gases under pressure</b>	Void
· <b>Flammable liquids</b>	Highly flammable liquid and vapour.
· <b>Flammable solids</b>	Void
· <b>Self-reactive substances and mixtures</b>	Void
· <b>Pyrophoric liquids</b>	Void
· <b>Pyrophoric solids</b>	Void
· <b>Self-heating substances and mixtures</b>	Void
· <b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
· <b>Oxidising liquids</b>	Void
· <b>Oxidising solids</b>	Void
· <b>Organic peroxides</b>	Void
· <b>Corrosive to metals</b>	Void

(Contd. on page 8)

**Safety data sheet  
according to UK REACH**

Printing date 08.08.2024

Version number 1

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Black**

(Contd. of page 7)

· **Desensitised explosives** Void

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** Heat and static discharge.
- **10.5 Incompatible materials:**
  - Strong acids.
  - Strong bases.
  - Strong oxidising agents.
- **10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide

**SECTION 11: Toxicological information**

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

**CAS: 67-63-0 Isopropanol**

Oral	LD50	> 2,000 mg/kg (rat)
------	------	---------------------

**CAS: 64-17-5 Ethanol**

Oral	LD50	> 10,000 mg/kg (rat)
Dermal	LD50	> 10,000 mg/kg (rabbit)
Inhalative	LC50/4 h	> 100 mg/l (rat)

**CAS: 107-98-2 1-Methoxy-2-propanol**

Oral	LD50	> 2,000 mg/kg (rat)
Dermal	LD50	> 2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	6 mg/l (rat)

**CAS: 1333-86-4 Carbon black**

Oral	LD50	10,000 mg/kg (rat)
------	------	--------------------

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause drowsiness or dizziness.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Subacute to chronic toxicity:** Prolonged or repeated skin contact may irritate and cause dermatitis.

(Contd. on page 9)

**Safety data sheet  
according to UK REACH**

Printing date 08.08.2024

Version number 1

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Black**

(Contd. of page 8)

· **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients are listed.

**SECTION 12: Ecological information**

· **12.1 Toxicity**

· **Aquatic toxicity:**

**CAS: 67-63-0 Isopropanol**

EC50 (96 h) > 10,000 mg/l (Bacteria)

**CAS: 64-17-5 Ethanol**

EC50 (96 h) 454 mg/l (Bacteria)

**CAS: 107-98-2 1-Methoxy-2-propanol**

EC50 (96 h) > 20,000 mg/l (Bacteria)

· **12.2 Persistence and degradability** Readily biodegradable

· **12.3 Bioaccumulative potential** Contains components with the potential to bioaccumulate.

· **12.4 Mobility in soil** No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects**

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

**SECTION 13: Disposal considerations**

· **13.1 Waste treatment methods**

· **Recommendation**

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

· **Uncleaned packaging:**

· **Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

(Contd. on page 10)

**Safety data sheet  
according to UK REACH**

Printing date 08.08.2024

Version number 1

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Black**

(Contd. of page 9)

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

**SECTION 14: Transport information**

· **14.1 UN number or ID number**

· **ADR/RID/ADN, IMDG, IATA** UN1263

· **14.2 UN proper shipping name**

· **ADR/RID/ADN** UN1263 PAINT, special provision 640D  
· **IMDG, IATA** PAINT

· **14.3 Transport hazard class(es)**

· **ADR/RID/ADN**



· **Class** 3 (F1) Flammable liquids.  
· **Label** 3

· **IMDG, IATA**



· **Class** 3 Flammable liquids.  
· **Label** 3

· **14.4 Packing group**

· **ADR/RID/ADN, IMDG, IATA** II

· **14.5 Environmental hazards:**

Not applicable.

· **14.6 Special precautions for user**

Warning: Flammable liquids.

· **Hazard identification number (Kemler code):** 33

· **Hazchem Code:** •3YE

· **EMS Number:** F-E,S-E

· **Stowage Category** B

· **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

· **Transport/Additional information:**

· **ADR/RID/ADN**

· **Limited quantities (LQ)** 5L

· **Excepted quantities (EQ)** Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· **Transport category** 2

· **Tunnel restriction code** D/E

(Contd. on page 11)

## Safety data sheet according to UK REACH

Printing date 08.08.2024

Version number 1

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Black**

(Contd. of page 10)

- |  |   |
|--|---|
| <ul style="list-style-type: none"> <li>· <b>IMDG</b></li> <li>· <b>Limited quantities (LQ)</b></li> <li>· <b>Excepted quantities (EQ)</b></li> </ul> | <p>5L<br/>Code: E2<br/>Maximum net quantity per inner packaging: 30 ml<br/>Maximum net quantity per outer packaging: 500 ml</p> |
| <ul style="list-style-type: none"> <li>· <b>UN "Model Regulation":</b></li> </ul>  | <p>UN 1263 PAINT, 3, II</p>   |

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

· **Regulated explosives precursors**

None of the ingredients are listed.

· **Regulated poisons**

None of the ingredients are listed.

· **Reportable explosives precursors**

None of the ingredients are listed.

· **Reportable poisons**

None of the ingredients are listed.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients are listed.

· **Seveso category P5c**

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t

· **National regulations:**

· **Information about limitation of use:**

Class	Share in %
NK	54.0

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· **Relevant phrases**

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· **Training hints**

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

(Contd. on page 12)

**Safety data sheet  
according to UK REACH**

Printing date 08.08.2024

Version number 1

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Black**

(Contd. of page 11)

· **Department issuing SDS:** Product safety department.

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids – Category 3

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

**Safety data sheet  
according to UK REACH**

Printing date 08.08.2024



Version number 3 (replaces version 2)

Revision: 06.08.2024

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **1.1 Product identifier**
- **Trade name: Drywipe Marker Ink Red**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Product category** PC18 Ink and toners
- **Application of the substance / the mixture** Ink for marker pens.
- **Uses advised against** Any use not specified above.
- **1.3 Details of the supplier of the safety data sheet**
- **Supplier:**  
Eastpoint Global Limited  
Minerva House, Galahad Road,  
Gorleston  
NR31 7RU  
  
Tel: +44 (0) 1502 52 55 55  
Email: [customercare@eastpointglobal.com](mailto:customercare@eastpointglobal.com)
- **Further information obtainable from:** Product safety department.
- **1.4 Emergency telephone number:**  
Members of the public seeking specific information on poisons should contact:  
In England and Wales: NHS 111 - dial 111  
In Scotland: NHS 24 - dial 111

**SECTION 2: Hazards identification**

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
Flam. Liq. 2      H225 Highly flammable liquid and vapour.  
Eye Irrit. 2      H319 Causes serious eye irritation.  
STOT SE 3      H336 May cause drowsiness or dizziness.  
Aquatic Chronic 3      H412 Harmful to aquatic life with long lasting effects.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms**  
   
GHS02    GHS07
- **Signal word** Danger
- **Hazard-determining components of labelling:**  
Isopropanol
- **Hazard statements**  
H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.  
H412 Harmful to aquatic life with long lasting effects.
- **Precautionary statements**  
P210      Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Contd. on page 2)

## Safety data sheet according to UK REACH

Printing date 08.08.2024

Version number 3 (replaces version 2)

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Red**

(Contd. of page 1)

- P241 Use explosion-proof [electrical/ventilating/lighting] equipment.  
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P405 Store locked up.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25-XXXX	Isopropanol ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319; STOT SE 3, H336	20 – 25%
CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-XXXX	Ethanol ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 %	10 – 25%
CAS: 107-98-2 EINECS: 203-539-1 Reg.nr.: 01-2119457435-35-XXXX	1-Methoxy-2-propanol ⚠ Flam. Liq. 3, H226; ⚠ STOT SE 3, H336	2.5 – 10%
CAS: 5160-02-1 EINECS: 225-935-3 Reg.nr.: 01-2119962892-25-XXXX	Pigment Red 53.1 ⚠ Aquatic Chronic 2, H411	2.5 – 10%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Immediately rinse with water.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Check for and remove any contact lenses.  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Wash mouth out with water

(Contd. on page 3)

**Safety data sheet  
according to UK REACH**

Printing date 08.08.2024

Version number 3 (replaces version 2)

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Red**

(Contd. of page 2)

If symptoms persist consult doctor.

- **Information for doctor:** Treat symptomatically and supportively.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

**SECTION 5: Firefighting measures**

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**  
Flammable. Vapors may travel to source of ignition and flash back.  
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Do not inhale explosion gases or combustion gases.  
Wear fully protective suit.
- **Additional information**  
Cool endangered receptacles with water spray.  
Collect contaminated fire fighting water separately. It must not enter the sewage system.

**SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation
- **6.2 Environmental precautions:**  
Prevent seepage into sewage system, workpits and cellars.  
Do not allow to penetrate the ground/soil.  
Do not allow product to reach sewage system or any water course.
- **6.3 Methods and material for containment and cleaning up:**  
Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.

(Contd. on page 4)

GB

**Safety data sheet  
according to UK REACH**

Printing date 08.08.2024

Version number 3 (replaces version 2)

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Red**

(Contd. of page 3)

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

Safety showers and eye wash facilities should be available at the work area.

**· Information about fire - and explosion protection:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

**· 7.2 Conditions for safe storage, including any incompatibilities**

**· Storage:**

**· Requirements to be met by storerooms and receptacles:**

Store in a cool location.

Prevent any seepage into the ground.

**· Information about storage in one common storage facility:** Store away from oxidising agents.

**· Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

**· Storage class:** 3

**· 7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

**· 8.1 Control parameters**

**· Ingredients with limit values that require monitoring at the workplace:**

**CAS: 67-63-0 Isopropanol**

WEL	Short-term value: 1250 mg/m <sup>3</sup> , 500 ppm
	Long-term value: 999 mg/m <sup>3</sup> , 400 ppm

**CAS: 64-17-5 Ethanol**

WEL	Long-term value: 1920 mg/m <sup>3</sup> , 1000 ppm
-----	--

**CAS: 107-98-2 1-Methoxy-2-propanol**

WEL	Short-term value: 560 mg/m <sup>3</sup> , 150 ppm
	Long-term value: 375 mg/m <sup>3</sup> , 100 ppm
	Sk

**· DNELs**

**CAS: 67-63-0 Isopropanol**

Oral	Long-term systemic effects	26 mg/kg bw/day (general population)
	Short-term systemic effects	51 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	319 mg/kg bw/day (general population) 888 mg/kg bw/day (worker)
	Inhalative	89 mg/m <sup>3</sup> (general population) 500 mg/m <sup>3</sup> (worker)
	Short-term systemic effects	178 mg/m <sup>3</sup> (general population) 1,000 mg/m <sup>3</sup> (worker)

**CAS: 64-17-5 Ethanol**

Oral	Long-term systemic effects	87 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	206 mg/kg bw/day (general population) 343 mg/kg bw/day (worker)

(Contd. on page 5)

**Safety data sheet  
according to UK REACH**

Printing date 08.08.2024

Version number 3 (replaces version 2)

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Red**

(Contd. of page 4)

Inhalative	Long-term systemic effects	114 mg/m <sup>3</sup> (general population) 380 mg/m <sup>3</sup> (worker)
	Short-term local effects	950 mg/m <sup>3</sup> (general population) 1,900 mg/m <sup>3</sup> (worker)

**CAS: 107-98-2 1-Methoxy-2-propanol**

Oral	Long-term systemic effects	33 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	78 mg/kg bw/day (general population) 183 mg/kg bw/day (worker)
	Long-term systemic effects	43.9 mg/m <sup>3</sup> (general population) 369 mg/m <sup>3</sup> (worker)
Inhalative	Short-term systemic effects	553.5 mg/m <sup>3</sup> (worker)
	Short-term local effects	553.5 mg/m <sup>3</sup> (worker)

**CAS: 5160-02-1 Pigment Red 53.1**

Oral	Long-term systemic effects	320 µg/kg bw/day (general population)
Dermal	Long-term systemic effects	320 µg/kg bw/day (general population) 650 µg/kg bw/day (worker)
	Long-term systemic effects	2.29 mg/m <sup>3</sup> (worker)
Inhalative	Long-term systemic effects	560 µg/m <sup>3</sup> (general population)

**· PNECs**

**CAS: 64-17-5 Ethanol**

Freshwater	960 µg/L
Freshwater - Intermittent releases	2.75 mg/L
Marine water	790 µg/L
Sewage Treatment Plant	580 mg/L
Sediment (freshwater)	3.6 mg/kg
Sediment (marine water)	2.9 mg/kg
Soil	630 µg/kg
Secondary poisoning	380 – 720 mg/kg food

**CAS: 107-98-2 1-Methoxy-2-propanol**

Freshwater	10 mg/L
Freshwater - Intermittent releases	100 mg/L
Marine water	1 mg/L
Sewage Treatment Plant	100 mg/L
Sediment (freshwater)	52.3 mg/kg
Sediment (marine water)	5.2 mg/kg
Soil	4.59 mg/kg

**CAS: 5160-02-1 Pigment Red 53.1**

Sewage Treatment Plant	10 mg/L
Sediment (freshwater)	10 mg/kg
Sediment (marine water)	1 mg/kg
Soil	1 mg/kg

(Contd. on page 6)

**Safety data sheet  
according to UK REACH**

Printing date 08.08.2024

Version number 3 (replaces version 2)

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Red**

(Contd. of page 5)

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Ensure that eyewash stations and safety showers are close to the workstation location.

· **Respiratory protection:**

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A for organic vapours

· **Hand protection**



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

Break-through time: > 480 minutes

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**



Tightly sealed goggles conforming to EN166.

· **Body protection:**



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

· **Environmental exposure controls** Do not allow to enter drains, sewers or watercourses.

**SECTION 9: Physical and chemical properties**

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Fluid

(Contd. on page 7)

## Safety data sheet according to UK REACH

Printing date 08.08.2024

Version number 3 (replaces version 2)

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Red**

(Contd. of page 6)

· <b>Colour:</b>	Red
· <b>Odour:</b>	Characteristic
· <b>Odour threshold:</b>	Not determined.
· <b>Melting point/freezing point:</b>	Undetermined.
· <b>Boiling point or initial boiling point and boiling range</b>	78 °C (CAS: 64-17-5 Ethanol)
· <b>Flammability</b>	Highly flammable.
· <b>Lower and upper explosion limit</b>	
· <b>Lower:</b>	2 Vol % (CAS: 67-63-0 Isopropanol)
· <b>Upper:</b>	13 Vol % (CAS: 64-17-5 Ethanol)
· <b>Flash point:</b>	13 °C
· <b>Auto-ignition temperature:</b>	287 °C (CAS: 107-98-2 1-Methoxy-2-propanol)
· <b>Decomposition temperature:</b>	Not determined.
· <b>pH at 20 °C</b>	4 – 7
· <b>Viscosity:</b>	
· <b>Kinematic viscosity</b>	Not determined.
· <b>Dynamic:</b>	Not determined.
· <b>Solubility</b>	
· <b>water:</b>	Fully miscible.
· <b>Partition coefficient n-octanol/water (log value)</b>	Not determined.
· <b>Vapour pressure at 20 °C:</b>	59 hPa (CAS: 64-17-5 Ethanol)
· <b>Density and/or relative density</b>	
· <b>Density at 20 °C:</b>	0.83 – 0.845 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.

### · 9.2 Other information

· <b>Appearance:</b>	
· <b>Form:</b>	Liquid
· <b>Important information on protection of health and environment, and on safety.</b>	
· <b>Ignition temperature:</b>	Product is not self-igniting.
· <b>Explosive properties:</b>	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· <b>Solvent content:</b>	
· <b>VOC (EC)</b>	54.00 %
· <b>Change in condition</b>	
· <b>Evaporation rate</b>	Not determined.

### · Information with regard to physical hazard classes

· <b>Explosives</b>	Void
· <b>Flammable gases</b>	Void
· <b>Aerosols</b>	Void
· <b>Oxidising gases</b>	Void
· <b>Gases under pressure</b>	Void
· <b>Flammable liquids</b>	Highly flammable liquid and vapour.
· <b>Flammable solids</b>	Void
· <b>Self-reactive substances and mixtures</b>	Void
· <b>Pyrophoric liquids</b>	Void
· <b>Pyrophoric solids</b>	Void
· <b>Self-heating substances and mixtures</b>	Void
· <b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void

(Contd. on page 8)

## Safety data sheet according to UK REACH

Printing date 08.08.2024

Version number 3 (replaces version 2)

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Red**

(Contd. of page 7)

· <b>Oxidising liquids</b>	Void
· <b>Oxidising solids</b>	Void
· <b>Organic peroxides</b>	Void
· <b>Corrosive to metals</b>	Void
· <b>Desensitised explosives</b>	Void

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** Heat and static discharge.
- **10.5 Incompatible materials:**
  - Strong acids.
  - Strong bases.
  - Strong oxidising agents.
- **10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

**CAS: 67-63-0 Isopropanol**

Oral	LD50	> 2,000 mg/kg (rat)
------	------	---------------------

**CAS: 64-17-5 Ethanol**

Oral	LD50	> 10,000 mg/kg (rat)
Dermal	LD50	> 10,000 mg/kg (rabbit)
Inhalative	LC50/4 h	> 100 mg/l (rat)

**CAS: 107-98-2 1-Methoxy-2-propanol**

Oral	LD50	> 2,000 mg/kg (rat)
Dermal	LD50	> 2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	6 mg/l (rat)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** May cause drowsiness or dizziness.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Subacute to chronic toxicity:** Prolonged or repeated skin contact may irritate and cause dermatitis.

(Contd. on page 9)

**Safety data sheet  
according to UK REACH**

Printing date 08.08.2024

Version number 3 (replaces version 2)

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Red**

(Contd. of page 8)

· **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients are listed.

**SECTION 12: Ecological information**

· **12.1 Toxicity**

· **Aquatic toxicity:**

**CAS: 67-63-0 Isopropanol**

EC50 (96 h) > 10,000 mg/l (Bacteria)

**CAS: 64-17-5 Ethanol**

EC50 (96 h) 454 mg/l (Bacteria)

**CAS: 107-98-2 1-Methoxy-2-propanol**

EC50 (96 h) > 20,000 mg/l (Bacteria)

· **12.2 Persistence and degradability** Readily biodegradable

· **12.3 Bioaccumulative potential** Contains components with the potential to bioaccumulate.

· **12.4 Mobility in soil** No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects**

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

**SECTION 13: Disposal considerations**

· **13.1 Waste treatment methods**

· **Recommendation**

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

· **Uncleaned packaging:**

· **Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

(Contd. on page 10)

**Safety data sheet  
according to UK REACH**

Printing date 08.08.2024

Version number 3 (replaces version 2)

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Red**

(Contd. of page 9)

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

**SECTION 14: Transport information**

· **14.1 UN number or ID number**

· **ADR/RID/ADN, IMDG, IATA** UN1263

· **14.2 UN proper shipping name**

· **ADR/RID/ADN** UN1263 PAINT, special provision 640D  
· **IMDG, IATA** PAINT

· **14.3 Transport hazard class(es)**

· **ADR/RID/ADN**



· **Class** 3 (F1) Flammable liquids.  
· **Label** 3

· **IMDG, IATA**



· **Class** 3 Flammable liquids.  
· **Label** 3

· **14.4 Packing group**

· **ADR/RID/ADN, IMDG, IATA** II

· **14.5 Environmental hazards:** Not applicable.

· **14.6 Special precautions for user**

· **Hazard identification number (Kemler code):** Warning: Flammable liquids.  
33

· **Hazchem Code:** •3YE

· **EMS Number:** F-E,S-E

· **Stowage Category** B

· **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

· **Transport/Additional information:**

· **ADR/RID/ADN**

· **Limited quantities (LQ)** 5L

· **Excepted quantities (EQ)** Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· **Transport category** 2

· **Tunnel restriction code** D/E

(Contd. on page 11)

**Safety data sheet  
according to UK REACH**

Printing date 08.08.2024

Version number 3 (replaces version 2)

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Red**

(Contd. of page 10)

- |                                   |  |
|-----------------------------------|--|
| · <b>IMDG</b>                     |  |
| · <b>Limited quantities (LQ)</b>  | 5L   |
| · <b>Excepted quantities (EQ)</b> | Code: E2   |
|                                   | Maximum net quantity per inner packaging: 30 ml  |
|                                   | Maximum net quantity per outer packaging: 500 ml |
| · <b>UN "Model Regulation":</b>   | UN 1263 PAINT, 3, II                             |

**SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Poisons Act**

· **Regulated explosives precursors**

None of the ingredients are listed.

· **Regulated poisons**

None of the ingredients are listed.

· **Reportable explosives precursors**

None of the ingredients are listed.

· **Reportable poisons**

None of the ingredients are listed.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients are listed.

· **Seveso category P5c**

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t

· **National regulations:**

· **Information about limitation of use:**

Class	Share in %
NK	54.0

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· **Relevant phrases**

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 12)

**Safety data sheet  
according to UK REACH**

Printing date 08.08.2024

Version number 3 (replaces version 2)

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Red**

(Contd. of page 11)

· **Training hints**

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

· **Department issuing SDS:** Product safety department.

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids – Category 3

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· **\* Data compared to the previous version altered.**

## Safety data sheet according to UK REACH

Printing date 08.08.2024



Version number 1

Revision: 06.08.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: Drywipe Marker Ink Green**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Product category** PC18 Ink and toners
- **Application of the substance / the mixture** Ink for marker pens.
- **Uses advised against** Any use not specified above.
- **1.3 Details of the supplier of the safety data sheet**
- **Supplier:**  
Eastpoint Global Limited  
Minerva House, Galahad Road,  
Gorleston  
NR31 7RU  
  
Tel: +44 (0) 1502 52 55 55  
Email: [customercare@eastpointglobal.com](mailto:customercare@eastpointglobal.com)
- **Further information obtainable from:** Product safety department.
- **1.4 Emergency telephone number:**  
Members of the public seeking specific information on poisons should contact:  
In England and Wales: NHS 111 - dial 111  
In Scotland: NHS 24 - dial 111

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
Flam. Liq. 2 H225 Highly flammable liquid and vapour.  
Eye Irrit. 2 H319 Causes serious eye irritation.  
STOT SE 3 H336 May cause drowsiness or dizziness.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms**  
  
GHS02 GHS07
- **Signal word** Danger
- **Hazard-determining components of labelling:**  
Isopropanol
- **Hazard statements**  
H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.
- **Precautionary statements**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

(Contd. on page 2)

## Safety data sheet according to UK REACH

Printing date 08.08.2024

Version number 1

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Green**

(Contd. of page 1)

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25-XXXX	Isopropanol ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319; STOT SE 3, H336	20 – 25%
CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-XXXX	Ethanol ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 %	10 – 25%
CAS: 107-98-2 EINECS: 203-539-1 Reg.nr.: 01-2119457435-35-XXXX	1-Methoxy-2-propanol ⚠ Flam. Liq. 3, H226; ⚠ STOT SE 3, H336	2.5 – 10%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Immediately rinse with water.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Check for and remove any contact lenses.  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Wash mouth out with water  
If symptoms persist consult doctor.
- **Information for doctor:** Treat symptomatically and supportively.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.

(Contd. on page 3)

**Safety data sheet  
according to UK REACH**

Printing date 08.08.2024

Version number 1

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Green**

(Contd. of page 2)

- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

**SECTION 5: Firefighting measures**

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**  
Flammable. Vapors may travel to source of ignition and flash back.  
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Do not inhale explosion gases or combustion gases.  
Wear fully protective suit.
- **Additional information**  
Cool endangered receptacles with water spray.  
Collect contaminated fire fighting water separately. It must not enter the sewage system.

**SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation
- **6.2 Environmental precautions:**  
Prevent seepage into sewage system, workpits and cellars.  
Do not allow to penetrate the ground/soil.  
Do not allow product to reach sewage system or any water course.
- **6.3 Methods and material for containment and cleaning up:**  
Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.  
Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.  
Safety showers and eye wash facilities should be available at the work area.
- **Information about fire - and explosion protection:**  
Keep ignition sources away - Do not smoke.

(Contd. on page 4)

**Safety data sheet  
according to UK REACH**

Printing date 08.08.2024

Version number 1

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Green**

(Contd. of page 3)

- Protect against electrostatic charges.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Store in a cool location.  
Prevent any seepage into the ground.
- **Information about storage in one common storage facility:** Store away from oxidising agents.
- **Further information about storage conditions:**  
Store in cool, dry conditions in well sealed receptacles.  
Protect from heat and direct sunlight.
- **Storage class:** 3
- **7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

**CAS: 67-63-0 Isopropanol**

WEL	Short-term value: 1250 mg/m <sup>3</sup> , 500 ppm
	Long-term value: 999 mg/m <sup>3</sup> , 400 ppm

**CAS: 64-17-5 Ethanol**

WEL	Long-term value: 1920 mg/m <sup>3</sup> , 1000 ppm
-----	--

**CAS: 107-98-2 1-Methoxy-2-propanol**

WEL	Short-term value: 560 mg/m <sup>3</sup> , 150 ppm
	Long-term value: 375 mg/m <sup>3</sup> , 100 ppm
	Sk

· **DNELs**

**CAS: 67-63-0 Isopropanol**

Oral	Long-term systemic effects	26 mg/kg bw/day (general population)
	Short-term systemic effects	51 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	319 mg/kg bw/day (general population)
		888 mg/kg bw/day (worker)
Inhalative	Long-term systemic effects	89 mg/m <sup>3</sup> (general population)
		500 mg/m <sup>3</sup> (worker)
	Short-term systemic effects	178 mg/m <sup>3</sup> (general population)
		1,000 mg/m <sup>3</sup> (worker)

**CAS: 64-17-5 Ethanol**

Oral	Long-term systemic effects	87 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	206 mg/kg bw/day (general population)
		343 mg/kg bw/day (worker)
Inhalative	Long-term systemic effects	114 mg/m <sup>3</sup> (general population)
		380 mg/m <sup>3</sup> (worker)
	Short-term local effects	950 mg/m <sup>3</sup> (general population)
		1,900 mg/m <sup>3</sup> (worker)

(Contd. on page 5)

## Safety data sheet according to UK REACH

Printing date 08.08.2024

Version number 1

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Green**

(Contd. of page 4)

**CAS: 107-98-2 1-Methoxy-2-propanol**

Oral	Long-term systemic effects	33 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	78 mg/kg bw/day (general population)
Inhalative		183 mg/kg bw/day (worker)
	Long-term systemic effects	43.9 mg/m <sup>3</sup> (general population)
		369 mg/m <sup>3</sup> (worker)
	Short-term systemic effects	553.5 mg/m <sup>3</sup> (worker)
	Short-term local effects	553.5 mg/m <sup>3</sup> (worker)

· **PNECs**

**CAS: 64-17-5 Ethanol**

Freshwater	960 µg/L
Freshwater - Intermittent releases	2.75 mg/L
Marine water	790 µg/L
Sewage Treatment Plant	580 mg/L
Sediment (freshwater)	3.6 mg/kg
Sediment (marine water)	2.9 mg/kg
Soil	630 µg/kg
Secondary poisoning	380 – 720 mg/kg food

**CAS: 107-98-2 1-Methoxy-2-propanol**

Freshwater	10 mg/L
Freshwater - Intermittent releases	100 mg/L
Marine water	1 mg/L
Sewage Treatment Plant	100 mg/L
Sediment (freshwater)	52.3 mg/kg
Sediment (marine water)	5.2 mg/kg
Soil	4.59 mg/kg

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Ensure that eyewash stations and safety showers are close to the workstation location.

· **Respiratory protection:**

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A for organic vapours

· **Hand protection**



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

(Contd. on page 6)

## Safety data sheet according to UK REACH

Printing date 08.08.2024

Version number 1

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Green**

(Contd. of page 5)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

Break-through time: > 480 minutes

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**



Tightly sealed goggles conforming to EN166.

· **Body protection:**



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

· **Environmental exposure controls** Do not allow to enter drains, sewers or watercourses.

### SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· <b>Physical state</b>	Fluid
· <b>Colour:</b>	Green
· <b>Odour:</b>	Characteristic
· <b>Odour threshold:</b>	Not determined.
· <b>Melting point/freezing point:</b>	Undetermined.
· <b>Boiling point or initial boiling point and boiling range</b>	78 °C (CAS: 64-17-5 Ethanol)
· <b>Flammability</b>	Highly flammable.
· <b>Lower and upper explosion limit</b>	
· <b>Lower:</b>	2 Vol % (CAS: 67-63-0 Isopropanol)
· <b>Upper:</b>	13 Vol % (CAS: 64-17-5 Ethanol)
· <b>Flash point:</b>	13 °C
· <b>Auto-ignition temperature:</b>	287 °C (CAS: 107-98-2 1-Methoxy-2-propanol)
· <b>Decomposition temperature:</b>	Not determined.
· <b>pH at 20 °C</b>	4 – 7
· <b>Viscosity:</b>	
· <b>Kinematic viscosity</b>	Not determined.
· <b>Dynamic:</b>	Not determined.
· <b>Solubility</b>	
· <b>water:</b>	Fully miscible.
· <b>Partition coefficient n-octanol/water (log value)</b>	Not determined.

(Contd. on page 7)

## Safety data sheet according to UK REACH

Printing date 08.08.2024

Version number 1

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Green**

(Contd. of page 6)

· Vapour pressure at 20 °C:	59 hPa (CAS: 64-17-5 Ethanol)
· Density and/or relative density	
· Density at 20 °C:	0.83 – 0.845 g/cm <sup>3</sup>
· Relative density	Not determined.
· Vapour density	Not determined.

### · 9.2 Other information

· Appearance:	
· Form:	Liquid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not self-igniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Solvent content:	
· VOC (EC)	54.00 %
· Change in condition	
· Evaporation rate	Not determined.

### · Information with regard to physical hazard classes

· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Highly flammable liquid and vapour.
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** Heat and static discharge.
- **10.5 Incompatible materials:**
  - Strong acids.
  - Strong bases.
  - Strong oxidising agents.

(Contd. on page 8)

## Safety data sheet according to UK REACH

Printing date 08.08.2024

Version number 1

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Green**

(Contd. of page 7)

· **10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide

### SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

· **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

**CAS: 67-63-0 Isopropanol**

Oral	LD50	> 2,000 mg/kg (rat)
------	------	---------------------

**CAS: 64-17-5 Ethanol**

Oral	LD50	> 10,000 mg/kg (rat)
Dermal	LD50	> 10,000 mg/kg (rabbit)
Inhalative	LC50/4 h	> 100 mg/l (rat)

**CAS: 107-98-2 1-Methoxy-2-propanol**

Oral	LD50	> 2,000 mg/kg (rat)
Dermal	LD50	> 2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	6 mg/l (rat)

· **Skin corrosion/irritation** Based on available data, the classification criteria are not met.

· **Serious eye damage/irritation** Causes serious eye irritation.

· **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

· **Carcinogenicity** Based on available data, the classification criteria are not met.

· **Reproductive toxicity** Based on available data, the classification criteria are not met.

· **STOT-single exposure** May cause drowsiness or dizziness.

· **STOT-repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

· **Subacute to chronic toxicity:** Prolonged or repeated skin contact may irritate and cause dermatitis.

· **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients are listed.

### SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

**CAS: 67-63-0 Isopropanol**

EC50 (96 h)	> 10,000 mg/l (Bacteria)
-------------	--------------------------

**CAS: 64-17-5 Ethanol**

EC50 (96 h)	454 mg/l (Bacteria)
-------------	---------------------

**CAS: 107-98-2 1-Methoxy-2-propanol**

EC50 (96 h)	> 20,000 mg/l (Bacteria)
-------------	--------------------------

· **12.2 Persistence and degradability** Readily biodegradable

· **12.3 Bioaccumulative potential** Contains components with the potential to bioaccumulate.

· **12.4 Mobility in soil** No further relevant information available.

(Contd. on page 9)

## Safety data sheet according to UK REACH

Printing date 08.08.2024

Version number 1

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Green**


(Contd. of page 8)

- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**  
The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Recommended Hierarchy of Controls:
  - Minimise waste;
  - Reuse if not contaminated;
  - Recycle, if possible; or
  - Safe disposal (if all else fails).
 Must not be disposed together with household garbage. Do not allow product to reach sewage system.  
Contact waste processors for recycling information.  
Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.
- **Uncleaned packaging:**
- **Recommendation:**  
Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.  
Disposal must be made according to official regulations.  
Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

- |   |   |
|---|---|
| <ul style="list-style-type: none"> <li>· <b>14.1 UN number or ID number</b></li> <li>· <b>ADR/RID/ADN, IMDG, IATA</b></li> </ul>  | UN1263  |
| <ul style="list-style-type: none"> <li>· <b>14.2 UN proper shipping name</b></li> <li>· <b>ADR/RID/ADN</b></li> <li>· <b>IMDG, IATA</b></li> </ul>  | UN1263 PAINT, special provision 640D<br>PAINT |
| <ul style="list-style-type: none"> <li>· <b>14.3 Transport hazard class(es)</b></li> <li>· <b>ADR/RID/ADN</b></li> </ul>  |   |
| <div style="display: flex; align-items: center;">  <div style="margin-left: 20px;"> <ul style="list-style-type: none"> <li>· <b>Class</b></li> </ul> </div> </div> | 3 (F1) Flammable liquids.                     |

(Contd. on page 10)

**Safety data sheet  
according to UK REACH**


Printing date 08.08.2024

Version number 1

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Green**

(Contd. of page 9)

· <b>Label</b>	3
· <b>IMDG, IATA</b>	
	
· <b>Class</b>	3 Flammable liquids.
· <b>Label</b>	3
· <b>14.4 Packing group</b>	
· <b>ADR/RID/ADN, IMDG, IATA</b>	II
· <b>14.5 Environmental hazards:</b>	Not applicable.
· <b>14.6 Special precautions for user</b>	Warning: Flammable liquids.
· <b>Hazard identification number (Kemler code):</b>	33
· <b>Hazchem Code:</b>	•3YE
· <b>EMS Number:</b>	F-E, <u>S-E</u>
· <b>Stowage Category</b>	B
· <b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR/RID/ADN</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· <b>Transport category</b>	2
· <b>Tunnel restriction code</b>	D/E
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· <b>UN "Model Regulation":</b>	UN 1263 PAINT, 3, II

**SECTION 15: Regulatory information**

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Poisons Act**

· **Regulated explosives precursors**

None of the ingredients are listed.

· **Regulated poisons**

None of the ingredients are listed.

· **Reportable explosives precursors**

None of the ingredients are listed.

(Contd. on page 11)

**Safety data sheet  
according to UK REACH**

Printing date 08.08.2024

Version number 1

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Green**

(Contd. of page 10)

**· Reportable poisons**

None of the ingredients are listed.

**· Directive 2012/18/EU**

**· Named dangerous substances - ANNEX I** None of the ingredients are listed.

**· Seveso category** P5c

**· Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t

**· Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t

**· National regulations:**

**· Information about limitation of use:**

Class	Share in %
NK	54.0

**· 15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

**· Relevant phrases**

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

**· Training hints**

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

**· Department issuing SDS:** Product safety department.

**· Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids – Category 3

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

**· \* Data compared to the previous version altered.**

## Safety data sheet according to UK REACH

Printing date 08.08.2024



Version number 1

Revision: 06.08.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: Drywipe Marker Ink Blue**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Product category** PC18 Ink and toners
- **Application of the substance / the mixture** Ink for marker pens.
- **Uses advised against** Any use not specified above.
- **1.3 Details of the supplier of the safety data sheet**
- **Supplier:**  
Eastpoint Global Limited  
Minerva House, Galahad Road,  
Gorleston  
NR31 7RU  
  
Tel: +44 (0) 1502 52 55 55  
Email: [customercare@eastpointglobal.com](mailto:customercare@eastpointglobal.com)
- **Further information obtainable from:** Product safety department.
- **1.4 Emergency telephone number:**  
Members of the public seeking specific information on poisons should contact:  
In England and Wales: NHS 111 - dial 111  
In Scotland: NHS 24 - dial 111

### SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
Flam. Liq. 2 H225 Highly flammable liquid and vapour.  
Eye Irrit. 2 H319 Causes serious eye irritation.  
STOT SE 3 H336 May cause drowsiness or dizziness.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms**  
   
GHS02 GHS07
- **Signal word** Danger
- **Hazard-determining components of labelling:**  
Isopropanol
- **Hazard statements**  
H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.
- **Precautionary statements**  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

(Contd. on page 2)

**Safety data sheet  
according to UK REACH**

Printing date 08.08.2024

Version number 1

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Blue**

(Contd. of page 1)

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**SECTION 3: Composition/information on ingredients**

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25-XXXX	Isopropanol ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319; STOT SE 3, H336	20 – 25%
CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-XXXX	Ethanol ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319 Specific concentration limit: Eye Irrit. 2; H319: C ≥ 50 %	10 – 25%
CAS: 107-98-2 EINECS: 203-539-1 Reg.nr.: 01-2119457435-35-XXXX	1-Methoxy-2-propanol ⚠ Flam. Liq. 3, H226; ⚠ STOT SE 3, H336	2.5 – 10%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

**SECTION 4: First aid measures**

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Immediately rinse with water.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Check for and remove any contact lenses.  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:**  
Wash mouth out with water  
If symptoms persist consult doctor.
- **Information for doctor:** Treat symptomatically and supportively.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.

(Contd. on page 3)

**Safety data sheet  
according to UK REACH**

Printing date 08.08.2024

Version number 1

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Blue**

(Contd. of page 2)

- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

**SECTION 5: Firefighting measures**

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**  
Flammable. Vapors may travel to source of ignition and flash back.  
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Do not inhale explosion gases or combustion gases.  
Wear fully protective suit.
- **Additional information**  
Cool endangered receptacles with water spray.  
Collect contaminated fire fighting water separately. It must not enter the sewage system.

**SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation
- **6.2 Environmental precautions:**  
Prevent seepage into sewage system, workpits and cellars.  
Do not allow to penetrate the ground/soil.  
Do not allow product to reach sewage system or any water course.
- **6.3 Methods and material for containment and cleaning up:**  
Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.  
Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.  
Safety showers and eye wash facilities should be available at the work area.
- **Information about fire - and explosion protection:**  
Keep ignition sources away - Do not smoke.

(Contd. on page 4)

**Safety data sheet  
according to UK REACH**

Printing date 08.08.2024

Version number 1

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Blue**

(Contd. of page 3)

- Protect against electrostatic charges.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Store in a cool location.  
Prevent any seepage into the ground.
- **Information about storage in one common storage facility:** Store away from oxidising agents.
- **Further information about storage conditions:**  
Store in cool, dry conditions in well sealed receptacles.  
Protect from heat and direct sunlight.
- **Storage class:** 3
- **7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

**CAS: 67-63-0 Isopropanol**

WEL	Short-term value: 1250 mg/m <sup>3</sup> , 500 ppm
	Long-term value: 999 mg/m <sup>3</sup> , 400 ppm

**CAS: 64-17-5 Ethanol**

WEL	Long-term value: 1920 mg/m <sup>3</sup> , 1000 ppm
-----	--

**CAS: 107-98-2 1-Methoxy-2-propanol**

WEL	Short-term value: 560 mg/m <sup>3</sup> , 150 ppm
	Long-term value: 375 mg/m <sup>3</sup> , 100 ppm
	Sk

· **DNELs**

**CAS: 67-63-0 Isopropanol**

Oral	Long-term systemic effects	26 mg/kg bw/day (general population)
	Short-term systemic effects	51 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	319 mg/kg bw/day (general population)
		888 mg/kg bw/day (worker)
Inhalative	Long-term systemic effects	89 mg/m <sup>3</sup> (general population)
		500 mg/m <sup>3</sup> (worker)
	Short-term systemic effects	178 mg/m <sup>3</sup> (general population)
		1,000 mg/m <sup>3</sup> (worker)

**CAS: 64-17-5 Ethanol**

Oral	Long-term systemic effects	87 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	206 mg/kg bw/day (general population)
		343 mg/kg bw/day (worker)
Inhalative	Long-term systemic effects	114 mg/m <sup>3</sup> (general population)
		380 mg/m <sup>3</sup> (worker)
	Short-term local effects	950 mg/m <sup>3</sup> (general population)
		1,900 mg/m <sup>3</sup> (worker)

(Contd. on page 5)

## Safety data sheet according to UK REACH

Printing date 08.08.2024

Version number 1

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Blue**

(Contd. of page 4)

**CAS: 107-98-2 1-Methoxy-2-propanol**

Oral	Long-term systemic effects	33 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	78 mg/kg bw/day (general population)
Inhalative		183 mg/kg bw/day (worker)
	Long-term systemic effects	43.9 mg/m <sup>3</sup> (general population)
		369 mg/m <sup>3</sup> (worker)
	Short-term systemic effects	553.5 mg/m <sup>3</sup> (worker)
	Short-term local effects	553.5 mg/m <sup>3</sup> (worker)

· **PNECs**

**CAS: 64-17-5 Ethanol**

Freshwater	960 µg/L
Freshwater - Intermittent releases	2.75 mg/L
Marine water	790 µg/L
Sewage Treatment Plant	580 mg/L
Sediment (freshwater)	3.6 mg/kg
Sediment (marine water)	2.9 mg/kg
Soil	630 µg/kg
Secondary poisoning	380 – 720 mg/kg food

**CAS: 107-98-2 1-Methoxy-2-propanol**

Freshwater	10 mg/L
Freshwater - Intermittent releases	100 mg/L
Marine water	1 mg/L
Sewage Treatment Plant	100 mg/L
Sediment (freshwater)	52.3 mg/kg
Sediment (marine water)	5.2 mg/kg
Soil	4.59 mg/kg

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Ensure that eyewash stations and safety showers are close to the workstation location.

· **Respiratory protection:**

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A for organic vapours

· **Hand protection**



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

(Contd. on page 6)

## Safety data sheet according to UK REACH

Printing date 08.08.2024

Version number 1

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Blue**

(Contd. of page 5)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

Break-through time: > 480 minutes

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**



Tightly sealed goggles conforming to EN166.

· **Body protection:**



Protective work clothing

Body protection must be chosen depending on product properties, activity and possible exposure.

· **Environmental exposure controls** Do not allow to enter drains, sewers or watercourses.

### SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· <b>Physical state</b>	Fluid
· <b>Colour:</b>	Blue
· <b>Odour:</b>	Characteristic
· <b>Odour threshold:</b>	Not determined.
· <b>Melting point/freezing point:</b>	Undetermined.
· <b>Boiling point or initial boiling point and boiling range</b>	78 °C (CAS: 64-17-5 Ethanol)
· <b>Flammability</b>	Highly flammable.
· <b>Lower and upper explosion limit</b>	
· <b>Lower:</b>	2 Vol % (CAS: 67-63-0 Isopropanol)
· <b>Upper:</b>	13 Vol % (CAS: 64-17-5 Ethanol)
· <b>Flash point:</b>	13 °C
· <b>Auto-ignition temperature:</b>	287 °C (CAS: 107-98-2 1-Methoxy-2-propanol)
· <b>Decomposition temperature:</b>	Not determined.
· <b>pH at 20 °C</b>	4 – 7
· <b>Viscosity:</b>	
· <b>Kinematic viscosity</b>	Not determined.
· <b>Dynamic:</b>	Not determined.
· <b>Solubility</b>	
· <b>water:</b>	Fully miscible.
· <b>Partition coefficient n-octanol/water (log value)</b>	Not determined.

(Contd. on page 7)

## Safety data sheet according to UK REACH

Printing date 08.08.2024

Version number 1

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Blue**

(Contd. of page 6)

· Vapour pressure at 20 °C:	59 hPa (CAS: 64-17-5 Ethanol)
· Density and/or relative density	
· Density at 20 °C:	0.83 – 0.845 g/cm <sup>3</sup>
· Relative density	Not determined.
· Vapour density	Not determined.

### · 9.2 Other information

· Appearance:	
· Form:	Liquid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not self-igniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Solvent content:	
· VOC (EC)	54.00 %
· Change in condition	
· Evaporation rate	Not determined.

### · Information with regard to physical hazard classes

· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Highly flammable liquid and vapour.
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** Heat and static discharge.
- **10.5 Incompatible materials:**
  - Strong acids.
  - Strong bases.
  - Strong oxidising agents.

(Contd. on page 8)

GB

## Safety data sheet according to UK REACH

Printing date 08.08.2024

Version number 1

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Blue**

(Contd. of page 7)

· **10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide

### SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

· **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values relevant for classification:**

**CAS: 67-63-0 Isopropanol**

Oral	LD50	> 2,000 mg/kg (rat)
------	------	---------------------

**CAS: 64-17-5 Ethanol**

Oral	LD50	> 10,000 mg/kg (rat)
Dermal	LD50	> 10,000 mg/kg (rabbit)
Inhalative	LC50/4 h	> 100 mg/l (rat)

**CAS: 107-98-2 1-Methoxy-2-propanol**

Oral	LD50	> 2,000 mg/kg (rat)
Dermal	LD50	> 2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	6 mg/l (rat)

· **Skin corrosion/irritation** Based on available data, the classification criteria are not met.

· **Serious eye damage/irritation** Causes serious eye irritation.

· **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

· **Carcinogenicity** Based on available data, the classification criteria are not met.

· **Reproductive toxicity** Based on available data, the classification criteria are not met.

· **STOT-single exposure** May cause drowsiness or dizziness.

· **STOT-repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

· **Subacute to chronic toxicity:** Prolonged or repeated skin contact may irritate and cause dermatitis.

· **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients are listed.

### SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

**CAS: 67-63-0 Isopropanol**

EC50 (96 h)	> 10,000 mg/l (Bacteria)
-------------	--------------------------

**CAS: 64-17-5 Ethanol**

EC50 (96 h)	454 mg/l (Bacteria)
-------------	---------------------

**CAS: 107-98-2 1-Methoxy-2-propanol**

EC50 (96 h)	> 20,000 mg/l (Bacteria)
-------------	--------------------------

· **12.2 Persistence and degradability** Readily biodegradable

· **12.3 Bioaccumulative potential** Contains components with the potential to bioaccumulate.

· **12.4 Mobility in soil** No further relevant information available.

(Contd. on page 9)

## Safety data sheet according to UK REACH

Printing date 08.08.2024

Version number 1

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Blue**

(Contd. of page 8)

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects**

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Recommended Hierarchy of Controls:

- Minimise waste;
- Reuse if not contaminated;
- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

· **Uncleaned packaging:**

· **Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR/RID/ADN, IMDG, IATA**

UN1263

· **14.2 UN proper shipping name**

· **ADR/RID/ADN**

· **IMDG, IATA**

UN1263 PAINT, special provision 640D

PAINT

· **14.3 Transport hazard class(es)**

· **ADR/RID/ADN**



· **Class**

3 (F1) Flammable liquids.

(Contd. on page 10)

**Safety data sheet  
according to UK REACH**


Printing date 08.08.2024

Version number 1

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Blue**

(Contd. of page 9)

· <b>Label</b>	3
· <b>IMDG, IATA</b>	
	
· <b>Class</b>	3 Flammable liquids.
· <b>Label</b>	3
· <b>14.4 Packing group</b>	
· <b>ADR/RID/ADN, IMDG, IATA</b>	II
· <b>14.5 Environmental hazards:</b>	Not applicable.
· <b>14.6 Special precautions for user</b>	Warning: Flammable liquids.
· <b>Hazard identification number (Kemler code):</b>	33
· <b>Hazchem Code:</b>	•3YE
· <b>EMS Number:</b>	F-E, <u>S-E</u>
· <b>Stowage Category</b>	B
· <b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR/RID/ADN</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· <b>Transport category</b>	2
· <b>Tunnel restriction code</b>	D/E
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· <b>UN "Model Regulation":</b>	UN 1263 PAINT, 3, II

**SECTION 15: Regulatory information**

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Poisons Act**

· **Regulated explosives precursors**

None of the ingredients are listed.

· **Regulated poisons**

None of the ingredients are listed.

· **Reportable explosives precursors**

None of the ingredients are listed.

(Contd. on page 11)

## Safety data sheet according to UK REACH

Printing date 08.08.2024

Version number 1

Revision: 06.08.2024

**Trade name: Drywipe Marker Ink Blue**

(Contd. of page 10)

· **Reportable poisons**

None of the ingredients are listed.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients are listed.

· **Seveso category** P5c

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5,000 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50,000 t

· **National regulations:**

· **Information about limitation of use:**

Class	Share in %
NK	54.0

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· **Relevant phrases**

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· **Training hints**

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

· **Department issuing SDS:** Product safety department.

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids – Category 3

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· **\* Data compared to the previous version altered.**