

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : TRIPLEWAX DASH SHINE
Product code : TDS506 TDS806
Type of product : Detergent
Product group : End product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Main use category : Industrial use, Professional use, Consumer use
Use of the substance/mixture : Cleaning agent
Function or use category : Cleaning/washing agents and additives

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Tetrosyl Limited
Newgate House
Rochdale – Lancashire OL16 1AT
T 0161 764 5981
ataylor@jamesbriggs.co.uk - www.tetrosyl.com

1.4. Emergency telephone number

Emergency number : +44 (0) 161 620 5400

Country/Area	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to GB CLP (SI 2019:720 as amended)

Flammable liquids, Category 3 H226
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Flammable liquid and vapour.

2.2. Label elements

Labelling according to GB CLP (SI 2019:720 as amended)

Hazard pictograms (GB CLP) :



GHS02

Signal word (GB CLP) : Warning

TRIPLEWAX DASH SHINE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Hazard statements (GB CLP)	: H226 - Flammable liquid and vapour.
Precautionary statements (GB CLP)	: P101 - If medical advice is needed, have product container or label at hand. P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P501 - Dispose of contents/ container in accordance with local regulations.
Child-resistant fastening	: Not applicable
Tactile warning	: Not applicable

2.3. Other hazards

Component	
Substance(s) not meeting the PBT criteria of UK REACH regulation, in accordance with Annex XIII	IPA (67-63-0), SODIUM HYDROXIDE (1310-73-2)(¹)
Substance(s) not meeting the vPvB criteria of UK REACH regulation, in accordance with Annex XIII	IPA (67-63-0), SODIUM HYDROXIDE (1310-73-2)(¹)
Component	
Substance(s) not included in the list established in accordance with Article 59(1) of UK REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in GB BPR and GB PPP	IPA(67-63-0), SODIUM HYDROXIDE(1310-73-2)(¹)

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Labelling according to GB CLP (SI 2019:720 as amended)
IPA	CAS-No.: 67-63-0 EC-No.: 200-661-7 UK Index-No.: 603-117-00-0	5 – 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
SODIUM HYDROXIDE	CAS-No.: 1310-73-2 EC-No.: 215-185-5 UK Index-No.: 011-002-00-6	0.0000001 – 0.005	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318

Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
SODIUM HYDROXIDE	CAS-No.: 1310-73-2 EC-No.: 215-185-5 UK Index-No.: 011-002-00-6	(0.5 ≤ C < 2) Skin Irrit. 2; H315 (0.5 ≤ C < 2) Eye Irrit. 2; H319 (2 ≤ C < 5) Skin Corr. 1B; H314 (5 ≤ C ≤ 100) Skin Corr. 1A; H314

Full text of H- and EUH-statements: see section 16

Detergent Regulation (648/2004)

Ingredient data sheet		
Component	CAS-No.	%
WATER	7732-18-5	≥10%

TRIPLEWAX DASH SHINE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Ingredient data sheet		
Component	CAS-No.	%
propan-2-ol; isopropyl alcohol; isopropanol	67-63-0	1 - 10%
SODIUM LAURETH-12 SULFATE	9004-82-4	0.1 - 1%
Parfum		<0.1%
POLYSORBATE 80	9005-65-6	<0.1%
4-[(5-AMINO-3-METHYL-1H-PYRAZOL-4-YL)AZO]-2,5-DICHLOROBENZENESULPHONIC ACID	12239-15-5	<0.1%
sodium hydroxide; caustic soda	1310-73-2	<0.1%
BASACID YELLOW 226	518-47-8	<0.1%

Labelling of contents	
Component	%
perfumes	

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: None under normal conditions.
Symptoms/effects after eye contact	: None under normal conditions.
Symptoms/effects after ingestion	: None under normal conditions.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Flammable liquid and vapour.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

5.3. Advice for firefighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

TRIPLEWAX DASH SHINE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.
Absorb spillage to prevent material damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.
Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.
Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment.
Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.
Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed.
Packaging materials : Store always product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

TRIPLEWAX DASH SHINE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

IPA (67-63-0)	
United Kingdom - Occupational Exposure Limits	
Local name	Propan-2-ol
WEL TWA (OEL TWA)	999 mg/m ³
	400 ppm
WEL STEL (OEL STEL)	1250 mg/m ³
	500 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE
SODIUM HYDROXIDE (1310-73-2)	
United Kingdom - Occupational Exposure Limits	
Local name	Sodium hydroxide
WEL STEL (OEL STEL)	2 mg/m ³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

Eye protection			
Type	Field of application	Characteristics	Standard
			EN 166

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

TRIPLEWAX DASH SHINE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Hand protection:

Protective gloves

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
					EN ISO 374

Other skin protection Materials for protective clothing		
Condition	Material	Standard
		EN ISO 6530

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear liquid.
Colour	: Yellow.
Odour	: Floral.
Odour threshold	: Not available
pH	: 7.5 – 11.4
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: 92 °C @ 1013hPa
Flash point	: 41 °C
Explosive limits	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Relative vapour density at 20°C	: Not available
Relative density	: 0.985 g/cm ³ @ 20°C
Density	: Not available
Solubility	: Miscible with water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
Viscosity, kinematic	: Not available
Viscosity, dynamic	: < 50 cP @ 20°C
Explosive properties	: Not available

9.2. Other information

Particle characteristics	: Not applicable
--------------------------	------------------

TRIPLEWAX DASH SHINE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Not classified. pH: 7.5 – 11.4
Serious eye damage/irritation	: Not classified pH: 7.5 – 11.4
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

IPA (67-63-0)

IARC group	3 - Not classifiable
------------	----------------------

Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified

IPA (67-63-0)

STOT-single exposure	May cause drowsiness or dizziness.
----------------------	------------------------------------

STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
-------------------	---

TRIPLEWAX DASH SHINE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

12.2. Persistence and degradability

TRIPLEWAX DASH SHINE

Persistence and degradability : Not rapidly degradable

IPA (67-63-0)

Persistence and degradability : Rapidly degradable

SODIUM HYDROXIDE (1310-73-2)

Persistence and degradability : Not rapidly degradable

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Component

IPA (67-63-0) : This product does not contain substances at $\geq 0.1\%$ that meet the PBT criteria of UK REACH regulation, annex XIII
This product does not contain substances at $\geq 0.1\%$ that meet the vPvB criteria of UK REACH regulation, annex XIII

SODIUM HYDROXIDE (1310-73-2) : This product does not contain substances at $\geq 0.1\%$ that meet the PBT criteria of UK REACH regulation, annex XIII
This product does not contain substances at $\geq 0.1\%$ that meet the vPvB criteria of UK REACH regulation, annex XIII

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation : Disposal must be done according to official regulations.
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations : Disposal must be done according to official regulations.
Product/Packaging disposal recommendations : Disposal must be done according to official regulations.
Additional information : Flammable vapours may accumulate in the container. Do not re-use empty containers.

TRIPLEWAX DASH SHINE






Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

HP Code : HP3 - "Flammable:"
– flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
– flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
– flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
– flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
– water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
– other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
HP4 - "Irritant – skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 1993	UN 1993	UN 1993	UN 1993	UN 1993
14.2. UN proper shipping name				
FLAMMABLE LIQUID, N.O.S. (CONTAINS : IPA)	FLAMMABLE LIQUID, N.O.S. (CONTAINS : IPA)	Flammable liquid, n.o.s. (CONTAINS : IPA)	FLAMMABLE LIQUID, N.O.S. (CONTAINS : IPA)	FLAMMABLE LIQUID, N.O.S. (CONTAINS : IPA)
Transport document description				
UN 1993 FLAMMABLE LIQUID, N.O.S. (CONTAINS : IPA), 3, III, (D/E)	UN 1993 FLAMMABLE LIQUID, N.O.S. (CONTAINS : IPA), 3, III	UN 1993 Flammable liquid, n.o.s. (CONTAINS : IPA), 3, III	UN 1993 FLAMMABLE LIQUID, N.O.S. (CONTAINS : IPA), 3, III	UN 1993 FLAMMABLE LIQUID, N.O.S. (CONTAINS : IPA), 3, III
14.3. Transport hazard class(es)				
3	3	3	3	3
				
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment: False	Dangerous for the environment: False Marine pollutant: No	Dangerous for the environment: False	Dangerous for the environment: False	Dangerous for the environment: False
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1
Special provisions (ADR) : 274, 601
Limited quantities (ADR) : 5I
Excepted quantities (ADR) : E1
Packing instructions (ADR) : P001, IBC03, LP01, R001

TRIPLEWAX DASH SHINE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions (ADR) : TP1, TP29
Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Operation (ADR) : S2
Hazard identification number (Kemler No.) : 30
Orange plates :



Tunnel restriction code (ADR) : D/E
EAC code : •3Y

Transport by sea

Special provisions (IMDG) : 223, 274, 955
Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : LP01, P001
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T4
Tank special provisions (IMDG) : TP1, TP29
EmS-No. (Fire) : F-E
EmS-No. (Spillage) : S-E
Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y344
PCA limited quantity max net quantity (IATA) : 10L
PCA packing instructions (IATA) : 355
PCA max net quantity (IATA) : 60L
CAO packing instructions (IATA) : 366
CAO max net quantity (IATA) : 220L
Special provisions (IATA) : A3
ERG code (IATA) : 3L

Inland waterway transport

Classification code (ADN) : F1
Special provisions (ADN) : 274, 601
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : F1
Special provisions (RID) : 274, 601
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1
Packing instructions (RID) : P001, IBC03, LP01, R001
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions (RID) : TP1, TP29
Tank codes for RID tanks (RID) : LGBF
Transport category (RID) : 3

TRIPLEWAX DASH SHINE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Special provisions for carriage – Packages (RID) : W12
Colis express (express parcels) (RID) : CE4
Hazard identification number (RID) : 30

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

UK REACH Annex XVII (Restriction List)

This product contains no substance(s) listed on UK REACH Annex XVII (Restriction List) equal to or above the level of SDS disclosure

UK REACH Annex XIV (Authorisation List)

This product contains no substance(s) listed on UK REACH Annex XIV (Authorisation List) equal to or above the 0.1% level of disclosure

UK REACH Candidate List (SVHC)

Contains no substance(s) listed on the UK REACH Candidate List

Detergent Regulation (648/2004)

GB PIC regulation (Prior Informed Consent)

This product contains no substance(s) listed on the GB PIC List equal to or above the level of SDS disclosure

POP Regulation (Persistent Organic Pollutants)

This product contains no substance(s) listed on the GB POP List equal to or above the level of SDS disclosure

Ozone Regulation (S.I. No. 168 of 2015)

This product contains no substance(s) listed on the GB Ozone Depletion List equal to or above the level of SDS disclosure

Control of Poisons and Explosives Precursors Act

This product contains substance(s) listed on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure: Sodium hydroxide - 1310-73-2 (12 % of total caustic alkalinity)

This product contains no substance(s) listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This product contains no substance(s) listed as a reportable explosive precursor on the Control of Poisons and Explosives Precursors Regulations equal to or above the level of SDS disclosure

This substance is not listed as a regulated poison on the Control of Poisons and Explosives Precursors Regulations

Drug Precursors Regulation (273/2004)

This product contains no substance(s) listed on the GB Drug Precursors List equal to or above the level of SDS disclosure

15.1.2. Other Information

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Indication of changes (UK)		
Section	Changed item	Comments
	Issue date	Added
	Flammability	Added
	UN-No. (RID)	Added
	Proper Shipping Name (RID)	Added

TRIPLEWAX DASH SHINE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Indication of changes (UK)		
Section	Changed item	Comments
	Hazard identification number (RID)	Added
	Colis express (express parcels) (RID)	Added
	Special provisions for carriage – Packages (RID)	Added
	Transport category (RID)	Added
	Tank codes for RID tanks (RID)	Added
	Portable tank and bulk container special provisions (RID)	Added
	Portable tank and bulk container instructions (RID)	Added
	Mixed packing provisions (RID)	Added
	Packing instructions (RID)	Added
	Excepted quantities (RID)	Added
	Limited quantities (RID)	Added
	Special provisions (RID)	Added
	Packing group (RID)	Added
	Classification code (RID)	Added
	Number of blue cones/lights (ADN)	Added
	Ventilation (ADN)	Added
	Equipment required (ADN)	Added
	Carriage permitted (ADN)	Added
	Excepted quantities (ADN)	Added
	Limited quantities (ADN)	Added
	Danger labels (ADN)	Added
	Classification code (ADN)	Added
	Proper Shipping Name (IMDG)	Added
	Danger labels (IMDG)	Added
	EmS-No. (Spillage)	Added
	EmS-No. (Fire)	Added
	Limited quantities (IMDG)	Added
	Stowage category (IMDG)	Added
	Tank special provisions (IMDG)	Added
	Tank instructions (IMDG)	Added
	IBC packing instructions (IMDG)	Added
	Excepted quantities (IMDG)	Added
	Special provisions (IMDG)	Added
	ERG code (IATA)	Added
	Special provisions (IATA)	Added

TRIPLEWAX DASH SHINE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Indication of changes (UK)		
Section	Changed item	Comments
	CAO max net quantity (IATA)	Added
	CAO packing instructions (IATA)	Added
	PCA max net quantity (IATA)	Added
	PCA packing instructions (IATA)	Added
	PCA limited quantity max net quantity (IATA)	Added
	PCA Limited quantities (IATA)	Added
	PCA Excepted quantities (IATA)	Added
	Danger labels (IATA)	Added
	Proper Shipping Name (IATA)	Added
	Special provisions for carriage - Operation (ADR)	Added
	Special provisions for carriage - Packages (ADR)	Added
	Tank code (ADR)	Added
	Portable tank and bulk container special provisions (ADR)	Added
	Portable tank and bulk container instructions (ADR)	Added
	Mixed packing provisions (ADR)	Added
	Packing instructions (ADR)	Added
	Vehicle for tank carriage	Added
	Type of product	Added
1.1	Product group	Added
1.1	Product code	Modified
1.1	Name	Modified
1.2	Main use category	Added
1.2	Use of the substance/mixture	Added
1.2	Intended for general public	Added
1.2	Function or use category	Added
2.1	Adverse physicochemical, human health and environmental effects	Added
2.1	Intended for general public	Added
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Added
2.2	Precautionary statements (GB CLP)	Added
2.2	Signal word (GB CLP)	Added
2.2	Hazard pictograms (GB CLP)	Added
2.2	Hazard statements (GB CLP)	Added
3	Composition/information on ingredients	Modified

TRIPLEWAX DASH SHINE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Indication of changes (UK)		
Section	Changed item	Comments
4.1	First-aid measures general	Added
4.1	First-aid measures after inhalation	Added
4.1	First-aid measures after ingestion	Added
4.1	First-aid measures after eye contact	Added
4.1	First-aid measures after skin contact	Added
4.2	Symptoms/effects after skin contact	Added
4.2	Symptoms/effects after inhalation	Added
4.2	Symptoms/effects after ingestion	Added
4.2	Symptoms/effects after eye contact	Added
4.3	Other medical advice or treatment	Added
5.1	Unsuitable extinguishing media	Added
5.1	Suitable extinguishing media	Added
5.2	Hazardous decomposition products in case of fire	Added
5.2	Explosion hazard	Added
5.2	Fire hazard	Added
5.3	Protection during firefighting	Added
5.3	Firefighting instructions	Added
5.3	EAC code	Added
6.1	Protective equipment	Added
6.1	Emergency procedures	Added
6.1	Protective equipment	Added
6.1	General measures	Added
6.1	Emergency procedures	Added
6.2	Environmental precautions	Added
6.3	For containment	Added
6.3	Other information	Added
6.3	Methods for cleaning up	Added
6.4	Reference to other sections (8, 13)	Added
7.1	Additional hazards when processed	Added
7.1	Hygiene measures	Added
7.1	Precautions for safe handling	Added
7.2	Packaging materials	Added
7.2	Technical measures	Added
7.2	Storage conditions	Added
8.2	Environmental exposure controls	Added
8.2	Respiratory protection	Added
8.2	Hand protection	Added

TRIPLEWAX DASH SHINE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Indication of changes (UK)		
Section	Changed item	Comments
8.2	Eye protection	Added
8.2	Appropriate engineering controls	Added
8.2	Skin and body protection	Added
9.1	Melting point	Added
9.1	Viscosity, dynamic	Added
9.1	Solubility	Added
9.1	Relative density	Added
9.1	pH	Added
9.1	Odour	Added
9.1	Flash point	Added
9.1	Colour	Added
9.1	Boiling point	Added
9.1	Appearance	Added
10.1	Reactivity	Added
10.2	Chemical stability	Added
10.3	Possibility of hazardous reactions	Added
10.4	Conditions to avoid	Added
10.6	Hazardous decomposition products	Added
12.1	Ecology - general	Added
13.1	Waste treatment methods	Added
13.1	Product/Packaging disposal recommendations	Added
13.1	Sewage disposal recommendations	Added
13.1	Regional waste regulation	Added
13.1	Additional information	Added
14.1	UN-No. (IATA)	Added
14.1	UN-No. (IMDG)	Added
14.1	UN-No. (ADN)	Added
14.1	UN-No. (ADR)	Added
14.2	Proper Shipping Name (ADN)	Added
14.2	Proper Shipping Name (ADR)	Added
14.3	Danger labels (RID)	Added
14.3	Danger labels (ADR)	Added
14.4	Packing group (ADN)	Added
14.4	Packing group (IMDG)	Added
14.4	Packing group (IATA)	Added
14.4	Packing group (ADR)	Added
14.6	Special provisions (ADN)	Added

TRIPLEWAX DASH SHINE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Indication of changes (UK)		
Section	Changed item	Comments
14.6	Packing instructions (IMDG)	Added
14.6	Transport category (ADR)	Added
14.6	Special provisions (ADR)	Added
14.6	Excepted quantities (ADR)	Added
14.6	Limited quantities (ADR)	Added
14.6	Tunnel restriction code (ADR)	Added
14.6	Hazard identification number (Kemler No.)	Added
14.6	Classification code (ADR)	Added
15.2	Chemical safety assessment	Added
16	Abbreviations and acronyms	Added

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail

TRIPLEWAX DASH SHINE

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Abbreviations and acronyms:	
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disruptor

Full text of H- and EUH-statements:	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Flam. Liq. 3	H226	On basis of test data

Safety Data Sheet (SDS), UK

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.