

in accordance with Commission Regulation (EU) No. 1907/2006

Compilation date: 23.02.2017

Revision No: 1

1.1. Product identifier	
Product name:	SIMPLY DISHWASH PODS MPC SDW200
1.2. Relevant identified use	s of the substance or mixture and uses
Use of substance / mixture:	Dishwashing agent
1.3. Details of the supplier	of the safety data sheet
Company name:	Enpac Ltd.,
	7 California Drive,
	Wakefield Europort,
	CASTLEFORD WF10 5QH
Email:	info@enpacltd.co.uk
1.4. Emergency telephone r	number
Emergency tel:	01977 264880
	(office hours only)
Section 2: Hazards identified	cation
2.1. Classification of the su	bstance or mixture
Classification under CLP:	Eye Irrit. 2: H319
Most important adverse effects:	Causes serious eye irritation.
2.2. Label elements	
Label elements under CLP:	
Hazard statements:	H319: Causes serious eye irritation.
Signal words:	Warning
Hazard pictograms:	GHS07: Exclamation mark
Precautionary statements:	P102: Keep out of reach of children.
	P101: If medical advice is needed, have product container or label at hand.
	P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

Section 3: Composition/information on ingredients

PBT: This substance is not identified as a PBT substance.

3.2. Mixtures

Hazardous ingredients:

SODIUM CARBONATE - REACH registered number(s): 01-2119485498-19-0000

EINECS	CAS	SCL	CLP Classification	Percent
207-838-8	497-19-8	-	Eye Irrit. 2: H319	20-50%
SODIUM SILICA	ATE - REACH re	gistered number(s): 01-2119448725-31-0	000	
215-687-4 1344-09-8		Met. Corr. 1: H290; Skin Corr. 1B: H314;	10-20%	
		Skin Irrit.2: 28% <= C < 39%	Eye Dam. 1: H318; STOT SE 3: H335	
SODIUM PERC	ARBONATE - R	EACH registered number(s): 01-21194572	268-30-0000	
239-707-6 15630-8	15630-89-4 Eye Irrit.2: 10 <= C < 25%		Ox. Sol. 2: H272; Acute Tox. 4: H302;	1-20%
		Eye Dam.1: C > 25%	Eye Dam. 1: H318	

CITRIC ACID - REACH registered number(s): 01-2119457026-42-0000

201-069-1	77-92-9	-	Eye Irrit. 2: H319	1-30%	
-----------	---------	---	--------------------	-------	--

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Wash immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.

Ingestion: Wash out mouth with water. DO NOT INDUCE VOMITING. Give 1 pint water and consult a doctor.

Inhalation: Move affected person to fresh air and keep warm and at rest. Consult a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be severe pain. The eyes may water profusely. The vision may become blurred.

Ingestion: Nausea and stomach pain may occur. There may be soreness and redness of the mouth and throat.

Inhalation: Inhalation of dust may cause irritation of the notes, mouth, throat and lungs. Seek medical attention if symptoms persist.

Delayed / immediate effects: Immediate effects can be expected after long-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Product is not flammable. Suitable extinguishing media for the surrounding fire should be used.5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

Advice for fire-fighters: As in any fire wear self contained breathing apparatus (SCBA) and suitable protective clothing.

5.3. Advice for fire-fighters

Prevent the extinguishing water into surface water or groundwater

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details

6.2. Environmental precautions

Environmental precautions: Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Vacuum or sweep up the bulk of the spill and place in a designated, labelled container. Dispose of in accordance with local regulations. Wash the spillage site with large amounts of water.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, dry, well ventilated area. Avoid contact with water or humidity. Keep away from food,

drink and animal feeding stuffs. Maximum storage temperature: 40°C / 104°F

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

ENPAC LTD.

SAFETY DATA SHEET SIMPLY DISHWASH PODS MPC SDW200

8.2. Exposure controls

Engineering measures: Respiratory protection:	Ensure there is sufficient ventilation of the area. If working in a confined space and dusts are created, then a respiratory device with a particle filter is recommended.
Hand protection:	Wear protective impermeable gloves if in contact with the powder.
Eye protection:	The following protection should be worn if dusts are created: Chemical safety glasses. Ensure eye bath is to hand.
Skin protection:	If in contact with the powder, wear protective impermeable gloves.
Environmental:	No special requirement.

Section 9: Physical and chemical properties

State:	Encapsulated Powder Pods MPC SDW	200	
Colour	: White with red and blue speckles		
Odour	Odourless		
Evaporation rate:	Not applicable.		
Oxidising:	Non-oxidising (by EC criteria)		
Solubility in water:	Soluble		
Viscosity:	Not applicable.		
Boiling point/range°C:	Not applicable.	Melting point/range°C:	No data available.
Flammability limits %: lower:	Not applicable.	upper:	Not applicable.
Flash point°C:	Not applicable.	Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	No data available.	Vapour pressure:	No data available.
Relative density:	800-900 g/l	pH:	ca. 9 (1%)

9.2. Other information

Other information: No data available

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Humidity. Heat.

10.5. Incompatible materials

Materials to avoid: None known

10.6. Hazardous decomposition products

Haz. decomp. products: Decomposition under formation of Oxygen

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

SODIUM CARBONATE

ORL	MUS	LD50	6600	mg/kg
ORL	RAT	LD50	4090	mg/kg
SCU	MUS	LD50	2210	mg/kg

SODIUM SILICATE

DUST/MIST	RAT	LC50	>2.06	g/m³
ORL	RAT	LD50	1300-2200	mg/kg

SODIUM PERCARBONATE

DERMAL	RBT	LD50	>2000	mg/kg
ORL	RAT	LD50	1034	mg/kg

CITRIC ACID

ORL	RAT	LD50	5790	mg/kg

Toxicity values: No data available.

Symptoms / routes of expo	Symptoms / routes of exposure				
Skin contact:	There may be irritation and redness at the site of contact.				
Eye contact:	There may be severe pain. The eyes may water profusely. The vision may become blurred.				
Ingestion:	Nausea and stomach pain may occur. There may be soreness and redness of the mouth				
	and throat.				
Inhalation:	Inhalation of dust may cause irritation of the nose, mouth, throat and lungs.				
Delayed / immediate effects:	Immediate effects can be expected after long-term exposure.				
Section 12: Ecological information					

12.1. Toxicity

Hazardous ingredients:

SODIUM CARBONATE

Freshwater Invertebrates	48H EC50	200-227	mg/l
Lepomis macrochirus	96H LC50	300	mg/l

SODIUM SILICATE

Brachydanio rerio	96H LC50	1108	mg/l
Daphnia magna	48H EC50	1700	mg/l

SODIUM PERCARBONATE

Daphnia pulex	48H EC50	4,9	mg/l
Pimephales promelas	96H LC50	70,7	mg/l

CITRIC ACID

Daphnia magna	72H EC50	~120	mg/l
Leuciscus idus	96H LC50	440-706	mg/l

12.2. Persistence and degradability

Persistence and degradability: The surfactant(s) contained in this preparation complies with the biodegradability criteria as

laid down in Regulation (EC) No. 648/2004 on detergents.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: no data available.

12.5. Results of PBT and vPvB assessment

PBT identification: This substance is not identified as a PBT substance.

12.6. Other adverse effects

Other adverse effects: The product has not been tested. Data apply to the components with the highest toxicological

risk.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

Disposal of packaging: May be reused following decontamination.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

ENPAC LTD.

SAFETY DATA SHEET SIMPLY DISHWASH PODS MPC SDW200

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by

the supplier.

Other information	
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No.
	1907/2006.
	* indicates text in the SDS which has changed since the last revision.
	Data references: Safety data sheets from our raw material suppliers
	Department issuing MSDS: Product Development Department
	Classification for mixtures and used evaluation method according to Article 9 of
	regulation (EC) 1272/2008 [CLP]:
	Calculation method
Phrases used in s.2 and 3:	
	H272: May intensify fire; oxidiser.
	H290: May be corrosive to metals.
	H302: Harmful if swallowed.
	H314: Causes severe skin burns and eye damage.
	H315: Causes skin irritation.
	H318: Causes serious eye damage.
	H319: Causes serious eye irritation.
	H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
	H335: May cause respiratory irritation.
	H400: Very toxic to aquatic life.
Legal disclaimer:	The above information is believed to be correct. This company shall not be held liable for
	damage resulting from handling or from contact with the above product.