

Revision Date: 11-Jan-2019 Issuing Date: 26-Sep-2013

Revision Number: 4

Product Name: LC201BK, LC203BK, LC207BK, LC209BK, LC211BK, LC213BK, LC217BK, LC219BK, LC221BK, LC223BK, LC227XLBK, LC223XLBK, LC231BK, LC233BK, LC237XLBK, LC239XLBK, LC261BK, LC263BK, LC609BK, LC629BK, LC639BK, LC649BK, LC663BK, LC667XLBK, LC669XLBK, LC673BK, LC677XLBK, LC679XLBK, LC683BK, LC687XLBK, LC689XLBK, LC691BK, LC693BK, LC697XLBK, LC699XLBK, LC20EBK, LC21EBK, LC22EBK, LC22UBK, LC23EBK Ink

Safety data sheet number: BHK026

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name LC201BK, LC203BK, LC207BK, LC209BK, LC211BK, LC213BK, LC217BK, LC219BK,

LC221BK, LC223BK, LC227XLBK, LC229XLBK, LC231BK, LC233BK, LC237XLBK, LC239XLBK, LC261BK, LC263BK, LC609BK, LC629BK, LC639BK, LC649BK, LC663BK, LC667XLBK, LC669XLBK, LC673BK, LC677XLBK, LC679XLBK, LC683BK, LC687XLBK, LC689XLBK, LC691BK, LC693BK, LC697XLBK, LC699XLBK, LC21EBK, LC21EB

LC22EBK, LC22UBK, LC23EBK Ink

Product Form Mixture

Safety data sheet number BHK026

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses These products are black ink in a cartridge for Brother Industries, Ltd. inkjet multifunction

devices and fax receivers. The cartridge should be used as supplied by Brother and for use in the products stated. Information provided on this SDS is only consistent with the use

specified by Brother.

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

<u>Manufacturer</u> Brother Industries, Ltd.

15-1 Naeshiro-cho, Mizuho-ku, Nagoya 467-8561, Japan

Telephone (for information): +81-52-824-2735

<u>Importer</u> (Europe)

Brother International Europe Ltd.

Brother House, 1 Tame Street, Audenshaw, Manchester M34 5JE, UK

Telephone (for information): +44-161-330-6531

(Australia)

Brother International (Aust.) Pty. Ltd. ACN 001 393 835

Level 3, Building A, 11 Talavera Road, Macquarie Park, NSW 2113, Australia

Telephone (for information): +61-2-9887-4344

For further information, please contact

E-mail address sds.info@brother.co.jp

1.4. Emergency telephone number

Emergency Telephone CHEMTREC +1-703-527-3887 (International)

CHEMTREC +61-290372994 (Australia)

For France only:

Antipoison Center telephone number: ORFILA +33-1-45-425-959



Revision Date: 11-Jan-2019 Issuing Date: 26-Sep-2013

Revision Number: 4

Product Name: LC201BK, LC203BK, LC207BK, LC209BK, LC211BK, LC213BK, LC217BK, LC219BK, LC221BK, LC223BK, LC227XLBK, LC223XLBK, LC231BK, LC233BK, LC237XLBK, LC239XLBK, LC261BK, LC263BK, LC609BK, LC629BK, LC639BK, LC649BK, LC663BK, LC667XLBK, LC669XLBK, LC673BK, LC677XLBK, LC679XLBK, LC683BK, LC687XLBK, LC689XLBK, LC691BK, LC693BK, LC697XLBK, LC699XLBK, LC20EBK, LC21EBK, LC22EBK, LC22UBK, LC23EBK Ink

Safety data sheet number: BHK026

Section 2: Hazard(s) identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS]

Australia Classification

Not classified as hazardous according to the criteria of NOHSC

2.2. Label elements

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [GHS] EUH208 - Contains 1,2-Benzisothiazolin-3-one May produce an allergic reaction.

2.3. Other hazards

No information available

Section 3: Composition/information on ingredients

3.2 Mixtures

Chemical name	CAS No	EC No	EC Index No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
Water	7732-18-5	231-791-2	-	60-70	Not classified	Not applicable
Glycerol	56-81-5	200-289-5	-	5-15	Not classified	Not applicable
Diethylene glycol	111-46-6	203-872-2	603-140-00-6	5-9	Acute Tox. 4 (H302)	Registered
Carbon Black	1333-86-4	215-609-9	-	5-9	Not classified	Not applicable
1,2-Benzisothiazolin-3-one	2634-33-5	220-120-9	613-088-00-6	<0.05	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400)	Not applicable

Full text of H- and EUH-phrases: see section 16



Revision Date: 11-Jan-2019 Issuing Date: 26-Sep-2013

Revision Number: 4

Product Name: LC201BK, LC203BK, LC207BK, LC209BK, LC211BK, LC213BK, LC217BK, LC219BK, LC221BK, LC223BK, LC227XLBK, LC223XLBK, LC231BK, LC233BK, LC237XLBK, LC239XLBK, LC261BK, LC263BK, LC609BK, LC629BK, LC639BK, LC649BK, LC663BK, LC667XLBK, LC669XLBK, LC673BK, LC677XLBK, LC679XLBK, LC683BK, LC687XLBK, LC691BK, LC693BK, LC697XLBK, LC699XLBK, LC20EBK, LC21EBK, LC22EBK, LC22UBK, LC23EBK Ink

Safety data sheet number: BHK026

Section 4: First aid measures

4.1. Description of first aid measures

Inhalation Remove to fresh air.

Eye contactRinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact: Wash skin with soap and water. In the case of skin irritation or allergic reactions see a

physician.

Ingestion Clean mouth with water and drink afterwards plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: Firefighting measures

5.1. Extinguishing media

surrounding environment.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

No information available

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

EN / EGHS Page 3/10



Revision Date: 11-Jan-2019 Issuing Date: 26-Sep-2013

Revision Number: 4

Product Name: LC201BK, LC203BK, LC207BK, LC209BK, LC211BK, LC213BK, LC217BK, LC219BK, LC221BK, LC223BK, LC227XLBK, LC223XLBK, LC231BK, LC233BK, LC237XLBK, LC239XLBK, LC261BK, LC263BK, LC609BK, LC629BK, LC639BK, LC649BK, LC663BK, LC667XLBK, LC669XLBK, LC673BK, LC677XLBK, LC679XLBK, LC683BK, LC687XLBK, LC689XLBK, LC691BK, LC693BK, LC697XLBK, LC699XLBK, LC22EBK, LC22EBK, LC23EBK Ink

Safety data sheet number: BHK026

For non-emergency personnel Ensure adequate ventilation.

6.2. Environmental precautions

Environmental precautions Prevent entry into waterways, sewers, basements or confined areas

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upTake up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

Section 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Ensure adequate ventilation.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place.

7.3. Specific end use(s)

Specific use(s) Water based ink for inkjet printing machine

The information required is contained in this Material Safety Data Sheet.

Section 8: Exposure controls and personal protection

8.1. Control parameters

Exposure Limits .

EN / EGHS Page 4/10



Revision Date: 11-Jan-2019 Issuing Date: 26-Sep-2013

Revision Number: 4

Product Name: LC201BK, LC203BK, LC207BK, LC209BK, LC211BK, LC213BK, LC217BK, LC219BK, LC221BK, LC223BK, LC227XLBK, LC223XLBK, LC231BK, LC233BK, LC237XLBK, LC239XLBK, LC261BK, LC263BK, LC609BK, LC629BK, LC639BK, LC649BK, LC663BK, LC667XLBK, LC669XLBK, LC673BK, LC677XLBK, LC679XLBK, LC683BK, LC687XLBK, LC689XLBK, LC691BK, LC693BK, LC697XLBK, LC699XLBK, LC22EBK, LC22EBK, LC23EBK Ink

Safety data sheet number: BHK026

Chemical name	European Union	United Kingdom	France	Spain	Germany
Glycerol	-	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 200 mg/m ³
56-81-5		STEL: 30 mg/m ³			
Diethylene glycol	-	TWA: 23 ppm	-	-	TWA: 10 ppm
111-46-6		TWA: 101 mg/m ³			TWA: 44 mg/m ³
		STEL: 69 ppm			
		STEL: 303 mg/m ³			
Carbon Black	-	TWA: 3.5 mg/m ³	TWA: 3.5 mg/m ³	TWA: 3.5 mg/m ³	-
1333-86-4		STEL: 7 mg/m ³			
Chemical name	Italy	Portugal	Netherlands	Finland	Denmark
Glycerol	-	TWA: 10 mg/m ³	-	TWA: 20 mg/m ³	-
56-81-5					
Diethylene glycol	-	-	-	-	TWA: 2.5 ppm
111-46-6					TWA: 11 mg/m ³
Carbon Black	-	TWA: 3.5 mg/m ³	-	TWA: 3.5 mg/m ³	TWA: 3.5 mg/m ³
1333-86-4				STEL: 7 mg/m ³	
Chemical name	Austria	Switzerland	Poland	Norway	Ireland
Glycerol	-	TWA: 50 mg/m ³	TWA: 10 mg/m ³	-	TWA: 10 mg/m ³
56-81-5		STEL: 100 mg/m ³			STEL: 30 mg/m ³
Diethylene glycol	TWA: 10 ppm	TWA: 10 ppm	TWA: 10 mg/m ³	-	TWA: 23 ppm
111-46-6	TWA: 44 mg/m ³	TWA: 44 mg/m ³			TWA: 100 mg/m ³
	STEL 40 ppm	STEL: 40 ppm			STEL: 69 ppm
	STEL 176 mg/m ³	STEL: 176 mg/m ³			STEL: 300 mg/m ³
Carbon Black	-	-	TWA: 4.0 mg/m ³	TWA: 3.5 mg/m ³	TWA: 3 mg/m ³
1333-86-4				STEL: 7 mg/m ³	STEL: 15 mg/m ³

Derived No Effect Level (DNEL)No information available.

Predicted No Effect Concentration No information available.

(PNEC)

8.2. Exposure controls

Appropriate engineering controls Good general ventilation should be sufficient under normal use.

Personal protective equipment Not normally required. For use other than in normal operating procedures (such as in the

event of large spill), the following should be applied:

Eye/face protection Safety goggles.

Hand protection Protective gloves.

Skin and body protection Long sleeved clothing and long pants.

Respiratory protection In case of large spillages: Wear suitable respiratory protective equipment.

Environmental exposure controls Avoid release to the environment.

EN / EGHS Page 5/10



Revision Date: 11-Jan-2019 Issuing Date: 26-Sep-2013

Revision Number: 4

Product Name: LC201BK, LC203BK, LC207BK, LC209BK, LC211BK, LC213BK, LC217BK, LC219BK, LC221BK, LC223BK, LC227XLBK, LC223XLBK, LC231BK, LC233BK, LC237XLBK, LC239XLBK, LC261BK, LC263BK, LC609BK, LC629BK, LC639BK, LC649BK, LC663BK, LC667XLBK, LC669XLBK, LC673BK, LC677XLBK, LC679XLBK, LC683BK, LC687XLBK, LC689XLBK, LC691BK, LC693BK, LC697XLBK, LC699XLBK, LC22EBK, LC22EBK, LC23EBK Ink

Safety data sheet number: BHK026

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid
Color black
Odor Slight.

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 7 - 9 Melting point / freezing point < 5 °C

Boiling point / freezing point < 5 C Boiling point / boiling range > 100 °C Flash point >= 93.3 °C

Flash point >= 93.3 °C Tag Closed Cup, Cleveland Open Cup,

None known

Evaporation rateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability limit:No data availableLower flammability limit:No data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone knownRelative density1.0 - 1.1(H2O=1)Water collabilitySoluble in water

Water solubility
Solubility(ies)
Solubility(ies)
Soluble in water
No data available

Partition coefficient

No data available

None known

Autoignition temperature

> 400 °C

No data available

None known

No data available

None known

Decomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosity2 - 5 mPa s

Explosive properties No information available No information available.

Oxidizing properties No information available

9.2. Other information

No information available

Section 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

Stable under normal conditions.

EN / EGHS Page 6/10

brother at your side

SAFETY DATA SHEET

Revision Date: 11-Jan-2019 Issuing Date: 26-Sep-2013

Revision Number: 4

Product Name: LC201BK, LC203BK, LC207BK, LC209BK, LC211BK, LC213BK, LC217BK, LC219BK, LC221BK, LC223BK, LC227XLBK, LC223XLBK, LC231BK, LC233BK, LC237XLBK, LC239XLBK, LC261BK, LC263BK, LC609BK, LC629BK, LC639BK, LC649BK, LC663BK, LC667XLBK, LC669XLBK, LC673BK, LC677XLBK, LC679XLBK, LC683BK, LC687XLBK, LC689XLBK, LC691BK, LC693BK, LC697XLBK, LC699XLBK, LC22EBK, LC22EBK, LC23EBK Ink

Safety data sheet number: BHK026

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

None known based on information supplied

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

Carbon oxides

Section 11: Toxicological information

11.1. Information on toxicological effects

Product Information

Inhalation No information available

Eye contact No information available

Skin contact: No information available

Ingestion Not classified

Acute LD₅₀ > 2000 mg/kg (OECD 420 method)

Skin corrosion/irritation Non-irritant (OECD 404 method)

pH: 7-9

Serious eye damage/eye irritation Minimal irritant to the eye (OECD 405 method)

pH: 7-9

Germ cell mutagenicity AMES test: Negative (OECD 471 method)

Carcinogenicity Carbon Black: In 1996, the IARC re-evaluated carbon black as a Group 2B carcinogen

(possible human carcinogen). This classification is given to chemicals, for which there is inadequate human evidence, but sufficient animal evidence on which to base an opinion of carcinogenicity. The classification is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle



Revision Date: 11-Jan-2019 Issuing Date: 26-Sep-2013

Revision Number: 4

Product Name: LC201BK, LC203BK, LC207BK, LC209BK, LC211BK, LC213BK, LC217BK, LC219BK, LC221BK, LC223BK, LC227XLBK, LC223XLBK, LC231BK, LC233BK, LC237XLBK, LC239XLBK, LC261BK, LC263BK, LC609BK, LC629BK, LC639BK, LC649BK, LC663BK, LC667XLBK, LC669XLBK, LC673BK, LC677XLBK, LC679XLBK, LC683BK, LC687XLBK, LC689XLBK, LC691BK, LC693BK, LC697XLBK, LC699XLBK, LC20EBK, LC21EBK, LC22EBK, LC22UBK, LC23EBK Ink

Safety data sheet number: BHK026

overload of the lung. Studies performed in animal models other than rats did not show any association between carbon black and lung tumors.

Other ingredients of this product have not been classified as carcinogens according to IARC monographs, NTP and OSHA

Section 12: Ecological information

12.1. Toxicity

Contains 0 % of components with unknown hazards to the aquatic environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Glycerol	-	51 - 57: 96 h	-	500: 24 h Daphnia magna
		Oncorhynchus mykiss		mg/L EC50
		mL/L LC50 static		
Diethylene glycol	-	75200: 96 h Pimephales	EC50 = 29228 mg/L 15	84000: 48 h Daphnia
		promelas mg/L LC50	min	magna mg/L EC50
		flow-through		
Carbon Black	-	-	-	EC50: >5600mg/L (24h,
				Daphnia magna)

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

There is no data for this product.

Component Information

Chemical name	Partition coefficient
Glycerol	-1.76
Diethylene glycol	-1.98
1,2-Benzisothiazolin-3-one	1.3

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available.

EN / EGHS Page 8/10



Revision Date: 11-Jan-2019 Issuing Date: 26-Sep-2013

Revision Number: 4

Product Name: LC201BK, LC203BK, LC207BK, LC209BK, LC211BK, LC213BK, LC217BK, LC219BK, LC221BK, LC223BK, LC227XLBK, LC229XLBK, LC231BK, LC233BK, LC237XLBK, LC239XLBK, LC261BK, LC263BK, LC609BK, LC629BK, LC639BK, LC649BK, LC663BK, LC667XLBK, LC669XLBK, LC673BK, LC677XLBK, LC679XLBK, LC683BK, LC687XLBK, LC689XLBK, LC691BK, LC693BK, LC697XLBK, LC699XLBK, LC20EBK, LC21EBK, LC22EBK, LC22UBK, LC23EBK Ink

Safety data sheet number: BHK026

Section 13: Disposal considerations

13.1. Waste treatment methods

Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Section 14: Transport information

<u>IMDG</u>

14.1	UN/ID no	Not regulated
14.2	Proper shipping name	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing group	Not regulated
14.5	Marine pollutant	Not applicable
116	Special Provisions	None

14.6 Special Provisions None

14.7 Transport in bulk according to No information available

Annex II of MARPOL 73/78 and the

IBC Code

RID		
14.1	UN/ID no	Not regulated
14.2	Proper shipping name	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazard	Not applicable

14.6 Special Provisions None

ADR

14.1	UN/ID no	Not regulated
14.2	Proper shipping name	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing group	Not regulated

14.5 Environmental hazard Not applicable

14.6 Special Provisions None

IATA

14.1	UN/ID no	Not regulated
14.2	Proper shipping name	Not regulated
14.3	Hazard Class	Not regulated
14.4	Packing group	Not regulated
14.5	Environmental hazard	Not applicable
14.6	Special Provisions	None

EN / EGHS Page 9/10



Revision Date: 11-Jan-2019 Issuing Date: 26-Sep-2013

Revision Number: 4

Product Name: LC201BK, LC203BK, LC207BK, LC209BK, LC211BK, LC213BK, LC217BK, LC219BK, LC221BK, LC223BK, LC227XLBK, LC223XLBK, LC231BK, LC233BK, LC237XLBK, LC239XLBK, LC261BK, LC263BK, LC609BK, LC629BK, LC639BK, LC649BK, LC663BK, LC667XLBK, LC669XLBK, LC673BK, LC677XLBK, LC679XLBK, LC683BK, LC687XLBK, LC689XLBK, LC691BK, LC693BK, LC697XLBK, LC699XLBK, LC22EBK, LC22EBK, LC23EBK Ink

Safety data sheet number: BHK026

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

No information available

National Regulations

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

Section 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H400 - Very toxic to aquatic life

Legend

SVHC: Substances of Very High Concern for Authorization:

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value ** Trade secret

Key literature references and sources for data

No information available

Revision Date 11-Jan-2019

Issuing Date 26-Sep-2013

Revision Note Not applicable

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information relates only to this product. It may not be valid, if used in combination with any other materials or in any other process, and it is based on our best knowledge as of the date of preparation (revision).

EN / EGHS Page 10 / 10