Report Date: 11/05/2011 1 / 4

SDS No.

18278



# SAFETY DATA SHEET BLUECOL 5 YEAR ANTIFREEZE

# 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME BLUECOL 5 YEAR ANTIFREEZE

PRODUCT NO. BCR001, BCR025, BCR005, BCR199, BCR225

INTERNAL ID B

APPLICATION Antifreeze liquid

SUPPLIER TETROSYL LIMITED

**BEVIS GREEN WORKS** 

**WALMERSLEY** 

BURY BL9 6RE 0161 764 5981 0161 797 5899 info@tetrosyl.com

## **2 HAZARDS IDENTIFICATION**

Harmful if swallowed.

CLASSIFICATION (1999/45) Xn;R22.

**ENVIRONMENT** 

The product contains a substance which may cause long term adverse effects in the aquatic environment.

**HUMAN HEALTH** 

See section 11 for additional information on health hazards.

## 3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content %	Classification (67/548/EEC)	
COOLANT CONCENTRATE EXSC 50			10-30%	Xi;R36/38.	
ETHANEDIOL	203-473-3	107-21-1	60-100%	Xn;R22	

The Full Text for all R-Phrases is Displayed in Section 16

#### COMPOSITION COMMENTS

The data shown are in accordance with the latest EC Directives.

## **4 FIRST-AID MEASURES**

## **GENERAL INFORMATION**

Remove affected person from source of contamination. Get medical attention if any discomfort continues.

#### INHALATION

Move injured person into fresh air and keep person calm under observation. If necessary, seek hospital and bring these instructions. Place unconscious person on the side in the recovery position and ensure breathing can take place.

# **INGESTION**

Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable take to hospital along with these instructions.

#### SKIN CONTACT

Remove affected person from source of contamination. Remove contaminated clothing and flush with plenty of water until pain disappears. If discomfort persists transport to hospital and bring these instructions.

Report Date: 11/05/2011 2 / 4

SDS No.

18278

## **BLUECOL 5 YEAR ANTIFREEZE**

#### **EYE CONTACT**

Immediately flush with plenty of water for up to 15 minutes. Remove any contact lenses and open eyes wide apart. Get medical attention if any discomfort continues.

#### **5 FIRE-FIGHTING MEASURES**

#### **EXTINGUISHING MEDIA**

Use fire-extinguishing media appropriate for surrounding materials.

SPECIAL FIRE FIGHTING PROCEDURES

No specific fire fighting procedure given.

PROTECTIVE MEASURES IN FIRE

Leave danger zone immediately.

# **6 ACCIDENTAL RELEASE MEASURES**

#### PERSONAL PRECAUTIONS

For personal protection, see section 8. In case of spills, beware of slippery floors and surfaces.

## **ENVIRONMENTAL PRECAUTIONS**

The product should not be dumped in nature but collected and delivered according to agreement with the local authorities.

#### SPILL CLEAN UP METHODS

For waste disposal, see section 13. When dealing with a spillage, please consult the section relating to suitable protective measures. Provide ventilation and confine spill. Do not allow runoff to sewer. Absorb spillage with non-combustible, absorbent material. Contact Health and Safety department on 6147 or 6695 for further assistance.

#### **7 HANDLING AND STORAGE**

# **USAGE PRECAUTIONS**

Read and follow manufacturer's recommendations. Always remove grease with soap and water or skin cleaning agent, never use organic solvents. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. Do not eat, drink or smoke when using the product.

## STORAGE PRECAUTIONS

Keep away from heat, sparks and open flame. Store in tightly closed original container in a dry, cool and well-ventilated place.

# 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	STD	TWA - 8 Hrs		STEL - 15 Min		Notes
ETHANEDIOL	WEL		10 mg/m3(Sk)		104 mg/m3(Sk)	

WEL = Workplace Exposure Limit.

#### PROTECTIVE EQUIPMENT







## PROCESS CONDITIONS

Use engineering controls to reduce air contamination to permissible exposure level. Provide eyewash station. ENGINEERING MEASURES

Provide adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

## RESPIRATORY EQUIPMENT

Wear suitable respiratory protection.

Report Date: 11/05/2011 3 / 4 SDS No.

18278

## **BLUECOL 5 YEAR ANTIFREEZE**

HAND PROTECTION

Protective gloves and goggles must be used if there is a risk of direct contact or splash.

**EYE PROTECTION** 

Wear tight-fitting goggles or face shield.

OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.

HYGIENE MEASURES

Wash contaminated clothing before reuse. Wash at the end of each work shift and before eating, smoking and using the toilet.

SKIN PROTECTION

Wear apron or protective clothing in case of contact.

# 9 PHYSICAL AND CHEMICAL PROPERTIES

**APPEARANCE** Liquid Hygroscopic Viscous

**COLOUR** Varying

**ODOUR** Odourless or No characteristic odour.

**SOLUBILITY** Miscible with water Miscible with: Acetone Alcohol

BOILING POINT (°C) 197°C 760 mm Hg

MELTING POINT (°C) -12°C **RELATIVE DENSITY** 1.10 20°C VAPOUR DENSITY (air=1) 2.14

0.05 kPa 20°C VAPOUR PRESSURE **VISCOSITY** 21 cps 20°C

FLASH POINT (°C) 111°C CC (Closed cup).

**AUTO IGNITION** 400°C

TEMPERATURE (°C)

FLAMMABILITY LIMIT -3.2

LOWER(%)

## 10 STABILITY AND REACTIVITY

**STABILITY** 

No particular stability concerns.

# 11 TOXICOLOGICAL INFORMATION

**INGESTION** 

Harmful if swallowed.

**HEALTH WARNINGS** 

This chemical can be hazardous when inhaled and/or touched.

# 12 ECOLOGICAL INFORMATION

## **ECOTOXICITY**

The product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

## 13 DISPOSAL CONSIDERATIONS

## GENERAL INFORMATION

When handling waste, consideration should be made to the safety precautions applying to handling of the product.

**DISPOSAL METHODS** 

Dispose of waste and residues in accordance with local authority requirements.

#### 14 TRANSPORT INFORMATION

Report Date: 11/05/2011 4 / 4

18278

SDS No.

**BLUECOL 5 YEAR ANTIFREEZE** 

GENERAL The product is not covered by international regulation on the transport of dangerous

goods (IMDG, IATA, ADR/RID).

## 15 REGULATORY INFORMATION

**LABELLING** 

×

Harmful

CONTAINS ETHANEDIOL

**RISK PHRASES** 

R22 Harmful if swallowed.

SAFETY PHRASES

S2 Keep out of the reach of children.

S13 Keep away from food, drink and animal feeding stuffs.

S46 If swallowed, seek medical advice immediately and show this

container or label.

S56 Dispose of this material and its container to hazardous or

special waste collection point.

# **16 OTHER INFORMATION**

**REVISION COMMENTS** 

NOTE: Lines within the margin indicate significant changes from the previous revision.

REVISION DATE 17/12/2007

REV. NO./REPL. SDS 8

**GENERATED** 

**RISK PHRASES IN FULL** 

R22 Harmful if swallowed. R36/38 Irritating to eyes and skin.

## **DISCLAIMER**

The information provided in this document has been compiled on the basis of our current knowledge and is believed to be in accordance with the requirements of the Dangerous Substances Directive, Dangerous Preparations Directive and Safety Data Sheets Directive. The information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any particular conditions or process. The conditions and extent of storage and use of material are outside of our control and within the control of the possessor or user. Consequently it is the responsibility of the possessor or user to satisfy themselves as to the completeness of such information and the suitability of the material for their own particular circumstances, conditions or use.