# HP Color Laser 150 Printer series



## Full-featured laser printing. Entry-level pricing.

Get productive print performance – world's smallest colour laser in it's class.<sup>1</sup> Print, and scan, produce high-quality colour results, and print and scan from your phone.<sup>2</sup>



HP Color Laser 150a



HP Color Laser 150nw

#### Legendary HP quality at an affordable price

- This surprisingly small laser delivers exceptional quality, page after page.
- Produce sharp text, bold blacks, and crisp colour graphics.
- Rely on a high-performance laser printer at an affordable price.

#### Designed to fit your space

Work efficiently with a small, compact printer – world's smallest colour laser in its class.<sup>1</sup> The ideal fit for any workspace.

Get print speeds up to 18/4 ppm.<sup>3</sup>

### Easy mobile printing and scanning with HP Smart app<sup>4</sup>

- Get simple setup, and print and scan from your phone, with the HP Smart app.<sup>2,4</sup>
- Easily print from a variety of smartphones and tablets.<sup>5,4</sup>
- Easily share resources access and print with wireless and Ethernet networking.<sup>6,4</sup>
- Connect your smartphone or tablet directly to your printer and easily print without accessing a network.<sup>7,4</sup>

and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled

This printer is intended to work only with

cartridges that have a new or reused HP chip,

cartridges. More at: http://www.hp.com/learn/ds•

## Highlights

- The world's smallest colour laser in its class<sup>1</sup>
- Crisp black and vibrant colour with HP toner
- Speeds up to 18/4 ppm (black/colour) in A4<sup>3</sup>
- USB 2.0 high speed connectivity
- Wireless/Ethernet-network printing (150nw only)
- In box 700/500 pages initial (black/colour)
- Easy mobile printing with the HP Smart app (150nw only)
- Apple AirPrint™, Mopria-certified, Google Cloud Print™ certified
- Compact design at only 211 x 382 x 309mm





Legendary HP reliability

ze



Mobile printing

## Product walkaround

## HP Laser 150nw shown

1. 18 ppm black (A4), 4 ppm colour (A4)

2.50 sheet output bin

3. LED control panel

- 4. HP's smallest colour laser in its class
- 5. Hi-Speed USB 2.0; Fast Ethernet (n/w models)
- 6. Built-in wireless networking; Wi-Fi Direct printing (w model)
- 7.150 sheet input tray

 $\mathbf{8}.$  Pre-installed Original HP Toner cartridges deliver up to 700 pages black, 500 pages colour



## Series at a glance





Model	HP Color Laser 150a	HP Color Laser 150nw
Product number	4ZB94A	4ZB95A
Function	Print	
Memory/processor	64MB/400MHz	
Control panel	LED control panel	
Mobile printing	No	HP's best-in-class mobile app - HP Smart app; Mopria; AirPrint 1.8 enabled; Google Cloud Print™
Connectivity	USB 2.0 high-speed	USB 2.0 high-speed; Wireless; Wi-Fi Direct; Ethernet
Recommended Monthly Page Volume	500 pages	
Print speed	18 (black)/4 (colour) ppm	

# Configurable Items, Accessories, Supplies and Support

Supplies	5KZ38A HP Laser Toner Collection Unit (7,000 pages)		
	W1120A HP 120A Original Laser Imaging Drum (Approximate average yield based on ISO/IEC 19798. Actual yield varies considerably based on content of printed pages and other factors. For details see http://www.hp.com/go/learnaboutsupplies.Mono 16,000 pages; Color 4,000 pages) W2070A HP 117A Black Original Laser Toner Cartridge (~1,000 pages)		
		W2072A HP 117A Yellow Original Laser Toner Cartridge (~700 pages700 pages)	
	W2073A HP 117A Magenta Original Laser Toner Cartridge (~700 pages700 pages)		
Service and Support	UB4X3E HP 3 year Standard Exchange Service for Color Laser 150 Printer series UB4X0E HP 3 year Next Business Day Exchange Service for Color Laser 150 Printer series UB4X6E HP 3 year Return to Depot Service for Color Laser 150 Printer series (UB4X3E - available in All EMEA countries except ME, Africa, South Africa, Israel, Turkey, UB4X0E - available in Austria, Belgium, Denmark, Finland, France, Germany, Ireland, Italy, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, UK, Czech Republic, Greece, Hungary, Poland, Slovakia, UB4X6E - available in ME, Africa, South Africa, Israel, Turkey)		

# Technical specifications

Model	HP Color Laser 150a	HP Color Laser 150nw	
Product number	4ZB94A	4ZB95A	
Functions	Print		
Control panel	3 Buttons (Resume, Cancel, Power): LED indicator lights (Attention, Power, C/M/Y/K Toner Gauge)	4 Buttons (Wireless, Resume, Cancel, Power): LED indicator lights (Attention, Power, Wireless, C/M/Y/K Toner Gauge)	
Print			
Print technology	Laser		
Print speed	Black (A4, normal) Up to 18 ppm Colour (A4, normal): Up to 4 ppm		
First page out	Black (A4, ready): As fast as 12.4 sec Colour (A4, ready): As fast as 25.3 sec ; Black	(A4, sleep): As fast as 13 sec Colour (A4, sleep): As fast as 26 sec	
Print resolution	Black (best): 600 × 600 dpi 4 bits Colour (best): 600 × 600 dpi 4 bits ; Technology: F	ReCP	
Monthly duty cycle <sup>1</sup>	Up to 20,000 pages A4; Recommended monthly page volume <sup>2</sup> : 100 to 500		
Printer smart software features <sup>3</sup>	Manual duplex, booklet print, N-up printing, skip blank pages, collation, poster prin	t, watermarks, accepts a variety o paper sizes and types	
Standard print languages	SPL		
Print area	Print margins Top: 5 mm, Bottom: 5 mm, Left: 5 mm, Right: 5 mm; Maximum print	area: 216 x 356 mm	
Duplex printing	Manual (driver support provided)		
Processor speed	400 MHz		
Connectivity			
Standard		Hi-Speed USB 2.0 port, Fast Ethernet 10/100Base-TX network port, Wireless	
Stalidald	Hi-Speed USB 2.0 port	802.11 b/g/n	
Wireless	No	Yes, built-in Wi-Fi 802.11b/g/n	
Mobile printing capability <sup>5</sup>		Apple AirPrint™; Google Cloud Print™; Mobile Apps; Mopria™ Certified; Wi-Fi® Direct printing	
Supported network protocols	No	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), WSD; Discovery: SLP, Bonjour, WS-Discover IP Config: IPv4 (BootP, OHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Stateful via DHCPv6); Management: SMMPv1 /v2/v3, HTTP	
Network capabilities	No	Via built-in 10/100 Base-TX networking	
Memory	Standard: 64 MB; Maximum <sup>6</sup> : 64 MB		
Media handling			
Number of paper trays	Standard: 1 ; Maximum: 1		
Media types	Plain, Light, Heavy, Extra Heavy, Coloured, Preprinted, Recycle, Labels, Bond, Glossy		
Media size	Custom (metric): 76 x 148.5 to 216 x 356 mm ; Supported (metric): Tray 1: A4; A5; A6; B5 (JIS); Oficio (216 x 340 mm); Tray 2: Not supported; Optional Automatic duplexer: Not supported		
Media handling	Standard input: 150 sheet input tray Standard output: 50 sheet output bin		
Media weight	60 to 220 g/m <sup>2</sup> ;		
Input capacity	Tray 1: Sheets (75 g/m <sup>2</sup> ): 150 Maximum: Up to 150 sheets		
Output capacity	Standard: Up to 50 sheets Maximum: Up to 50 sheets		
Compatible operating systems <sup>6</sup>	Windows®: 7 (32/64-bit), 2008 Server R2, 8 (32/64-bit), 8.1 (32/64-bit), 10 (32/64-bit), 2012 Server, 2016 Server	Windows® 7 (32/64-bit), 2008 Server R2, 8 (32/64-bit), 8.1 (32/64-bit), 10 (32/64-bit), 2012 Server, 2016 Server; macOS v10.14 Mojave, macOS v10.13 Hig Sierra, macOS v10.12 Sierra, OS X v10.11 El Capitan	
Compatible network operating systems	Windows <sup>®</sup> : 7 (32/64-bit), 2008 Server R2, 8 (32/64-bit), 8.1 (32/64-bit), 10	Windows® 7 (32/64-bit), 2008 Server R2, 8 (32/64-bit), 8.1 (32/64-bit), 10 (32/64-bit), 2012 Server, 2016 Server; macOS v10.14 Mojave, macOS v10.13 Hig Sierra, macOS v10.12 Sierra, OS X v10.11 El Capitan	
compatible network operating systems	(32/64-bit), 2012 Server, 2016 Server	Sierra, macos vio. 12 sierra, os X vio. 11 El capitan	
Minimum system requirements	Windows: Windows 7 or newer, Intel® Pentium® IV 1 GHz 32-bit or 64-bit processor or higher, 1 GB RAM, 16 GB HDD;	Windows: Windows® 10, 8.1, 8, 7: 32/64-bit, 2 GB available hard disk space, CD- ROM/DVD drive or Internet connection, USB port, Internet Explorer; Mac: Apple®OS X El Capitan (v10.11), macOS Sierra (v10.12), macOS High Sierra	
	Windows: Windows 7 or newer, Intel® Pentium® IV 1 GHz 32-bit or 64-bit processor or higher, 1 GB RAM, 16 GB HDD;	Windows: Windows® 10, 8.1, 8, 7: 32/64-bit, 2 GB available hard disk space, CD- ROM/DVD drive or Internet connection. USB port. Internet Explorer:	
Minimum system requirements	Windows: Windows 7 or newer, Intel® Pentium® IV 1 GHz 32-bit or 64-bit	Windows: Windows <sup>®</sup> 10, 8.1, 8, 7: 32/64-bit, 2 GB available hard disk space, CD- ROM/DVD drive or Internet connection, USB port, Internet Explorer; Mac: Apple@OS X EI Capitan (v10.11), macOS Sierra (v10.12), macOS High Sierra (v10.13), 1.5 GB available hard disk space, Internet required, USB	
Minimum system requirements Software included Security management	Windows: Windows 7 or newer, Intel® Pentium® IV 1 GHz 32-bit or 64-bit processor or higher, 1 GB RAM, 16 GB HDD;         Common Installer, V3 Print driver with Lite SM	Windows: Windows® 10, 8.1, 8, 7: 32/64-bit, 2 GB available hard disk space, CD- ROM/DVD drive or Internet connection, USB port, Internet Explorer; Mac: Apple®OS X EI Capitan (v10.11), macOS Sierra (v10.12), macOS High Sierra (v10.13), 1.5 GB available hard disk space, Internet required, USB Password-protected network embedded Web server; Enable/disable Network ports; SNMPv1 community password change; SNMPv2&V3 IPSec; Filtering: MAC	
Minimum system requirements Software included Security management Dimensions and weight	Windows: Windows 7 or newer, Intel® Pentium® IV 1 GHz 32-bit or 64-bit processor or higher, 1 GB RAM, 16 GB HDD;         Common Installer, V3 Print driver with Lite SM         No	Windows: Windows® 10, 8.1, 8, 7: 32/64-bit, 2 GB available hard disk space, CD- ROM/DVD drive or Internet connection, USB port, Internet Explorer; Mac: Apple®OS X EI Capitan (v10.11), macOS Sierra (v10.12), macOS High Sierra (v10.13), 1.5 GB available hard disk space, Internet required, USB Password-protected network embedded Web server; Enable/disable Network ports; SNMPv1 community password change; SNMPv2&V3 IPSec; Filtering: MAC	
Minimum system requirements Software included Security management Dimensions and weight Printer dimensions (W × D × H)	Windows: Windows 7 or newer, Intel® Pentium® IV 1 GHz 32-bit or 64-bit processor or higher, 1 GB RAM, 16 GB HDD;         Common Installer, V3 Print driver with Lite SM         No         Minimum 382 x 309 x 211.5 mm; Maximum: 382 x 397.8 x 274.4 mm	Windows: Windows® 10, 8.1, 8, 7: 32/64-bit, 2 GB available hard disk space, CD- ROM/DVD drive or Internet connection, USB port, Internet Explorer; Mac Apple®OS X El Capitan (v10.11), macOS Sierra (v10.12), macOS High Sierra (v10.13), 1.5 GB available hard disk space, Internet required, USB Password-protected network embedded Web server; Enable/disable Network ports; SNMPv1 community password change; SNMPv2&V3 IPSec; Filtering: MAC	
Minimum system requirements Software included Security management Dimensions and weight Printer dimensions (W × D × H) Printer weight	Windows: Windows 7 or newer, Intel® Pentium® IV 1 GHz 32-bit or 64-bit processor or higher, 1 GB RAM, 16 GB HDD;         Common Installer, V3 Print driver with Lite SM         No         Minimum 382 x 309 x 211.5 mm; Maximum: 382 x 397.8 x 274.4 mm         10.04 kg	Windows: Windows® 10, 8.1, 8, 7: 32/64-bit, 2 GB available hard disk space, CD- ROM/DVD drive or Internet connection, USB port, Internet Explorer; Mac: Apple®OS X EI Capitan (v10.11), macOS Sierra (v10.12), macOS High Sierra (v10.13), 1.5 GB available hard disk space, Internet required, USB Password-protected network embedded Web server; Enable/disable Network ports; SNMPv1 community password change; SNMPv2&V3 IPSec; Filtering: MAC	
Minimum system requirements Software included Security management Dimensions and weight Printer dimensions (W × D × H) Printer weight Operating environment	Windows: Windows 7 or newer, Intel® Pentium® IV 1 GHz 32-bit or 64-bit processor or higher, 1 GB RAM, 16 GB HDD;         Common Installer, V3 Print driver with Lite SM         No         Minimum 382 x 309 x 211.5 mm; Maximum: 382 x 397.8 x 274.4 mm         10.04 kg         Temperature: 10 to 30°C; Humidity: 20 to 70% RH (non-condensing)	Windows: Windows® 10, 8.1, 8, 7: 32/64-bit, 2 GB available hard disk space, CD- ROM/DVD drive or Internet connection, USB port, Internet Explorer; Mac: Apple®OS X EI Capitan (v10.11), macOS Sierra (v10.12), macOS High Sierra (v10.13), 1.5 GB available hard disk space, Internet required, USB Password-protected network embedded Web server; Enable/disable Network ports; SNMPv1 community password change; SNMPv2&V3 IPSec; Filtering: MAC	
Minimum system requirements Software included Security management Dimensions and weight Printer dimensions (W × D × H) Printer weight Operating environment Storage conditions	Windows: Windows 7 or newer, Intel® Pentium® IV 1 GHz 32-bit or 64-bit processor or higher, 1 GB RAM, 16 GB HDD;         Common Installer, V3 Print driver with Lite SM         No         Minimum 382 x 309 x 211.5 mm; Maximum: 382 x 397.8 x 274.4 mm         10.04 kg         Temperature: 10 to 30°C; Humidity: 20 to 70% RH (non-condensing)         Temperature: -20 to 40°C	<ul> <li>Windows: Windows® 10, 8.1, 8, 7: 32/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer;</li> <li>Mac: Apple@OS X EI Capitan (v10.11), macOS Sierra (v10.12), macOS High Sierra (v10.13), 1.5 GB available hard disk space, Internet required, USB</li> <li>Password-protected network embedded Web server; Enable/disable Network ports; SNMPv1 community password change; SNMPV2&amp;V3 IPSec; Filtering: MAC IPv4, IPv6</li> </ul>	
Minimum system requirements Software included Security management Dimensions and weight Printer dimensions (W × D × H) Printer weight Operating environment	Windows: Windows 7 or newer, Intel® Pentium® IV 1 GHz 32-bit or 64-bit processor or higher, 1 GB RAM, 16 GB HDD;         Common Installer, V3 Print driver with Lite SM         No         Minimum 382 x 309 x 211.5 mm; Maximum: 382 x 397.8 x 274.4 mm         10.04 kg         Temperature: 10 to 30°C; Humidity: 20 to 70% RH (non-condensing)         Temperature: -20 to 40°C         Acoustic power emissions: 6.5B (A) (printing at 18 ppm with monochrome mode); 4	<ul> <li>Windows: Windows® 10, 8.1, 8, 7: 32/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer;</li> <li>Mac: Apple@OS X EI Capitan (v10.11), macOS Sierra (v10.12), macOS High Sierra (v10.13), 1.5 GB available hard disk space, Internet required, USB</li> <li>Password-protected network embedded Web server; Enable/disable Network ports; SNMPv1 community password change; SNMPV2&amp;V3 IPSec; Filtering: MAC IPv4, IPv6</li> </ul>	
Minimum system requirements Software included Security management Dimensions and weight Printer dimensions (W × D × H) Printer weight Operating environment Storage conditions	Windows: Windows 7 or newer, Intel® Pentium® IV 1 GHz 32-bit or 64-bit processor or higher, 1 GB RAM, 16 GB HDD;         Common Installer, V3 Print driver with Lite SM         No         Minimum 382 x 309 x 211.5 mm; Maximum: 382 x 397.8 x 274.4 mm         10.04 kg         Temperature: 10 to 30°C; Humidity: 20 to 70% RH (non-condensing)         Temperature: -20 to 40°C	Windows: Windows® 10, 8.1, 8, 7: 32/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer;         Mac: Apple@OS X EI Capitan (v10.11), macOS Sierra (v10.12), macOS High Sierra (v10.13), 1.5 GB available hard disk space, Internet required, USB         Password-protected network embedded Web server; Enable/disable Network ports; SNMPv1 community password change; SNMPV2&V3 IPSec; Filtering: MAC, IPv4, IPv6         5.1B (A) (printing at 4 ppm with colour mode);         : Auto Off/Manual On: 0.2 W :	
Minimum system requirements Software included Security management Dimensions and weight Printer dimensions (W × D × H) Printer weight Operating environment Storage conditions Acoustics Power	Windows: Windows 7 or newer, Intel® Pentium® IV 1 GHz 32-bit or 64-bit processor or higher, 1 GB RAM, 16 GB HDD;         Common Installer, V3 Print driver with Lite SM         No         Minimum 382 x 309 x 211.5 mm; Maximum: 382 x 397.8 x 274.4 mm         10.04 kg         Temperature: 10 to 30°C; Humidity: 20 to 70% RH (non-condensing)         Temperature: -20 to 40°C         Acoustic power emissions: 6.5B (A) (printing at 18 ppm with monochrome mode); I         Requirements: 220 to 240 VAC, 50/60Hz; Consumption: Active Printing: 282 W; Ready: 27 W; Sleep: 1.0 W; Manual Off: 0.2 W         Typical Electricity Consumption (TEC). Blue Angel: 0.873 kWh/Week; Energy Star: 0	Windows: Windows® 10, 8.1, 8, 7: 32/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer;         Mac: Apple@OS X EI Capitan (v10.11), macOS Sierra (v10.12), macOS High Sierra (v10.13), 1.5 GB available hard disk space, Internet required, USB         Password-protected network embedded Web server; Enable/disable Network ports; SNMPv1 community password change; SNMPV2&V3 IPSec; Filtering: MAC, IPv4, IPv6         5.1B (A) (printing at 4 ppm with colour mode);         : Auto Off/Manual On: 0.2 W :	
Minimum system requirements Software included Security management Dimensions and weight Printer dimensions (W × D × H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology	Windows: Windows 7 or newer, Intel® Pentium® IV 1 GHz 32-bit or 64-bit processor or higher, 1 GB RAM, 16 GB HDD;         Common Installer, V3 Print driver with Lite SM         No         Minimum 382 x 309 x 211.5 mm; Maximum: 382 x 397.8 x 274.4 mm         10.04 kg         Temperature: 10 to 30°C; Humidity: 20 to 70% RH (non-condensing)         Temperature: -20 to 40°C         Acoustic power emissions: 6.5B (A) (printing at 18 ppm with monochrome mode); 4         Requirements: 220 to 240 VAC, 50/60Hz ; Consumption: Active Printing: 282 W; Ready: 27 W; Sleep: 1.0 W; Manual Off: 0.2 W Typical Electricity Consumption (TEC). Blue Angel: 0.873 kWh/Week; Energy Star: 0 Power supply type: Internal (built-in) Power Supply	Windows: Windows® 10, 8.1, 8, 7: 32/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer;         Mac. Apple@OS X EI Capitan (V10.11), macOS Sierra (V10.12), macOS High Sierra (V10.13), 1.5 GB available hard disk space, Internet required, USB         Password-protected network embedded Web server; Enable/disable Network ports; SNMPV1 community password change; SNMPV2&V3 IPSec; Filtering: MAC IPv4, IPv6         5.1B (A) (printing at 4 ppm with colour mode);         ; Auto Off/Manual On: 0.2 W ;         .988 kWh/Week ;	
Minimum system requirements Software included Security management Dimensions and weight Printer dimensions (W × D × H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications	Windows: Windows 7 or newer, Intel® Pentium® IV 1 GHz 32-bit or 64-bit processor or higher, 1 GB RAM, 16 GB HDD;         Common Installer, V3 Print driver with Lite SM         No         Minimum 382 x 309 x 211.5 mm; Maximum: 382 x 397.8 x 274.4 mm         10.04 kg         Temperature: 10 to 30°C; Humidity: 20 to 70% RH (non-condensing)         Temperature: -20 to 40°C         Acoustic power emissions: 6.5B (A) (printing at 18 ppm with monochrome mode); (         Requirements: 220 to 240 VAC, 50/60Hz;         Consumption: Active Printing: 282 W; Ready: 27 W; Sleep: 1.0 W; Manual Off: 0.2 W         Typical Electricity Consumption (TEC): Blue Angel: 0.873 kWh/Week; Energy Star: 0         Power supply type: Internal (built-in) Power Supply         HP Auto-Off Technology; Power save         Electromagnetic emission standard: EN 61000-3-2:2014, EN 61000-3-3:2013, EN 2009, ICES-003 Issue 5, KN32, KN35, GB/T 9254-2008, GB17625.1-2012, CISPR2 countries CECP	Windows: Windows® 10, 8.1, 8, 7: 32/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer;           Mac. Apple@OS X EI Capitan (V10.11), macOS Sierra (V10.12), macOS High Sierra (V10.13), 1.5 GB available hard disk space, Internet required, USB           Password-protected network embedded Web server; Enable/disable Network ports; SNMPV1 community password change; SNMPV2&V3 IPSec; Filtering: MAC [Pv4, IPv6           5.1B (A) (printing at 4 ppm with colour mode);           ; Auto Off/Manual On: 0.2 W ;           .988 kWh/Week ;	
Minimum system requirements Software included Security management Dimensions and weight Printer dimensions (W × D × H) Printer weight Operating environment Storage conditions Acoustics	Windows: Windows 7 or newer, Intel® Pentium® IV 1 GHz 32-bit or 64-bit processor or higher, 1 GB RAM, 16 GB HDD;         Common Installer, V3 Print driver with Lite SM         No         Minimum 382 x 309 x 211.5 mm; Maximum: 382 x 397.8 x 274.4 mm         10.04 kg         Temperature: 10 to 30°C; Humidity: 20 to 70% RH (non-condensing)         Temperature: -20 to 40°C         Acoustic power emissions: 6.5B (A) (printing at 18 ppm with monochrome mode); (Requirements: 220 to 240 VAC, 50/60Hz; Consumption: Active Printing: 282 W; Ready: 27 W; Sleep: 1.0 W; Manual Off: 0.2 W Typical Electricity Consumption (TEC): Blue Angel: 0.873 kWh/Week; Energy Star: 0 Power supply type: Internal (built-in) Power Supply         HP Auto-Off Technology; Power save         Electromagnetic emission standard: EN 61000-3-2:2014, EN 61000-3-3:2013, EN 2009, ICES-003 Issue 5, KN32, KN35, GB/T 9254-2008, GB17625.1-2012, CISPR2 Countries CECP         Mercury free	Windows: Windows® 10, 8.1, 8, 7: 32/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer;           Mac. Apple@OS X EI Capitan (V10.11), macOS Sierra (V10.12), macOS High Sierra (V10.13), 1.5 GB available hard disk space, Internet required, USB           Password-protected network embedded Web server; Enable/disable Network ports; SNMPV1 community password change; SNMPV2&V3 IPSec; Filtering: MAC [Pv4, IPv6           5.1B (A) (printing at 4 ppm with colour mode);           ; Auto Off/Manual On: 0.2 W ;           .988 kWh/Week ;	
Minimum system requirements Software included Security management Dimensions and weight Printer dimensions (W × D × H) Printer weight Operating environment Storage conditions Acoustics Power Energy savings feature technology Certifications Sustainable impact specifications	Windows: Windows 7 or newer, Intel® Pentium® IV 1 GHz 32-bit or 64-bit processor or higher, 1 GB RAM, 16 GB HDD;         Common Installer, V3 Print driver with Lite SM         No         Minimum 382 x 309 x 211.5 mm; Maximum: 382 x 397.8 x 274.4 mm         10.04 kg         Temperature: 10 to 30°C; Humidity: 20 to 70% RH (non-condensing)         Temperature: -20 to 40°C         Acoustic power emissions: 6.5B (A) (printing at 18 ppm with monochrome mode); (         Requirements: 220 to 240 VAC, 50/60Hz;         Consumption: Active Printing: 282 W; Ready: 27 W; Sleep: 1.0 W; Manual Off: 0.2 W         Typical Electricity Consumption (TEC): Blue Angel: 0.873 kWh/Week; Energy Star: 0         Power supply type: Internal (built-in) Power Supply         HP Auto-Off Technology; Power save         Electromagnetic emission standard: EN 61000-3-2:2014, EN 61000-3-3:2013, EN 2009, ICES-003 Issue 5, KN32, KN35, GB/T 9254-2008, GB17625.1-2012, CISPR2 countries CECP	Windows: Windows® 10, 8.1, 8, 7: 32/64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer;         Mac: Apple@OS X EI Capitan (V10.11), macOS Sierra (V10.12), macOS High Sierra (V10.13), 1.5 GB available hard disk space, Internet required, USB         Password-protected network embedded Web server; Enable/disable Network ports; SNMPV1 community password change; SNMPV2&V3 IPSec; Filtering: MAC, IPv4, IPv6         5.1B (A) (printing at 4 ppm with colour mode);         ; Auto Off/Manual On: 0.2 W ;         .988 kWh/Week ;         IS5024:2010, EN 55032:2012/AC:2013, 47 CFR Part 15, Subpart B I ANSI C63.4-2: 2008, CISPR32:2012, CNS 13438, other EMC approvals as required by individual         4ZB95A HP Color Laser 150mw Printer; Preinstalled introductory HP 117A Laser Printer cartridges (700 pages black, 500 pages cyan, yellow, magenta); Imaging	

#### Footnotes

<sup>1</sup> Smallest in-class footprint compared only to dimensions of majority of worldwide competing personal colour laser printers (defined as non-discontinued colour laser printers < €200 and colour laser MFPs < €300); HP internal research of printer manufacturers' published specifications as of Sept 4, 2018 and Keypoint Intelligence-Buyers Lab 2018 study commissioned by HP. Market share as reported by IDC CYQ2 2018 Hardcopy Peripherals Tracker. Footprint for HP Color Laser 150 printer series is 1,180.6 square centimetres, for HP Color Laser 170 MFP series is 1,476.1 square centimetres. For details, see keypointintelligence.com/HPColorLaser. <sup>2</sup> Requires the HP Smart app download. For details on local printing requirements see http://pt.com/go/mobileprinting.

<sup>3</sup> Excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>4</sup> Feature available only for HP Color Laser 150nw.

<sup>5</sup> For details on local printing requirements see http://hp.com/go/mobile printing.

<sup>6</sup> Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Learn more at http://hp.com/go/mobileprinting. Wi-Fi is a registered trademark of Wi-Fi Alliance.

<sup>7</sup> Mobile device needs to be connected to Wi-Fi Direct<sup>®</sup> signal of a Wi-Fi Direct-supported AiO or printer prior to printing. Details at http://hp.com/go/mobileprinting. Wi-Fi Direct<sup>®</sup> is a registered trademark of Wi-Fi Alliance<sup>®</sup>.

#### Technical specifications disclaimers

<sup>1</sup> Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP Laser or HP Color Laser devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

<sup>2</sup> HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

<sup>3</sup> Manual duplex, booklet print, N-up printing, skip blank pages, collation, poster print, watermarks. Accepts a variety o paper sizes and types.

<sup>4</sup> Maximum Memory is 64 MB (not expanded).

<sup>5</sup> May require a firmware upgrade to be compatible, download at http://www.hp.com/go/support.
<sup>6</sup> Windows 7 or higher.

<sup>7</sup> Introductory cartridges included; Yield: 500 colour composite (C/Y/M) and 700 black pages. Replacement cartridge average composite (C/Y/M) declared yield 700 and average black yield 1,000 pages based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies.



© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

gb-en September 2022