

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
	MI DAFFOR MI DAFFOR MIT D2001
Trade name or designation of the mixture	ML-D4550A, ML-D4550B, MLT-D309L
Registration number	-
Synonyms	None.
Issue date	20-December-2017
Version number	01
Revision date	-
Supersedes date	-
1.2. Relevant identified uses of	the substance or mixture and uses advised against
Identified uses	This product is a toner mixture that is used in printing systems.
Uses advised against	Do not use with non compatible printer.
1.3. Details of the supplier of th	e safety data sheet
Supplier	HP Inc UK Limited
Address	Cain Rd., Amen Corner, Pt 2nd Floor (Bldg BRA03)
	Bracknell, United Kingdom RG12 1HN
Telephone	44 (0) 879 013 0790
-	HP Inc. health effects line
	(Toll-free within the US) 1-800-457-4209
	(Direct) 1-760-710-0048
	HP Inc. Customer Care Line
	(Toll-free within the US) 1-800-474-6836
	(Direct) 1-208-323-2551
E-mail	hpcustomer.inquiries@hp.com
1.4. Emergency telephone number	Poison Information Centre 0207771 5307

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

	······································
Hazard summary	Exposure to powder or dusts may be irritating to eyes, nose and throat. Prolonged exposure may cause chronic effects. Not classified for health hazards. However, occupational exposure to the mixture or substance(s) may cause adverse health effects.
2.2. Label elements	
Label according to Regulation (E	EC) No. 1272/2008 as amended
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not assigned.
Response	Not assigned.
Storage	Not assigned.
Disposal	Not assigned.
Supplemental label information	None.
2.3. Other hazards	Not a PBT or vPvB substance or mixture.
SECTION 2. Composition/	information on ingradiante

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical name	% CAS-No. / EC No. REACH Registration No. Index No. Notes
Isobutyltrimethoxysilane	0.3 - 1 18395-30-7 242-272-5 -
Classification: Flar	n. Liq. 3;H226, Skin Irrit. 2;H315, STOT SE 3;H336
ist of abbreviations and symbo	-
All concentrations are in perce	ent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.
SECTION 4: First aid meas	sures
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
.1. Description of first aid meas	ures
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
I.2. Most important symptoms and effects, both acute and lelayed	Dusts may irritate the respiratory tract, skin and eyes.
I.3. Indication of any mmediate medical attention and special treatment needed	Treat symptomatically.
SECTION 5: Firefighting m	leasures
General fire hazards	No unusual fire or explosion hazards noted.
5.1. Extinguishing media Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising rom the substance or mixture	During fire, gases hazardous to health may be formed.
5.3. Advice for firefighters Special protective equipment for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Special fire fighting procedures	Move containers from fire area if you can do so without risk.
pecific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
SECTION 6: Accidental rel	ease measures
	ctive equipment and emergency procedures
For non-emergency personnel	Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up.
For emergency responders	Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.
.2. Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
5.3. Methods and material for containment and cleaning up	Avoid the generation of dusts during clean-up. Use explosion proof electric equipment. Collect du using a vacuum cleaner equipped with HEPA filter. The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk. Sweep up or vacuum up spillage and collect in suitable container for disposal.
6.4. Reference to other sections	For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS
SECTION 7: Handling and	storage
7.1. Precautions for safe nandling	Minimise dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Avoid prolonged exposure. Practice good housekeeping.
7.2. Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see section 10 of the SDS).
7.3. Specific end use(s)	This product is a toner mixture that is used in printing systems.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

UK. EH40 Workplace Exposure Limits (WELs)

Components	Туре	Value	Form
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3	
	TWA	3.5 mg/m3	
Paraffin waxes and Hydrocarbon waxes (CAS 8002-74-2)	STEL	6 mg/m3	Fume.
,	TWA	2 mg/m3	Fume.
Silica (CAS 7631-86-9)	TWA	6 mg/m3	Inhalable dust.
		2.4 mg/m3	Respirable dust.
Titanium dioxide (CAS 13463-67-7)	TWA	4 mg/m3	Respirable.
,		10 mg/m3	Inhalable
Product	Туре	Value	Form
Dust	TWA	4 mg/m3	Respirable dust.
		10 mg/m3	Inhalable dust.
logical limit values	No biological exposure limits noted for the ing	gredient(s).	
commended monitoring cedures	Follow standard monitoring procedures.		
ived no effect levels IELs)	Not available.		
dicted no effect	Not available.		
centrations (PNECs)			

None known. Control banding approach

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the OEL (occupational exposure limit), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.

Individual protection measures, such as personal protective equipment

• • • •	
General information	Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.
Eye/face protection	Risk of contact: Wear safety glasses with side shields (or goggles).
Skin protection	
- Hand protection	Risk of contact: Wear appropriate chemical resistant gloves.
- Other	Risk of contact: Wear suitable protective clothing.
Respiratory protection	In case of inadequate ventilation or risk of inhalation of dust, use suitable respiratory equipment with particle filter.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
Hygiene measures	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.
Environmental exposure	Environmental manager must be informed of all major releases.

controls

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	
Physical state	Solid.
Form	Fine powder.
Colour	Black.

Odour	Odourless.
Odour threshold	No data available.
рН	Not applicable.
Melting point/freezing point	No data available.
Initial boiling point and boiling range	Not applicable.
Flash point	No data available.
Evaporation rate	Not applicable.
Flammability (solid, gas)	No data available.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%) temperature	No data available.
Explosive limit - upper (%) temperature	No data available.
Vapour pressure	Not applicable.
Vapour density	Not available.
Relative density	No data available.
Solubility(ies)	Insoluble in water.
Partition coefficient (n-octanol/water)	No data available.
Auto-ignition temperature	Not applicable.
Decomposition temperature	> 200 °C (> 392 °F)
Viscosity	Not applicable.
Explosive properties	No data available.
Oxidising properties	No data available.
9.2. Other information	
Density	1.20 g/ml (20°C/68°F)
Solubility (other)	Partially soluble in toluene, chloroform and tetrahydrofuran
SECTION 10: Stability and	reactivity
10.1. Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
10.2. Chemical stability	Material is stable under normal conditions.
10.3. Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
10.4. Conditions to avoid	Avoid temperatures exceeding the decomposition temperature. Contact with incompatible materials.
10.5. Incompatible materials	Strong oxidising agents.
10.6. Hazardous decomposition products	Carbon dioxide. Carbon monoxide.
SECTION 11: Toxicologica	al information
General information	Occupational exposure to the substance or mixture may cause adverse effects.
Information on likely routes of e	xposure
Inhalation	Dust may irritate respiratory system. Prolonged inhalation may be harmful.
Skin contact	Dust or powder may irritate the skin.
Eye contact	Dust may irritate the eyes.
Ingestion	May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.
Symptoms	Dusts may irritate the respiratory tract, skin and eyes.
11.1. Information on toxicologica	al effects
Acute toxicity	
Product	Species Test Results
MI -D4550A, MI -D4550B, MI T-D3	309L (CAS Mixture)

ML-D4550A, ML-D4550B, MLT-D309L (CAS Mixture)	
Acute	
Oral	
ATE Rat > 5000 mg/kg	

Skin corrosion/irritation	Skin. Not irritating, tested on rabbit. (OECD 404)
Serious eye damage/eye irritation	Eyes. Not irritating, tested on rabbit. (OECD 405)
Respiratory sensitisation	Based on available data, the classification criteria are not met.
Skin sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Ames test: Negative.
Carcinogenicity	Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organisations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation.
Reproductive toxicity	Based on available data, the classification criteria are not met.
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not met.
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
Mixture versus substance information	No information available.
Other information	In 1996, the IARC revaluated carbon black as a GROUP 2B carcinogen (possible human carcinogen). This evaluation is given to carbon black for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the developer of lung tumors in rat receiving chronic inhalation exposures to free carbon black at level that induce particle overload of the lung. Studies performed in animal models other than rats have not demonstrated an association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.
	In a study in rats (H.Muhle) by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the concentration(16mg/m3) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m3) exposure group. But no pulmonary changes was reported in the lowest (1mg/m3) exposure group, the most relevant level to potential human exposures.
SECTION 12: Ecological in	formation

12.1. Toxicity	Based on available data, the classification criteria are not met for hazardous to the aquatic environment.
12.2. Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.
12.3. Bioaccumulative potential	No data available.
Partition coefficient n-octanol/water (log Kow)	Not available.
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	No data available.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.
12.6. Other adverse effects	No data available.
SECTION 13: Disposal considerations	

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Residual waste	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.
EU waste code	The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Disposal methods/information	Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations.
Special precautions	Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

ΙΑΤΑ

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulk Not applicable. according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended Not listed. Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended Not listed Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed. Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed. Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed. Authorisations Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended Not listed. Other regulations This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as amended. The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Regulation) as amended. Follow national regulation for work with chemical agents. National regulations 15.2. Chemical safety No Chemical Safety Assessment has been carried out. assessment

SECTION 16: Other information

List of abbreviations

PBT: Persistent, bioaccumulative and toxic. vPvB: Very Persistent and very Bioaccumulative. STEL: Short-Term Exposure Limit. TWA: Time Weighted Average Value.

	 LD50: Lethal Dose, 50%. LC50: Lethal Concentration, 50%. ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways. ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road. RID: Regulations concerning the International Carriage of Dangerous Goods by Road. IATA: International Air Transport Association. IMDG Code: International Maritime Dangerous Goods Code. MARPOL: International Convention for the Prevention of Pollution from Ships.
References	ECHA CHEM IARC Monographs. Overall Evaluation of Carcinogenicity
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.
Full text of any H-statements not written out in full under	
Sections 2 to 15	H226 Flammable liquid and vapour. H315 Causes skin irritation. H336 May cause drowsiness or dizziness.
Training information	Follow training instructions when handling this material.
Further information	None known.
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.