

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

SCX-6320D8, SCX-P6320A

of the mixture

Registration number -

Synonyms None.

Issue date 01-November-2017

Version number 01
Revision date Supersedes date -

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesThis product is a toner mixture that is used in printing systems.

Uses advised against Do not use with non compatible printer.

1.3. Details of the supplier of the safety data sheet

Supplier HP Inc UK Limited

Address Cain Rd., Amen Corner, Pt 2nd Floor (Bldg BRA03)

Bracknell, United Kingdom RG12 1HN

Telephone 44 (0) 879 013 0790

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209

(Direct) 1-760-710-0048 HP Inc. Customer Care Line

(Toll-free within the US) 1-800-474-6836

(Direct) 1-208-323-2551

E-mail hpcustomer.inquiries@hp.com

1.4. Emergency telephone

number

Poison Information Centre 0207771 5307

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summary Exposure to powder or dusts may be irritating to eyes, nose and throat. Prolonged exposure may

cause chronic effects. Not classified for health hazards. However, occupational exposure to the

mixture or substance(s) may cause adverse health effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.

Signal word None.

Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

PreventionNot assigned.ResponseNot assigned.StorageNot assigned.DisposalNot assigned.

Supplemental label information None.

2.3. Other hazardsNot a PBT or vPvB substance or mixture.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name % CAS-No. / EC No. REACH Registration No. **Notes** Index No.

1-Propanesulfonic acid,

< 2 51121-85-8

2-methyl-2-((1-oxo-2-propenyl)amino)

, polymer with ethenylbenzene

Classification: Skin Irrit. 2;H315, Eye Irrit. 2;H319, STOT SE 3;H335

List of abbreviations and symbols that may be used above

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact Eye contact Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion Dusts may irritate the respiratory tract, skin and eyes.

4.2. Most important symptoms and effects, both acute and

delaved

4.3. Indication of any Treat symptomatically.

immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

media

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

procedures

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during

clean-up.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the

SDS.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up Avoid the generation of dusts during clean-up. Use explosion proof electric equipment. Collect dust using a vacuum cleaner equipped with HEPA filter. The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk. Sweep up or vacuum

up spillage and collect in suitable container for disposal.

6.4. Reference to other

sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Minimise dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Avoid prolonged exposure. Practice good housekeeping.

7.2. Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store in a well-ventilated place. Store away from

incompatible materials (see section 10 of the SDS).

7.3. Specific end use(s) This product is a toner mixture that is used in printing systems.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

UK. EH40 Workplace Exposure Limits (WELs	UK.	EH40	Workplace	Exposure	Limits	(WELs)
--	-----	------	-----------	-----------------	--------	--------

Components	Type	Value		
Carbon black (CAS 1333-86-4)	STEL	7 mg/m3		
	TWA	3.5 mg/m3		
Product	Туре	Value	Form	
Dust	TWA	4 mg/m3	Respirable dust.	
		10 mg/m3	Inhalable dust.	

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs) Not available.

Exposure guidelines

Provide adequate ventilation.

Control banding approach

None known.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the OEL (occupational exposure limit), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in

discussion with the supplier of the personal protective equipment.

Risk of contact: Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

- Hand protection Risk of contact: Wear appropriate chemical resistant gloves.

- Other Risk of contact: Wear suitable protective clothing.

In case of inadequate ventilation or risk of inhalation of dust, use suitable respiratory equipment Respiratory protection

with particle filter.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Solid. **Form** Fine powder. Colour Black. Odour Odourless.

Odour threshold No data available. Not applicable. pН Melting point/freezing point No data available. Initial boiling point and boiling Not applicable.

range

No data available. Flash point

Evaporation rate Not applicable.

Flammability (solid, gas) No data available.

Upper/lower flammability or explosive limits

Explosive limit - lower (%)

temperature

No data available.

Explosive limit - upper (%)

temperature

No data available.

Vapour pressureNot applicable.Vapour densityNot available.Relative densityNo data available.Solubility(ies)Insoluble in water.Partition coefficientNo data available.

(n-octanol/water)

Auto-ignition temperature

Decomposition temperature

Viscosity

Not applicable.

> 200 °C (> 392 °F)

Not applicable.

Explosive properties

No data available.

Oxidising properties
9.2. Other information

Density 1.20 g/ml (20°C/68°F)

Solubility (other) Partially soluble in toluene, chloroform and tetrahydrofuran

No data available.

SECTION 10: Stability and reactivity

10.1. ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Avoid temperatures exceeding the decomposition temperature. Contact with incompatible

materials.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous Carbon dioxide. Carbon monoxide.

decomposition products

10.4. Conditions to avoid

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system. Prolonged inhalation may be harmful.

Skin contact Dust or powder may irritate the skin.

Eve contact Dust may irritate the eyes.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Dusts may irritate the respiratory tract, skin and eyes.

11.1. Information on toxicological effects

Acute toxicity

Product Species Test results

SCX-6320D8, SCX-P6320A (CAS Mixture)

Acute Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation
Skin. Not irritating, tested on rabbit. (OECD 404)
Serious eye damage/eye
Eyes. Not irritating, tested on rabbit. (OECD 405)

irritation

Respiratory sensitisationBased on available data, the classification criteria are not met. **Skin sensitisation**Based on available data, the classification criteria are not met.

Germ cell mutagenicity Ames test: Negative.

Carcinogenicity

Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organisations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a

bound form in this preparation.

Reproductive toxicity

Specific target organ toxicity single exposure

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Specific target organ toxicity repeated exposure

Aspiration hazard

Based on available data, the classification criteria are not met.

Mixture versus substance

Based on available data, the classification criteria are not met.

information

No information available.

Other information

In 1996, the IARC revaluated carbon black as a GROUP 2B carcinogen (possible human carcinogen). This evaluation is given to carbon black for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the developer of lung tumors in rat receiving chronic inhalation exposures to free carbon black at level that induce particle overload of the lung. Studies performed in animal models other than rats have not demonstrated an association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner exposure and tumor development in rats.

In a study in rats (H.Muhle) by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the concentration(16mg/m3) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m3) exposure group. But no pulmonary changes was reported in the lowest (1mg/m3) exposure group, the most relevant level to potential human exposures.

SECTION 12: Ecological information

Based on available data, the classification criteria are not met for hazardous to the aquatic 12.1. Toxicity

No data is available on the degradability of any ingredients in the mixture.

environment.

12.2. Persistence and

degradability 12.3. Bioaccumulative potential

Not available.

No data available.

Partition coefficient n-octanol/water (log Kow)

Not available. **Bioconcentration factor (BCF)** 12.4. Mobility in soil No data available.

12.5. Results of PBT

and vPvB assessment Not a PBT or vPvB substance or mixture.

No data available. 12.6. Other adverse effects

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

The Waste code should be assigned in discussion between the user, the producer and the waste **EU** waste code

disposal company.

Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely Disposal methods/information

dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,

state, and local regulations.

Dispose in accordance with all applicable regulations. Special precautions

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods. **14.7. Transport in bulk**Not applicable.

according to Annex II of Marpol

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006, as

amended. The product is classified and labelled in accordance with Regulation (EC) 1272/2008

(CLP Regulation) as amended.

National regulations Follow national regulation for work with chemical agents.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations

PBT: Persistent, bioaccumulative and toxic.

vPvB: Very Persistent and very Bioaccumulative.

STEL: Short-Term Exposure Limit. TWA: Time Weighted Average Value.

LD50: Lethal Dose, 50%.

LC50: Lethal Concentration, 50%.

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland

Waterways.

ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

IATA: International Air Transport Association.

IMDG Code: International Maritime Dangerous Goods Code.

MARPOL: International Convention for the Prevention of Pollution from Ships.

References ECHA CHEM

IARC Monographs. Overall Evaluation of Carcinogenicity

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any H-statements not written out in full under Sections 2 to 15

H315 Causes skin irritation.

H319 Causes serious eye irritation. H335 May cause respiratory irritation.

Training information Further information Follow training instructions when handling this material.

None known.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.