



## SAFETY DATA SHEET BLU-TACK

### 1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

PRODUCT NAME                    BLU-TACK

PRODUCT NO.                    801905, 50739, 80180, 801585, 801721, 801738, 50744, 80102, 80103, 80104, 80108, 80156, 801011, 801592, 30466, 80109, 801103, 801912, 801561, 801714, 803008, 80159, 80168, 80184, 91461, 91485, 91818, 91819

SUPPLIER                        BOSTIK LIMITED  
COMMON ROAD  
STAFFORD  
STAFFORDSHIRE ST16 3EH  
+44 1785 255141  
+44 1785 272650

### 2 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
XYLENE	215-535-7	1330-20-7	< 1%	R10 Xn;R20/21 Xi;R38

The Full Text for all R-Phrases are Displayed in Section 16

### 3 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

### 4 FIRST-AID MEASURES

#### INHALATION

Not relevant.

#### INGESTION

DO NOT induce vomiting. Get medical attention immediately.

#### SKIN CONTACT

Not relevant.

#### EYE CONTACT

Not relevant.

### 5 FIRE-FIGHTING MEASURES

#### EXTINGUISHING MEDIA

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

#### SPECIFIC HAZARDS

Fire or high temperatures create: Toxic gases/vapours/fumes of Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO).

#### PROTECTIVE MEASURES IN FIRE

Wear self contained breathing apparatus

### 6 ACCIDENTAL RELEASE MEASURES

#### SPILL CLEAN UP METHODS

Non-hazardous substance. No specific clean-up procedure noted.

### 7 HANDLING AND STORAGE

#### USAGE PRECAUTIONS

Young children should be supervised when using this product and consideration of possible contact with young children should be given when using this product.

# BLU-TACK

## STORAGE PRECAUTIONS

Store in tightly closed original container in a cool, dry well-ventilated place. Keep in original container.

## 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	LT - ppm	LT - mg/m3	ST - ppm	ST - mg/m3
XYLENE	WEL	50 ppm(Sk)	220 mg/m3(Sk)	100 ppm(Sk)	441 mg/m3(Sk)

## ENGINEERING MEASURES

N/A.

## RESPIRATORY EQUIPMENT

N/A.

## HAND PROTECTION

N/A.

## EYE PROTECTION

N/A.

## 9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Malleable. Solid
COLOUR	Light (or pale) Blue
ODOUR	Slight odour
SOLUBILITY	Insoluble in water
RELATIVE DENSITY	1.8 @ 20 °c

## 10 STABILITY AND REACTIVITY

### STABILITY

Stable under normal temperature conditions.

### MATERIALS TO AVOID

No incompatible groups noted.

### HAZARDOUS DECOMPOSITION PRODUCTS

Fire creates: Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## 11 TOXICOLOGICAL INFORMATION

### INGESTION

Ingestion of this material may cause obstruction.

## 12 ECOLOGICAL INFORMATION

### ECOTOXICITY

Not regarded as dangerous for the environment. However, contamination of the aquatic or terrestrial environments should be avoided

## 13 DISPOSAL CONSIDERATIONS

### DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements. Recover and reclaim or recycle, if practical.

## 14 TRANSPORT INFORMATION

### GENERAL

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

No transport warning sign required.

### MARINE POLLUTANT

No.

## 15 REGULATORY INFORMATION

REVISION DATE: December 2005

SDS No.: 13135

**BLU-TACK**

## RISK PHRASES

NC Not classified.

## SAFETY PHRASES

S36 Wear suitable protective clothing.

## STATUTORY INSTRUMENTS

Chemicals (Hazard Information and Packaging) Regulations.

## APPROVED CODE OF PRACTICE

Classification and Labelling of Substances and Preparations Dangerous for Supply.

## GUIDANCE NOTES

Workplace Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37. CHIP for everyone HSG(108).

**16 OTHER INFORMATION**

## GENERAL INFORMATION

This product should be used as directed by Bostik Ltd. For further information consult the product data sheet or contact Technical Services.

## INFORMATION SOURCES

This safety data sheet was compiled using current safety information supplied by distributor of raw materials.

## REVISION COMMENTS

This safety data sheet supersedes all previous issues and users are cautioned to ensure that it is current. Destroy all previous data sheets and if in doubt contact Bostik Limited.

## ISSUED BY

Approved EC

REVISION DATE December 2005

REV. NO./REPL. SDS GENERATED 5

DATE Feb 2003

## RISK PHRASES IN FULL

R10 Flammable.  
R20/21 Harmful by inhalation and in contact with skin.  
R38 Irritating to skin.