

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

	-	
1.1. Product identifier		
Trade name or designation of the mixture	CN625Series	
Registration number	-	
Synonyms	None.	
Issue date	08-Jun-2013	
Version number	07	
Revision date	18-Jan-2019	
Supersedes date	06-May-2016	
1.2. Relevant identified uses of	the substance or mixture and uses advised against	
Identified uses	Inkjet printing	
Uses advised against	None known.	
1.3. Details of the supplier of the	ne safety data sheet	
	HP Inc. UK Limited	
	Cain Road, Amen Corner	
	Bracknell, Berkshire RG12 1HN	
	United Kingdom	
Telephone	44 (0) 879 013 0790	
HP Inc. health effects line		
(Toll-free within the US)	1-800-457-4209	
(Direct)	1-760-710-0048	
HP Inc. Customer Care Line		
(Toll-free within the US)	1-800-474-6836	
(Direct)	1-208-323-2551	
Email:	hpcustomer.inquiries@hp.com	
1.4 Emergency telephone number	0207771 5307	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

2.2. Label elements

Ρ

S

Label according to Regulation (EC) No. 1272/2008 as amended

U U U	,
Contains:	2-pyrrolidone, Carbon black, Water
Hazard pictograms	None.
Signal word	None.
Hazard statements	The mixture does not meet the criteria for classification.
Precautionary statements	
Prevention	Not available.
Response	Not available.
Storage	Not available.
Disposal	Not available.
Supplemental label information	None.

Complete toxicity data are not available for this specific formulation. Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information Chemical name CAS-No. / EC No. **REACH Registration No.** Index No. % Notes Water 70-80 7732-18-5 231-791-2 **Classification:** 2-pyrrolidone <15 616-45-5 01-2119475471-37-XXXX 210-483-1 **Classification:** Eye Irrit. 2;H319 Carbon black <5 1333-86-4 01-2119384822-32-XXXX 215-609-9 **Classification: Composition comments** This ink supply contains an aqueous ink formulation. Carbon black is present only in a bound form in this preparation. **SECTION 4: First aid measures General information** Not available. 4.1. Description of first aid measures Move to fresh air. If symptoms persist, get medical attention. Inhalation Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists get medical attention. If ingestion of a large amount does occur, seek medical attention. Ingestion Not available. 4.2. Most important symptoms and effects, both acute and delayed Not available.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

General fire hazards	Not available.
5.1. Extinguishing media	
Suitable extinguishing media	Dry chemical, CO2, water spray or regular foam.
Unsuitable extinguishing media	None known.
5.2. Special hazards arising from the substance or mixture	Not available.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Not available.
Special fire fighting procedures	Not available.
Specific methods	None established.

SECTION 6: Accidental release measures

Inhalation 17.1 mg/m3 Systemic long term Oral 5.2 mg/kg bw/d Systemic long term Oral 33.3 mg/kg bw/d Systemic acute short te Oral 277 mg/kg bw/d Systemic long term Vorkers Dermal 277 mg/kg bw/d Systemic acute short te Dermal 10 mg/kg bw/d Systemic long term Systemic long term Inhalation 57.8 mg/m3 Systemic long term Systemic long term Inhalation 1.75 mg/m3 Local long term Inhalation 1.75 mg/m3 Local long term Inhalation 1.75 mg/m3 Local long term Inhalation 1 mg/m3 Systemic long term Vorkers Inhalation 1.75 mg/m3 Local long term Inhalation 1 mg/m3 Systemic long term Predicted no effect concentrations (PNECs) Vorkers Inhalation 1 mg/m3 Systemic long term 2-pyrrolidone (CAS 616-45-5) Not applicable Freshwater 0.5 mg/l Releases Marine water 0.05 mg/l Sediment 0.4205 mg/kg Freshwater Soil 0.0612 mg/kg Freshwater Soil 0.0612 mg/kg<						
6.2. Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system. 6.3. Mathods and material for containment and cleaning up or diatomaceous searth, commencial sorbenis, or recover using pumps. Not available. 6.4. Reference to other sections Not available. Not available. SECTION 7: Handling and storage and container and available. Not available. Not available. 7.1. Precautions for safe storage, including any incompatibilities Avoid contact with skin, eyes and clothing. Not available. 7.3. Specific end use(s) Not available. SECTION 3: Exposure controls/personal protection Storage, including any incompatibilities 7.1. Control parameters Occupational exposure limits (WELs) Yalue Storage including any incompatibilities 7.3. Specific end use(s) Not available. TWA 3.5 mg/m3 Seconomente monitoring procedures TWA 3.5 mg/m3 Biological limit values No biological exposure limits noted for the lingredient(s). Not available. Perived no effect levels (DNELs) Consumers Dermal 6 mg/kg bwid Systemic long term 2 ipyrrolidone (CAS 1616-45-5) Consumers Dermal 167 mg/kg bwid Systemic long term 2 ipyrrolidone (CAS 1616-45	For non-emergency					
6.3. Methods and material for containment and cleaning up or diatomaching and score over using pumps. Not available. Not available. 6.4. Reference to other sections Not available. Not available. 5.5. Other is the specified material, where this is possible. Absorb with inert absorbent such as dry day, so or diatomaching. Not available. 5.5. Other is the specified material. Where this is possible. Absorb with inert absorbent such as dry day, so or diatomaching. Not available. 5.1. Ontoo for safe storage, including any incompatibilities Avoid contact with skin, eyes and clothing. Not available. 5.2. Conditions for safe storage, including any incompatibilities Not available. Value Value 7.3. Contion parameters Not available. Type Value Value Components Type Value Tradition of the ingredient(s). Not available. Recommended monitoring procedures Not available. TwA 3.5 mg/m3 Systemic long term. Oral offect levels (DNELs) Consumers Dermal 6 mg/kg bwd Systemic long term. 2-pyrrolidone (CAS 1333-86-4) Consumers Dermal 6 mg/kg bwd Systemic long term. 2-pyrrolidone (CAS 1333-86-4) Consumers Dermal 6 mg/kg bwd S	For emergency responders	Not available.				
containment and cleaning up or diatomiceous earth, commercial sorbents, or recover using pumps. Not available. 64. Reference to other sections Not available. SECTION 7: Handling and storage Avoid contact with skin, eyes and clothing. 7.1. Precautions for safe storage. Avoid contact with skin, eyes and clothing. 7.3. Conditions for safe storage. Keep out of the reach of children. Keep away from excessive heat or cold. 7.3. Specific end use(s) Not available. SECTION 7: Exposure controls/personal protection 8.1. Control parameters Value Occupational exposure limits Type Value Carbon black (CAS STEL 7 mg/m3 1333-86-4) No biological exposure limits noted for the ingredient(s). Stermic ongredient(s). Recommended monitoring procedures Not available. Stermic ongredient(s). Perfect levels (DNELs) Consumers Dermal 6 mg/kg bw/d Systemic long term Carbon black (CAS 1333-86-4) Consumers Dermal 6 mg/kg bw/d Systemic long term 2-pyrolidone (CAS 616-45-5) Consumers Dermal 6 mg/kg bw/d Systemic long term Carbon black (CAS 1333-86-4) Consumers Inhalation	6.2. Environmental precautions	Do not let product enter drains	. Do not flush into su	urface water or sanit	ary sewer system.	
sections						
T.1. Precautions for safe handling Avoid contact with skin, eyes and clothing. 7.2. Conditions for safe storage, including any incompatibilities Keep out of the reach of children. Keep away from excessive heat or cold. 7.3. Specific end use(s) Not available. SECTION 8: Exposure controls/personal protection 8.1. Control parameters Occupational exposure limits Orcupational exposure limits Orcupational exposure limits Orcupational back (CAS Type Value Oration black (CAS 1333-86-4) Type Rote Value Oration black (CAS 1333-86-4) Oration black (CAS 1333-86-4) Type Rote Value Form Oration black (CAS 1333-86-4) Type Rote Value Systemic long term Oration black (CAS 1333-86-4) Consumers Dermal 6 mg/kg bw/d Systemic long term Oration black (CAS 1333-86-4) Consumers Inhalation 17.7 mg/m3 Systemic long term Oration black (CAS 1333-86-4) Consumers Inhalation 17.7 mg/m3		Not available.				
nandling 7.2. Conditions for safe size storage, including any incompatibilities Keep out of the reach of children. Keep away from excessive heat or cold. 7.3. Specific end use(s) Not available. SECTION 3: Exposure controls/personal protection 8.1. Control parameters Occupational exposure limits (WELs) Or any incompanies Type Value Carbon black (CAS TYPe Value Or any incompanies Or any incompany	SECTION 7: Handling and	storage				
storage, including any incompatibilities 7.3. Specific and use(s) Not available. SECTION 8: Exposure controls/personal protection 8.1. Control parameters Occupational exposure limits UK. EH40 Workplace Exposure Limits (WELs) Components UK. EH40 Workplace Exposure Limits noted for the ingredient(s). Recommended monitoring procedures Derived no offect levels (DNELs) Components Components Components Components Type Route Form Form Coral Signal Signal Workplace UV Coral Signal Signal Workplace UV Coral Signal Signal Workplace Systemic Long term Inhalation Signal Signal Workplace UV Coral Signal S		Avoid contact with skin, eyes a	and clothing.			
SECTION 8: Exposure controls/personal protection SIGNED Section 1 SECTION 8: Exposure limits UK. EH40 Workplace Exposure limits (WELs) Components Type Value Carbon black (CAS 1333-86-4) STEL 7 mg/m3 Biological limit values No biological exposure limits noted for the ingredient(s). Recommended monitoring procedures Derived no effect levels (DNELs) Components Type Route Form Carbon black (CAS 616-45-5) Consumers Dermal 6 mg/kg bw/d Systemic long term 2-pyrrolidone (CAS 616-45-5) Consumers Dermal 6 mg/kg bw/d Systemic long term Components Type Route Systemic long term Carbon black (CAS 1333-86-4) Consumers Inhalation 1.7 mg/kg bw/d Systemic long term Carbon black (CAS 1333-86-4) <td col<="" th=""><th>storage, including any</th><th>Keep out of the reach of childr</th><th>en. Keep away from</th><th>excessive heat or c</th><th>old.</th></td>	<th>storage, including any</th> <th>Keep out of the reach of childr</th> <th>en. Keep away from</th> <th>excessive heat or c</th> <th>old.</th>	storage, including any	Keep out of the reach of childr	en. Keep away from	excessive heat or c	old.
8.1. Control parameters Occupational exposure limits (WELs) Components Type Value Carbon black (CAS STEL 7 mg/m3 1333-86-4) TWA 3.5 mg/m3 Biological limit values No biological exposure limits noted for the ingredient(s). Not available. Recommended monitoring procedures Not available. Form Orrived no effect levels (DNELs) Components Type Route Form 2-pyrrolidone (CAS 616-45-5) Consumers Dermal 6 mg/kg bw/d Systemic long term 2-pyrrolidone (CAS 616-45-5) Consumers Dermal 167 mg/kg bw/d Systemic long term Graip on black (CAS 1333-86-4) Consumers Dermal 167 mg/kg bw/d Systemic long term Grabon black (CAS 1333-86-4) Consumers Inhalation 1.75 mg/m3 Systemic long term Inhalation 1.76 mg/m3 Systemic long term Systemic long term Systemic long term Inhalation 1.76 mg/m3 Systemic long term Systemic long term Systemic long term Inhalation 1.76 mg/m3 Systemic long term	7.3. Specific end use(s)	Not available.				
Occupational exposure limits (WELs) Components Yalue UK. EH40 Workplace Exposure Limits (WELs) Components STEL 7 mg/m3 Garbon black (CAS 1333-86-4) STEL 7 mg/m3 Biological limit values No biological exposure limits noted for the ingredient(s). Not available. No tavailable. Percedures Derived no effect levels (DNELs) Form Components Type Route Yalue 2-pyrrolidone (CAS 616-45-5) Consumers Dermal Inhalation 6 mg/kg bw/d Systemic long term Systemic long term 2-pyrrolidone (CAS 616-45-5) Consumers Dermal Inhalation 6 mg/kg bw/d Systemic long term Systemic long term Carbon black (CAS 1333-86-4) Consumers Dermal Inhalation 1.75 mg/m3 Local long term Carbon black (CAS 1333-86-4) Consumers Inhalation 1.75 mg/m3 Local long term Vorkers Dermal 10 mg/kg bw/d Systemic long term Systemic long term Carbon black (CAS 1333-86-4) Not applicable Freshwater 0.5 mg/l Releases Carbon black (CAS 1333-86-4) Not applicable	SECTION 8: Exposure cor	ntrols/personal protectio	n			
Value Components Type Value Carbon black (CAS 133-86-4) STEL 7 mg/m3 Biological limit values No biological exposure limits noted for the ingredient(s). Recommended monitoring procedures No tavailable. Derived no effect levels (DNELs) Not available. No tavailable. Form 2-pyrrolidone (CAS 616-45-5) Consumers Dermal 6 mg/kg bw/d Systemic long term 2-pyrrolidone (CAS 1333-86-4) Vorkers Dermal 67.8 mg/m3 Systemic long term Carbon black (CAS 1333-86-4) Consumers Dermal 10 mg/kg bw/d Systemic long term Carbon black (CAS 1333-86-4) Consumers Inhalation 7.7 mg/m3 Systemic long term Carbon black (CAS 1333-86-4) Consumers Inhalation 1.75 mg/m3 Local long term Vorkers Dermal 10 mg/kg bw/d Systemic long term Systemic long term Carbon black (CAS 1333-86-4) Consumers Inhalation 1.75 mg/m3 Local long term Vorkers Dermal 0.06 mg/m3 Systemic long term Inhalation	8.1. Control parameters					
Components Type Value Carbon black (CAS 1333-86-4) STEL 7 mg/m3 Biological limit values Recommended monitoring procedures No biological exposure limits noted for the ingredient(s). Form Biological limit values No tavailable. No tavailable. Form Derived no effect levels (DNELs) No tavailable. Form 2-pyrrolidone (CAS 616-45-5) Consumers Dermal 167 mg/kg bw/d Systemic long term Systemic long term Oral Systemic long term 07al Systemic long term 167 mg/kg bw/d Systemic long term Systemic long term 167 mg/kg bw/d Systemic long term Systemic long term Carbon black (CAS 1333-86-4) Consumers Dermal Inhalation 17.7 mg/m3 Systemic long term 101 mg/m3 Systemic long term Systemic long term Carbon black (CAS 1333-86-4) Consumers Inhalation 1.7 mg/m3 Systemic long term 1nhalation Systemic long term Predicted no effect concentrations FVPE Route Yalue Form 2-pyrrolidone (CAS 616-45-5) Not applicable Freshwater 0.5 mg/l Narine water Systemic long term Solid 0.0612 mg/m3 Systemic long term Inhalation <th>Occupational exposure limits</th> <th></th> <th></th> <th></th> <th></th>	Occupational exposure limits					
1333-86-4) TWA 3.5 mg/m3 Biological limit values No biological exposure limits noted for the ingredient(s). Not available. Recommended monitoring procedures Not available. Not available. Derived no effect levels (DNELs) Eventson the ingredient(s). Form 2-pyrrolidone (CAS 616-45-5) Consumers Dermal 6 mg/kg bw/d Systemic long term 0ral 5.2 mg/kg bw/d Systemic long term Systemic long term Systemic acute short te 0ral 5.2 mg/kg bw/d Systemic long term Systemic acute short te Systemic acute short te 0ral 5.2 mg/kg bw/d Systemic long term Systemic long term Systemic long term 0ral 5.3 mg/m3 Systemic long term Systemic long term Systemic long term 0ral 10 mg/kg bw/d Systemic long term Systemic long term Systemic long term 0ral 10 mg/kg bw/d Systemic long term Systemic long term Systemic long term 0ral 10 mg/kg bw/d Systemic long term Inhalation 1.7 f mg/m3 Systemic long term 0ral 0.5 mg/n3 Local long term Inhalation 0.5 mg/n		. ,		Value		
TWA 3.5 mg/m3 Biological limit values Recommended monitoring procedures No biological exposure limits noted for the ingredient(s). Not available. Not available. Derived no effect levels (DNELs) Not available. Not available. Components Type Route Value 2-pyrrolidone (CAS 616-45-5) Consumers Dermal 167 mg/kg bw/d Systemic long term 0ral 5.2 mg/kg bw/d Systemic long term Systemic long term Systemic long term 0ral 5.2 mg/kg bw/d Systemic caute short te Systemic long term 0ral 5.2 mg/kg bw/d Systemic caute short te Systemic long term 0ral 5.2 mg/kg bw/d Systemic long term Systemic long term 0ral 5.3 mg/m3 Systemic long term Systemic long term 0ral 10 mg/kg bw/d Systemic long term Systemic long term 0ral 5.7 mg/m3 Local long term Inhalation 1.75 mg/m3 Local long term 0ral 0ral 0.66 mg/m3 Systemic long term Systemic long term Inhalation 1.75 mg/m3 Local long term 0ral 0.66 mg/m3 Systemic long term 0.66 mg/m3 Systemic long term Systemic long term 0 Inhalation 1.75 mg/m3 <		STEL		7 mg/m3		
Biological limit values No biological exposure limits noted for the ingredient(s). Recommended monitoring procedures Not available. Derived no effect levels (DNELs) Value Form 2-pyrrolidone (CAS 616-45-5) Consumers Dermal 6 mg/kg bw/d Systemic long term 2-pyrrolidone (CAS 616-45-5) Consumers Dermal 0 fait mail mail monitoring Systemic long term Carbon black (CAS 1333-86-4) Korkers Dermal 0 mg/kg bw/d Systemic long term Carbon black (CAS 1333-86-4) Consumers Inhalation 1.75 mg/m3 Local long term Vorkers Inhalation 1.75 mg/m3 Systemic long term Systemic long term Carbon black (CAS 1333-86-4) Consumers Inhalation 0.06 mg/m3 Systemic long term Predicted no effect concentrations (PNECs) Value Form Form Carbon black (CAS 1333-86-4) Not applicable Freshwater 0.5 mg/l Releases Carbon black (CAS 1333-86-4) Not applicable Freshwater 0.5 mg/l Releases Carbon black (CAS 1333-86-4) Not applicable Freshwater 0.5 mg/l Releases Ca	1333-86-4)	TWA		3.5 mg/m3		
Recommended monitoring procedures Not available. Derived no effect levels (DNELs) Type Route Value Form 2-pyrrolidone (CAS 616-45-5) Consumers Dermal 6 mg/kg bw/d Inhalation Systemic long term Systemic long term Systemic long term Systemic long term Systemic long term Systemic long term Systemic long term Systemic long term Systemic long term Systemic long term Systemic long term Systemic long term Systemic long term Systemic long term Systemic long term Systemic long term Inhalation Systemic long term Systemic long term Systemic long term Inhalation Systemic long term Systemic long term Systemic long term Inhalation Local long term Inhalation Local long term Inhalation Local long term Inhalation Local long term Predicted no effect concentrations (PNECs) Type Route Value Form 2-pyrrolidone (CAS 616-45-5) Not applicable Freshwater 0.5 mg/l Intermittert Inhalation 1 mg/m3 Systemic long term Systemic long term 2-pyrrolidone (CAS 616-45-5) Not applicable Freshwater 0.5 mg/l Marine water Sofm g/l Marine water Sedment 0.420	Biological limit values	No biological exposure limits r	oted for the inaredie			
procedures Derived no effect levels (DNELs) Components Type Route Value Form 2-pyrrolidone (CAS 616-45-5) Consumers Dermal 167 mg/kg bw/d Systemic long term 0ral 5.2 mg/kg bw/d Systemic long term Oral 5.2 mg/kg bw/d Systemic acute short term 0ral 5.2 mg/kg bw/d Systemic long term Oral 3.3 mg/kg bw/d Systemic acute short term 0ral 3.3 mg/kg bw/d Systemic acute short term Oral 3.3 mg/kg bw/d Systemic acute short term 0ral 10 mg/kg bw/d Systemic acute short term Dermal 10 mg/kg bw/d Systemic acute short term 0ral 57.8 mg/m3 Systemic long term Inhalation 1.75 mg/m3 Systemic long term 0ral 10 mg/kg bw/d Systemic long term Inhalation 1.0 mg/kg bw/d Systemic long term Carbon black (CAS 1333-86-4) Consumers Inhalation 1.75 mg/m3 Local long term 1nhalation 1 mg/m3 Systemic long term Inhalation 1.65 mg/l Inhalation	-		5	()		
Components Type Route Value Form 2-pyrrolidone (CAS 616-45-5) Consumers Dermal 6 mg/kg bw/d Systemic long term 2-pyrrolidone (CAS 616-45-5) Consumers Dermal 167 mg/kg bw/d Systemic long term Oral 5.2 mg/kg bw/d Systemic long term Systemic long term Oral 3.3 mg/kg bw/d Systemic long term Oral 5.2 mg/kg bw/d Systemic long term Oral 3.3 mg/kg bw/d Systemic long term Oral 3.3 mg/kg bw/d Systemic long term Inhalation 17.7 mg/kg bw/d Systemic long term Carbon black (CAS 1333-86-4) Consumers Inhalation 1.75 mg/m3 Local long term Inhalation 1.75 mg/m3 Local long term Inhalation 2 mg/m3 Local long term Inhalation 2 mg/m3 Local long term Inhalation 2 mg/m3 Local long term Inhalation 1 mg/m3 Systemic long term Inhalation 2 mg/m3 Local long term Inhalation 1 mg/m3 Systemic long term Inhalation 2 mg/m3 Local long term Inhalation 1 mg/m3	-					
2-pyrrolidone (CAS 616-45-5) Consumers Dermal 6 mg/kg bw/d Systemic long term 2-pyrrolidone (CAS 616-45-5) Consumers Dermal 167 mg/kg bw/d Systemic acute short te Oral 5.2 mg/kg bw/d Systemic acute short te Systemic acute short te Systemic acute short te Oral 33.3 mg/kg bw/d Systemic acute short te Systemic acute short te Systemic acute short te Carbon black (CAS 1333-86-4) Consumers Inhalation 1.75 mg/m3 Systemic long term Carbon black (CAS 1333-86-4) Consumers Inhalation 0.06 mg/m3 Systemic long term Workers Inhalation 1.75 mg/m3 Local long term Inhalation 1.75 mg/m3 Local long term Workers Inhalation 1.75 mg/m3 Local long term Inhalation 1.75 mg/l Local long term Predicted no effect concentrations (PNECs) Value Form Form Marine water 0.5 mg/l Releases 2-pyrrolidone (CAS 616-45-5) Not applicable Freshwater 0.5 mg/l Releases Scill 0.0612 mg/kg Stremuter Soli 0.0612 mg/kg Sewage Treatment Pla			Route	Value	Form	
Carbon black (CAS 1333-86-4) Vorkers Dermal 167 mg/kg bw/d 17.1 mg/m3 5ystemic long term 07al 5.2 mg/kg bw/d 5ystemic acute short te 07al 33.3 mg/kg bw/d 5ystemic acute short te 07al 33.3 mg/kg bw/d 5ystemic acute short te 07al 5.2 mg/kg bw/d 5ystemic acute short te 0.05 mg/m3 5ystemic long term 1nhalation 1.75 mg/m3 Local long term 1nhalation 2 mg/m3 Local long term 1nhalation 1 mg/m3 5ystemic long term 1nhalating 1 mg/m3 5ystemic long term 1nhalation 1 mg/m3 5ystemi	· ·		Dermal	6 ma/ka bw/d	Systemic long term	
Inhalation 17.1 mg/m3 Systemic long term Oral 5.2 mg/kg bw/d Systemic long term Oral 33.3 mg/kg bw/d Systemic acute short te Oral 23.3 mg/kg bw/d Systemic long term Dermal 10 mg/kg bw/d Systemic long term Inhalation 57.8 mg/m3 Systemic long term Inhalation 57.8 mg/m3 Systemic long term Inhalation 1.75 mg/m3 Local long term Inhalation 1.75 mg/m3 Local long term Inhalation 2.78 mg/m3 Local long term Inhalation 1 mg/m3 Systemic long term Inhalation 1.75 mg/m3 Local long term Inhalation 1 mg/m3 Systemic long term Inhalation 1 mg/m3 Systemic long term Inhalation 2 mg/m3 Local long term Inhalation 1 mg/m3 Systemic long term Inhalation 1 mg/m3 Systemic long term Inhalation 2 mg/m3 Local long term Inhalation 1 mg/m3 Systemic long term Inhalation 1 mg/m3 Systemic lon	, , , , , , , , , , , , , , , , , , ,		Dermal		Systemic acute short term	
Carbon black (CAS 1333-86-4) Workers Oral 33.3 mg/kg bw/d Systemic acute short te Carbon black (CAS 1333-86-4) Consumers Inhalation 57.8 mg/m3 Systemic long term Inhalation 57.8 mg/m3 Systemic long term Local long term Inhalation 1.75 mg/m3 Local long term Inhalation 2mg/m3 Local long term Inhalation 1 mg/m3 Systemic long term Inhalation 1 mg/m3 Systemic long term Vorkers Inhalation 2mg/m3 Local long term Inhalation 1 mg/m3 Systemic long term 2-pyrrolidone (CAS 616-45-5) Not applicable Freshwater 0.5 mg/l 2-pyrrolidone (CAS 616-45-5) Not applicable Freshwater 0.05 mg/l Sediment 0.4205 mg/kg Freshwater Soil 0.0612 mg/kg Carbon black (CAS 1333-86-4) Not applicable Freshwater 5 mg/l Sewage Treatment Pla Sater Exposure limits have not been established for this product. Sater 5 mg/l Sater Sater Exposure controls Marine water 5 mg/l Sater			Inhalation		Systemic long term	
Carbon black (CAS 1333-86-4) Workers Oral 33.3 mg/kg bw/d Systemic acute short term Carbon black (CAS 1333-86-4) Consumers Inhalation 57.8 mg/m3 Systemic long term Inhalation 57.8 mg/m3 Systemic long term Inhalation 57.8 mg/m3 Systemic long term Inhalation 0.06 mg/m3 Systemic long term Inhalation 1.75 mg/m3 Local long term Predicted no effect concentrations Vorkers Inhalation 1 mg/m3 Systemic long term 2-pyrrolidone (CAS 616-45-5) Not applicable Freshwater 0.5 mg/l Releases 2-pyrrolidone (CAS 616-45-5) Not applicable Freshwater 0.05 mg/l Sediment 2-pyrrolidone (CAS 616-45-5) Not applicable Freshwater 0.05 mg/l Sediment 2-pyrrolidone (CAS 616-45-5) Not applicable Freshwater 0.05 mg/l Sediment Carbon black (CAS 1333-86-4) Not applicable Freshwater 5 mg/l Sewage Treatment Pla S2. Exposure guidelines Exposure limits have not been established for this 5 mg/l Sewage Treatment Pla S2. Exposure controls Marine water 5 mg/l			Oral	•		
Carbon black (CAS 1333-86-4) Workers Dermal 277 mg/kg bw/d Systemic acute short term Carbon black (CAS 1333-86-4) Consumers Inhalation 57.8 mg/m3 Systemic long term Inhalation 1.75 mg/m3 Local long term Inhalation 1.75 mg/m3 Local long term Inhalation 0.06 mg/m3 Systemic long term Inhalation 1 mg/m3 Systemic long term Predicted no effect concentrations (PNECs) Workers Inhalation 1 mg/m3 Systemic long term Components Type Route Value Form 2-pyrrolidone (CAS 616-45-5) Not applicable Freshwater 0.5 mg/l Releases Marine water 0.05 mg/l Sediment 0.4205 mg/kg Freshwater Sewage Treatment Plate Carbon black (CAS 1333-86-4) Not applicable Freshwater 5 mg/l Sewage Treatment Plate Carbon black (CAS 1333-86-4) Not applicable Freshwater 5 mg/l Sewage Treatment Plate Carbon black (CAS 1333-86-4) Not applicable Freshwater 5 mg/l Sewage Treatment Plate S2. Exposure guidelines Exposure limits have not been established for th			Oral		, 0	
Carbon black (CAS 1333-86-4) Consumers Dermal 10 mg/kg bw/d Systemic long term Inhalation 57.8 mg/m3 Local long term Inhalation 1.75 mg/m3 Local long term Inhalation 0.06 mg/m3 Systemic long term Workers Inhalation 2 mg/m3 Local long term Inhalation 1 mg/m3 Systemic long term Inhalation 1 mg/m3 Systemic long term Predicted no effect concentrations (PNECs) Type Route Value Form 2-pyrrolidone (CAS 616-45-5) Not applicable Freshwater 0.5 mg/l Releases 2-pyrrolidone (CAS 616-45-5) Not applicable Freshwater 0.06 mg/l Sediment 0.4205 mg/kg Freshwater 2-pyrrolidone (CAS 1333-86-4) Not applicable Freshwater 5 mg/l Freshwater Soil 0.0612 mg/kg Carbon black (CAS 1333-86-4) Not applicable Freshwater 5 mg/l Sewage Treatment Pla S2. Exposure guidelines Exposure limits have not been established for this product. Sexage Treatment Pla Sexage Treatment Pla S2. Exposure controls Los in a well ventilated		Workers			-	
Carbon black (CAS 1333-86-4) Consumers Inhalation 57.8 mg/m3 Systemic long term Vorkers Inhalation 1.75 mg/m3 Local long term Workers Inhalation 2 mg/m3 Local long term Predicted no effect concentrations (PNECs) mainalation 1 mg/m3 Systemic long term 2-pyrrolidone (CAS 616-45-5) Not applicable Freshwater 0.5 mg/l Releases 2-pyrrolidone (CAS 1333-86-4) Not applicable Freshwater 0.4205 mg/kg Freshwater Carbon black (CAS 1333-86-4) Not applicable Freshwater 5 mg/l Sewage Treatment Pla Exposure guidelines Exposure limits have not been established for this product. 5 mg/l Sewage Treatment Pla 8.2. Exposure controls Appropriate engineering Use in a well ventilated area. Use in a well ventilated area. Use in a well ventilated area.		Trentere			-	
Carbon black (CAS 1333-86-4) Consumers Inhalation 1.75 mg/m3 Local long term Workers Inhalation 2 mg/m3 Local long term Systemic long term Predicted no effect concentrations (PNECs) Type Route Value Form 2-pyrrolidone (CAS 616-45-5) Not applicable Freshwater 0.5 mg/l Releases 2-pyrrolidone (CAS 616-45-5) Not applicable Freshwater 0.05 mg/l Releases Carbon black (CAS 1333-86-4) Not applicable Freshwater 5 mg/l Releases Carbon black (CAS 1333-86-4) Not applicable Freshwater 5 mg/l Sewage Treatment Pla Exposure guidelines Exposure limits have not been established for this product. 5 mg/l Sewage Treatment Pla 8.2. Exposure controls Appropriate engineering Use in a well ventilated area. Use in a well ventilated area. Use in a well ventilated area.						
Workers Inhalation 0.06 mg/m3 Systemic long term Predicted no effect concentrations (PNECs) Inhalation 1 mg/m3 Systemic long term Components Type Route Value Form 2-pyrrolidone (CAS 616-45-5) Not applicable Freshwater 0.5 mg/l Releases 2-pyrrolidone (CAS 616-45-5) Not applicable Freshwater 0.0612 mg/kg Freshwater Carbon black (CAS 1333-86-4) Not applicable STP 10 mg/l Sewage Treatment Pla Carbon black (CAS 1333-86-4) Not applicable Freshwater 5 mg/l Sewage Treatment Pla Exposure guidelines Exposure limits have not been established for this product. Sex Smg/l Sewage Treatment Pla Appropriate engineering Use in a well ventilated area.	Carbon black (CAS 1333-86-4			-		
Workers Inhalation 2 mg/m3 Local long term Predicted no effect concentrations (PNECs) Type Route Value Form 2-pyrrolidone (CAS 616-45-5) Not applicable Freshwater 0.5 mg/l Releases 2-pyrrolidone (CAS 616-45-5) Not applicable Freshwater 0.5 mg/l Releases Marine water 0.05 mg/l Sediment 0.4205 mg/kg Freshwater Soil 0.0612 mg/kg STP 10 mg/l Sewage Treatment Pla Carbon black (CAS 1333-86-4) Not applicable Freshwater 5 mg/l Exposure guidelines Exposure limits have not been established for this product. S.2. Exposure controls Exposure limits have not been established area. Use in a well ventilated area.	Calbon black (CAS 1555-60-4	r) Consumers		-	•	
Predicted no effect concentrations (PNECs) Type Route Value Form 2-pyrrolidone (CAS 616-45-5) Not applicable Freshwater 0.5 mg/l Releases 2-pyrrolidone (CAS 616-45-5) Not applicable Freshwater 0.5 mg/l Releases Marine water 0.05 mg/l Sediment 0.4205 mg/kg Freshwater Carbon black (CAS 1333-86-4) Not applicable Freshwater 5 mg/l Sewage Treatment Plater Karposure guidelines Exposure limits have not been established for this product. Set may limit have not been established for this product. Set may limit have not been established for this product. Appropriate engineering Use in a well ventilated area. Use in a well ventilated area. Value Value Value		Workers		-		
Predicted no effect concentrations (PNECs) Components Type Route Value Form 2-pyrrolidone (CAS 616-45-5) Not applicable Freshwater 0.5 mg/l Releases 2-pyrrolidone (CAS 616-45-5) Not applicable Freshwater 0.5 mg/l Releases Marine water 0.05 mg/l Sediment 0.4205 mg/kg Freshwater Soil 0.0612 mg/kg STP 10 mg/l Sewage Treatment Pla Carbon black (CAS 1333-86-4) Not applicable Freshwater 5 mg/l Marine water 5 mg/l Sewage Treatment Pla S2. Exposure guidelines Exposure limits have not been established for this product. S.2. Exposure controls Appropriate engineering Use in a well ventilated area. Use in a well ventilated area.		WUIKEIS		-	-	
ComponentsTypeRouteValueForm2-pyrrolidone (CAS 616-45-5)Not applicableFreshwater0.5 mg/lReleasesIntermittent0.5 mg/lIntermittent0.5 mg/lReleasesMarine water0.05 mg/lSediment0.4205 mg/kgFreshwaterSoil0.0612 mg/kgSTP10 mg/lSewage Treatment PlaCarbon black (CAS 1333-86-4)Not applicableFreshwater5 mg/lSewage Treatment PlaExposure guidelinesExposure limits have not been established for this product.5 mg/lState in a well ventilated area.Appropriate engineeringUse in a well ventilated area.5 mg/lState in a well ventilated area.			initialation	T mg/mo	oystemic long term	
Intermittent 0.5 mg/l Releases Marine water 0.05 mg/l Sediment Sediment 0.4205 mg/kg Freshwater Soil 0.0612 mg/kg StP Carbon black (CAS 1333-86-4) Not applicable Freshwater 5 mg/l Karine water 5 mg/l Sewage Treatment Pla Marine water 5 mg/l Sewage Treatment Pla State Use in a well ventilated area. Sewage Treatment Pla			Route	Value	Form	
Marine water 0.05 mg/l Sediment 0.4205 mg/kg Soil 0.0612 mg/kg STP 10 mg/l Sewage Treatment Pla Carbon black (CAS 1333-86-4) Not applicable Freshwater 5 mg/l Marine water 5 mg/l Exposure guidelines Exposure limits have not been established for this product. 8.2. Exposure controls Use in a well ventilated area.	2-pyrrolidone (CAS 616-45-5)	Not applicable	Freshwater	0.5 mg/l		
Sediment 0.4205 mg/kg Freshwater Soil 0.0612 mg/kg STP Carbon black (CAS 1333-86-4) Not applicable Freshwater 5 mg/l Exposure guidelines Exposure limits have not been established for this product. Step sure controls Appropriate engineering Use in a well ventilated area. Use in a well ventilated area.			Intermittent	0.5 mg/l	Releases	
Carbon black (CAS 1333-86-4) Not applicable STP 10 mg/l Sewage Treatment Pla Carbon black (CAS 1333-86-4) Not applicable Freshwater 5 mg/l Exposure guidelines Exposure limits have not been established for this product. 5 mg/l 8.2. Exposure controls Use in a well ventilated area. 5 mg/l			Marine water	0.05 mg/l		
Carbon black (CAS 1333-86-4) Not applicable STP 10 mg/l Sewage Treatment Pla Carbon black (CAS 1333-86-4) Not applicable Freshwater 5 mg/l Exposure guidelines Exposure limits have not been established for this product. 5 mg/l 8.2. Exposure controls Use in a well ventilated area. 5 mg/l			Sediment	•	Freshwater	
Carbon black (CAS 1333-86-4) Not applicable STP 10 mg/l Sewage Treatment Pla Carbon black (CAS 1333-86-4) Not applicable Freshwater 5 mg/l Smg/l Exposure guidelines Exposure limits have not been established for this product. Sewage Treatment Pla 8.2. Exposure controls Use in a well ventilated area. Use in a well ventilated area.						
Carbon black (CAS 1333-86-4) Not applicable Freshwater 5 mg/l Marine water 5 mg/l Exposure guidelines Exposure limits have not been established for this product. 8.2. Exposure controls Use in a well ventilated area.					Sewage Treatment Plant	
Marine water 5 mg/l Exposure guidelines Exposure limits have not been established for this product. 8.2. Exposure controls Use in a well ventilated area.	Carbon black (CAS 1333-86-4) Not applicable		-	J	
Exposure guidelinesExposure limits have not been established for this product.8.2. Exposure controlsUse in a well ventilated area.		,		-		
8.2. Exposure controls Appropriate engineering Use in a well ventilated area.	Exposure guidelines					
Appropriate engineering Use in a well ventilated area.		Exposure limits have not been	established for this	product.		
		Exposure limits have not been	established for this	product.		
	8.2. Exposure controls		established for this	product.		

Individual protection measures, such as personal protective equipment

General information	Use personal protective equipment to minimize exposure to skin and eye.
Eye/face protection	Not available.
Skin protection	
- Hand protection	Not available.
- Other	Not available.
Respiratory protection	Not available.
Thermal hazards	Not available.
Hygiene measures	Handle in accordance with good industrial hygiene and safety practice.
Environmental exposure controls	Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Not available.
Color	Black.
Odor	Not available.
Odor threshold	Not available.
рН	7.5 - 9
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	> 230.0 °F (> 110.0 °C) Pensky-Martens Closed Cup
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidizing properties	Not determined
9.2. Other information	
voc	< 130.2 g/L

SECTION 10: Stability and reactivity

,	·····,
10.1. Reactivity	Not available.
10.2. Chemical stability	Stable under recommended storage conditions.
10.3. Possibility of hazardous reactions	Will not occur.
10.4. Conditions to avoid	Not available.
10.5. Incompatible materials	Incompatible with strong bases and oxidizing agents.
10.6. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

SECTION 11: Toxicologic	al information		
General information	Not available.		
Information on likely routes of	exposure		
Inhalation	Under normal conditions of intended use, this material is no	ot expected to be an inhalation hazard	
Skin contact	Contact with skin may result in mild irritation.		
Eye contact	Contact with eyes may result in mild irritation.		
Ingestion	Health injuries are not known or expected under normal us	e.	
Symptoms	Not available.		
11.1. Information on toxicologic	cal effects		
Acute toxicity	Based on available data, the classification criteria are not n	net.	
Components	Species Tes	t Results	
2-pyrrolidone (CAS 616-45-5)			
Acute			
Oral			
LD50	Rat > 50	00 mg/kg	
Carbon black (CAS 1333-86-4)			
<u>Acute</u>			
Oral			
LD50	Rat > 10	000 mg/kg	
Skin corrosion/irritation	Based on available data, the classification criteria are not n	net.	
Serious eye damage/eye rritation	Based on available data, the classification criteria are not met. Not classified as an irritant according to, OECD 405.		
Respiratory sensitization	Based on available data, the classification criteria are not n	net.	
Skin sensitization	Based on available data, the classification criteria are not n	net.	
Germ cell mutagenicity	Based on available data, the classification criteria are not n	net.	
Carcinogenicity	Based on available data, the classification criteria are not met.		
	Carbon black is classified as a carcinogen by the IARC (po 2B) and by the State of California under Proposition 65. In organizations indicate that exposure to carbon black, per so bound within a product matrix, specifically, rubber, ink, or p bound form in this preparation.	their evaluations of carbon black, bot e, does not occur when it remains	
IARC Monographs. Overall	Evaluation of Carcinogenicity		
Carbon black (CAS 1333	3-86-4) 2B Possibly carcinogenic to	b humans.	
Reproductive toxicity	Based on available data, the classification criteria are not n	net.	
Specific target organ toxicity - single exposure	Based on available data, the classification criteria are not n	net.	
Specific target organ toxicity - repeated exposure	Based on available data, the classification criteria are not n	net.	
Aspiration hazard	Based on available data, the classification criteria are not n	net.	
Mixture versus substance	Not available.		
Other information	Complete toxicity data are not available for this specific for Refer to Section 2 for potential health effects and Section 4		
SECTION 12: Ecological	information		
12.1. Toxicity			
Aquatic toxicity	This product has not been tested for ecological effects.		
Components		lost Bosults	

Components		Species	Test Results
2-pyrrolidone (CAS 616-45-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
12.2. Persistence and degradability	Not available.		
12.3. Bioaccumulative potential	Not available.		

Partition coefficient n-octanol/water (log Kow) 2-pyrrolidone	-0.85
Bioconcentration factor (BCF)	Not available.
12.4. Mobility in soil	Not available.
12.5. Results of PBT and vPvB assessment	Not a PBT or vPvB substance or mixture.
12.6. Other adverse effects	Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods	
Residual waste	Not available.
Contaminated packaging	Not available.
EU waste code	Not available.
Disposal methods/information	Do not allow this material to drain into sewers/water supplies. Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations. Do not dispose of together with general office waste. Ensure collection and disposal with an appropriately licensed waste contractor.
	HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

ADR

Not regulated as dangerous goods.

Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Further information

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I	
Not listed.	
Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II	
Not listed.	
Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended	
Not listed.	
Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended	
Not listed.	
Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended	
Not listed.	
Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended	
Not listed.	
Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended	
Not listed.	
Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry	
Not listed.	
Regulation (EC) No. 1907/2006, REACH Article 59(1) Candidate List as currently published by ECHA	
Not listed.	
Authorizations	
Regulation (EC) No. 143/2011 Annex XIV Substances Subject to Authorization	
Not listed.	
Restrictions on use	

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended			
Not listed. Directive 2004/37/EC: on th work	e protection of workers from the risks related to exposure to carcinogens and mutagens at		
Not regulated.			
Other EU regulations			
Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended			
Not listed.			
Other regulations	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.		
Other information	Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).		
National regulations	Not available.		
15.2. Chemical safety assessment	See attached SUMI or GEIS document, if applicable.		
SECTION 16: Other inform	mation		
References	Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).		
	Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.		
	Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).		
Information on evaluation method leading to the classification of mixture	The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.		
Full text of any H-statements not written out in full under Sections 2 to 15	H319 Causes serious eye irritation.		
Revision information	None.		
Training information	Follow training instructions when handling this material.		
Disclaimer	This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.		
	This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.		

Explanation of abbreviations

A 0.011	American Conference of Covernmental Industrial University
ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds

Safe Use of Mixture Information (SUMI)

Water Based Ink: WB01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

, , , , , , , , , , , , , , , , , , ,	3, where upplicable, completes an extended product 3D3.	
Operational conditions		
Maximum duration	Up to 8 hours per day	
Frequency of exposure	< 240 days per year	
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides guidelines to ensure acceptable air quality in the workspace. Avoid direct contact. Regular cleaning of equipment and work area. Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions	
	followed.	
Risk management measures		
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.	
related to Personal Protection		
	Wear appropriate chemical resistent gloves: see section 8 of the SDS.	
Equipment, hygiene and	Wear appropriate chemical resistent clothing.	
health evaluation	In case of inadequate ventilation wear respiratory protection.	
	Eye wash fountain and emergency showers are recommended.	
	Avoid breathing mist/vapours.	
	Avoid contact with skin, eyes and clothing.	
	Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.	
Good practice advice		
Use personal protective equipme	ent as required.	
Wash hands before breaks and a	after work.	
Keep good industrial hygiene and	d safety practice.	
Use only with adequate ventilati		
Do no eat, drink or smoke when		
Wash contaminated clothing be		
Store at room temperature.		
Environmental measures		
	in intercourse/unitercourselies	
Do not allow this material to dra		
-	ding to Local, State, Federal and Provincial Environmental Regulations.	
	ith appropriately licenced waste contractor.	
Use descriptors		
IS-Use at industrial sites		
PW-Widespread use by profession	onal workers	
SU7-Printing and reproduction n	nedia	
PC18-Inks and Toners		
PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.		
PROC2-Chemical production or r	refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions	
condition PROC8a-Transfer of substance o	tion in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment r mixture (charging and discharging) at non-dedicated facilities r mixture (charging and discharging) at dedicated facilities	
ERC5-Use at industrial site leading		
	o inclusion into/onto article (indoor)	
Additional information on prod		
	s on the label, the classification of the mixture is provided.	
Most of the water based inks are "not classified".		
The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.		
All ingredients contributing to the classification are stated in Section 3 of the SDS.		
Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.		
	zing ingredients that may cause allergic reaction to certain people.	
Section 2 of the SDS states these		
I	WB01 English.pdf	