according to Regulation (EC) No 1907/2006

# Handdesinfektionsgel in den Größen 60 - 500ml

Revision date: 05.06.2020 Product code: Page 1 of 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Handdesinfektionsgel in den Größen 60 - 500ml

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Disinfectants

### Uses advised against

Any non-intended use.

## 1.3. Details of the supplier of the safety data sheet

Company name: Monolith Global GmbH Street: Gewerbestrasse 11 Place: D-44866 Bochum Telephone: 0080079333900

e-mail: support@monolith-global.com
Internet: https://monolith-global.com/

**1.4. Emergency telephone** 0080079333900 (Mo.-Fr., 9:00-16:00)

number:

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Regulation (EC) No. 1272/2008

Hazard Statements:

Highly flammable liquid and vapour. Causes serious eye irritation.

## 2.2. Label elements

#### Regulation (EC) No. 1272/2008

Signal word: Danger

Pictograms:





### **Hazard statements**

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.

## **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

### 2.3. Other hazards

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop. The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

according to Regulation (EC) No 1907/2006

# Handdesinfektionsgel in den Größen 60 - 500ml

Revision date: 05.06.2020 Product code: Page 2 of 12

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

## **Hazardous components**

| CAS No  | Chemical name                         |                        |                  |  |  |  |
|---------|---------------------------------------|------------------------|------------------|--|--|--|
|         | EC No                                 | Index No               | REACH No         |  |  |  |
|         | GHS Classification                    |                        |                  |  |  |  |
| 64-17-5 | ethanol, ethyl alcohol                | ethanol, ethyl alcohol |                  |  |  |  |
|         | 200-578-6                             | 603-002-00-5           | 01-2119457610-43 |  |  |  |
|         | Flam. Liq. 2, Eye Irrit. 2; H225 H319 |                        |                  |  |  |  |

Full text of H and EUH statements: see section 16.

#### **Further Information**

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

Remove affected person from the danger area and lay down. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

## After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. If unconscious place in recovery position and seek medical advice. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, seek medical treatment.

## After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

#### After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Seek medical advice.

# 4.2. Most important symptoms and effects, both acute and delayed

Acute effects: Mucous membrane irritation after eye contact or inhalation.

Delayed effects: Impairment of inhibitory functions of the central nervous system, skin redness, nausea after ingestion of large amounts.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Percutaneously absorbed and inhaled substance causes next to irritation of affected mucous membranes only an indicated impairment of the inhibitory functions of the central nervous system, clinically recognizable as the beginning of a euphoric stage. At the same time face and skin redness is caused by dilation of peripheral blood vessels in the body.

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

according to Regulation (EC) No 1907/2006

# Handdesinfektionsgel in den Größen 60 - 500ml

Revision date: 05.06.2020 Product code: Page 3 of 12

## Unsuitable extinguishing media

High power water jet.

### 5.2. Special hazards arising from the substance or mixture

In use, may form flammable/explosive vapour-air mixture.

Vapours are heavier than air and will spread at floor level.

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2).

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

#### **Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Ventilate affected area.

Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes.

Special danger of slipping by leaking/spilling product.

Wear personal protection equipment. (refer to chapter 8)

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Prevent spread over a wide area (e.g. by containment or oil barriers). In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

## 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Ventilate affected area.

Treat the recovered material as prescribed in the section on waste disposal.

Clear contaminated areas thoroughly.

### 6.4. Reference to other sections

See protective measures under point 7 and 8.

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes.

Wear personal protection equipment. (See section 8.)

# Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges.

Flammable vapours can accumulate in head space of closed systems. In use, may form flammable/explosive vapour-air mixture. Heating causes rise in pressure with risk of bursting.

#### Further information on handling

General protection and hygiene measures: refer to chapter 8

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep/Store only in original container. Keep container tightly closed in a cool, well-ventilated place. Protect against direct sunlight.

Ensure adequate ventilation of the storage area. Concentrated vapours are heavier than air.

Suitable material for Container: Stainless steel. (1.4301 (V2), 1.4401 (V4)); iron. solvent resistant plastics.

Unsuitable materials for Container: Aluminium. Rubber. various plastics.

according to Regulation (EC) No 1907/2006

# Handdesinfektionsgel in den Größen 60 - 500ml

Revision date: 05.06.2020 Product code: Page 4 of 12

## Hints on joint storage

Do not store together with: Gas. Explosives. Flammable solids. Pyrophoric liquids and solids. Self-heating substances and mixtures. Substances and mixtures which, in contact with water, emit flammable gases. Oxidizing liquids. Oxidizing solids. ammonium nitrate. Self-reactive substances and mixtures. Organic peroxides. Non-combustible toxic substances. Radioactive substances. Infectious substances.

## Further information on storage conditions

Recommended storage temperature: 5-25°C Protect against: UV-radiation/sunlight. heat. Cold.

## 7.3. Specific end use(s)

See section 1.

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

# **Exposure limits (EH40)**

| CAS No  | Substance | ppm  | mg/m³ | fibres/ml | Category  | Origin |
|---------|-----------|------|-------|-----------|-----------|--------|
| 64-17-5 | Ethanol   | 1000 | 1920  |           | TWA (8 h) | WEL    |

## **DNEL/DMEL values**

| CAS No                   | Substance              |                |          |                  |  |  |  |
|--------------------------|------------------------|----------------|----------|------------------|--|--|--|
| DNEL type                |                        | Exposure route | Effect   | Value            |  |  |  |
| 64-17-5                  | ethanol, ethyl alcohol |                |          |                  |  |  |  |
| Worker DNE               | L, acute               | inhalation     | local    | 1900 mg/m³       |  |  |  |
| Worker DNEL, long-term   |                        | dermal         | systemic | 343 mg/kg bw/day |  |  |  |
| Worker DNEL, long-term   |                        | inhalation     | systemic | 950 mg/m³        |  |  |  |
| Consumer D               | NEL, acute             | inhalation     | local    | 950 mg/m³        |  |  |  |
| Consumer DNEL, long-term |                        | dermal         | systemic | 206 mg/kg bw/day |  |  |  |
| Consumer D               | NEL, long-term         | inhalation     | systemic | 114 mg/m³        |  |  |  |
| Consumer D               | NEL, long-term         | oral           | systemic | 87 mg/kg bw/day  |  |  |  |

## **PNEC values**

| CAS No                               | Substance  |            |  |  |  |  |
|--------------------------------------|--|------------|--|--|--|--|
| Environmental compartment Value      |  |            |  |  |  |  |
| 64-17-5                              | ethanol, ethyl alcohol                           |            |  |  |  |  |
| Freshwater                           |  | 0,96 mg/l  |  |  |  |  |
| Freshwater                           | reshwater (intermittent releases)                |            |  |  |  |  |
| Marine water                         |  | 0,79 mg/l  |  |  |  |  |
| Marine water (intermittent releases) |  | 2,75 mg/l  |  |  |  |  |
| Freshwater sediment 3,6              |  |            |  |  |  |  |
| Marine sedi                          | ment   | 2,9 mg/kg  |  |  |  |  |
| Secondary poisoning                  |  | 0,72 mg/kg |  |  |  |  |
| Micro-organ                          | Micro-organisms in sewage treatment plants (STP) |            |  |  |  |  |
| Soil                                 | oil 0  |            |  |  |  |  |

## 8.2. Exposure controls

according to Regulation (EC) No 1907/2006

# Handdesinfektionsgel in den Größen 60 - 500ml

Revision date: 05.06.2020 Product code: Page 5 of 12





## Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Provide adequate ventilation.

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

### Protective and hygiene measures

Always close containers tightly after the removal of product. When using do not eat, drink or smoke. Wash hands before breaks and after work. Take off contaminated clothing. Protect skin by using skin protective cream.

## Eye/face protection

Tightly sealed safety glasses. BS/EN 166

#### Hand protection

In case of prolonged or frequently repeated skin contact:

Tested protective gloves are to be worn:

Suitable material:

Butyl rubber. (0,7 mm, Breakthrough time >=480 min, penetration time (maximum wearing period): 160 min): NBR (Nitrile rubber). (0,4 mm, Breakthrough time >=120 min, penetration time (maximum wearing period): 40 min)

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

## Skin protection

Protective clothing. (fire retardant.)

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

Insufficient ventilation.

Exceeding exposure limit values

Generation/formation of aerosols

Suitable respiratory protective equipment:

gas filtering equipment (EN 141). Type: A

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

# **Environmental exposure controls**

Do not allow to enter into surface water or drains.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: colourless
Odour: characteristic

according to Regulation (EC) No 1907/2006

# Handdesinfektionsgel in den Größen 60 - 500ml

Revision date: 05.06.2020 Product code: Page 6 of 12

pH-Value: ca. 7

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

Softening point:

Pour point:

Flash point:

not determined

not determined

not determined

not determined

22 °C

#### **Explosive properties**

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

Vapours can travel considerable distances to a source of ignition where they can ignite, flash back, or explode.

Lower explosion limits:

Upper explosion limits:

Ignition temperature:

not determined

not determined

**Auto-ignition temperature** 

Gas: not determined

Oxidizing properties

none

Vapour pressure: not determined

Density: 0,87 g/cm³

Water solubility: miscible.

Solubility in other solvents

not determined

Viscosity / dynamic: 5500-11000 mPa·s
Viscosity / kinematic: not determined
Flow time: not determined
Vapour density: not determined
Evaporation rate: not determined
Solvent separation test: not determined
Solvent content: not determined

9.2. Other information

Solid content: not determined

## **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No information available.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

Explosion risk in contact with: Oxidizing agents, strong. nitric acid. Hydrogenium peroxide. Exothermic reactions with: Alkali metals. Alkaline earth metals. Reducing agents, strong.

## 10.4. Conditions to avoid

Keep away from heat. Protect against direct sunlight. Protect from moisture. In use may form flammable/explosive vapour-air mixture.

according to Regulation (EC) No 1907/2006

# Handdesinfektionsgel in den Größen 60 - 500ml

Revision date: 05.06.2020 Product code: Page 7 of 12

Heating causes rise in pressure with risk of bursting. Recommended storage temperature: < 40 °C

## 10.5. Incompatible materials

Strong acid. Oxidizing agents. Alkali metals. Alkaline earth metals. Peroxides. phosphorus oxides. Nitrogen oxides (NOx). Hydrogenium peroxide. Nitric acid. hydrochloric acid. Sulfuric acid. Perchlorates. Chromium oxides. Acid chlorides.

## 10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2).

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

## **Acute toxicity**

Based on available data, the classification criteria are not met.

| CAS No  | Chemical name           |                     |         |              |        |  |  |  |
|---------|-------------------------|---------------------|---------|--------------|--------|--|--|--|
|         | Exposure route          | Dose                | Species | Source       | Method |  |  |  |
| 64-17-5 | ethanol, ethyl alcohol  |                     |         |              |        |  |  |  |
|         | oral                    | LD50 >5000<br>mg/kg | Rat     | ECHA Dossier |        |  |  |  |
|         | inhalation (4 h) vapour | LC50 124,7<br>mg/l  | Rat     | ECHA Dossier |        |  |  |  |

## Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Irritant effect on the skin: slightly irritant but not relevant for classification.

Ethanol.: Specific concentration limit (SCL): Eye Irrit. 2 > 50%

## Sensitising effects

Based on available data, the classification criteria are not met.

The product is: not sensitising. The statement is derived form the properties of the components.

# Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Ethanol. (CAS-No.: 64-17-5):

In-vitro mutagenicity: No experimental indications of mutagenicity in-vitro exist.

Reproductive toxicity: Exposure time: 18 weeks; Species: CD-1 Mouse. Method: OECD Guideline 416; Result:

NOAEL = 20700 mg/kg/day. Developmental toxicity/teratogenicity: Exposure time: 19d; Species:

Sprague-Dawley Rat. Method: OECD Guideline 414; Result: NOAEL = 16000 ppm (maternal toxicity), Result:

NOAEL >= 20000 ppm (teratogenicity); Literature information: ECHA Dossier

# STOT-single exposure

Based on available data, the classification criteria are not met.

# STOT-repeated exposure

Based on available data, the classification criteria are not met.

Ethanol. (CAS-No.: 64-17-5):

Subchronic oral toxicity: Exposure time: 90d; Species: Sprague-Dawley Rat. Method: OECD Guideline 408;

Result: NOAEL = 1280 mg/kg; Literature information: ECHA Dossier

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## Specific effects in experiment on an animal

No data available

# **Practical experience**

according to Regulation (EC) No 1907/2006

# Handdesinfektionsgel in den Größen 60 – 500ml

Revision date: 05.06.2020 Product code: Page 8 of 12

#### Other observations

Depending on the ingested quantity the following symptoms can be induced: a reduction of inhibitions, euphoria but also dysphoria, aggressiveness, impaired motoric skills, impaired responsiveness, blurred vision and fatigue.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

| CAS No  | Chemical name            |                        |          |      |                     |              |        |  |
|---------|--------------------------|------------------------|----------|------|---------------------|--------------|--------|--|
|         | Aquatic toxicity         | Dose                   | Dose     |      | Species             | Source       | Method |  |
| 64-17-5 | ethanol, ethyl alcohol   | ethanol, ethyl alcohol |          |      |                     |              |        |  |
|         | Acute fish toxicity      | LC50<br>mg/l           | 14200    | 96 h | Pimephales promelas | ECHA Dossier |        |  |
|         | Acute algae toxicity     | ErC50                  | 275 mg/l | 72 h | Chlorella vulgaris  | ECHA Dossier |        |  |
|         | Acute crustacea toxicity | EC50<br>mg/l           | 5012     | 48 h | Ceriodaphnia dubia  | ECHA Dossier |        |  |
|         | Crustacea toxicity       | NOEC<br>mg/l           | (9,6)    | 9 d  | Daphnia magna       | ECHA Dossier |        |  |

## 12.2. Persistence and degradability

| CAS No  | Chemical name          |   |       |    |              |  |  |
|---------|------------------------|---|-------|----|--------------|--|--|
|         | Method                 | \ | Value | d  | Source       |  |  |
|         | Evaluation             | - |       |    |              |  |  |
| 64-17-5 | ethanol, ethyl alcohol |   |       |    |              |  |  |
|         | other guideline        | 8 | 84%   | 20 | ECHA Dossier |  |  |
|         | Biodegradable.         |   |       |    |              |  |  |

#### 12.3. Bioaccumulative potential

## Partition coefficient n-octanol/water

| CAS No  | Chemical name          | Log Pow |
|---------|------------------------|---------|
| 64-17-5 | ethanol, ethyl alcohol | -0,31   |

## 12.4. Mobility in soil

Ethanol. (CAS-No.: 64-17-5):

Volatility Henry constant: 3,3\*10-6 atm. m3/mol;dimension less 1,28\*10-4 (Calculation method.)

Distribution: Calculation according to: Mackay, EPIWIN: Air. 45,0%; Water. 33,1%; soil: 13,7%; sediment:

0,1%

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## 12.6. Other adverse effects

No data available

#### **Further information**

Do not allow to enter into surface water or drains.

## **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

# **Disposal recommendations**

Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

according to Regulation (EC) No 1907/2006

# Handdesinfektionsgel in den Größen 60 – 500ml

Revision date: 05.06.2020 Product code: Page 9 of 12

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

## List of Wastes Code - residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors;

hazardous waste

#### List of Wastes Code - used product

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors;

hazardous waste

## List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING: ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

#### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

## **SECTION 14: Transport information**

# Land transport (ADR/RID)

**14.1. UN number:** UN 1170

14.2. UN proper shipping name: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Classification code: F1

Special Provisions: 144 601
Limited quantity: 1 L
Excepted quantity: E2
Transport category: 2
Hazard No: 33
Tunnel restriction code: D/E

#### Inland waterways transport (ADN)

**14.1. UN number:** UN 1170

14.2. UN proper shipping name: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Classification code: F1
Special Provisions: 144 601
Limited quantity: 1 L
Excepted quantity: E2

Marine transport (IMDG)

according to Regulation (EC) No 1907/2006

# Handdesinfektionsgel in den Größen 60 - 500ml

Revision date: 05.06.2020 Product code: Page 10 of 12

**14.1. UN number:** UN 1170

14.2. UN proper shipping name: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Marine pollutant:

Special Provisions:

Limited quantity:

Excepted quantity:

E2

EmS:

F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 1170

14.2. UN proper shipping name: ETHANOL SOLUTION

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Special Provisions: A3 A58 A180

Limited quantity Passenger: 1 L
Passenger LQ: Y341
Excepted quantity: E2

IATA-packing instructions - Passenger: 353
IATA-max. quantity - Passenger: 5 L
IATA-packing instructions - Cargo: 364
IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Refer to section 6-8

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

# **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# EU regulatory information

Restrictions on use (REACH, annex XVII): Entry 40: ethanol, ethyl alcohol

2010/75/EU (VOC): not determined 2004/42/EC (VOC): not determined

Information according to 2012/18/EU

P5c FLAMMABLE LIQUIDS

(SEVESO III):

according to Regulation (EC) No 1907/2006

# Handdesinfektionsgel in den Größen 60 - 500ml

Revision date: 05.06.2020 Product code: Page 11 of 12

#### Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2019/957)

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 3, 40

### **National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

## 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out: ethanol, ethyl alcohol

# **SECTION 16: Other information**

## Changes

Rev. 1.00; Neuerstellung 05.06.2020

### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

CAS Chemical Abstracts Service

CLP: Classification, Labelling and Packaging of substances and mixtures

**DNEL: Derived No Effect Level** 

d: dav(s)

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European LIst of Notified Chemical Substances

ECHA: European Chemicals Agency EWC: European Waste Catalogue

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

h: hour

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

NLP: No-Longer Polymers

N/A: not applicable

OECD: Organisation for Economic Co-operation and Development

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )

REACH: Registration, Evaluation, Authorisation of Chemicals

SVHC: substance of very high concern TRGS: Technische Regeln für Gefahrstoffe

according to Regulation (EC) No 1907/2006

# Handdesinfektionsgel in den Größen 60 - 500ml

Revision date: 05.06.2020 Product code: Page 12 of 12

**UN: United Nations** 

VOC: Volatile Organic Compounds

# Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.

#### **Further Information**

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Health hazards: Calculation method. Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)