

# **SAFETY DATA SHEET** 2work Hand Gel

According to Regulation (EC) No 1907/2006, Annex II, as amended.

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

2work Hand Gel Product name Product number DB50840, ZP

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning agent.

Uses advised against No specific uses advised against are identified.

# 1.3. Details of the supplier of the safety data sheet

Supplier

Company name: VOW EUROPE LTD

K HOUSE EUROPA LINK

SHEFFIELD BUSINESS PARK SHEFFIELD S9 1XU

Tel: 0844 980 8000

Email: WWW.VOWEUROPE.COM

## 1.4. Emergency telephone number

**Emergency telephone** +44 1865 407333

## SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Flam. Liq. 3 - H226

Health hazards Not Classified Not Classified **Environmental hazards** 

## 2.2. Label elements

# **Pictogram**



Signal word Warning

Hazard statements H226 Flammable liquid and vapour. **Precautionary statements** P102 Keep out of reach of children.

P501 Dispose of contents/ container in accordance with national regulations.

## 2work Hand Gel

Supplementary precautionary statements

 ${\sf P210~Keep~away~from~heat,~hot~surfaces,~sparks,~open~flames~and~other~ignition~sources.~No}$ 

smoking.

P233 Keep container tightly closed.

P240 Ground/ bond container and receiving equipment.

P241 Use explosion-proof electrical equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

## 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

Ethanol 60-100%

CAS number: 64-17-5 EC number: 200-578-6

Classification

Flam. Liq. 2 - H225

Glycerol 1-5%

CAS number: 56-81-5 EC number: 200-289-5

Classification Not Classified

Propane-1,2-diol

CAS number: 57-55-6 EC number: 200-338-0 REACH registration number: 01-

2119456809-23-XXXX

<1%

Classification

Not Classified

2-Methylpropan-2-ol <1%

CAS number: 75-65-0 EC number: 200-889-7

Classification

Flam. Liq. 2 - H225 Acute Tox. 4 - H332 Eye Irrit. 2 - H319 STOT SE 3 - H335

## 2work Hand Gel

Cyclohexane <1%

CAS number: 110-82-7 EC number: 203-806-2 REACH registration number: 01-

2119463273-41-XXXX

M factor (Acute) = 1 M factor (Chronic) = 1

Classification

Flam. Liq. 2 - H225 Skin Irrit. 2 - H315 STOT SE 3 - H336 Asp. Tox. 1 - H304 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

The full text for all hazard statements is displayed in Section 16.

## SECTION 4: First aid measures

# 4.1. Description of first aid measures

personnel.

**Inhalation** Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms

are severe or persist.

Ingestion Rinse mouth thoroughly with water. Get medical advice/attention if you feel unwell. Do not

induce vomiting unless under the direction of medical personnel.

**Skin contact** No special treatment required.

Eye contact Rinse with water. Get medical attention if any discomfort continues.

**Protection of first aiders** First aid personnel should wear appropriate protective equipment during any rescue.

## 4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

**Inhalation** No specific symptoms known.

**Ingestion** No specific symptoms known.

**Skin contact** Not a skin sensitiser.

Eye contact No specific symptoms known. May be slightly irritating to eyes.

# 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

Suitable extinguishing media The product is flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder

or water fog. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

## 5.2. Special hazards arising from the substance or mixture

## 2work Hand Gel

## Specific hazards

Containers can burst violently or explode when heated, due to excessive pressure build-up. Flammable liquid and vapour. Vapours may be ignited by a spark, a hot surface or an ember. Vapours may form explosive mixtures with air. Fire-water run-off in sewers may create fire or explosion hazard.

# Hazardous combustion products

Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

#### 5.3. Advice for firefighters

# Protective actions during firefighting

Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

# Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

#### SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

## Personal precautions

Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Evacuate area. Provide adequate ventilation. No smoking, sparks, flames or other sources of ignition near spillage. Promptly remove any clothing that becomes contaminated.

# 6.2. Environmental precautions

**Environmental precautions** 

Avoid discharge into drains or watercourses or onto the ground.

## 6.3. Methods and material for containment and cleaning up

## Methods for cleaning up

Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Eliminate all ignition sources if safe to do so. No smoking, sparks, flames or other sources of ignition near spillage. Do not allow material to enter confined spaces, due to the risk of explosion. Absorb small quantities with paper towels and evaporate in a safe place. Once evaporation is complete, place paper in a suitable waste disposal container and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.

## 6.4. Reference to other sections

#### Reference to other sections

For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

## SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

## Usage precautions

Keep out of the reach of children. Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. The product is flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not handle until all safety precautions have been read and understood. Do not reuse empty containers.

## 2work Hand Gel

Advice on general occupational hygiene

No specific requirements are anticipated under normal conditions of use.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep out of the reach of children. Keep away from food, drink and animal feeding stuffs. Keep

away from oxidising materials, heat and flames. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect

containers from damage.

Storage class Flammable liquid storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure Controls/personal protection

## 8.1. Control parameters

## Occupational exposure limits

#### **Ethanol**

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m<sup>3</sup>

#### Glycerol

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ mist

## Propane-1,2-diol

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ particulate

Long-term exposure limit (8-hour TWA): WEL 150 ppm 474 mg/m³ total vapour and particulates

# 2-Methylpropan-2-ol

Long-term exposure limit (8-hour TWA): WEL 100 ppm 308 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 150 ppm 462 mg/m<sup>3</sup>

## Cyclohexane

Long-term exposure limit (8-hour TWA): WEL 100 ppm 350 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 300 ppm 1050 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit

# 8.2. Exposure controls

Appropriate engineering

controls

All handling should only take place in well-ventilated areas.

Eye/face protection Avoid contact with eyes. No specific eye protection required during normal use. Large

Spillages: Eyewear complying with an approved standard should be worn if a risk assessment

indicates eye contact is possible.

**Hand protection** Hand protection not required.

**Hygiene measures** No specific requirements are anticipated under normal conditions of use.

**Respiratory protection**No specific requirements are anticipated under normal conditions of use. No specific

recommendations. Large Spillages: If ventilation is inadequate, suitable respiratory protection

must be worn.

Environmental exposure

controls

Keep container tightly sealed when not in use. Avoid release to the environment.

## SECTION 9: Physical and Chemical Properties

## 9.1. Information on basic physical and chemical properties

## 2work Hand Gel

Appearance Liquid.

Colourless.

Odour Alcoholic.

Odour threshold Not available.

**pH** Not available.

Melting point Not available.

**Initial boiling point and range** Not available.

Flash point Not available.

**Evaporation rate** Not available.

**Evaporation factor** Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or

explosive limits

Not available.

Other flammability Not available.

Vapour pressure Not available.

Vapour density Not available.

**Relative density** Not available.

Bulk density Not available.

Solubility(ies) Not available.

Partition coefficient Not available.

**Auto-ignition temperature** Not available.

**Decomposition Temperature** Not available.

Viscosity Not available.

**Explosive properties** Not considered to be explosive.

Oxidising properties Does not meet the criteria for classification as oxidising.

#### 9.2. Other information

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended. Stable under the

prescribed storage conditions.

# 10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

The following materials may react strongly with the product: Oxidising agents.

## 10.4. Conditions to avoid

## 2work Hand Gel

Conditions to avoid Avoid heat, flames and other sources of ignition. Containers can burst violently or explode

when heated, due to excessive pressure build-up. Static electricity and formation of sparks

must be prevented.

10.5. Incompatible materials

Materials to avoid Oxidising materials. Acids - oxidising.

10.6. Hazardous decomposition products

Hazardous decomposition Does not decompose when used and stored as recommended. Thermal decomposition or

combustion products may include the following substances: Harmful gases or vapours.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

products

Notes (oral LD<sub>50</sub>) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC<sub>50</sub>) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

**Serious eye damage/irritation** Based on available data the classification criteria are not met.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

**Genotoxicity - in vitro**Based on available data the classification criteria are not met.

Carcinogenicity

**Carcinogenicity** Based on available data the classification criteria are not met.

IARC carcinogenicity Contains a substance/a group of substances which may cause cancer. IARC Group 1

Carcinogenic to humans.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity -

development

Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

**STOT - single exposure** Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure 
Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

## 2work Hand Gel

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation No specific symptoms known.

**Ingestion** No specific symptoms known.

**Skin contact** No specific symptoms known.

Eye contact No specific symptoms known.

Route of entry Ingestion Inhalation Skin and/or eye contact

**Target organs** No specific target organs known.

**Ethanol** 

**Toxicological effects** Not regarded as a health hazard under current legislation.

Acute toxicity - oral

Notes (oral LD₅o) LD₅o 10470 mg/kg, Oral, Rat REACH dossier information. Based on available data

the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC<sub>50</sub>) LD<sub>50</sub> 124.7 mg/l, Inhalation, Rat REACH dossier information. Based on available

data the classification criteria are not met.

Skin corrosion/irritation

Animal data Dose: 0.2 mL, 24 hours, Rabbit Primary dermal irritation index: 0 REACH dossier

information. Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Local Lymph Node Assay (LLNA) - Mouse: Not sensitising. REACH dossier

information. Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Gene mutation: Negative. REACH dossier information. Based on available data the

classification criteria are not met.

Genotoxicity - in vivo Chromosome aberration: Negative. REACH dossier information. Based on available

data the classification criteria are not met.

Carcinogenicity

IARC carcinogenicity IARC Group 1 Carcinogenic to humans.

Reproductive toxicity

Reproductive toxicity -

Two-generation study - NOAEL 15%, Oral, Mouse REACH dossier information.

Based on available data the classification criteria are not met.

Reproductive toxicity - development

Maternal toxicity: - NOAEL: 16000 ppm, Inhalation, Rat REACH dossier information.

Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure LOAEL ~4000 mg/kg, Oral, Rat REACH dossier information. Based on available

data the classification criteria are not met.

SECTION 12: Ecological Information

fertility

## 2work Hand Gel

**Ecotoxicity** Not regarded as dangerous for the environment. However, large or frequent spills may have

hazardous effects on the environment.

12.1. Toxicity

**Toxicity** Based on available data the classification criteria are not met.

**Ethanol** 

**Toxicity** Based on available data the classification criteria are not met.

Acute toxicity - fish LC<sub>50</sub>, 96 hours: 14200 mg/l, Pimephales promelas (Fat-head Minnow)

Acute toxicity - aquatic

invertebrates

LC<sub>50</sub>, 48 hours: 5012 mg/l, Ceriodaphnia dubia

Acute toxicity - aquatic

plants

EC<sub>50</sub>, 72 hours: 11.5 mg/l, Chlorella vulgaris

Chronic toxicity - aquatic

invertebrates

NOEC, 9 days: 9.6 mg/l, Daphnia magna

Glycerol

Acute toxicity - fish LC<sub>50</sub>, 96 hours: 54000 mg/l, Onchorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic

plants

EC<sub>50</sub>, 72 hours: >2900 mg/l, Freshwater algae

Propane-1,2-diol

Acute toxicity - fish LC<sub>50</sub>, 96 hours: 40613 mg/l, Onchorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic

invertebrates

EC<sub>50</sub>, 48 hours: >10000 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC<sub>50</sub>, 96 hours: 19000 mg/l, Pseudokirchneriella subcapitata

Cyclohexane

Acute aquatic toxicity

**LE(C)**<sub>50</sub>  $0.1 < L(E)C50 \le 1$ 

M factor (Acute)

Acute toxicity - fish LC<sub>80</sub>, 4 days: 4.5 mg/l, Pimephales promelas (Fat-head Minnow)

Acute toxicity - aquatic

invertebrates

EC<sub>50</sub>, 2 days: 0.9 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC₅o, 3 days: 9.317 mg/l, Selenastrum capricornutum

Chronic aquatic toxicity

M factor (Chronic) 1

12.2. Persistence and degradability

Persistence and degradability The degradability of the product is not known.

## 2work Hand Gel

**Ethanol** 

Persistence and degradability

The substance is readily biodegradable.

**Biodegradation** 

Water - Degradation 74%: 10 days

Chemical oxygen demand 1.99 g O<sub>2</sub>/g substance

Glycerol

Persistence and degradability

The product is biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not available.

**Ethanol** 

Bioaccumulative potential Bioaccumulation is unlikely.

Partition coefficient log Pow: -0.35

Glycerol

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

Partition coefficient log Pow: -1.76

Cyclohexane

Partition coefficient log Kow: 3.44

12.4. Mobility in soil

Mobility No data available.

**Ethanol** 

Mobility The product is soluble in water.

24.5 mN/m @ 20°C/68°F Surface tension

Glycerol

The product is soluble in water. Mobility

12.5. Results of PBT and vPvB assessment

**Ethanol** 

This substance is not classified as PBT or vPvB according to current EU criteria. Results of PBT and vPvB

assessment

Glycerol

## 2work Hand Gel

Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

## Propane-1,2-diol

Results of PBT and vPvB This product does not contain any substances classified as PBT or vPvB. assessment

#### 12.6. Other adverse effects

Other adverse effects None known.

## SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

General information The generation of waste should be minimised or avoided wherever possible. Reuse or recycle

> products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product

residues and hence be potentially hazardous.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

## SECTION 14: Transport information

#### 14.1. UN number

1170 UN No. (ADR/RID)

UN No. (IMDG) 1170

UN No. (ICAO) 1170

UN No. (ADN) 1170

# 14.2. UN proper shipping name

Proper shipping name

(ADR/RID)

ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Proper shipping name (IMDG) ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Proper shipping name (ICAO) ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Proper shipping name (ADN)

ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

## 14.3. Transport hazard class(es)

ADR/RID class 3

ADR/RID classification code F1

ADR/RID label 3

**IMDG class** 3

ICAO class/division 3

**ADN class** 3

## 2work Hand Gel

## Transport labels



## 14.4. Packing group

ADR/RID packing group III

IMDG packing group III

ADN packing group III

ICAO packing group III

## 14.5. Environmental hazards

## Environmentally hazardous substance/marine pollutant

No.

## 14.6. Special precautions for user

EmS F-E, S-D

ADR transport category 3

Emergency Action Code •2Y

Hazard Identification Number

(ADR/RID)

Tunnel restriction code (D/E)

## 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

30

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

## SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Health and Safety at Work etc. Act 1974 (as amended).

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009

No. 716).

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment

Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].

EH40/2005 Workplace exposure limits.

**EU legislation** Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Commission Regulation (EU) No 453/2010 of 20 May 2010.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Dangerous Preparations Directive 1999/45/EC. Dangerous Substances Directive 67/548/EEC.

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## 2work Hand Gel

## SECTION 16: Other information

Classification procedures according to Regulation (EC)

Flam. Liq. 2 - H225: : Expert judgement.

1272/2008

**Training advice** Read and follow manufacturer's recommendations.

**Issued by** Toni Ashford

Revision date 30/06/2016

Revision 0

SDS number 737

Hazard statements in full H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.