

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

\*\*\* This Safety Data Sheet is only authorised for use by HP for HP Original products. Any Important information

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. \*\*\*

1.1. Product identifier

Trade name or designation

of the mixture

HP Color LaserJet CF360A-X-XC-XH Black Print Cartridge

Registration number

Synonyms None.

Issue date 21-Jan-2021

Version number 08

**Revision date** 11-Aug-2022 Supersedes date 30-May-2022

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses This product is a black toner preparation that is used in HP Color LaserJet Enterprise M552 / HP

Color LaserJet Enterprise M553 / HP Color LaserJet Enterprise MFP M576 / HP Color LaserJet

Enterprise MFP M577 series printers.

Uses advised against None known. 1.3. Details of the supplier of the safety data sheet

HP Inc UK Ltd, Regulatory Enquiries, Earley West

300 Thames Valley Park Drive, Reading, RG6 1PT

+44 20 7660 0596 (Consumer) **Telephone** 

+44 20 7660 0403 (Commercial)

HP Inc. health effects line

1-800-457-4209 (Toll-free within the US) 1-760-710-0048 (Direct)

**HP Inc. Customer Care** 

(Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: sustainability@hp.com

1.4 Emergency telephone

number

+44 20 35147487

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification as hazardous according to Regulation (EC) 1272/2008.

#### 2.2. Label elements

### Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Carbon black, Styrene acrylate copolymer, Wax

Hazard pictograms None. Signal word None.

The mixture does not meet the criteria for classification. **Hazard statements** 

**Precautionary statements** 

Material name: CF360A-X-XC-XH

Not available. Prevention Not available Response Not available. Storage **Disposal** Not available.

Supplemental label information None.

#### 2.3. Other hazards

This preparation contains no component classified as Persistent, Bioaccumulative, and Toxic (PBT) or very Persistent and very Bioaccumulative (vPvB) as defined under Regulation (EC)

1907/2006.

Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **General information**

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Styrene acrylate copolymer	<85	CBI	-	-	
		-			
Classification: -					
Carbon black	<10	1333-86-4 215-609-9	01-2119384822-32-XXXX	-	
Classification: -					
Wax	<10	CBI	-	-	
Classification:		-			

#### **SECTION 4: First aid measures**

General information Not available.

4.1. Description of first aid measures

**Inhalation** Move person to fresh air immediately. If irritation persists, consult a physician.

**Skin contact** Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists, consult a physician.

Ingestion Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a

physician.

4.2. Most important symptoms and effects, both acute and

delayed

Not available.

4.3. Indication of any immediate medical attention and special treatment needed Not available

# **SECTION 5: Firefighting measures**

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

media

Unsuitable extinguishing

media

CO2, water, or dry chemical

5.2. Special hazards arising from the substance or mixture

Like most organic material in powder form, toner can form explosive dust-air mixtures when finely

dispersed in air.

None known.

5.3. Advice for firefighters

Special protective equipment for firefighters

Not available.

Special fire fighting

procedures

If fire occurs in the printer, treat as an electrical fire.

Specific methods None established.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Minimize dust generation and accumulation.

For emergency responders Not available.

Material name: CF360A-X-XC-XH

6.2. Environmental precautions Do not flush into surface water or sanitary sewer system. See also section 13 Disposal

considerations.

6.3. Methods and material for containment and cleaning up

Slowly vacuum or sweep the material into a bag or other sealed container. Clean remainder with a

damp cloth or vacuum cleaner. If a vacuum is used, the motor must be rated as dust explosion-proof. Fine powder can form explosive dust-air mixtures. Dispose of in compliance with

federal, state, and local regulations.

6.4. Reference to other

sections

Not available.

# SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with

adequate ventilation. Keep away from excessive heat, sparks, and open flames.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store

away from strong oxidizers.

Not available. 7.3. Specific end use(s)

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### Occupational exposure limits

#### **UK. EH40 Workplace Exposure Limits (WELs)**

Value Components **Type** Black Pigment (CAS **STEL** 7 mg/m3 1333-86-4) TWA 3.5 mg/m3

No biological exposure limits noted for the ingredient(s). **Biological limit values** 

Recommended monitoring

procedures

Not available.

#### Derived no effect levels (DNELs)

Components	Type	Route	Value	Form
Carbon black (CAS 1333-86-4)	Consumers	Inhalation	1.75 mg/m3	Local long term
		Inhalation	0.06 mg/m3	Systemic long term
	Workers	Inhalation	2 mg/m3	Local long term
		Inhalation	1 mg/m3	Systemic long term

#### Predicted no effect concentrations (PNECs)

Components	Туре	Route	Value	Form	
Carbon black (CAS 1333-86-4)	Not applicable	Freshwater	5 mg/l		
		Marine water	5 mg/l		

**Exposure guidelines** "UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust)

8.2. Exposure controls

Appropriate engineering

Use in a well ventilated area.

#### Individual protection measures, such as personal protective equipment

**General information** No personal respiratory protective equipment required under normal conditions of use.

Eye/face protection Not available.

Skin protection

Not available. - Hand protection - Other Not available. Not available. Respiratory protection Not available. Thermal hazards Not available. Hygiene measures Not available. **Environmental exposure** 

controls

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

**Appearance** Fine powder **Physical state** Liquid. **Form** solid

Material name: CF360A-X-XC-XH 13630 Version #: 08 Revision date: 11-Aug-2022 Issue date: 21-Jan-2021 Color Black.

Odor Slight plastic odor
Odor threshold Not available.

pH Not applicable

Melting point/freezing point Not available.

Initial boiling point and boiling Not applicable

range

Flash point Not applicable
Evaporation rate Not applicable
Flammability (solid, gas) Not available.
Upper/lower flammability or explosive limits

Flammability limit - lower

Not flammable

(%)

Flammability limit - upper

(%)

Not available.

Vapor pressure Not applicable
Vapor density Not applicable

Solubility(ies)

**Solubility (water)** Negligible in water. Partially soluble in toluene and xylene.

Partition coefficient

Not available.

(n-octanol/water)

Auto-ignition temperatureNot applicableDecomposition temperature> 392 °F (> 200 °C)ViscosityNot applicable

Explosive properties Not available.

Oxidizing properties No information available.

9.2. Other information

**Softening point** 176 - 266 °F (80 - 130 °C)

Specific gravity 1 - 1.2

# **SECTION 10: Stability and reactivity**

**10.1. Reactivity** Not available.

**10.2. Chemical stability** Stable under normal storage conditions.

10.3. Possibility of hazardous

reactions

Will not occur.

10.4. Conditions to avoid Imaging Drum: Exposure to light

10.5. Incompatible materials Strong oxidizers

**10.6. Hazardous** Carbon monoxide and carbon dioxide.

decomposition products

### **SECTION 11: Toxicological information**

General information Not available.

Information on likely routes of exposure

**Inhalation** Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contactContact with skin may result in mild irritation.Eye contactContact with eyes may result in mild irritation.IngestionIngestion is not a likely route of exposure.

Symptoms Not available.

#### 11.1. Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

CF360A-X-XC-XH > 2000 mg/kg LD50

Components Species Test Results

Carbon black (CAS 1333-86-4)

<u>Acute</u>

Oral

LD50 Rat > 10000 mg/kg

Material name: CF360A-X-XC-XH

13630 Version #: 08 Revision date: 11-Aug-2022 Issue date: 21-Jan-2021

Skin corrosion/irritation

Serious eye damage/eye

irritation

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. Respiratory sensitization

Skin sensitization Based on available data, the classification criteria are not met.

Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

> Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as

carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA.

Reproductive toxicity

Specific target organ toxicity -

single exposure

**Aspiration hazard** 

Other information

Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Specific target organ toxicity repeated exposure

Mixture versus substance

information

Based on available data, the classification criteria are not met.

Complete toxicity data are not available for this specific formulation Refer to Section 2 for potential health effects and Section 4 for first aid measures.

### **SECTION 12: Ecological information**

12.1. Toxicity LC50: > 100 mg/l, Fish, 96.00 Hours

**Product Species Test Results** CF360A-X-XC-XH

Aquatic

Algae ErC50 Algae > 100 mg/l, 72 Hours EC50 > 100 mg/l, 48 Hours Crustacea Crustacea LC50 > 100 mg/l, 96 Hours Fish Fish

12.2. Persistence and

degradability

Not available.

Not available.

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow) Not available. Not available

**Bioconcentration factor (BCF)** Not available. Not available.

12.4. Mobility in soil 12.5. Results of PBT and vPvB

assessment

Not a PBT or vPvB substance or mixture.

12.6. Other adverse effects Not available.

# **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Material name: CF360A-X-XC-XH

Not available Residual waste Contaminated packaging Not available EU waste code Not available.

Disposal methods/information Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely

dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal,

state, and local regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service

is available in your location, please visit http://www.hp.com/recycle.

# **SECTION 14: Transport information**

DOT

UN number Not available UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

**Environmental hazards** 

Marine pollutant No

Special precautions for user Not available.

**IATA** 

**UN number** Not available. **UN proper shipping name** Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

Environmental hazards No

Special precautions for user Not available.

**IMDG** 

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

Transport hazard class(es)

Marine pollutant No

EmS Not available. Special precautions for user Not available.

**ADR** 

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Hazard No. (ADR) Not available.

Tunnel restriction code Not available.

Packing group Not available.

Environmental hazards No

Special precautions for user Not available.

**Further information** Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU regulations**

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

#### Authorizations

Material name: CF360A-X-XC-XH

### Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

#### Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

#### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

All chemical substances in this HP product have been notified or are exempt from notification Other regulations

under chemical substances notification laws in the following countries: US (TSCA). EU

(EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea,

New Zealand, and China.

This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Other information

Classification according to Regulation (EC) No 1272/2008 as amended.

**National regulations** 

15.2. Chemical safety

assessment

See attached SUMI or GEIS document, if applicable.

### **SECTION 16: Other information**

References Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation,

Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals

Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of

substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

Full text of any H-statements

not written out in full under Sections 2 to 15

None.

None.

**Revision information** 

**Training information** 

Disclaimer

Follow training instructions when handling this material.

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Material name: CF360A-X-XC-XH

SDS UK 13630 Version #: 08 Revision date: 11-Aug-2022 Issue date: 21-Jan-2021

# **Explanation of abbreviations**

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

**CFR** Code of Federal Regulations

COC Cleveland Open Cup

**DOT** Department of Transportation

**EPCRA** Emergency Planning and Community Right-to-Know Act (aka SARA)

International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

**REC** Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

**TLV** Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: CF360A-X-XC-XH
13630 Version #: 08 Revision date: 11-Aug-2022 Issue date: 21-Jan-2021