

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

*** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any Important information

unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action

being taken by HP. ***

1.1. Product identifier

Trade name or designation

of the mixture

C2P24Series

Registration number

Synonyms None.

Issue date 20-Jun-2014

Version number 20

08-Jul-2022 **Revision date** 29-Mar-2022 Supersedes date

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Inkjet printing Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

HP Inc UK Ltd, Regulatory Enquiries, Earley West 300 Thames Valley Park Drive, Reading, RG6 1PT

Telephone +44 20 7660 0596 (Consumer)

+44 20 7660 0403 (Commercial)

HP Inc. health effects line

(Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048

HP Inc. Customer Care

1-800-474-6836 (Toll-free within the US) 1-208-323-2551 (Direct) Email: sustainability@hp.com

1.4 Emergency telephone

number

+44 20 35147487

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 as amended

Health hazards

Skin sensitization Category 1 H317 - May cause an allergic skin

reaction.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

1,2-Benzisothiazolin-3-one (Benzisothiazolinone), 2-Methyl-2h-isothiazol-3-one Contains:

(Methylisothiazolinone), Ethoxylated-2,4,7,9-tetramethyl-5-decyn-4,7-diol

Hazard pictograms



Signal word Warning

Hazard statements

May cause an allergic skin reaction. H317

Precautionary statements

Prevention

Material name: C2P24Series

12967 Version #: 20 Revision date: 08-Jul-2022 Issue date: 20-Jun-2014

P280 Wear protective gloves/protective clothing/eye protection.

P261 Avoid breathing mist/vapor.

P272 Contaminated work clothing must not be allowed out of the workplace.

Response

P302 + P352 IF ON SKIN: Wash with plenty of water.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage Not available.

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental label information None

2.3. Other hazards Potential routes of overexposure to this product are skin and eye contact.

Inhalation of vapor and ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Complete toxicity data are not available for this specific

formulation

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name		%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Water		65-85	7732-18-5 231-791-2	-	-	
Classification:	-					
Ethoxylated-2,4,7,9-tetrar yn-4,7-diol	nethyl-5-dec	<1	9014-85-1 500-022-5	-	-	
Classification:	Skin Sens. 1	;H317, Eye	e Dam. 1;H318, Aqua	atic Chronic 3;H412		
1,2-Benzisothiazolin-3-on (Benzisothiazolinone)	е	<0.05	2634-33-5 220-120-9	01-2120761540-60-XXXX	613-088-00-6	
Classification:		, ,		Sens. 1A;H317, Eye Dam. 1;l quatic Chronic 2;H411	H318, Acute	
2-Methyl-2h-isothiazol-3-c (Methylisothiazolinone)	one	<0.05	2682-20-4 220-239-6	01-2120764690-50-XXXX	-	
Classification:		B, Acute To		n Corr. 1B;H314, Skin Sens. cute 1;H400(M=10), Aquatic		

Composition comments

This ink supply contains an aqueous ink formulation.

SECTION 4: First aid measures

General information Not available.

4.1. Description of first aid measures

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Skin contact Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation

develops or persists.

Eye contact Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at

least 15 minutes or until particles are removed. If irritation persists get medical attention.

Ingestion If ingestion of a large amount does occur, seek medical attention.

4.2. Most important symptoms and effects, both acute and

Not available.

and effects, both acute and delayed

4.3. Indication of any

Not available.

immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing Dry of

Dry chemical, CO2, water spray or regular foam.

media

Material name: C2P24Series sps uk

Unsuitable extinguishing

media

None known.

5.2. Special hazards arising from the substance or mixture

Not available.

5.3. Advice for firefighters

Special protective

Not available.

equipment for firefighters

Special fire fighting

procedures

Not available.

Specific methods None established.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Wear appropriate personal protective equipment.

For emergency responders Not available.

6.2. Environmental precautions Do not let product enter drains. Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand

or diatomaceous earth, commercial sorbents, or recover using pumps.

6.4. Reference to other

sections

Not available.

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Avoid contact with skin, eyes and clothing.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of the reach of children. Keep away from excessive heat or cold.

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Not available.

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

Concentrations (PNECS

Exposure limits have not been established for this product.

Exposure guidelines 8.2. Exposure controls

Appropriate engineering

controls

Use in a well ventilated area.

Individual protection measures, such as personal protective equipment

General information Use personal protective equipment to minimize exposure to skin and eye.

Eye/face protection Not available.

Skin protection

- Hand protection Not available.
 - Other Not available.
 Respiratory protection Not available.
 Thermal hazards Not available.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure

Material name: C2P24Series

controls

Not available.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid.

Form Not available.

Color Cyan

Odor Not available. Not available. **Odor threshold**

9 - 10pН

Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

> 230.0 °F (> 110.0 °C) Pensky-Martens Closed Cup US EPA Method 1020 Flash point

Not available. **Evaporation rate** Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits Not available.

Flammability limit - lower

(%)

Flammability limit - upper

Not available.

Vapor pressure Not available. Not available. Vapor density

Solubility(ies)

Solubility (water) Not available. Not available. **Partition coefficient**

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature** Not available. **Viscosity Explosive properties** Not available. Not determined **Oxidizing properties**

9.2. Other information

Density 1.04 g/cm3 VOC < 7 g/L

SECTION 10: Stability and reactivity

10.1. Reactivity

10.2. Chemical stability Stable under recommended storage conditions.

10.3. Possibility of hazardous

Will not occur.

10.4. Conditions to avoid Not available.

10.5. Incompatible materials Incompatible with strong bases and oxidizing agents.

Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon 10.6. Hazardous

dioxide and/or low molecular weight hydrocarbons. decomposition products

SECTION 11: Toxicological information

General information Not available.

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

May cause an allergic skin reaction. Skin contact

Contact with eyes may result in mild irritation. Eye contact

Ingestion Health injuries are not known or expected under normal use.

Not available. **Symptoms**

11.1. Information on toxicological effects

Based on available data, the classification criteria are not met. **Acute toxicity**

Material name: C2P24Series SDS UK

Test Results Components **Species**

2-Methyl-2h-isothiazol-3-one (Methylisothiazolinone) (CAS 2682-20-4)

Dermal

LD50 Rat 242 mg/kg (OECD 402)

Inhalation

Rat LC50 0.11 mg/l, 4 h (OECD 403)

Oral

LD50 Rat 120 mg/kg

Ethoxylated-2,4,7,9-tetramethyl-5-decyn-4,7-diol (CAS 9014-85-1)

Acute Inhalation

LC50 Rat 20 mg/l, 1 h Dusts, mists and fumes. The

data are derived from the evaluations or test results achieved with similar products

(conclusion by analogy).

Oral

LD50 Rat 6300 mg/kg

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Irritation Corrosion - Skin

2-Methyl-2h-isothiazol-3-one (Methylisothiazolinone) Corrosive, rabbit (OECD 404)

Ethoxylated-2,4,7,9-tetramethyl-5-decyn-4,7-diol

Not irritating, The data are derived from the evaluations or test results achieved with similar products (conclusion by

analogy).

Test Duration: 24 h

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

2-Methyl-2h-isothiazol-3-one (Methylisothiazolinone)

Corrosive, based on OECD 404 results

Ethoxylated-2,4,7,9-tetramethyl-5-decyn-4,7-diol Risk of serious damage to eyes, The data are derived from

the evaluations or test results achieved with similar products (conclusion by analogy).

Species: Rabbit

Respiratory sensitization Based on available data, the classification criteria are not met.

Skin sensitization May cause an allergic skin reaction.

Sensitization

Ethoxylated-2,4,7,9-tetramethyl-5-decyn-4,7-diol May cause sensitization by skin contact.

Skin sensitization

2-Methyl-2h-isothiazol-3-one (Methylisothiazolinone) Sensitzing, mice (OECD 429), Sensitzing, guinea pigs

(OECD 406)

Germ cell mutagenicity Based on available data, the classification criteria are not met. Carcinogenicity Based on available data, the classification criteria are not met.

Ames (OECD 471), Chromosomal aberration (OECD 473), Ethoxylated-2,4,7,9-tetramethyl-5-decyn-4,7-diol

> gene mutation (OECD 476), negative. The data are derived from the evaluations or test results achieved with similar

products (conclusion by analogy).

Based on available data, the classification criteria are not met. Reproductive toxicity

Specific target organ toxicity -

single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity -

repeated exposure

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met. **Aspiration hazard**

Mixture versus substance

information

Not available.

Other information Complete toxicity data are not available for this specific formulation

Refer to Section 2 for potential health effects and Section 4 for first aid measures.

SECTION 12: Ecological information

12.1. Toxicity

Aquatic toxicity Not expected to be harmful to aquatic organisms.

Test Results Product Species C2P24Series Aquatic Acute Fish LC50 Fathead minnow (Pimephales promelas) > 750 mg/l, 96 hours Components **Test Results Species** 2-Methyl-2h-isothiazol-3-one (Methylisothiazolinone) (CAS 2682-20-4) Acute EC50 Activated sludge 34.6 mg/l (DIN 38412-3) Other EC50 Pseudokirchnerella subcapitata 0.445 mg/l, 120 h (OECD 201) Aquatic Acute Crustacea EC50 Daphnia magna 1.68 mg/l, 48 h (OECD 202) Fish LC50 Rainbow Trout 6 mg/l, 96 h (OECD 203) Chronic

Daphnia magna

Oncorhynchus mykiss

Ethoxylated-2,4,7,9-tetramethyl-5-decyn-4,7-diol (CAS 9014-85-1)

NOEC

NOEC

Acute

Fish

Crustacea

LC50 Acartia tonsa 166 mg/l, 48 h Scophtalmus maximus (turbot) 52 mg/l, 96 h

Aquatic

Acute

Crustacea EC50 Daphnia magna 88 mg/l, 48 h The data are derived from

the evaluations or test results achieved with similar products (conclusion by

0.0442 mg/l, 21 d (OECD 211)

4.93 mg/l, 98 d (OECD 210)

analogy). (OECD 202)

Fish LC50 Pimephales promelas 36 mg/l, 96 h The data are derived from

the evaluations or test results achieved with similar products (conclusion by

analogy). (OECD 203)

12.2. Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation-ready)

2-Methyl-2h-isothiazol-3-one (Methylisothiazolinone) 54.1 %, (OECD 301B)

Test Duration: 29 d

12.3. Bioaccumulative potential Not available.

Partition coefficient n-octanol/water (log Kow)

2-Methyl-2h-isothiazol-3-one (Methylisothiazolinone) -0.32 (OECD 107)

Bioconcentration factor (BCF)

2-Methyl-2h-isothiazol-3-one (Methylisothiazolinone) 48.1, Viscera (1972)

Species: Bluegill (Lepomis macrochirus)

5.75, Carcass (1972)

Species: Bluegill (Lepomis macrochirus)

12.4. Mobility in soil

12.5. Results of PBT and vPvB Not a PBT or vPvB substance or mixture.

assessment

12.6. Other adverse effects Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Not available.

Contaminated packaging Not available.

EU waste code Not available.

Material name: C2P24Series sps uk

Disposal methods/information

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal, and Provincial Environmental

Regulations.

HP's Planet Partners (trademark) supplies recycling program enables simple, convenient recycling of HP original inkjet and LaserJet supplies. For more information and to determine if this service is available in your location, please visit http://www.hp.com/recycle.

SECTION 14: Transport information

DOT

UN number Not available. **UN proper shipping name** Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Packing group Not available.

Environmental hazards

Marine pollutant No

Special precautions for user Not available.

IATA

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk

Packing group Not available.

Environmental hazards No

Special precautions for user Not available.

IMDG

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

No

Subsidiary risk -

Packing group Not available.

Transport hazard class(es)

Marine pollutant

EmS Not available.

Special precautions for user Not available.

ADR

UN number Not available.
UN proper shipping name Not Regulated

Transport hazard class(es)

Class Not available.

Subsidiary risk -

Hazard No. (ADR) Not available.

Tunnel restriction code Not available.

Packing group Not available.

Environmental hazards No

Special precautions for user Not available.

Further information Not a dangerous good under DOT, IATA, ADR, IMDG, or RID.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Material name: C2P24Series SDS UK

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorizations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed

Other regulations

HP complies with chemical regulatory requirements in chemical substance notification laws, where applicable. All chemical substances are notified or exempt from notification or listed in the inventory as existing substances in the following countries: US (TSCA), Canada (DSL/NDSL), Australia (AICIS), Japan (ISHL, ENCS), Philippines (PICCS), New Zealand (NZIoC), Russia and China (IECSC). For guidance on importation and/or additional requirements for registration schemes such as EAEU, EU, South Korea, Turkey, UK, India and Taiwan, please contact the Sustainability and Compliance Center (sustainability@hp.com).

Other information

This Safety Data Sheet complies with the requirements of Regulation (EU) 2015/830. Classification according to Regulation (EC) No 1272/2008 as amended. Specific Provisions: Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (in the amended version OJ L 396 from 29.05.2007 page 3 with further rectifications and amendments).

National regulations

15.2. Chemical safety assessment

Not available.

See attached SUMI or GEIS document, if applicable.

SECTION 16: Other information

References

The information in this document is based on the present state of our knowledge, including but not limited to the data present in the registrations of the ingredients, it does not purport to be all-inclusive and shall be used only as a guide. Regulation (EC) No. 1907/2006 of December 18, 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH) and establishing a European Chemicals Agency (REACH).

Regulation (EU) 2015/830 of May 28, 2015 amending Regulation (EC) No. 1907/2006.

Regulation (EC) No. 1272/2008 of December 16, 2008 on classification, labeling and packaging of substances and mixtures, and amendments (CLP).

Information on evaluation method leading to the classification of mixture

Full text of any H-statements not written out in full under Sections 2 to 15 The classification for health and environmental hazards is derived by a combination of calculation methods and test data, if available.

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

Material name: C2P24Series

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

Revision information

1. Product and Company Identification: Alternate Trade Names

SECTION 15: Regulatory information: Other regulations

Training information

Follow training instructions when handling this material.

Disclaimer

This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries

This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs.

Explanation of abbreviations

ACGIH American Conference of Governmental Industrial Hygienists

CAS Chemical Abstracts Service

CERCLA Comprehensive Environmental Response Compensation and Liability Act

CFR Code of Federal Regulations

COC Cleveland Open Cup

DOT Department of Transportation

EPCRA Emergency Planning and Community Right-to-Know Act (aka SARA)

International Agency for Research on Cancer

NIOSH National Institute for Occupational Safety and Health

NTP National Toxicology Program

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

RCRA Resource Conservation and Recovery Act

REC Recommended

REL Recommended Exposure Limit

SARA Superfund Amendments and Reauthorization Act of 1986

STEL Short-Term Exposure Limit

TCLP Toxicity Characteristics Leaching Procedure

TLV Threshold Limit Value

TSCA Toxic Substances Control Act
VOC Volatile Organic Compounds

Material name: C2P24Series SDS UK

Safe Use of Mixture Information (SUMI)

--

Water Based Ink: WB01 *English*

Disclaimer

This SUMI is a generic document for communicating conditions of safe use of a product in response to the REACH obligation. This document relates only to conditions of safe use and is not specific to a product. By adding this SUMI to a specific product SDS, the importer/formulator declares that the mixture can safely be used following the instructions below. Following occupational health legislation, the employer of workers remains responsible for communicating relevant use information to employees. When developing workplace instructions for employees, SUMI Sheets should always be considered in combination with the SDS and the label of the product. Derived No Effect Levels (DNEL) and Predicted No Effect Concentration (PNEC) values of substances derived from the Chemical Safety Assessment (CSA) will be given in section 8 of the SDS.

The REACH registration number(s), where applicable, completes an extended product SDS.

Operational conditions Conditions Conditions Conditions Conditions Conditions Conditions Conditions Conditions					
Maximum duration	Up to 8 hours per day				
Frequency of exposure	< 240 days per year				
Process conditions	Covers use at ambient temperatures. Adequate ventilation should be provide for the areas where printing is performed. ANSI/ASHRAE Standard 62.1-2013 provides				
	guidelines to ensure acceptable air quality in the workspace.				
	Avoid direct contact.				
	Regular cleaning of equipment and work area.				
	Supervision in place to check that Risk Management Measures are in place are being correctly used and Operational Conditions				
	followed.				
Risk management measures					
Conditions and measures	Wear safety glasses with side shields (or goggles), if splashing is possible.				

Conditions and measures related to Personal Protection Equipment, hygiene and health evaluation

Wear appropriate chemical resistent gloves: see section 8 of the SDS.

Wear appropriate chemical resistent clothing.

In case of inadequate ventilation wear respiratory protection.

Eye wash fountain and emergency showers are recommended.

Avoid breathing mist/vapours.

Avoid contact with skin, eyes and clothing.

Training of workers in relation to proper use and maintenance of all Personal protection equipment (PPE) must be ensured.









Good practice advice

Use personal protective equipment as required.

Wash hands before breaks and after work.

Keep good industrial hygiene and safety practice.

Use only with adequate ventilation.

Do no eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Store at room temperature.





Environmental measures

Do not allow this material to drain into sewers/water supplies.

Dispose of waste material according to Local, State, Federal and Provincial Environmental Regulations.

Ensure collection and disposal with appropriately licenced waste contractor.

Use descriptors

IS-Use at industrial sites

PW-Widespread use by professional workers

SU7-Printing and reproduction media

PC18-Inks and Toners

PROC1-Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions.

PROC2-Chemical production or refinery in closed continuous process with occasional controlled exposure or processes with equivalent containment conditions

PROC3- Manufacture or formulation in the chemical industry in closed batch processes with occasional controlled exposure or processes with equivalent containment condition

PROC8a-Transfer of substance or mixture (charging and discharging) at non-dedicated facilities

PROC8b-Transfer of substance or mixture (charging and discharging) at dedicated facilities

ERC5-Use at industrial site leading to inclusion into/onto article

ERC8c-Widespread use leading to inclusion into/onto article (indoor)

Additional information on product composition

In section 2 of the SDS as well as on the label, the classification of the mixture is provided.

Most of the water based inks are "not classified".

The classification of the mixture is based on the individuel ingredients and their concentration within the mixture.

All ingredients contributing to the classification are stated in Section 3 of the SDS.

Relevant limit values of ingredients on which the exposure assessment is based, are listed in section 8 of the SDS.

The product may contain sensitizing ingredients that may cause allergic reaction to certain people.

Section 2 of the SDS states these ingredients where applicable.