

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)



SCJP Mr Muscle® Drain Gel

Version 3.1
Revision Date 09.08.2019

Print Date 07.01.2020
Specification Number: 350000007542
SITE FORM Number:
300000000000000006629.00630000000
000000006629.005

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier** : SCJP Mr Muscle® Drain Gel

- 1.2 Relevant identified uses of the substance or mixture and uses advised against**
 - Use of the Substance/Mixture** : Washing and cleaning products (including solvent based products)

 - Uses advised against** : None identified

- 1.3 Details of the supplier of the safety data sheet** : SC Johnson Professional Ltd.
Denby
DE5 8JZ
UK

SC Johnson Professional GmbH
Girmesgath
47803 Krefeld
EU

- Telephone** : +44 (0) 1773 855 100

- E-mail address** : talktous@scj.com

- 1.4 Emergency telephone number** : Care Center:
UK - 0800 353 353
Ireland – 1800 409 176

Ireland Poison Centre:
Ireland - (01)809 2166

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)

**SCJP Mr Muscle® Drain Gel**

Version 3.1

Revision Date 09.08.2019

Print Date 07.01.2020

Specification Number: 350000007542

SITE FORM Number:

300000000000000006629.00630000000

000000006629.005

Hazard classification	Hazard category	Hazards identification
Corrosive to metals	Category 1	May be corrosive to metals.
Skin corrosion	Category 1	Causes severe skin burns and eye damage.
Serious eye damage	Category 1	Causes serious eye damage.
Short-term (acute) aquatic hazard	Category 1	Very toxic to aquatic life.
Long-term (chronic) aquatic hazard	Category 2	Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 (CLP)

Hazard symbols**Signal word**

Danger

Contains

Sodium hypochlorite

caustic soda

Amines, C12-18-alkyldimethyl, N-oxides

Hazard statements

(H290) May be corrosive to metals.

(H314) Causes severe skin burns and eye damage.

(H410) Very toxic to aquatic life with long lasting effects.

Precautionary statements

(P101) If medical advice is needed, have product container or label at hand.

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)

**SCJP Mr Muscle® Drain Gel**

Version 3.1

Revision Date 09.08.2019

Print Date 07.01.2020

Specification Number: 350000007542

SITE FORM Number:

300000000000000006629.00630000000

000000006629.005

(P102) Keep out of reach of children.

(P310) Immediately call a POISON CENTER/doctor.

(P303 + P361 + P353) IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

(P305 + P351 + P338) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(P301 + P330 + P331) IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

(P304 + P340) IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(P405) Store locked up.

(P501) Dispose of contents /container in accordance with local regulations.

(P280) Wear protective gloves.

(P260) Do not breathe fume.

EUH Statements

(EUH206) Warning! Do not use together with other products. May release dangerous gases (chlorine).

Additional Labelling

Keep container tightly closed in a cool place and store bottle upright.

Detergents regulations: **Contains**

<= 5% chlorine-based bleaching agents, soap, amphoteric surfactants,

2.3 Other hazards

: None identified

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2 Mixtures****Hazardous components**

Chemical name	CAS-No./EC No	Reg. No	Classification according to Regulation (EC) No 1272/2008 (CLP)	Weight percent
Sodium hypochlorite	7681-52-9	01-2119488154-34	Skin corrosion	>= 1.00 - <

SCJP Mr Muscle® Drain Gel

Version 3.1
 Revision Date 09.08.2019

Print Date 07.01.2020
 Specification Number: 350000007542
 SITE FORM Number:
 30000000000000006629.00630000000
 000000006629.005

	231-668-3		Category 1B H314 Short-term (acute) aquatic hazard Category 1 H400 Long-term (chronic) aquatic hazard Category 1 H410 Serious eye damage/eye irritation Category 1 H318 M-Factor Acute - 10 M-Factor Chronic - 1	5.00
caustic soda	1310-73-2 215-185-5	01-2119982981-22	Skin corrosion Category 1A H314 Serious eye damage Category 1 H318	>= 1.00 - < 5.00
sodium chlorate	7775-09-9 231-887-4	01-2119474389-23	Oxidizing solids Category 1	>= 1.00 - < 5.00

SCJP Mr Muscle® Drain Gel

Version 3.1
 Revision Date 09.08.2019

Print Date 07.01.2020
 Specification Number: 350000007542
 SITE FORM Number:
 30000000000000006629.00630000000
 000000006629.005

			H271 Acute toxicity Category 4 H302 Long-term (chronic) aquatic hazard Category 2 H411	
sodium bromate	7789-38-0 232-160-4	01-2120767488-36	Acute toxicity Category 4 H302 Skin corrosion/irritation Category 2 H315 Serious eye damage/eye irritation Category 2 H319	>= 0.10 - < 0.50
Amines, C12-18-alkyldimethyl, N-oxides	68955-55-5 931-341-1	01-2119489396-21	Skin irritation Category 2 H315	>= 1.00 - < 5.00

SCJP Mr Muscle® Drain Gel

Version 3.1
 Revision Date 09.08.2019

Print Date 07.01.2020
 Specification Number: 350000007542
 SITE FORM Number:
 300000000000000006629.00630000000
 000000006629.005

			Serious eye damage Category 1 H318 Long-term (chronic) aquatic hazard Category 2 H411 Short-term (acute) aquatic hazard Category 1 H400 Acute toxicity Category 4 H302 M-Factor Acute - 1	
--	--	--	---	--

Additional Information

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation : In case of accidental exposure to chlorine gas:
 Move to fresh air.

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)



SCJP Mr Muscle® Drain Gel

Version 3.1
Revision Date 09.08.2019

Print Date 07.01.2020
Specification Number: 350000007542
SITE FORM Number:
30000000000000006629.00630000000
000000006629.005

- If breathing is difficult, give oxygen.
Get medical attention immediately.
- Skin contact : Take off all contaminated clothing immediately.
Immediately flush skin with large amounts of water.
Get medical attention if irritation develops and persists.
Wash contaminated clothing before re-use.
- Eye contact : Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
Flush immediately with plenty of water for at least 15 to 20 minutes.
In case of accidental exposure to chlorine gas:
Get medical attention immediately.
- Ingestion : Do NOT induce vomiting.
Rinse mouth with water.
Get medical attention immediately.
Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

- Eyes : Causes serious eye damage.
No adverse effects expected when used as directed.
- Skin effect : Causes severe skin burns.
No adverse effects expected when used as directed.
- Inhalation : Warning! Do not use together with other products. May release dangerous gases (chlorine).
May cause respiratory tract irritation.
No adverse effects expected when used as directed.
- Ingestion : Causes digestive tract burns.
No adverse effects expected when used as directed.

SCJP Mr Muscle® Drain Gel

Version 3.1
Revision Date 09.08.2019

Print Date 07.01.2020
Specification Number: 350000007542
SITE FORM Number:
30000000000000006629.00630000000
000000006629.005

4.3 Indication of any immediate medical attention and special treatment needed

See Description of first aid measures unless otherwise stated.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable : None identified

5.2 Special hazards arising from the substance or mixture : In case of fire and/or explosion do not breathe fumes. Exposure to decomposition products may be a hazard to health.

5.3 Advice for firefighters : In the event of fire, wear self-contained breathing apparatus. Wear suitable protective clothing and gloves. Refer to current EN or National standard as appropriate.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

6.2 Environmental precautions : Outside of normal use, avoid release to the environment. Prevent large amounts of product from entering drains. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)



SCJP Mr Muscle® Drain Gel

Version 3.1
Revision Date 09.08.2019

Print Date 07.01.2020
Specification Number: 350000007542
SITE FORM Number:
30000000000000006629.00630000000
000000006629.005

Use appropriate containment to avoid environmental contamination.

6.3 Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Clean residue from spill site.
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections : For personal protection see section 8.
For disposal considerations see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling : For personal protection see section 8.
Avoid contact with skin and eyes.
Smoking, eating and drinking should be prohibited in the application area.
Wear personal protective equipment.
Normal measures for preventive fire protection.

7.2 Conditions for safe storage, including any incompatibilities : Store in original container.
Do not freeze.
Keep out of the reach of children.
Store away from food, beverages and pet food.
No decomposition if stored and applied as directed.

7.3 Specific end use(s) : Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Washing and cleaning products (including solvent based products)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure Limit Values

Components	CAS-No.	mg/m ³	ppm	Form of exposure	List
------------	---------	-------------------	-----	------------------	------

SCJP Mr Muscle® Drain Gel

Version 3.1
Revision Date 09.08.2019

Print Date 07.01.2020
Specification Number: 350000007542
SITE FORM Number:
300000000000000006629.00630000000
000000006629.005

caustic soda	1310-73-2	2 mg/m3			UK_WELSTEL
--------------	-----------	---------	--	--	------------

Refer to current EN or National standard as appropriate.

8.2 Exposure controls

- Respiratory protection : In the case of vapour formation use a respirator with an approved filter.
- Hand protection : Wear suitable gloves.
Nitrile gloves – Thickness 0.12mm; Breakthrough time >2 hours.
The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.
Before removing gloves clean them with soap and water.
- Eye/face protection : Safety glasses
- Skin and body protection : Wash contaminated clothing before re-use.
- Other information : Wash hands before breaks and at the end of workday.
- Environmental Exposure Controls : Refer to section 6.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

- Appearance : liquid
- Colour : clear
- Odour : odourless
- Odour Threshold : Test not applicable for this product type

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)



SCJP Mr Muscle® Drain Gel

Version 3.1
Revision Date 09.08.2019

Print Date 07.01.2020
Specification Number: 350000007542
SITE FORM Number:
30000000000000006629.00630000000
000000006629.005

pH	: 13.4 (undiluted)
Melting point/freezing point	: 32 °F
Initial boiling point and boiling range	: > 93 C
Flash point	: does not flash
Evaporation rate	: Test not applicable for this product type
Flammability (solid, gas)	: Test not applicable for this product type
Upper/lower flammability or explosive limits	: Test not applicable for this product type
Vapour pressure	: Test not applicable for this product type
Vapour density	: Test not applicable for this product type
Relative density	: 1.1 g/cm ³ at 25 °C
Solubility(ies)	: completely soluble
Partition coefficient: n-octanol/water	: Test not applicable for this product type
Auto-ignition temperature	: Test not applicable for this product type
Decomposition temperature	: Test not applicable for this product type
Viscosity, dynamic	: 1,500 mPa.s
Viscosity, kinematic	: Test not applicable for this product type
Explosive properties	: Test not applicable for this product type



SCJP Mr Muscle® Drain Gel

Version 3.1
Revision Date 09.08.2019

Print Date 07.01.2020
Specification Number: 350000007542
SITE FORM Number:
300000000000000006629.00630000000
000000006629.005

Oxidizing properties : Test not applicable for this product type

9.2 Other information

Other information : None identified :

SECTION 10: STABILITY AND REACTIVITY

- 10.1 Reactivity** : Warning! Do not use together with other products. May release dangerous gases (chlorine).
- 10.2 Chemical stability** : Stable under recommended storage conditions.
- 10.3 Possibility of hazardous reactions** : Warning! Do not use together with other products. May release dangerous gases (chlorine).
- 10.4 Conditions to avoid** : Extremes of temperature and direct sunlight.
- 10.5 Incompatible materials** : Warning! Do not use together with other products. May release dangerous gases (chlorine).
Do not mix with acids or any other household products. May release dangerous gases (chlorine).
- 10.6 Hazardous decomposition products** : No decomposition if stored and applied as directed.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity

Name	Method	Species	Dose
------	--------	---------	------

SCJP Mr Muscle® Drain Gel

Version 3.1
 Revision Date 09.08.2019

Print Date 07.01.2020
 Specification Number: 350000007542
 SITE FORM Number:
 300000000000000006629.00630000000
 000000006629.005

Product	LD50 Calculated		> 2 g/kg
---------	--------------------	--	----------

Acute inhalation toxicity

Name	Method	Species	Dose	Exposure time
Product	LC50 (vapour) Calculated		> 20 mg/l	

Acute dermal toxicity

Name	Method	Species	Dose
Product	LD50 Calculated		> 2,000 mg/kg

Acute oral toxicity

Name	Method	Species	Dose
Sodium hypochlorite	LD50	Rat	1,100 mg/kg
caustic soda	LD50 Measured	Rat	325 mg/kg
sodium chlorate	LD50	Rat	4,950 mg/kg
sodium bromate	LD50	Rat	157 mg/kg
Amines, C12-18-alkyldimethyl, N-oxides	LD50 Measured	Rat	846 mg/kg

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)

**SCJP Mr Muscle® Drain Gel**

Version 3.1

Revision Date 09.08.2019

Print Date 07.01.2020

Specification Number: 350000007542

SITE FORM Number:

300000000000000006629.00630000000

000000006629.005

--	--	--	--

Acute inhalation toxicity

Name	Method	Species	Dose	Exposure time
Sodium hypochlorite	No data available			
caustic soda	No data available			
sodium chlorate	LC50 (dust and mist)	Rat	> 5.59 mg/l	4.5 h
sodium bromate	No data available			
Amines, C12-18-alkyldimethyl, N-oxides	No data available			

Acute dermal toxicity

Name	Method	Species	Dose
Sodium hypochlorite	LD50	Rabbit	> 20,000 mg/kg
caustic soda	LD50	Rabbit	1,350 mg/kg
sodium chlorate	LD50	Rabbit	> 2,000 mg/kg
sodium bromate	No data available		
Amines, C12-18-alkyldimethyl, N-oxides	LD50 Measured	Rat	> 2,000 mg/kg

Skin corrosion/irritation : Causes severe skin burns.

Serious eye damage/eye irritation : Causes serious eye damage.

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)

**SCJP Mr Muscle® Drain Gel**

Version 3.1

Revision Date 09.08.2019

Print Date 07.01.2020

Specification Number: 350000007542

SITE FORM Number:

300000000000000006629.00630000000

000000006629.005

- Skin sensitisation : Based on available data, the classification criteria are not met.
- Germ cell mutagenicity : Based on available data, the classification criteria are not met.
- Carcinogenicity : Based on available data, the classification criteria are not met.
- Toxicity for reproduction : Based on available data, the classification criteria are not met.
- STOT - single exposure : Based on available data, the classification criteria are not met.
- STOT - repeated exposure : Based on available data, the classification criteria are not met.
- Aspiration hazard : Based on available data, the classification criteria are not met.

SECTION 12: ECOLOGICAL INFORMATION**Product** : The product itself has not been tested.**12.1 Toxicity****Toxicity to fish**

Components	End point	Species	Value	Exposure time
Sodium hypochlorite	LC50	Fish	0.06 mg/l	96 h
	NOEC		0.01 - < 0.1 mg/l	28 d
caustic soda	LC50	Fish	35 - 189 mg/l	96 h
sodium chlorate	LC50	Lepomis macrochirus	1,000 mg/l	96 h

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)

**SCJP Mr Muscle® Drain Gel**

Version 3.1

Revision Date 09.08.2019

Print Date 07.01.2020

Specification Number: 350000007542

SITE FORM Number:

300000000000000006629.006300000000

000000006629.005

	NOEC	(Bluegill sunfish) Danio rerio (zebra fish)	> 500 mg/l	36 d
sodium bromate	No data available			
Amines, C12-18-alkyldimethyl, N-oxides	LC50 semi-static test Measured OECD Test Guideline 203	Oncorhynchus mykiss (rainbow trout)	1.26 mg/l	96 h
	NOEC Read-across (Analogy)	Pimephales promelas (fathead minnow)	0.495 mg/l	15 d

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Sodium hypochlorite	EC50	Ceriodaphnia dubia	0.035 mg/l	48 h
caustic soda	EC50	Daphnia magna (Water flea)	40.4 mg/l	48 h
sodium chlorate	EC50	Daphnia magna (Water flea)	1,172 mg/l	48 h
	NOEC	Daphnia magna	> 500 mg/l	21 d
sodium bromate	EC50 static test	Daphnia magna (Water flea)	> 100 mg/l	48 h
Amines, C12-18-alkyldimethyl, N-oxides	EC50 static test	Daphnia magna (Water flea)	2.4 mg/l	48 h

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)

**SCJP Mr Muscle® Drain Gel**

Version 3.1

Revision Date 09.08.2019

Print Date 07.01.2020

Specification Number: 350000007542

SITE FORM Number:

300000000000000006629.00630000000

000000006629.005

	NOEC Read-across (Analogy)	Daphnia magna	0.7 mg/l	21 d
--	-------------------------------	---------------	----------	------

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Sodium hypochlorite	ErC50	Pseudokirchneriella subcapitata (green algae)	0.0499 mg/l	72 h
caustic soda	No data available			
sodium chlorate	EbC50	Scenedesmus capricornutum (fresh water algae)	129 mg/l	72 h
sodium bromate	NOEC Static	Scenedesmus sp.	31.6 mg/l	72 h
Amines, C12-18-alkyldimethyl, N-oxides	ErC50 Measured	Desmodesmus subspicatus (green algae)	0.8 mg/l	72 h

12.2 Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Sodium hypochlorite	No data available		
caustic soda	No data available		
sodium chlorate			Not readily biodegradable.
sodium bromate	No data available		
Amines, C12-18-alkyldimethyl, N-oxides	> 80 %	28 d	Readily biodegradable.

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)

**SCJP Mr Muscle® Drain Gel**

Version 3.1

Revision Date 09.08.2019

Print Date 07.01.2020

Specification Number: 350000007542

SITE FORM Number:

300000000000000006629.00630000000

000000006629.005

12.3 Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
Sodium hypochlorite	No data available	-3.42
caustic soda	0.89 estimated	-1.38
sodium chlorate	No data available	No data available
sodium bromate	No data available	No data available
Amines, C12-18-alkyldimethyl, N-oxides	No data available	2.69

12.4 Mobility in soil

Component	End point	Value
Sodium hypochlorite	No data available	
caustic soda	No data available	
sodium chlorate	No data available	
sodium bromate	No data available	
Amines, C12-18-alkyldimethyl, N-oxides	Koc	> 619

12.5 Results of PBT and vPvB assessment

Component	Results
Sodium hypochlorite	Not fulfilling PBT and vPvB criteria
caustic soda	Not fulfilling PBT and vPvB criteria

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)

**SCJP Mr Muscle® Drain Gel**

Version 3.1

Revision Date 09.08.2019

Print Date 07.01.2020

Specification Number: 350000007542

SITE FORM Number:

300000000000000006629.00630000000

000000006629.005

sodium chlorate	Not fulfilling PBT and vPvB criteria
sodium bromate	Not fulfilling PBT and vPvB criteria
Amines, C12-18-alkyldimethyl, N-oxides	Not fulfilling PBT and vPvB criteria

12.6 Other adverse effects : None known.

SECTION 13: DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

Product : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Disposal should be in accordance with local, state or national legislation.
Please recycle empty packaging.

Packaging : Do not re-use empty containers.

SECTION 14: TRANSPORT INFORMATION

	Land transport	Sea transport	Air transport
14.1 UN number	1760	1760	1760
14.2 UN proper shipping name	Corrosive Liquid, N.O.S. (Sodium Hydroxide, Sodium Hypochlorite)	Corrosive Liquid, N.O.S. (Sodium Hydroxide, Sodium Hypochlorite)	Corrosive Liquid, N.O.S. (Sodium Hydroxide, Sodium Hypochlorite)
14.3 Transport hazard class(es)	8	8	8
14.4 Packing group	II	II	II
14.5 Environmental hazards		Marine pollutant	

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)

**SCJP Mr Muscle® Drain Gel**

Version 3.1
 Revision Date 09.08.2019

Print Date 07.01.2020
 Specification Number: 350000007542
 SITE FORM Number:
 300000000000000006629.00630000000
 000000006629.005

14.6 Special precautions for user	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Product not transported as bulk.	Product not transported as bulk.	Product not transported as bulk.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture : This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical safety assessment : Not required for consumer products.

SECTION 16: OTHER INFORMATION

If applicable, revision(s) are noted by the bold bars || in left-hand margin.

Key abbreviations or acronyms used

- EC - European Community
- EEC – European Economic Community
- CLP – Classification Labelling & Packaging
- EN – European Standard or European Norm
- PBT – Persistent, Bioaccumulative & Toxic
- vPvB – very persistent, very bioaccumulative
- UN – United Nations

Evaluation methods

Unless otherwise stated in section 11, the procedure used to derive the human health classification is the relevant calculation

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)

**SCJP Mr Muscle® Drain Gel**

Version 3.1

Revision Date 09.08.2019

Print Date 07.01.2020

Specification Number: 350000007542

SITE FORM Number:

300000000000000006629.00630000000

000000006629.005

method according to CLP regulation (EC) No 1272/2008 as amended.

Unless otherwise stated in section 12, the procedure used to derive the environmental classification is the summation of the classified components method according to CLP regulation (EC) No 1272/2008 as amended.

Full text of H-Statements

H271	May cause fire or explosion; strong oxidizer.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SAFETY DATA SHEET

(according to Regulation (EC) No. 2015/830)



SCJP Mr Muscle® Drain Gel

Version 3.1

Revision Date 09.08.2019

Print Date 07.01.2020

Specification Number: 350000007542

SITE FORM Number:

300000000000000006629.00630000000

000000006629.005