Sony SRG-X40UH Dome IP security camera Indoor 3840 x 2160 pixels Ceiling/wall

Brand : Sony **Product code:** SRG-X40UH/BC

Product name: SRG-X40UH

Standard 4K30P PTZ Camera with 30x (w/CIZ) zoom and simple UVC or HDMI connection Sony SRG-X40UH. Type: IP security camera, Placement supported: Indoor, Connectivity technology: Wired. Mounting type: Ceiling/wall, Product colour: Black, Form factor: Dome. Minimum illumination: 1.6 lx, Lens viewing angle, horizontal: 70°, Tilt angle range: -20 - 90°. Sensor type: CMOS, Optical sensor size: 25.4 / 2.5 mm (1 / 2.5"). Optical zoom: 20x, Digital zoom: 40x, Focal length range: 4.4 - 88 mm





| Performance | | Video | |
|--------------------------------|--|--------------------------------|--|
| Type * Placement supported * | IP security camera Indoor | Supported graphics resolutions | 1280 x 720 (HD 720), 1920 x 1080 (HD 1080), 3860 x 2160 |
| Connectivity technology * | Wired | Supported video modes | 720p, 1080i, 1080p, 2160p |
| Day/night mode | ✓ | Noise reduction | ✓ |
| Infrared (IR) cut-off filter | ✓ | Noise reduction technology | 2D noise reduction, 3D noise reduction |
| Light exposure modes | Auto, Manual | Gain control type | Auto/Manual |
| Languages support | Multi | lmage stabilizer | ✓ |
| Design | | Network | |
| Form factor * | Dome | Ethernet LAN * | ✓ |
| Mounting type * | Ceiling/wall | | IEEE 802.3at |
| Product colour * | Black | Networking standards Wi-Fi * | |
| Camera | | | X |
| Camera pan control | ✓ | Storage | |
| Camera tilt control | ✓ | Built-in HDD * | × |
| Minimum illumination | 1.6 lx | Ports & interfaces | |
| Lens viewing angle, horizontal | 70° | Ethernet LAN (RJ-45) ports | 1 |
| Tilt angle range | -20 - 90° | RS-422 ports | 2 |
| Tilt speed | 126 °/sec | USB port | ✓ |
| Pan range | -170 - 170° | HDMI ports quantity | 1 |
| Pan speed | 300 °/sec | Security | |
| White balance | Auto, Indoor, Manual, One push, Outdoor | Anti-flicker | · |
| Camera shutter speed | 0.0001 - 1 s | Power | |
| Image sensor | | Power source type * | DC, PoE |
| Number of sensors | 1 | AC input voltage | 100 - 240 V |
| Optical sensor size | 25.4 / 2.5 mm (1 / 2.5") | AC input frequency | 50 / 60 Hz |
| Sensor type * | CMOS | Power consumption (max) | 25.5 W |
| Lens system | | DC output voltage | 12 |
| Zoom capability | ✓ | Operational conditions | |
| Optical zoom | 20x | Operating temperature (T-T) | 0 - 40 °C |
| Digital zoom | 40x | Storage temperature (T-T) | -20 - 60 °C |
| Number of lenses * | 1 | Weight & dimensions | |
| Focal length range | 4.4 - 88 mm | Width | 158.4 mm |
| Focus | Motorized/Manual | Depth | 158.4 mm 177.5 mm |
| | | Берин | 177.3 111111 |

| Video | | Weight & dimensions | |
|---|------------------------------|----------------------------|--------------------|
| Maximum resolution * Total megapixels * | 3840 x 2160 pixels 8.5 MP | Height Weight | 200.2 mm 1.6 kg |
| Video formats supported | M-JPEG | Packaging content | |
| | | Number of cameras * | 1 |
| | | Cables included | HDMI |
| | | Mounting brackets included | ✓ |



4548736141759

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.