

GIGABYTE H610I DDR4 Motherboard - Supports Intel Core 14th CPUs, 4+1+1 Hybrid Digital VRM, up to 3200MHz DDR4 (OC), 1xPCIe 3.0 M.2, GbE LAN, USB 3.2 Gen 1

Brand : GIGABYTE

Product code: H610I DDR4

Product name : H610I DDR4 Motherboard - Supports Intel Core 14th CPUs, 4+1+1 Hybrid Digital VRM, up to 3200MHz DDR4 (OC), 1xPCIe 3.0 M.2, GbE LAN, USB 3.2 Gen 1

- Supports 12th Gen Intel® Core™ Series Processors
 - Dual Channel Non-ECC Unbuffered DDR4, 2 DIMMs
 - 4+1+1 Hybrid Digital VRM Design
 - Intel® GbE LAN with cFosSpeed Internet Accelerator Software
 - NVMe PCIe 3.0 x4 M.2
 - High Quality Audio Capacitors and Audio Noise Guard
 - Smart Fan 6 Features Multiple Temperature Sensors , Hybrid Fan Headers with FAN STOP
 - GIGABYTE APP Center, Simple and Easy Use
 - Anti-Sulfur Resistors Design
- Mini-ITX, Intel H610 Express chipset, LGA 1700 socket, 2xDDR4 DIMM slots, 7.1-ch audio, Gigabit LAN

GIGABYTE H610I DDR4 Motherboard - Supports Intel Core 14th CPUs, 4+1+1 Hybrid Digital VRM, up to 3200MHz DDR4 (OC), 1xPCIe 3.0 M.2, GbE LAN, USB 3.2 Gen 1:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.




Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	HDMI ports quantity *	1
Processor socket *	LGA 1700	HDMI version	2.0
Compatible processor series *	Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel Pentium G	DisplayPorts quantity	2
		DisplayPort version	1.2
Supported processor sockets	LGA 1700	Headphone outputs	3
Maximum internal memory supported by processor	64 GB	Microphone in	✓
Memory		USB connector type	USB Type-A
Supported memory types *	DDR4-SDRAM	Network	
Number of memory slots *	2	Ethernet LAN	✓
Memory slots type	DIMM	Ethernet interface type	Gigabit Ethernet
Memory channels	Dual-channel	Wi-Fi *	✗
ECC	✓	Features	
Non-ECC	✓	Motherboard chipset *	Intel H610 Express
Supported memory clock speeds	2133,2400,2666,2933,3000,3200 MHz	Audio output channels *	7.1 channels
		Product colour	Brown
Supported memory clock speed (max)	3200 MHz	PC health monitoring	Fan, Temperature, Voltage
Maximum internal memory *	64 GB	Component for *	PC
Unbuffered memory	✓	Motherboard form factor *	mini ITX
Storage controllers		Motherboard chipset family *	Intel
Supported storage drive types	HDD & SSD	Windows operating systems supported	Windows 10 x64, Windows 11 x64
Supported storage drive interfaces *	M.2, SATA III	Expansion slots	
Number of HDDs supported	4	PCI Express x16 slots	1
Number of storage drives supported	5	Number of M.2 (M) slots	1
Graphics		BIOS	
Parallel processing technology support *	Not supported	BIOS type *	UEFI AMI
Maximum resolution	4096 x 2304 pixels	BIOS memory size	256 Mbit
HDCP	✓	ACPI version	5.0
		Clear CMOS jumper	✓

Graphics		BIOS	
DirectX version	12.0	Desktop Management Interface (DMI) version	2.7
Number of displays supported	3	System Management BIOS (SMBIOS) version	2.7
Internal I/O		Logistics data	
USB 2.0 connectors *	2	Country of origin	China
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	Products per shipping (inner) case	1 pc(s)
Number of SATA III connectors *	4	Harmonized System (HS) code	84733020
Total number of SATA connectors	4	Battery	
Front panel audio connector	✓	Battery weight	3 g
Front panel connector	✓	Lithium weight per battery	0.07 g
ATX Power connector (24-pin)	✓	Number of battery cells	1
CPU fan connector	✓	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
Number of chassis fan connectors	2	Battery type	CR2032
Chassis intrusion connector	✓	Packaging data	
TPM connector	✓	Package width	222 mm
Serial port headers	1	Package depth	180 mm
12V power connector	✓	Package height	65 mm
RGB LED pin header	✓	Package weight	711 g
Rear panel I/O ports		Weight & dimensions	
USB 2.0 ports quantity *	4	Width	170 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2	Depth	170 mm
Ethernet LAN (RJ-45) ports *	1	Height	35 mm
PS/2 ports quantity	1	Packaging content	
VGA (D-Sub) ports quantity *	1	Cables included	SATA
		Batteries included	✓
		Bundled software	Norton Internet Security (OEM version), LAN bandwidth management software
		Technical details	
		Warranty period	3 year(s)



4719331834562



0889523031490



889523031490

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-SEP-2024. Prints or copies of Information are only valid on the printed Publication date