

## Acer Essential X1123HP DLP projector - 3D - 4000 lumens - SVGA $(800 \times 600)$ - 4:3

Brand : Acer Product family: Essential Product code: MR.JSA11.002

**Product name :** Acer X1123HP DLP projector - 3D - 4000 lumens - SVGA (800 x 600) - 4:3

- 4000 Lumens Brightness
- SVGA Resolution
- HDMI 3D Display
- Image Shift

Acer X1123HP DLP projector - portable - 3D - 4000 lumens - SVGA (800 x 600) - 4:3

Acer Essential X1123HP DLP projector - 3D - 4000 lumens - SVGA (800 x 600) - 4:3:

Keep your meetings focused and clear at up to 4,000 lumens and an impressive 20,000:1 contrast ratio. With support for Acer LumiSense  $^{\text{\tiny M}}$  & BlueLightShield  $^{\text{\tiny M}}$ , presentations can be vivid while mitigating the negative effects of blue light exposure. Installation is also made easy with digital zoom and image shift even if your location of choice is not ideal.

Projector		Ports & interfaces	
Supported aspect ratios Screen size compatibility * Projection distance Projector brightness * Projection technology * Projector native resolution * Contrast ratio (typical) * Native aspect ratio * Number of colours Keystone correction, vertical Horizontal synchronization (min) Horizontal synchronization (max)	16:9 584.2 - 7620 mm (23 - 300") 1 - 12 m 4000 ANSI lumens DLP SVGA (800x600) 20000:1 4:3 1.073 billion colours -40 - 40° 15 kHz 100 kHz	Audio (L/R) out VGA (D-Sub) ports quantity * HDMI ports quantity * Composite video in * DVI port *	1 1 1 1
		Network	
		Smart TV *	x
		Ethernet LAN *	×
		Wi-Fi *	X
		Storage	
Vertical synchronization (min)	0.12 kHz	Card reader integrated *	×
Vertical synchronization (max)	0.024 kHz	Features	
Light source		Projection modes	Ceiling, Front, Rear
Light source type * La	Lamp	Multimedia	
Service life of light source *	5000 h	Built-in speaker(s) *	✓
Service life of light source (economic mode)	15000 h	RMS rated power	3 W
Lamp power	210 W	Number of built-in speakers	1
Lamps quantity	1 lamp(s)	Design	
Lens system  Focal length range  Aperture range (F-F)	22 - 24.1 mm 2.56 - 2.68	Product type * Product colour * Placement	Standard throw projector Black Desktop, Ceiling
Zoom capability	✓	Display	
Zoom ratio	2.0:1	Built-in display *	×
Video		Power	
Analog signal format system * Full HD * 3D *	NTSC, PAL, SECAM	Power source * Power consumption (typical) * AC input voltage	AC 260 W 120 - 230 V
Supported graphics resolutions	1920 x 1200 (WUXGA)	Operational conditions	
Ports & interfaces		Operating temperature (T-T)	0 - 40 °C
HDMI version	1.4	Operating relative humidity (H-H)	0 - 90%
USB 2.0 ports quantity	1	Weight & dimensions	
Audio (L/R) in *	1	Weight *	2.4 kg

Packaging content	
Remote control included *	✓
Batteries included	✓
Cables included	AC, VGA
Carrying case	✓
Manual	✓
Packaging content	Security Card
Logistics data	
Harmonized System (HS) code	85286200

