

GIGABYTE B760M Gaming X AX Motherboard - Supports Intel Core 14th Gen CPUs, 8+1+1 Phases Digital VRM, up to 7600MHz DDR5 (OC), 2xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2

Brand : GIGABYTE

Product code: B760M GAMING X AX


Product name : B760M Gaming X AX Motherboard - Supports Intel Core 14th Gen CPUs, 8+1+1 Phases Digital VRM, up to 7600MHz DDR5 (OC), 2xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2



Micro ATX, Socket LGA 1700, Intel B760 Chipset, 4 x DDR5 DIMM, AMI UEFI BIOS, Wi-Fi 6E (802.11ax), Bluetooth 5.3

GIGABYTE B760M Gaming X AX Motherboard - Supports Intel Core 14th Gen CPUs, 8+1+1 Phases Digital VRM, up to 7600MHz DDR5 (OC), 2xPCIe 4.0 M.2, Wi-Fi 6E, 2.5GbE LAN, USB 3.2 Gen 2:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.



Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	Line-in	✓
Processor socket *	LGA 1700	Microphone in	✓
Compatible processor series *	Intel® Celeron®, Intel® Pentium® Gold	Wi-Fi-AP antenna jack	2
Maximum number of SMP processors	2	Network	
Supported processor sockets	LGA 1700	Ethernet LAN	✓
Maximum internal memory supported by processor	192 GB	Ethernet interface type	2.5 Gigabit Ethernet
Memory		Wi-Fi *	✓
Supported memory types *	DDR5-SDRAM	Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Number of memory slots *	4	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
Memory slots type	DIMM	WLAN controller model	Realtek RTL8852CE
Memory channels	Dual-channel	Bluetooth	✓
ECC compatibility	Non-ECC	Bluetooth version	5.3
Supported memory clock speeds	4000,4800,5200,5400,5600,5800,6000,6200,6400,6600,6800,7000,7200,7400,7600 MHz	Features	
Supported memory clock speed (max)	7600 MHz	Motherboard chipset *	Intel B760 Express
Maximum internal memory *	192 GB	Audio output channels *	7.1 channels
Supported memory module capacities	1GB, 2GB, 4GB, 8GB, 12GB, 16GB, 32GB, 48GB	Product colour	Brown
Unbuffered memory	✓	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Storage controllers		Component for *	PC
Supported storage drive interfaces *	M.2, SATA III	Motherboard form factor *	micro ATX
Number of HDDs supported	4	Motherboard chipset family *	Intel
Number of storage drives supported	6	Power source type	ATX
RAID support	✓	Windows operating systems supported	Windows 10, Windows 11
RAID levels	0, 1, 5, 10	Expansion slots	
Graphics		PCI Express x16 (Gen 3.x) slots	1
Maximum resolution	4096 x 2304 pixels		
HDCP	✓		
DirectX version	12.0		

Internal I/O		Expansion slots	
USB 2.0 connectors *	2	PCI Express x16 (Gen 4.x) slots	1
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	Number of M.2 (M) slots	2
USB 3.2 Gen 2 (3.1 Gen 2) connectors *	1	BIOS	
Number of SATA III connectors *	4	BIOS type *	UEFI AMI
S/PDIF out connector	✓	BIOS memory size	256 Mbit
Front panel audio connector	✓	ACPI version	5.0
Front panel connector	✓	Clear CMOS jumper	✓
ATX Power connector (24-pin)	✓	Desktop Management Interface (DMI) version	2.7
CPU fan connector	✓	System Management BIOS (SMBIOS) version	2.7
Number of chassis fan connectors	3	Logistics data	
EPS power connector (8-pin)	✓	Country of origin	China
TPM connector	✓	Products per shipping (inner) case	1 pc(s)
Serial port headers	1	Battery	
Thunderbolt headers	2	Battery weight	3 g
RGB LED pin header	✓	Lithium weight per battery	0.07 g
Rear panel I/O ports		Number of battery cells	1
USB 2.0 ports quantity *	5	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	3	Battery type	CR2032
Ethernet LAN (RJ-45) ports *	1	Packaging data	
HDMI ports quantity *	1	Package width	270 mm
HDMI version	2.0	Package depth	268 mm
DisplayPorts quantity	1	Package height	68 mm
DisplayPort version	1.2	Package weight	1.64 kg
Headphone outputs	1	Weight & dimensions	
		Width	244 mm
		Depth	244 mm
		Height	35 mm
		Packaging content	
		Cables included	SATA
		Batteries included	✓
		Bundled software	Norton® Internet Security (OEM version) LAN bandwidth management software
		Technical details	
		Warranty period	3 year(s)



4719331853228

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-DEC-2024. Prints or copies of Information are only valid on the printed Publication date