

GIGABYTE Z790 AORUS MASTER X Motherboard- Supports Intel 13th Gen CPUs, 20+1+2 phases VRM, up to 8266MHz DDR5 (OC), 1x PCIe 5.0 + 4x PCIe 4.0 M2, 10GbE LAN, Wi-Fi 7, USB 3.2 Gen 2x2

Brand : GIGABYTE

Product code: Z790 AORUS MASTER X

Product name : Z790 AORUS MASTER X Motherboard- Supports Intel 13th Gen CPUs, 20+1+2 phases VRM, up to 8266MHz DDR5 (OC), 1x PCIe 5.0 + 4x PCIe 4.0 M2, 10GbE LAN, Wi-Fi 7, USB 3.2 Gen 2x2

- LGA 1700: Supports Intel Core 13th and next-gen processors
 - Digital direct 20+1+2 phases VRM solution
 - Full support up to DDR5-8266
 - 1*PCIe 5.0 x4 and 4*PCIe 4.0 x4 M.2 Connectors
 - VRM Thermal Armor Fins-Array & M.2 Thermal Guard XL
 - DIY-Friendly Design: Quick Release & Screwless Design for M.2 modules and graphics card
- LGA1700, Intel Z790 Express, 4 x DDR5, Wi-Fi 7, E-ATX, 1 x DisplayPort

GIGABYTE Z790 AORUS MASTER X Motherboard- Supports Intel 13th Gen CPUs, 20+1+2 phases VRM, up to 8266MHz DDR5 (OC), 1x PCIe 5.0 + 4x PCIe 4.0 M2, 10GbE LAN, Wi-Fi 7, USB 3.2 Gen 2x2:

Elevate your computing experience with GIGABYTE's renowned motherboard series: AORUS, AERO, and GIGABYTE. Featuring innovative designs and advanced features, these boards offer exceptional performance and reliability. Whether you're a gamer, content creator, or professional, our series cater to your needs, ensuring uncompromising quality and cutting-edge technology.



Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	Headphone outputs	1
Processor socket *	LGA 1700	Microphone in	✓
Compatible processor series *	Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel® Pentium® Gold	S/PDIF out port	✓
		Digital audio optical out	1
Maximum number of SMP processors	1	Wi-Fi-AP antenna jack	2
Supported processor sockets	LGA 1700	USB connector type	USB Type-A, USB Type-C
Maximum internal memory supported by processor	192 GB	Network	
Memory		Ethernet LAN	✓
Supported memory types *	DDR5-SDRAM	Ethernet interface type	10 Gigabit Ethernet
Number of memory slots *	4	LAN controller	Marvell AQtion AQC113C
Memory slots type	DIMM	Wi-Fi *	✓
Memory channels	Dual-channel	Top Wi-Fi standard	Wi-Fi 7 (802.11be)
ECC	✓	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 7 (802.11be)
Non-ECC	✓		
Supported memory clock speeds	4000,4800,5200,5400,5600,5800,6000,6200,6400,6600,6800,7000,7200,7400,7600,7800,7900,7950,8000,8200,8266 MHz	Bluetooth	✓
Supported memory clock speed (max)	8266 MHz	Bluetooth version	5.3
Maximum internal memory *	192 GB	Features	
Unbuffered memory	✓	Motherboard chipset *	Intel Z790 Express
Storage controllers		Audio chip	Realtek ALC1220-VB
Supported storage drive types	HDD & SSD	Audio output channels *	7.1 channels
Supported storage drive interfaces *	M.2, SATA III	Product colour	Black
Number of HDDs supported	4	PC health monitoring	Fan, Noise, Temperature, Voltage, Water cooling
Number of storage drives supported	9	Component for *	PC
RAID support	✓	Motherboard form factor *	Extended ATX
RAID levels	0, 1, 5, 10	Motherboard chipset family *	Intel
Graphics		Windows operating systems supported	Windows 11 x64
Parallel processing technology support *	Not supported	Expansion slots	
Maximum resolution	4096 x 2304 pixels	PCI Express x16 (Gen 3.x) slots	2
HDCP	✓		
DirectX version	12.0		
Discrete graphics support	✓		

Internal I/O		Expansion slots	
USB 2.0 connectors *	2	PCI Express x16 (Gen 5.x) slots	1
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2	Number of M.2 (M) slots	5
USB 3.2 Gen 2 (3.1 Gen 2) connectors *	1	BIOS	
Number of SATA III connectors *	4	BIOS type *	UEFI AMI
Front panel audio connector	✓	BIOS memory size	256 Mbit
Front panel connector	✓	ACPI version	5.0
ATX Power connector (24-pin)	✓	Clear CMOS jumper	✓
CPU fan connector	✓	Clear CMOS button	✓
Number of chassis fan connectors	8	Desktop Management Interface (DMI) version	2.7
EPS power connector (8-pin)	✓	System Management BIOS (SMBIOS) version	2.7
TPM connector	✓	Logistics data	
Thunderbolt headers	2	Country of origin	Taiwan
12V power connector	✓	Products per shipping (inner) case	1 pc(s)
RGB LED pin header	✓	Battery	
Rear panel I/O ports		Battery weight	3 g
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4	Lithium weight per battery	0.07 g
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity *	1	Number of battery cells	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	7	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
USB 3.2 Gen 2x2 Type-C ports quantity	2	Battery type	CR2032
Ethernet LAN (RJ-45) ports *	1	Packaging data	
DisplayPorts quantity	1	Package width	345 mm
DisplayPort version	1.2	Package depth	294 mm
		Package height	80 mm
		Package weight	3.46 kg
		Weight & dimensions	
		Width	305 mm
		Depth	260 mm
		Height	35 mm
		Packaging content	
		Cables included	SATA
		Batteries included	✓
		Antenna included	✓
		Bundled software	Norton® Internet Security (OEM version) LAN bandwidth management software
		Technical details	
		Warranty period	3 year(s)



4719331857585



0889523039335



889523039335

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-SEP-2024. Prints or copies of Information are only valid on the printed Publication date